176 PRINTERS: OUR TESTS REVEAL THE BEST

BYTE

THE WORLDWIDE COMPUTING AUTHORITY

NOVEMBER 1993

New Tools for Building SQL Database Front Ends

Excel 5.0: First Impressions

Graphics Technology for 3-D, Video, User Interfaces

SPECIAL REPORT

Windows vs. OS/2

Windows, OS/2, or NT: How to pick the best operating system for you.




FEATURING

- **NT or OS/2: Which one's best for Windows applications?** PAGE 85
- **OS/2 2.1: A User's Perspective** PAGE 97
- **Compiler Technology** PAGE 135
- **Networking with Windows and OS/2** PAGE 117

02662 11
0 440235 0

$3.50 U.S.A./$4.50 IN CANADA
A McGraw-Hill Publication/0360-5280


GET A GATEWAY AND...
GET EXTREME!



GET THE HOTTEST COMPUTERS

GATEWAY 2000 GOES TO EXTREMES!

You never get middle-of-the-road performance or value from Gateway! We've always had a reputation for going to extremes to be the ***best*** at giving you the ***highest*** performance and the ***latest***-technology PCs, at the ***biggest*** value. We try to think of everything we do in superlatives. Just see what this means for you.

HIGHEST PERFORMANCE, LOWEST PRICES

Now you can get the ultimate, pinnacle-of-performance Pentium system from Gateway! Our new P5-60 is based on Intel's® Pentium™ processor, the absolute maximum PC performer available today, at a typical Gateway how-low-can-they-go price of under $4,000! And we haven't faltered on features to give you this incredible price. The P5-60 is loaded, including the new ATI™ Ultra XLR 2MB video card on a screaming PCI bus, 528MB hard drive, 16MB RAM, 2X CD-ROM drive (300KB/second DTR), 17-inch color monitor, new tower case, added expandability, and all the extras that come with every Gateway PC.

Budget-conscious buyers can get the exceptional performance of the Gateway P5-60 at a great savings with our Best Buy system — a remarkable value at $2,995! This fully configured PC combines Pentium-based power and performance for your future at an affordable price. Check it out!

MOST BANG FOR THE FEWEST BUCKS

You get equally extreme values on our line of feature- and power-packed VESA local bus 486 systems with their large-capacity hard drives and outstanding video performance, now standard in our new, smaller but more expandable case. The Baby AT case measures 16.9-inches wide, 6.6-inches high and 16.8-inches deep, with four external and three internal expansion bays. Two VESA slots give you upgradeability to tomorrow's totally cool graphics and disk controller technology, and five ISA slots are compatible with 16-bit technologies. All DX2 VESA systems come with a CD-ROM drive, giving you access to new applications, databases and entertainment programs.

AT THE COOLEST PRICES

BIGGEST VALUE ON OUR SMALLEST DESKTOPS

We've elevated value to enormous levels on our new mini desktop systems, but we're still giving you pint-sized prices. Our new integrated local bus video provides up to twice the video performance found in our previous mini desktop systems. With up to 1MB video DRAM, you get 1024 x 768 resolution and an array of colors. All this on our 14-inch CrystalScan non-interlaced, .28mm dot pitch color monitor. You won't have any growing pains with Gateway's new integrated mini desktop cases, either. They're small, but more flexible and expandable than ever. They come with two 3.5-inch drive bays, and two 5.25-inch drive bays so you can add a tape backup, CD-ROM drive or another floppy drive. Of course, all Gateway mini desktop PCs are upgradeable to Pentium technology.

STRONGEST SERVICE FOR YOUR WEAKEST MOMENTS

We're committed to bending over backward to please our customers. Gateway employees understand that there may be a time when your computer makes you feel a little weak in the knees. Never fear — our Midwestern people know the importance of a friendly voice and a helpful attitude on the other end of the phone. And they know you want the best in service. That's what you'll get with our support departments.

HOTTEST SOFTWARE, COOLEST PERIPHERALS

Multimedia Upgrade Kit

Everything you need to add multimedia to your PC is included in our specially priced multimedia upgrade kit. You get:

Sound Blaster™16 Sound Card with Advanced Signal Processing — Simply the best sound card available! This 16-bit PC audio card offers CD-quality sound. Yamaha® FM music synthesizer, MPU-401 MIDI interface, joystick connector, built-in CD-ROM interface, and more. You also get two Labtec® speakers that attach to your PC monitor.

Double-Speed CD-ROM Drive — Kit comes with a high-performance double-speed CD-ROM drive. You also get our free system CD with Microsoft Multimedia Pack™ and more!

Kit Price: $395 (with system purchase)

Altec Lansing Speakers ACS-300 with Subwoofer — Get superior stereo sound with these top-rated speakers. **$219** (with system purchase)

Check out the extensive list of application software included with many of our systems. If the system you want comes with MS Works for Windows, you can upgrade to a choice of application software for only **$100**.

Call and ask about our full line of peripherals — *and* our new Gateway DuoLine MasterCard®Card. For an application, call 800-846-1781.



GET A GATEWAY AND ... *GET EXTREME!*

At Gateway, we strive to be extremists when it comes to bringing you the ***highest***-performance PCs, with the ***most*** features, at the ***lowest*** prices, with the ***strongest*** after-the-sale support, for the ***greatest*** value in the PC industry. Get a Gateway and ... ***get extreme!*** Call your Gateway 2000 sales representative today!

Get a Gateway . . .



GATEWAY 2000'S COOLEST PCs

4SX-33

- Intel®25MHz 486SX Processor
- 4MB RAM
- 3.5" Diskette Drive
- 212MB 13ms IDE Hard Drive
- Intel Pentium™ Technology Ready
- Local Bus Graphics Accelerator w/ 512KB DRAM
- 14" Color CrystalScan® 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 101-Key Keyboard
- Microsoft® Mouse
- MS-DOS,®Windows™ & Tools
- MS Works for Windows™ 2.0
- EPA Energy Star Compliant

$1295 4SX-25 **$1275**

4DX-33

- Intel 33MHz 486DX Processor
- 4MB RAM
- 3.5" Diskette Drive
- 212MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 512KB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 101-Key Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- MS Works for Windows 2.0
- EPA Energy Star Compliant

$1495

4DX2-50

- Intel 50MHz 486DX2 Processor
- 4MB RAM, 128KB Cache
- 3.5" Diskette Drive
- 424MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey®Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$1795

4DX2-66

- Intel 66MHz 486DX2 Processor
- 4MB RAM, 128KB Cache
- 3.5" Diskette Drive
- 424MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$1995

- Intel 33MHz 486SX Processor
- 4MB RAM
- 5.25" & 3.5" Combo Drive
- 212MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB Graphics Accelerator w/1MB DRAM
- 14" Color CrystalScan 1024NI
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$1495

- Intel 33MHz 486DX Processor
- 8MB RAM, 128KB Cache
- 5.25" & 3.5" Combo Drive
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB Graphics Accelerator w/1MB DRAM
- 14" Color CrystalScan 1024NI
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$1995

- Intel 50MHz 486DX2 Processor
- 8MB RAM, 128KB Cache
- 3.5" Diskette Drive & CD-ROM
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB ATI™ Ultra XLR 2MB Graphics
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$2295

- Intel 66MHz 486DX2 Processor
- 8MB RAM, 128KB Cache
- 3.5" Diskette Drive & CD-ROM
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB Graphics Accelerator w/1MB DRAM
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$2495

4DX2-66V

- Intel 66MHz 486DX2 Processor
- 16MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB ATI Ultra XLR 2MB Graphics
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software
- EPA Energy Star Compliant

$2995

P5-60 Best Buy

- Intel 60MHz **Pentium**™ Processor
- 8MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 424MB 13ms IDE Hard Drive
- PCI ATI Ultra XLR 2MB Graphics
- 14" Color CrystalScan 1572FS
- New 300W Tower Case
- 4 ISA, 2 PCI & 1 PCI/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- MS Works for Windows 2.0

$2995

P5-60

- Intel 60MHz **Pentium**™ Processor
- 16MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 528MB 12ms IDE Hard Drive
- PCI ATI Ultra XLR 2MB Graphics
- 17" Color CrystalScan 1776FS
- New 300W Tower Case
- 4 ISA, 2 PCI & 1 PCI/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

$3995

Software Choices

If a system comes with "choice of application software," choose one of the following packages:

- Microsoft Excel for Windows™
- Microsoft Word for Windows™
- Microsoft Word and Bookshelf'92,® CD-ROM Edition
- Microsoft PowerPoint for Windows™
- Microsoft Project for Windows™
- The MS Entrepreneur Pack(Works, Publisher, Money, and games)
- Borland Paradox® and Quattro®Pro for Windows

Due to the volatility of the DRAM market, all prices are subject to change.

Printed on recycled paper with soy inks.

Gateway 2000 is a corporate sponsor of GLOBAL REQLEAF

EPA POLLUTION PREVENTER

GATEWAY2000

"You've got a friend in the business."®


8 0 0 - 8 4 6 - 2 0 5 8


Accept only the finest ... Caviar

intel inside

610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)


TICK...NEW HOTBOX IS OUT,
TO UPGRADE IN A MONTH, LAN
TO WAN. I'VE GOT DECS RUN
LING IN FACTORIES THAT CAN'T
USER GROUPS WANT WINDO
POSED TO CONNECT 1000 MO
AND THE CONTROLLER'S SON
GUI THAN THE GENERAL LEDGER
THIS MOMENT IN THE LIFE OF AN IT MANAGER IS ABOUT
TO BE SOLVED BY SOLARIS, THE OPERATING
ENVIRONMENT THAT CONNECTS THE ENTIRE ENTERPRISE.



THERE ARE TIMES WHEN YOU'RE SURE THE WHOLE ENTERPRISE WILL NEVER GET RIGHTSIZED. HELP IS HERE.

IT'S SOLARIS.

IT'S FROM SUNSOFT AND NOW AVAILABLE FOR x86 AS WELL AS SPARC® — THE MOST POPULAR CISC AND RISC ARCHITECTURES. WITH THE SOLARIS® SOFTWARE OPERATING ENVIRONMENT YOU'LL CONNECT YOUR ENTIRE ENTERPRISE — HARDWARE AND SOFTWARE — AND RUN IT LIKE ONE WELL-OILED MACHINE.

SOLARIS IS THE RIGHT 32-BIT SOLUTION FOR A WORLD WHERE MANAGEMENT EXPECTS YOU TO DO MORE WITH LESS, TO MAXIMIZE THE RESOURCES AT YOUR DISPOSAL, TO PROTECT YOUR EXISTING HARDWARE AND SOFTWARE INVESTMENTS, AND PROVIDE EVEN MORE POWER, PRODUCTIVITY AND FASTER TIME TO MARKET. SOLARIS GIVES YOU VIRTUALLY UNLIMITED ACCESS TO ALL SYSTEMS ON YOUR LANS AND WAN.* WHAT'S MORE, IT'S SCALABLE FROM PCS TO MAINFRAMES.

SOLARIS HARNESSES AND CIVILIZES THE POWER OF UNIX®, THE PROVEN STABLE ENVIRONMENT AND LEADING 32-BIT DISTRIBUTED COMPUTING SOLUTION. UNIX IS RENOWNED FOR HIGH PERFORMANCE MULTITASKING, MULTITHREADING, AND MULTIUSER CAPABILITIES. AND SOLARIS RUNS MORE 32-BIT APPLICATIONS THAN ANY OTHER OPERATING ENVIRONMENT — OVER 7,500 INCLUDING LEADERS LIKE COMPUTER ASSOCIATES, ORACLE AND LOTUS. SOLARIS RUNS WINDOWS AND DOS, TOO. YOU'LL ALSO DISCOVER AN EXCELLENT SOFTWARE DEVELOPER ENVIRONMENT AND A SEAMLESS TRANSITION TO DISTRIBUTED OBJECT COMPUTING.



IF ALL THIS SOUNDS LIKE THE SOLUTION YOU'RE LOOKING FOR, DON'T WASTE ANOTHER SECOND.
CALL 1-800-227-9227.

SunSoft

THE NETWORK IS THE COMPUTER™

©1993 Sun Microsystems, Inc. Sun Microsystems, SunSoft, the SunSoft logo, the SunSoft tagline, and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc. SPARC is a registered trademark of SPARC International, Inc. UNIX is a registered trademark of UNIX System Laboratories, Inc. All other registered trademarks are the property of their respective companies.
*Third-party software may be required.

Circle 154 on Inquiry Card.

BYTE
NOVEMBER 1993 VOL.18, NO.12

News & Views

SPREADSHEETS

Excel 5.0 Gets Smart.....23
Excel 5.0 offers much in the way of new features. Even more intriguing is the tighter integration with members of Microsoft's Office package, such as Word 6.0 for Windows.

COMMUNICATIONS

E-Mail Unplugged by Wireless WANs.....28
E-mail will be an important application for wide-area, wireless communications.

CELLULAR DIGITAL

Cirrus Subsidiary Leads CDPD Push.....28
Analog cellular phone services will soon carry digital data, too.

DATA STORAGE

Sony's MiniDisc for Data: Future Floppy?.....32
Sony's new medium for storage.

MULTIPROCESSING

First PowerPC Systems Hit the Street.....34
The first IBM PowerPC systems should be available soon.

HIGH-SPEED MODEMS

At Your Own Risk: Faster Modems Now, Standards Later.....38
Modem manufacturers that can't wait another year for a new standard are shipping nonstandard product.

MULTIMEDIA

Intel's VDI Speeds Up Video, Miffs Microsoft.....42
Microsoft and Intel are at odds on how to improve the video playback in Video for Windows.

PREPRESS PRINTING

Report from Birmingham.....46


GRAPHICAL INTERFACES

Report from Orlando.....48

NEW PRODUCTS

What's New.....342
X Window System and dual-Pentium systems; a digital, on-line video production system for the Mac; a cellular link for modems and faxes; project scheduling in Windows; and more.

Special Report



Is There a Better Windows 3.1 Than Windows 3.1? 85
Windows, OS/2, and NT offer distinct benefits and disadvantages. One excels at running standard Windows applications.

OS/2 2.1: A User's Perspective 97
Partners Seek to Unite Phone and PC 107
IBM Has High Hopes for Multimedia on OS/2 110
Pen for OS/2 112
IBM Makes MP Promises for OS/2 114

OS/2 and Windows Networks 117
IBM's Assault on Distributed Objects 125
Developers Cautiously Optimistic About Multiplatform OpenDoc 130
IBM Ships DCE SDK for OS/2 and Windows 131

Compilers: Essential Partners 135
Windows NT Supports Posix, but Does It Matter? 142
Will OpenGL Be 3-D Standard for Windows NT? 144
OS/2 Gets Device Support 146
Top Software for Windows and OS/2 151

Features

COMMUNICATIONS

Get Your Kicks with Switched 56 57
BY DANIEL M. JOFFE Faster than a speeding modem, Switched 56 service may be the answer to your communications needs.

FORMS PROCESSING

In Good Electronic Form 67
BY BEN SMITH AND HOWARD EGLOWSTEIN Two companies prove how valuable electronic forms can be.

Reviews


PAGE 249



PAGE 257



PAGE 267

State of the Art

ADVANCED GRAPHICS

The Power of Graphics 206
BY JOHN BRYAN AND BOB RYAN Advanced graphics technologies are empowering new classes of applications.

C-Cube Marries Video and RISC—210





Three Ways to 3-D 215
Creating 3-D graphics images in real time requires sophisticated and well-balanced computer-graphics pipelines.

HP Takes a Dual Approach 216
BY NORTON EWART AND LARRY THAYER

Sun Breaks the Bottlenecks 218
BY BILL FLEMING

Damn the Torpedoes! 224
BY DOUGLAS VOORHIES

DATABASE PROGRAMMING

Building SQL Front Ends 240

BY RICK GREHAN

SQL databases enable sharing of critical information throughout the corporation, but creating client applications can be a tough row to hoe. BYTE examines client construction tools from Borland, Gupta, KnowledgeWare, and PowerSoft that provide technology that can ease the process.

PORTABLE COMPUTING

Windows Under 4 Pounds 249

BY DAVE ROWELL

Two 486-class subnotebooks for Windows: Epson's ActionNote 4000 and IBM's ThinkPad 500.

GRAPHICS

Point-and-Click Presentations 257

BY MARK CLARKSON

Two presentation programs for Windows square off. While Harvard Graphics solidifies its position as a market leader, newcomer WordPerfect Presentations exhibits some serious flaws.

SCANNERS/CONTACT MANAGERS

The Business-Card Shuffle 267

BY HOWARD EGLOWSTEIN

Microtek's Scan-in-Dex will appeal to any professional who makes numerous business contacts. The scanner reads business cards and drops the data into a searchable Windows database.

NETWORKS

NLMerlin and AlertView 271

BY MIKE HURWICZ AND DAN CARROLL

Two packages for managing PC networks have similar capabilities but drastically different orientations. AlertView takes action on workstation events, while NLMerlin automates procedures with a focus on NetWare servers. Hurwicz and Carroll question the long-term viability of each.

PRINTERS

Lab Report: 176 Printers Face Off 276

We stress-tested 176 printers to choose the best ones for eight important business applications.

The Best Printers for General Business—278

Enhanced Drivers—278

How We Tested—280

Dye Sublimation: Color for Tomorrow?—284

The Best Printers for

- High-Quality Color—285
- General-Purpose Color—289
- Workgroups—290
- Draft Quality—293
- Large Format—295
- CAD and DTP—299
- Portable—301

600 vs. 300: Trading Speed for Quality—290

Honorable Mentions—302

Dubious Achievements—302



Opinions

Pournelle: Fenasoft and Furniture 325

BY JERRY POURNELLE Jerry travels to Brazil to attend Fenasoft, a world-class computer exposition.

Books & CD-ROMs: Big Blue Tales 49

BY ANDY REINHARDT, JON UDELL, FRANK HAYES, AND RAYMOND GA CÔTÉ Inside the walls of IBM, technological change, constructing your own robots, and more.

Commentary: Electronic Books 404

BY HUGH KENNER Our eminent critic doesn't share the excitement of books on CD-ROM.

Editorial 14

BY DENNIS ALLEN

Letters 18

Comments on OCR, Windows development, Pournelle, and PowerPC.

READER SERVICE

Editorial Index by Company 402

Alphabetical Index to Advertisers 398

Index to Advertisers by Product Category 400

Inquiry Reply Cards: 202A, 398A

BUYER'S GUIDE 355

Mail Order

Hardware/Software Showcase

Buyer's Mart


PROGRAM LISTINGS

From BIX: Join "listings/frombyte93" and select the appropriate subarea (i.e., "nov93").

From the UUNET: ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories arranged by month.

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

Hands On



Inside Windows Accelerators 229

BY PETER WAYNER

Speeding up the operations of your graphical interface is the job of some very specialized technology.



ELECTRONIC DOCUMENTS

Under the Hood: Digital Signatures 309

BY BRUCE SCHNEIER Digital signatures will enable electronic documents to serve as legal instruments.

PROGRAMMING

Beyond DOS: OS/2 Extended Attributes 313

BY MARK J. MINASI How to fix problems with OS/2 extended attributes.

PROGRAMMING

Some Assembly Required: NT's Structured Exception Handling 317

BY STEVE NIEZGODA, LLOYD HOLT, AND DEREK WOJCIECH

The reality of structured exception handling in Windows NT may not live up to its promise.

BYTE (ISSN 0360-5280) is published monthly with additional issues in April and October by McGraw-Hill, Inc. U.S. subscriber rate $29.95 per year. In Canada and Mexico, $34.95 per year. European surface mail subscriptions $60, airmail $80. Non-European subscriptions, $60 surface mail or $85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies $3.50 in the U.S., $4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. Postmaster: Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

COVER IMAGE: DANIEL PELAVIN © 1993

BYTE Contents by Platform

DOS/WINDOWS

Excel 5.0 Gets Smart 23
Microsoft adds 3-D spreadsheets, IntelliSense, OLE 2, and Visual Basic, Applications to its Windows spreadsheet.

Intel's VDI Speeds Up Video..42
A new device interface could improve the performance of Video for Windows.

Is There a Better Windows 3.1 Than Windows 3.1?.....85
Tests of Windows, OS/2, and NT reveal which of these operating systems is best for running Windows 3.1 applications.

Inside Windows Accelerators 229
Your system's CPU can use some help running that graphical interface. Here's how GUI accelerators rev up Windows, plus a look at their design differences.

Building SQL Front Ends 240
A review of new tools from Borland, Gupta, KnowledgeWare, and PowerSoft for the daunting job of building Windows database clients.

Windows Under 4 Pounds...249
New 486-class notebooks from Epson and IBM are good Windows performers, but the new ThinkPad's hard disk and video subsystem are exceptional.

Point-and-Click Presentations 257
Harvard Graphics versus WordPerfect Presentations.

The Business-Card Shuffle.....267
Tired of thumbing through stacks of business cards? Microtek's scanner will file them in a Windows database.

OS/2

Is There a Better Windows 3.1 Than Windows 3.1?.....85
Running Windows applications is not OS/2's main mission. But how does it do compared to Windows 3.1 and NT?

OS/2 2.1: A User's Perspective.....97
One man's view of life with IBM's operating environment, plus some tips for tweaking.

IBM Has High Hopes for Multimedia on OS/2.....110
With Multimedia Extensions, OS/2 has some distinct advantages for users of video.

IBM Makes MP Promises for OS/2.....114
People who need symmetrical multiprocessing should check out OS/2 SMP.

OS/2 and Windows Networks.....117
A look at two choices for OS/2 users: IBM's LAN Server and Microsoft's LAN Manager.

IBM Ships DCE SDK for OS/2 and Windows 131
A new toolkit facilitates building distributed applications for OS/2, AIX, and non-IBM Unix systems.

OS/2 Gets Device Support...146
One of the biggest improvements with OS/2 2.1 is the increased support for expansion hardware.

OS/2 Extended Attributes ...313
What they are, why they break, and how to fix them.

Pournelle: Fenasoft and Furniture 325
Jerry continues working with OS/2.

UNIX

First PowerPC Systems Hit the Streets 34
IBM's next RS/6000s will be based on the Power processor, but they'll run current AIX applications.

IBM Ships DCE SDK for OS/2 and Windows 131
The toolkit will let developers build applications that distribute across not only IBM platforms but also non-IBM Unix servers.

Windows NT Supports Posix, But Does It Matter?.....142
Posix hasn't fulfilled its goal of ensuring application portability between Unix platforms. Microsoft says NT will make that happen.

WINDOWS NT

Is There a Better Windows 3.1 Than Windows 3.1?.....85
NT can run Windows programs. BYTE tests show how it does compared to Windows 3.1 and OS/2 2.1.

Compilers: Essential Partners 135
NT will rely on advanced compiler technology to get the most performance out of today's high-performance processors.

Windows NT Supports Posix, But Does It Matter?.....142
NT could fulfill some of the original objectives of Posix, Microsoft says.

Will OpenGL Be 3-D Standard for Windows NT?.....144
Although a major new platform for sophisticated graphics, the first release of NT lacks support for 3-D. SGI's technology could fill that gap.

NT's Structured Exception Handling 31
Developers can benefit from this aspect of NT's architecture, but it's not a programmer's cure-all.

NETWORKS

E-Mail Unplugged by Wireless WANs.....28
It's getting easier to get your mail without being wired.

Get Your Kicks with Switched 56 57
If traffic on your LAN is bogging things down, this new data-transport service is worth looking into.

In Good Electronic Form.....67
A huge enterprise network helps a company deal with its mountains of paper.

OS/2 and Windows Networks.....117
If you're used to NetWare, moving to LAN Server or LAN Manager could be like moving to a foreign country.

IBM Ships DCE SDK for OS/2 and Windows 131
This toolkit will let developers build applications that distribute across platforms other than IBM's.

NLMerlin and AlertView 271
Software from Knozall Systems and Shany provide managers and agents for running a NetWare LAN.

DISTRIBUTED COMPUTING

IBM Ships DCE SDK for OS/2 and Windows 131
DCE spans multiple platforms, including Unix servers from competitors.

Building SQL Front Ends 240
Creating Windows clients for SQL databases is no day at the beach. This review compares toolkits—from Borland, Gupta, KnowledgeWare, and PowerSoft—that try to make the job easier.

Index

Accelerators.....229
Artificial intelligence.....44
Books.....49
Buses.....206
C.....240
CAD.....293
CD-ROM.....49, 325
Communications.....28, 38, ...57, 325
Client/server....125, 131, 240
Color printing.....279, 283
Compression.....42, 206
Databases.....240, 261
Desktop publishing.....293
Digital signatures.....309
Electronic documents....38, 67, ...130, 309, 404
Electronic forms.....67
E-mail.....28
Fonts.....38
Graphics.....144, 206, 215, ...216, 218, 224, ...229, 257, 279, 293
Infrared.....42
Laser printers.....276
Mobile computing.....28, 112, ...249, 295, 325
Modems.....38, 325
Multimedia.....42, 110, 210
Multiprocessing.....34, 114
Networks.....28, 57, 67, ...107, 117, 271, 285
Notebooks.....249
OS/2.....85, 97, 110, 112, ...114, 117, 131, 135, ...146, 151, 313, 325
PCI.....206
PowerPC.....34
Printers.....276
Programming.....131, 135, ...240, 313, 317
Spreadsheets.....23
SQL.....240
Unix.....34, 131, 142
User interface.....48, 97, 229
VL-Bus.....206
Windows.....14, 23, 24, 42, ...67, 85, 107, 117, ...130, 131, 142, 144, ...151, 229, 240, 249, ...257, 267, 317
Wireless.....28, 42

THE NEW PINNACLE SIERRA 1.3GB™ OPTICAL HARD DRIVE

It's The Ultimate In Storage!



4500 RPM

19 msec effective access time

2.0 MBytes per sec. data throughput

THE LAST HARD DRIVE YOU'LL EVER NEED

Introducing the Sierra™ 1.3 Gigabyte optical hard drive with speeds faster than most magnetic hard drives and removable media for infinite capacity. With each additional standard optical disk you'll have another 1.3 Gigabytes of capacity to store spreadsheets, databases, CAD/CAM, graphics, multimedia or any data intensive application demanding mountains of storage.

The Sierra™ 1.3 GB is a lightning fast mass storage system with performance that rockets past most magnetic hard disk drives. (see chart)

OPTICAL PERFORMANCE ADVANTAGE

	XCOPY 20MB TO OPTICAL DRIVE/HARD DRIVE	XCOPY 50MB TO OPTICAL DRIVE/HARD DRIVE
PINNACLE SIERRA™ 1.3GB	135.3 seconds	379.5 seconds
SEAGATE ST4766N (630MB)	210.6 seconds	496.8 seconds
FUJITSU M2266SA (1.2GB)	165.5 seconds	375.1 seconds
MAXTOR XT-8760SH (676MB)	178.9 seconds	428.7 seconds

Optical technology has many advantages such as removability, reliability, expandability, and is less expensive than magnetic storage solutions.

OPTICAL PRICE ADVANTAGE

RETAIL COST @	1.3GB	2.6GB	5.2GB
PINNACLE SIERRA™ 1.3GB	$3245	$3495	$3995
HARD DISK DRIVE	$3250	$6500	$13,000

"It has a 19 millisecond access time and outperformed every other device we tested here." Stanley Wszola, *Byte*

With Pinnacle's ASCENT program you can upgrade your Sierra™ 1.3GB to a Pinnacle optical library system that ranges in capacity from 20 Gigabytes to 186 Gigabytes for Novell®.

The Sierra™ ... only by Pinnacle. The optical storage leader. For more info call:

800.553.7070

Ansel Adams Wilderness, Sierra National Forest

Trademarks: Sierra and Sierra 1.3 GB of Pinnacle Micro, Inc. All trademarks and registered marks to their respective owners.
Pricing acquired directly from System Integrators on 9/15/93. Avg. hard drive cost $2.50 per Megabyte. Tests performed by NSTL.

PINNACLE MICRO

19 Technology • Irvine, CA 92718 • U.S.A. • Int'l (714) 727-3300 • Fax (714) 727-1913

THE OPTICAL STORAGE COMPANY®

Circle 119 on Inquiry Card (RESELLERS: 120).


THIS SHOULD GIVE YOU
OF WHY WE CREATED AN

The image you see over there started out attached to the image you see over here. But as it made its way to the printer, the computer it was created on recognized a problem: 11 x 17 pages can't fit on 8½ x 11 paper.

And so, out came the electronic scissors.

Now, if you're like a lot of people, you know all about this routine. And you know how it feels to walk into a meeting with a presention that contains hours of blood, sweat and tears, and a big fat strip of tape going right down the middle of it. Enough said.

COMPAQ PAGEMARQ Network Laser printers were built to help put an end to all of that. They can print 11 x 17 pages in a single pass. They come with up to three paper trays, which lets you switch between paper sizes without leaving your desk, so you don't have to pull one paper tray out and replace it with another, only to have your neighbor




CONNECTIVITY OPTIONS

COMPAQ PAGEMARQ Printers can be directly connected into the following environments: NetWare, EtherTalk, LocalTalk, LAN Manager, LAN Server, Windows NT, and TCP/IP (including Sun, HP, SCO, IBM, DEC and lpd compatible hosts).

*This service, provided by Contract Service Providers, is specific to hardware products and may not be available in certain geographic locations. Consult the Compaq Customer Support Center for further details. © 1993 Compaq Computer Corporation. All Rights Reserved. COMPAQ Registered U.S. Patent and Trademark Office. PAGEMARQ and CompaqCare are trademarks of Compaq Computer Corporation. Product names mentioned herein may be trademarks and/or registered trademarks of their respective

I A PRETTY GOOD IDEA
J 11 x 17 LASER PRINTER.

repeat the process two minutes later. They hold up to 1,500 sheets of paper. And for people whose design ambitions extend beyond Helvetica



Bold, PAGEMARQ Printers offer two ways to expand your type library, eliminating the need to continually download from your computer. You can add 1- and 2-MB Programmable Font Modules, or you can add an internal 60-MB Hard Drive.

All of which print with razor-sharp clarity thanks to the 800 x 400 dpi-high-resolution mode.


Of course, both the COMPAQ PAGEMARQ Laser Printers are fully backed by CompaqCare, our extensive service and support program. Which includes a one-year, on-site* limited warranty as well as unlimited toll-free telephone support. All at no additional charge whatsoever.

If you're interested in learning more, just call us at 1-800-345-1518 in either the U.S. or Canada.

We'll show you how to keep big ideas in one piece. At least until your client sees them. **COMPAQ**



A typographer's dream, these printers can store 1,500 fonts. Of course, not all of us dream about type. In which case, the 35 fonts that come standard are more than adequate.



Add an Internal FAX Modem and you can turn your PC into a personal fax machine. One that will send and receive true Adobe PostScript quality faxes in any size up to 11 x 17.



companies. Adobe is a registered trademark of Adobe Systems, Inc. PostScript is a trademark of Adobe Systems, Inc., which may be registered in certain jurisdictions. NetWare is a registered trademark of Novell, Inc. Windows NT and LAN Manager are registered trademarks of Microsoft Corporation. LAN Server is a registered trademark of International Business Machines Corporation.

Circle 76 on Inquiry Card.

BYTE

EDITOR IN CHIEF
Dennis Allen

EXECUTIVE EDITOR
Rich Friedman

MANAGING EDITOR
D. Barker

ASSISTANT MANAGING EDITOR
Lauren Stickler Thompson

NEWS
Peterborough:
News Editors: David L. Andrews, Carol J. Swartz
Researcher: Martha Hicks
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill
New York:
News Editor: Ed Perratore

BYTE LAB
Director: Stanford Diehl
Technical Director: Rick Grehan
Senior Editor: Alan Joch
Technical Editor: Dave Rowell
Testing Editors/Engineers: Howard Eglowstein, Ben Smith
Lab Assistant: Selinda Chiquoine

STATE OF THE ART/FEATURES
Senior Editor: Michael Nadeau
Technical Editors: Russell Kay, Robert M. Ryan

SENIOR TECHNICAL EDITORS
At Large: Tom Thompson, Jon Udell

ASSOCIATE TECHNICAL EDITORS
Susan Colwell, Cathy Kingery, Margaret A. Richard, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Raymond GA Côté, Barry Nance, Dick Pountain

CONSULTING EDITORS
Jonathan Amsterdam, Nicholas Baran, Mark Clarkson, Don Crabb, Hugh Kenner, Anne Fischer Lent, Laurence H. Loeb, Trevor Marshall, Stan Miastkowski, Roberta Poumelle, Wayne Rash Jr., Kenneth M. Sheldon, Jane Morrill Tazelaar, Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS
Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, June Sheldon

DESIGN
Associate Director: Joseph A. Gallagher
Designers: Jan Muller, Sharon Price
Graphics Manager: Roger Goode

EDITORIAL PRODUCTION
Production Manager: David R. Anderson
Editorial Graphics Manager: Virginia Reardon
Graphics Production Coordinators: Barbara Busenbark, Donna Sweeney

PRODUCTION AND FINANCE
Director: Claudia Flowers

ADVERTISING PRODUCTION
Advertising Services Manager: Linda Fluhr
Senior Advertising Services Representative: Lyda Clark
Advertising Services Representatives: Dale J. Christensen, Karen Cilley, Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager: Susan Kingsbury
Graphics Production Coordinators: Christa Patterson, Lillian J. Wise

FINANCE
Senior Financial Analyst: Kenneth A. King
Financial Analyst: Kathleen Deguise
Data Processing Coordinator: Diane Henry
Production Assistant/Purchaser: Agnes Perry

MARKETING AND PLANNING
Director: L. Bradley Browne
Marketing Communications Manager: Rob Mitchell
Marketing Art Director: Stephanie Warnesky
Market Research Manager: Julie Perron
Copyrights Manager: Faith Kluntz
Reader Service: Cynthia Sands
Marketing Events Coordinator: Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Lynn Lagasse
Subscriptions Assistant: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Jill Wood
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
Ronald W. Evans

Publisher's Assistant: Donna Nordlund

ASSOCIATE PUBLISHER, V.P. SALES & MARKETING
David B. Egan
Administrative Assistant: Carol Cochran

ADVERTISING SALES
NEW ENGLAND
David Richardson (617) 860-6344
Patricia Payne (603) 924-2654

EAST COAST
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST
Mary Ann Goulding (404) 843-4782
Barry Echavarria (603) 924-2574

MIDWEST
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN
Jennifer Walker (214) 701-8496
Brian Higgins (603) 924-2651

SOUTH PACIFIC
Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
Alan El Faye (213) 480-5243
Brian Higgins (603) 924-2651

NORTH PACIFIC
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
Barry Echavarria (603) 924-2574

INSIDE ADVERTISING SALES
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 × 2)
Margot Gnade (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE
Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL & BUYER'S GUIDE
(603) 924-2518

BYTE DECK
Brad Dixon (603) 924-2596

EURO-DECK
James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 399.

PERSONNEL
Human Resources Administrator: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.
MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.
Los Angeles: 15635 Alton Pkwy., Suite 290, Irvine, CA 92718, (714) 753-8140.
New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.
U.K./EUROPE: Wimbledon Bridge House, One Hartfield Rd., Wimbledon, London SW19 3RU, England, +44 81 543 1234.
ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.
MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.
OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.
U.S. fax: Editorial: (603) 924-2550
Advertising: (603) 924-7507
U.K. fax: +44 81 540 3833

SUBMISSIONS:
Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.
Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:
For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. For a new subscription, (800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are $29.95 for one year, $54.95 for two years, and $74.95 for three years in the U.S. and its possessions. In Canada and Mexico, $34.95 for one year, $64.95 for two years, $8795 for three years. In Europe, £42 (US$60) for fast surface delivery, £55 (US$80) for air delivery. Non-European countries US$60 for surface mail, or US$85 for air mail. Single copy price is $3.50 in the U.S. and its possessions, $4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of $1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280, $1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1993 by McGraw-Hill, Inc. All rights reserved. BYTE and **BYTE** are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

Member Audit Bureau of Circulation

BIX Interactive On-line Service

PRODUCT MANAGER
Kip Bryan

DIRECTOR OF COMPUTER-RELATED SERVICES
Stephen M. Laliberte

MEMBER SERVICES MANAGER
Kevin Plankey

EXCHANGE EDITORS
Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

BIX, owned and operated by General Videotex Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or make a data call to our Tymnet address: 310690157800. Then hit the Enter/Return key and enter "BIX" when asked to log in; then enter "BIX.VILLE" when asked for a name. For current fees and more information, call (800) 695-4775 or (617) 354-4137 on voice phone; fax: (617) 491-6642; Internet: bix@genvid.com.

OFFICERS OF MCGRAW-HILL, INC.:
Founder: James H. McGraw (1860–1948).
Chairman and Chief Executive Officer: Joseph L. Dionne; *President and Chief Operating Officer:* Harold W. McGraw III; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *Executive Vice President, Publication Services:* Norbert Schumacher; *Vice President/Group Publisher, Computer Magazines:* Fritz Landmann.

Announcing the first personal computers that will send faxes, read you your mail, take phone messages and work with your video camera, VCR and TV.



In fact, they'll do just about

"Computer, read me today's mail."
These computers will actually speak to you, reading aloud your e-mail, documents or spreadsheet numbers. Our new AppleAudioVision™ Display, with its sensitive microphone and built-in speakers, is the perfect all-in-one monitor for speech capabilities, multimedia presentations and more.

"Computer, call Michelle Dunn."
With Apple GeoPort, you can turn your AV computer (in this case, the Macintosh Centris 660av) into a telephone and an answering machine. The hands-free phone lets you do work on-screen while you talk. And both computers have ES-F2F software, so all you need is a video camera to hold a video-conference across a local area network.


"Computer, fax letter to Steve Wingate."
Forget the fax machine. The optional Apple GeoPort™ Telecom Adaptor includes fax and modem software–everything you need to send and receive faxes from your desk or use on-line services. And both computers let you try out ExperFax, an application that converts your faxes into text.



*Manufacturer's Suggested Retail Price as of 8/15/93. Reseller prices may vary. ©1993 Apple Computer, Inc. All rights reserved. Apple, the Apple logo, Macintosh and "The power to be your best" are registered trademarks of Ap

anything you tell them to.

"Computer, open my word processor."
Now work the most intuitive way. With Apple PlainTalk,™ AV computers (here, the Macintosh Quadra 840AV) can recognize spoken commands–you just speak naturally. We've also included QuickKeys OSA Component software, so you can create your own verbal commands, like "Computer, open my word processor."



"Computer, start video."
Just plug a video camera, VCR or laserdisc player into the back of either AV computer. The FusionRecorder software included lets you easily capture video and single-frame snapshots, or record 16-bit stereo sound. You can paste your videos directly into presentations, documents or any software that supports QuickTime.™

"Computer, display Macintosh on TV."
You can play video right on your AV computer monitor for easy presentations to coworkers, clients or a class. You can also plug either machine into a TV, if you need a larger display. Or plug into a VCR, and record your work on videotape for distribution.

"Computer, play CD."
Add the AppleCD™ 300i disc drive to either machine, and you can access huge libraries of clip art, sound effects, video clips and more. Or just play your own music CDs while you work.

The Macintosh Centris 660AV and Macintosh Quadra 840AV

You've probably read that telephones, computers, television and other technologies will converge soon.

This is where they meet. Introducing the Macintosh Centris™ 660AV and Macintosh Quadra™ 840AV personal computers. These two computers offer a suite of communication capabilities called Apple® AV Technologies: a telecommunications center, easy video input/output connections, voice recognition and text-to-speech abilities.



Apple AV Technologies.
Telecommunications, video, speech–all the ways you communicate.

For the first time, use a Macintosh® to pick up phone messages with a point and click, record video by plugging in a video source, and open a file by saying, "Computer, open."

Many of these new functions are sped along by a digital signal processor (this chip flies through data at the rate of 55 MHz in the Macintosh Centris and an even faster 66 MHz in the Macintosh Quadra).

With a 25 MHz 68040 processor and up to 68MB of RAM, the Macintosh Centris has the horsepower required to breeze through huge spreadsheets and documents. And there's room to add a 500MB internal hard disk, a CD-ROM or SyQuest drive and a NuBus expansion card.

The new Macintosh Quadra will make publishing, graphic design and other communications professionals salivate. Its 40 MHz 68040 processor and up to 128MB of RAM make it the most powerful Macintosh ever. And it has room for a gigabyte of hard disk storage, four internal storage devices and three NuBus expansion cards.

Best of all, you can get a Macintosh with Apple AV Technologies starting at $2,489.* Once again, Apple puts the most amazing kind of power within your reach. The power to be your best.®

Apple

e Computer, Inc. AppleCD, AudioVision, GeoPort, Macintosh Centris, Macintosh Quadra, PlainTalk and QuickTime are trademarks of Apple Computer, Inc. This ad was created using Macintosh personal computers.

Windows, NT, or OS/2



To pick the right operating system, you need to examine technologies and strategic directions

Both Windows NT and OS/2 run applications written for Windows 3.1, but which is best? You might expect that either 32-bit advanced operating system—NT or OS/2—would naturally be better than Windows 3.1 running on top of DOS. However, Jon Udell, one of BYTE's operating-system experts, made an interesting discovery that might surprise you (see "Is There a Better Windows 3.1 Than Windows 3.1?" on page 85).

Udell's article does more, though. It sums up the current debate about operating systems for Intel-based computers. Is upgrading to either NT or OS/2 2.1 worthwhile? That's not an easy question to answer, and it's complicated by the fact that the number of 32-bit applications that can exploit either NT or OS/2 is small compared to those made for Windows 3.1.

That's why much of the debate should also focus on what NT and OS/2 promise; therefore, you ought to examine the technologies and strategic directions of the two systems. To that end, BYTE editors have compiled articles in this issue on what we believe to be the hottest debate going.

Take, for example, distributed processing. Recently, IBM announced its Distributed Computing Environment SDK (Software Development Kit) (see "IBM Ships DCE SDK for OS/2 and Windows" on page 131). Long thought to be too complicated for microcomputers, true distributed computing will become possible on OS/2 and Windows. Meanwhile, other major players are readying their responses for distributed computing.

On a related subject, you should also examine IBM's Distributed System Object Model (see "IBM's Assault on Distributed Objects" on page 125). Now applications can reach across a network to use remote objects, which is essential for distributed processing.

Speaking of networks, Barry Nance provides some insight into the six Windows or OS/2 native-networking options (see "OS/2 and Windows Networks" on page 117). Sorting through the advantages of Windows for Workgroups, NT, Windows NT Advanced Server, LAN Server, LAN Manager, or Novell NetWare for OS/2 is not a trivial task. If you've had trouble getting a handle on the important differences, Nance's article will surely help.

That's not the only kind of networking happening, either. How about networking PCs to the telephone? That's what Microsoft has in mind with its Windows Telephony API (see "Partners Seek to Unite Phone and PC" on page 107). The idea is relatively simple: Establish the standards necessary for enabling PC-driven telephone applications software and for connecting PCs to existing phone systems and PBXs.

Concurrently, IBM is doing its level best to push more than voice lines through PC networks. In fact, IBM wants to serve up video on OS/2 (see "IBM has High Hopes for Multimedia on OS/2" on page 110). To accomplish that, IBM has designed a set of multimedia tools that share the name Ultimedia that may give OS/2 an advantage over Windows in the multimedia arena.

And, if all that's not enough, there's more. From user's perspectives to symmetrical multiprocessing, you'll find it in our special report. We've also included a roundup of interesting products to help you find what you need.

Finally, to take advantage of either NT or OS/2 running on a high-performance processor, software compilers have had to advance. Check out Oliver Sharp's excellent article on compiler technology (see "Compilers: Essential Partners" on page 135). If you develop software, you cannot afford to miss Sharp's technical discussion.

What more can I say? Already I feel a little bit like a Ginzu knife salesman (but wait, there's more...). It's just hard to hide my enthusiasm for this issue. The Windows and OS/2 debate is raging, and I think the BYTE editors and writers have done the best job of anyone to bring light to the subject.

And no, we haven't forgotten Unix, PowerOpen, NetWare, the Mac, and other important operating systems. But, for this issue, we wanted to focus on the players currently hogging the spotlight—Windows and OS/2.

It doesn't end here, though. In upcoming issues, we promise to keep you posted on developments as they happen. We also promise to bring you an in-depth analysis of several key technologies and how they are implemented across all the advanced operating systems. And that's something you won't find anywhere else but in the pages of BYTE. Stay tuned—we're just getting started.



DENNIS ALLEN, EDITOR IN CHIEF

THE #1 WINDOWS DATABASE



New Paradox makes your desk a ramp on the data superhighway

New Version 4.5

There's lots and lots of data out there. The trouble is, it has to go to the right place in order to be productive. That's the reason why we developed the new Paradox® Workgroup Edition. The only database with superior SQL connectivity and workgroup information sharing.

Share data easily with any workgroup

First we built in support for SQL servers* so you can work with information from corporate databases as if it were on your desktop. Then we added the Workgroup Desktop to distribute the data where it's needed. Now anyone with a Workgroup Edition of Paradox® can exchange data over local and wide area networks, or via electronic mail.† You can establish and modify workgroups instantaneously to meet the needs of a given project. *Everything you need is built right in!*




Best Windows database for all skill levels

Of course, no new version of Paradox would be complete without enhancements to the powerful and easy-to-use features that have made it the #1-rated Windows database. Built-in productivity Experts™ guide you at every step, from linking tables to building forms and reports. Object Inspector™ menus provide instant access to capabilities without searching through layers of menus. Paradox's ease of use stays with you as you move up the power curve. Corporate developers find that ObjectPAL,™ the fully integrated programming language, lets you create custom Windows applications that are powerful, graphical, and deliverable *fast*. Plus, 100% compatibility with Paradox DOS means your existing Paradox data will migrate automatically to your new Windows application.

When it comes to workgroup database productivity, nothing gets you where you want to go faster or easier than the new Paradox Workgroup Edition from Borland.

Welcome to life in the fast lane.



Limited-time offer!

$495 *Suggested retail price for new users.*

$149.95 *Upgrade price for Paradox, FoxPro, Access, Superbase, and Approach users. $20 rebate for Paradox Windows 1.0 owners.*

90-day, money-back guarantee

See your dealer today or call 1-800-336-6464, ext. 7506

In Canada, call 1-800-461-3327.

Borland

Power made easy™

Copyright © 1993 Borland International, Inc. All rights reserved. All Borland product names are trademarks of Borland International, Inc. Offer good in the United States and Canada only. All prices in U.S. dollars. Dealer prices may vary. *Including Borland's InterBase,™ SYBASE/Microsoft SQL, and ORACLE servers. †Novell Message Handling Service (MHS and NGM); MCI Mail; cc:Mail; Windows for Workgroups, MS-Mail, and other MAPI-compliant messaging services; Local Area Network (LAN) systems, such as Novell NetWare, Banyan, IBM® LAN Server, MS-LAN Manager, AT&T StarGROUP, and other peer-to-peer networks. BI 5815

Circle 69 on Inquiry Card (RESELLERS: 70).



Give your power-hungry soft

The OverDrive™ processor. The single-chip upgrade that maximizes your PC's performance.




Want to see a spectacular performance? Then add an i486™ DX2 OverDrive processor to your Intel486™ SX or DX CPU-based system. And watch *all* your power-hungry software take off.

The OverDrive processor improves the performance of all your applications. So you can fly through your overwhelming workload with the greatest of ease.

How does the OverDrive processor do it? Using Intel's innovative DX2 "speed doubling" technology, it runs internally at twice the speed of the rest of your system. So if you had a 33 MHz SX or DX Intel processor, you would now have a 66 MHz DX2 Intel processor.


*For European inquiries, call +44 (0) 793 431155, and ask for infopack IOD2.

© Intel Corporation 1993. AutoCAD is a registered trademark of Autodesk. Aldus and PageMaker are registered trademarks of Aldus Corporation. Paradox is a registered trademark of Borland International, Inc. CorelDRAW! is a trademark of Corel Corporation.



ware up to 70% more ka-boom.

Software Performance Increase



Performance gain by adding an OverDrive processor to an Intel486 DX 33MHz CPU-based system.

Plus, the OverDrive processor is easy to install. Depending on your system, you can either plug it into the OverDrive socket or swap it with your original microprocessor. No problem.

To get a better idea of how the OverDrive processor boosts performance of your software, call 1-800-354-3112, Ext. 5719,* for a free demo disk. It could be the greatest show on earth.

intel®

Circle 96 on Inquiry Card.

Letters

Fax Plus OCR

What impressed me about Stan Wszola's "Fax Plus OCR: More Than Meets the Eye" (August) was its Rube Goldberg quality. One computer is to convert a word processing file into a voluminous bit map, which is then transmitted over a narrow channel. On arrival at a second computer, this bit map is laboriously converted back to text.


Fax Plus OCR: More Than Meets the Eye

OCR should be done at the originating fax machine, to achieve compression far in excess of anything obtainable by treating characters as bit maps. The time is ripe for someone to create such an extension, without waiting for the standards committee. Keep it simple.

Andrew D. Todd
Philadelphia, PA

Elegant Windows Dialog Boxes

In the August Some Assembly Required, Gen Kiyooka suggests the auto-reconfiguring dialog box in Word for Windows 2.0 is the result of the Microsoft Applications Group's "constant stream of new interface ideas." Oh, please—Mac users have been treated to this interface object in the Control Panel since System 4, back in 1987. Let's give credit where credit's due.

Fred Martin
Cambridge, MA

I think it's fair to say the Applications Group at Microsoft has contributed to, informed, and proselytized fine GUI design, both on the Mac and under Windows. The article's context was Windows development, and the Word options dialog box was an early implementation under Windows, although certainly not the first I'd seen. Originally, my article concluded with a certain wistful glance toward the exemplary toolbar design in Windows Excel, perhaps suggesting yet another idea from the stream of our UI cultural consciousness, which can be attributed, in reductionist thinking, to any of a number of sources.—Gen Kiyooka

Pournelle and Windows Word Processors

Hooray for Pournelle's gripes about Windows word processors. They clutter the screen with icons and can't handle file naming or filing. Worse, I suspect that not a single Windows word processor programmer is a touch typist.

Commands should be easy to type and remember. Give us a collaborative article between programmers and writers about the architecture of a useful word processor. Forget the tiresome comparison of features. I'm interested in fast typing, a hotshot command structure, minimal use of the mouse, a huge file capacity with multiple files at my fingertips, sophisticated searching, indexing, and a spelling checker with just enough grammatical smarts to tell the difference between the words *to* and *too*.

Donald Kingsbury
Montreal, Quebec, Canada

They Just Don't Get It

Walter Mossberg's "They Just Don't Get It" (August) hit the nail on the head. I purchased a hand scanner six months ago, and it's still not hooked up. It requires a mouse, and there is a conflict with the ports. I had to upgrade from DOS 3.2, so I bought DOS 5.0. I could not upgrade because I needed a 5¼-inch drive, and I only had a 3½-inch drive. So I bought a 5¼-inch drive. I had a conflict that erased the CMOS. It took a week to get the original settings back.

My modem and Hercules card work on my 8088 but not on my 386. I have 64 MB installed and recognized when booting, but I can access only 32 MB. I'm sick and tired of "Well, we're still in the Model A era." Personally, I am in the boycott era. When "they" finally get it, then I'll buy it.

Lowell Allen
Adolphus, KY

I couldn't agree with Mossberg less when he states, "Personal computers are just too hard to use, and it's not the fault of the people who use them." Oh, but it is. You cannot get about in an information age if you are unwilling to learn its most basic tool. We effectively deeducate the masses while trying to make them happy. The easier we make a thing, the more people will buy it and be satisfied with it, but it remains a magical and mystical thing, not born by them but borne by them.

Fletcher Bonds
Address not provided

IBM and EMF


Paul Saffo's "A Conspiracy of Silence" (July) on EMF radiation was compelling. Saffo indicts the whole computer industry but specifically criticizes IBM. Since September 1992, IBM has introduced 11 monitors that meet ISO 9241 Part 3 and MPR-II standards, as well as three VLMF (very low magnetic frequency) monitors.

Jeffry Ullman
Advisory Systems Engineer, IBM
Coral Gables, FL

For PowerPC Information

I'd like to learn more about the MPC601 processor and the PowerPC architecture featured in your August cover story. Can you point me in the right direction?

Steven Monsees
Nashua, NH



Contact IBM's Technology Products Literature Distribution Center at (800) 426-0181 or fax (708) 635-3620; ask for the PowerPC 601 information kit. Or write to IBM, 1000 East Business Center Dr., Mount Prospect, IL 60056.

Contact Motorola's Literature Distribution Center at (800) 441-2447; fax (602) 994-6430. Motorola's PowerPC 601 RISC Processor user's manual (P/N MPC601UM/AD) is $6.50.—Eds.

Clarification

In case it wasn't clear to all readers of the August BYTE, the specific part number for IBM Technology Products' PowerPC 601 is PPC601 (TP25PPC601); Motorola, Inc.'s, specific part number is MPC601. IBM will also manufacture and distribute the PPC603, PPC604, and PPC620.

We want to hear from you. *Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, send BIX mail c/o "editors," or send Internet Mail to letters@bytepb.byte.com. Letters may be edited.*

AUDIOMAN™
THE EASY WAY TO BRING SOUND TO BUSINESS IS NOW EASY TO BUY.

AudioMan, the easy way to add sound to all your OLE-compatible



Windows™ 3.1 applications, is now available free for thirty days when you buy it directly from Logitech. AudioMan gives a whole new dimension to on-the-road presentations in Freelance Graphics®, PowerPoint®, Harvard Graphics® and other programs, and effortlessly adds sound to spreadsheets (such as Excel and Lotus® 1-2-3®), word-processing (like AmiPro®, Word for Windows, and WordPerfect®), and E-mail (including Lotus Notes® and cc:mail™). There's no board to install, and the compact, all-in-one unit includes microphone, speaker, input and output jacks, and a pass-through parallel printer connector. "It's the closest thing I've found yet to the perfect human-interface device for PC audio."
(Jim Seymour, PC Week)

TRY AUDIOMAN FREE FOR 30 DAYS.

If you're fully satisfied, we'll bill you $129 (plus $6 shipping and handling).* If not, simply call to return it, no questions asked. To order, call **1-800-732-3180**, and ask for offer **#67.**

NOW INCLUDES NEW SOFTWARE UTILITIES AND TEXT-TO-SPEECH CAPABILITIES.

Try me, risk free, for thirty days.



(Actual Size.)

LOGITECH

The Senseware™ Company

™/® Trademarks belong to their respective owners. Quote courtesy of *PC Week*, March 29, 1993. *CA and MA residents must pay sales tax. Offer expires November 30, 1993. Allow 1-2 weeks for fulfillment.

Circle 103 on Inquiry Card (RESELLERS: 104).

OUR REVOLUTIONARY *new* COMPUTER *is clearly* FAMILY COMPATIBLE.

212 MB hard drive and 4 MB RAM let you run sophisticated Windows-based software.

Exclusive WinMate software makes using Windows easy and helps organize households and home businesses.

An Intel 33 MHz 486 SX microprocessor breezes through IBM® PC compatible software programs.

Speedy local bus video makes everything on-screen look sensational.

A Soundblaster compatible sound card gives audio appeal to games, presentations, even homework.

A wealth of bundled software includes Microsoft Windows 3.1, Works, the Microsoft Bookshelf for Windows CD-ROM reference library and Intuit's Quicken for Windows.

A built-in send and receive fax/modem helps you conduct business and use your MPC to set up voice mail for the whole family.

Dual-speed CD-ROM drive lets families bring interactive information, including Kodak Photo-CDs, to life.

Complies with EPA's "Energy Star™" standards



MPC2 Multimedia PC

From the start, the Tandy Sensation was bound to be a family favorite. It's practical, but fun. Sophisticated, but easy to use. No wonder this Radio Shack multimedia PC has already won the hearts of so many experts. Now, though, it's your seal of approval we're after. Because we designed the Sensation with families

And APPARENTLY, CRITIC COMPATIBLE, TOO.

is a rich collection of
well-integrated programs

:omput-
er. The Sensation is worth serious
consideration if you're shopping for
the multimedia experience."

Larr lasko
AP

on is aptly named.
for a good all-around
: the Sensation."
-Greg Loveria
BYTE

he Sensation is not only easy to
use, but quite a multimedia Swiss
Arm knife."

-Selby Bateman
CD-ROM Today

puter that works well and
offers a lot for the money."

Howard Blumenthal
Hardware Review,
United Feature Syndicate

"The Sensation is an excellent machine
at does a lot and does all of it well."
–Eddie Huffman
Compute

like yours in mind. Its multimedia capabilities and user-friendly technology mean everyone in your home can put it to use. So why not put it




to the test? Experience the Sensation firsthand at your neighborhood Radio Shack. Chances are, you'll find it's compatible with you, too.

Radio Shack®

GREAT AS PC & MAC SCREEN SAVERS ALL UTILITIES INCLUDED

COREL PROFESSIONAL PHOTOS CD-ROM

Works with any ISO 9660 CD-ROM drive (XA support not needed)



Royalty Free

Kodak Photo CD Format

PC & Mac Compatible

Ideal for Desktop Publishing

Each collection features 100 razor-sharp Kodak Photo CD format photographs on a single disk. The stand alone Corel utilities included let you turn any of these stunning CD-ROM photo images – or your personal photos on CD – into Screen Savers, Wallpaper and slideshows (with optional background music tracks).

Save time and money on stock photography!

Corel Professional Photos are royalty free for all applications and ready for color separation. There are no additional fees. That makes them ideal for use in any visual communication such as ads, brochures, presentations and multimedia. And you can use CorelDRAW to retouch or add special effects to any Corel Professional Photo.

Already more than 50 titles:

The Arctic
Africa
Airshows
Arizona Deserts
Auto Racing
Birds
Bridges
Castles
China & Tibet
Churches
Cityscapes
Coasts
Computer Graphics
Couples
Education
Environment
Executives
Faces
Fighter Jets
Firefighting
Fishing
Flowers
Food
Glamor
Golf
Health
Insects
Ireland
Jewelry
Lakes & Rivers
Lamborghinis
Law
Lighthouses
Lingerie
Medical
Mountains
Patterns
People
Porsches
Reefs
Roads
Rowing
Sailboats
Spirit of Buddha
Sunrises & Sunsets
Swimming
Trees
Waterfalls
Western Canada
Wild Animals
Windsurfing
WWII Planes
and many more...

The world's leading photo CD collections from the makers of CorelDRAW, the world's best selling graphics software!

CALL NOW! EXT. 100

1-800-772-6735

$ ATTENTION PROFESSIONAL PHOTOGRAPHERS! $

If you are a professional photographer interested in having Corel publish your photographs, please call the number below for more information.

CALL: (613) 728-8200 ext. 5080

Circle 80 on Inquiry Card.



Comprehensive Utilities Included:*

- Corel SCREEN SAVER
- Corel CD-AUDIO
- Corel MOSAIC VISUAL FILE MANAGER
- Corel PHOTO CD LAB PLUS OPTIONAL BACKGROUND MUSIC
- WALLPAPER FLIPPER
- PRINTED PHOTO REFERENCE GUIDE

MPC Multimedia PC

Photo CD

Suggested List Price

$49.95 U.S. Funds

100 SUPERB IMAGES IN EACH COLLECTION!




*Not all utilities are available for Macintosh

KUR-0022

SPREADSHEETS

Excel 5.0 Gets Smart



Microsoft improved Excel 5.0 workbooks with Quattro Pro–like page tabs.



Excel's Function Wizard dialog box elevates function help to a new high.

Packing lots of new bells and whistles, Excel 5.0 for Windows certainly looks good. But new integration capabilities with other Microsoft Windows applications may prove a stronger incentive to upgrade.

BY NICHOLAS JOHN DELONAS

Excel has long been Microsoft's flagship application. Its users have come to expect excellence, and that's generally what Microsoft has delivered. Excel 5.0 continues that noble tradition and represents an evolutionary, rather than revolutionary, step forward. That's good news, because Excel 4.0 was already a good product. However, in embracing technologies like 3-D worksheets and advanced data modeling in version 5.0, Microsoft is only now catching up to competitors like Lotus and Borland.

NEW EXCEL FEATURES

- **True 3-D worksheets.**
- **In-cell editing.**
- **Rich text in cells: lets you use more than one type of format on text in a single cell.**
- **Tool tips: tiny explanatory boxes that appear below each toolbar button when you pause the mouse pointer over that button.**
- **Full support for *OLE* 2.0.**
- **Tighter integration with other Microsoft Office applications.**
- **Custom AutoFill: lets you create your own series, such as business divisions, for AutoFill operations.**
- **Accounting-underline text styles: conform to accounting standards.**
- **Trend charts: automatically chart various types of trends.**

Excel 5.0 introduces many novel user-friendliness features, which Microsoft is touting as a new kind of spreadsheet "intelligence," called IntelliSense. IntelliSense, which Microsoft is adding to applications such as Word 6.0 for Windows and PowerPoint 4.0, senses what you want to do, to help make routine and complex tasks easier to automate and complete.

If you type a formula with an open parenthesis and don't add the closing parenthesis, Excel adds it for you. Excel's developers have obviously put a lot of work in adding intelligence to this version. These new properties should make Excel 5.0 easier to learn and use than its predecessor, and that will be an important consideration for any organization looking to standardize on a spreadsheet program.

But in today's graphical-interface world, users want more than just new features: They also want consistency and integration among their various applications. More than half of all sales of Excel for Windows are now achieved through sales of Microsoft Office, so it's no wonder that the company beefed up Excel 5.0's ability to share data with other Windows applications, especially other Microsoft applications.

Excel 5.0 has itself become much more standardized. Microsoft changed the menus and dialog boxes to closely match those in Word 6.0, as well as a future version of PowerPoint that should ship in January. People using these products will see a consistent interface, and the standardization of features doesn't stop there. A standard macro language (see below), OLE 2.0, and other features are starting to blur the boundaries between Microsoft products.

New Ease-of-Use Features

Users will see a more intuitive multisheet interface in Excel 5.0. Following the lead of Quattro Pro for Windows, Excel displays a tabbed index to its workbook, which happens to be the new default-document type. Not only can you name these page tabs, but you also can move them by dragging and dropping. That's an advantage over Lotus 1-2-3 for Windows' fixed-page structure.

continued

The new workbooks don't just look good. Excel 5.0 represents the first time the product fully embraces the 3-D spreadsheet concept. Microsoft has improved the functionality of the 3-D workbook over version 4.0's workaround that used cross-tabulations. The 3-D syntax is now simpler, selecting 3-D ranges is improved, and, most important, adding many sheets doesn't quickly exhaust Windows resources the way it did in version 4.0.

Worksheet tabs represent the most obvious improvement in Excel 5.0, but other changes aren't merely cosmetic. For example, Excel 5.0 adds many more wizards for task automation. Another improvement is Tip Wizards, which offer advice on how to better accomplish spreadsheet chores. For example, if you choose Edit-Copy from the menu, a Tip Wizard displays a message saying, "You can use the 'Copy' button on the Standard Toolbar." If you Edit-Copy again, the Tip Wizard offers yet another way to copy data. It keeps track of your work habits and won't bother you with the same advice more than once in the same session.

An even better enhancement is the Function Wizard. Click on its icon in the toolbar, and it gives the ultimate in function-building help. Excel breaks out the function's arguments into text boxes, and the dialog box shows you the value of the function given the arguments before you commit the function to the worksheet. This is definitely neat stuff for novices and gurus alike.

Data Access and Analysis

External data access is one area where Excel has lagged behind the competition. This new version improves matters somewhat by replacing Q+E with the Microsoft Query technology borrowed from Microsoft Access. While this gives you query-by-example friendliness and more data-access options, I still prefer the better-integrated Datalens technology that you get with Lotus 1-2-3.

Excel 5.0 does include a powerful new data-analysis tool, though, called the PivotTable. This is a multidimensional table that lets you manipulate and rearrange views of summary data in a manner that is similar to Lotus's Improv for Windows. While PivotTables are quite potent, they are probably likely to appeal only to power users, because I did not find them particularly intuitive.

Programmability

Of course, there's nothing wrong with appealing to power users, and Microsoft certainly hasn't forgotten them in its drive toward more user-friendliness. The new Excel has some dramatic changes on the high end. The most stunning is the introduction of Visual Basic for Applications as the new macro language. While Excel 5.0 will fully support the old macro language (which many users found arcane), it is, for all practical purposes, now obsolete.


While some macro mavens may lament this fundamental change, most should welcome it. The move to a standard macro language is a great one. Soon, all members of Microsoft Office will share Visual Basic as a common language. Throw in OLE 2.0 automation, and complex cross-application development is suddenly much less troublesome.

Excel 5.0 is an exciting product full of improvements, some of which are immediately apparent, and others that are more subtle. Managers who are making buying decisions for whole departments would do well to give Excel 5.0 a good look.

IT'S A FAMILY AFFAIR

When Microsoft introduced its Office packages for the Mac and Windows in 1989 and 1990, respectively, the packages were mainly marketing bundles designed to highlight the company's word processing, spreadsheet, and presentation graphics programs. But the company has been working ever since at improving the integration and consistency among Word, Excel, PowerPoint, and its other applications. New versions of these three applications will be integrated with Office 4.2 for Windows, expected to ship in January. However, purchasers of Office 4.0, which will have the new Word 6.0, will be able to upgrade to the new versions of PowerPoint and Excel, when they become available later this year, for free. Office 4.0 is slated to ship this fall.

To bolster the consistency of its applications from one package to the next, Microsoft designed the menu bars of Excel, Word, and PowerPoint so that they will now provide the same choices (e.g., File, Edit, and View), except for the third option from the right. Microsoft has coined a new term, OfficeLinks, to describe the integrating features that mesh these applications. The new Word for Windows supports OLE 2.0. But in one example of a feature Microsoft added that goes beyond the standard object embedding of OLE 2.0, Word 6.0 for Windows now has an Excel toolbar icon that you can use to insert and graphically size an in-place Excel 5.0 spreadsheet object (provided Excel is present on your system).



Other integrating features are simply hard-coded into the applications and don't ride on top of OLE 2.0 at all. PowerPoint 4.0 for Windows, expected to ship this winter, will have a Report It feature that takes a PowerPoint presentation and converts it into a Word for Windows outline.


Although the integration in Office has come a long way in the past three years, it still has a ways to go. Currently, only Excel 5.0 can both control and be controlled by other applications through Visual Basic Applications edition (VBA). Word 6.0 cannot control another application through VBA—it can only expose its own WordBasic objects so that Excel can drive it. PowerPoint 4.0 will not be able to control or be controlled by other applications through VBA. However, Microsoft is committed to continually improving the situation in both the Windows and Mac versions of Office. The company has established an Interoperability Design Group that will help ensure this happens.

—Dave Andrews

Office 4.0 for Windows (standard version): Excel, PowerPoint, Word, and Access, $750. Professional version: (substitute FoxPro for Access), $949.

Unleash 32-bit Power on your FORTRAN Applications

- Widest Range of 32-bit Intel x86 Platforms
- The Industry's Leading Code Optimizer
- Comprehensive Language Support



Power. Unleash the 32-bit power of Intel's 386, 486 and Pentium processors on your most demanding FORTRAN applications with WATCOM's 32-bit FORTRAN. F77[32] delivers 32-bit performance. The 32-bit flat memory model simplifies memory management and lets applications efficiently address large amounts of memory. Powerful 32-bit instruction processing delivers a significant speed advantage; typically a minimum 2x processing speedup. Together, the power of F77[32] and these 32-bit processors provide a desktop platform that is capable of handling mainframe FORTRAN applications.

Performance. The hot, new F77[32] code generator advances the performance envelope. New superscalar optimization strategy uses "riscification" and instruction scheduling to deliver improved performance on 486 and Pentium processors. The compiler can create a single, high-performance executable which runs on 386, 486 and Pentium processors.

Platforms. In a single package, F77[32] supports a wide range of 32-bit Intel x86 host and target platforms. F77[32] applications can fully exploit the graphical user interfaces of Windows 3.x and OS/2 2.x.

- **32-bit DOS** host and target support; includes the DOS/4GW 32-bit DOS extender by Rational Systems with royalty-free run-time and virtual memory support up to 32Mb.
- **OS/2 2.x** host and target support; enables development of OS/2 2.x applications and DLLs. 32-bit Windows 3.x applications can exploit WIN-OS/2 using WATCOM's 32-bit Windows Supervisor technology.
- **NetWare NLM 3.11 and 4.0** target support; includes licensed components of the NetWare 4.0 SDK.
- **Windows NT** host and target support; includes a Windows NT-hosted debugger for 16-bit Windows 3.x, Win32s and Windows NT debugging; also includes **Win32s** target support.
- **32-bit Windows 3.x** target support; includes WATCOM's 32-bit Windows Supervisor, and enables development and debugging of true 32-bit Windows 3.x applications and DLL's.

Porting. To ease porting of existing code from other platforms, F77[32] has been enhanced with VAX, FORTRAN 90, Microsoft and IBM VS language extensions. F77[32] supports the full FORTRAN 77 ANSI standard and is compatible with IBM's SAA FORTRAN language definition.

C and C++ Compatibility. Run-time compatibility with WATCOM C/C++[32] allows you to combine C, C++ and FORTRAN modules in a single application. Seamless debugging eases development of mixed-language applications.

Professional. The comprehensive professional toolset includes a full-screen source level debugger, profiler, linker, librarian, object code disassembler, make utility, 32-bit royalty-free DOS extender, licensed components of the IBM OS/2 2.1 Toolkit, Microsoft Windows 3.1 SDK and NetWare 4.0 SDK and much more.

Price. WATCOM FORTRAN 77[32] v9.5 has a suggested retail price of $599*. Dealers may sell for less. For additional information or to order direct call **1-800-265-4555**. You can also call our FAX Back system 519-747-2693 from your fax machine for immediate product information.

Promise.
You can try F77[32] risk-free. If for any reason you are not completely satisfied with the product, simply return it within 60 days to the place of purchase for a refund.**



WATCOM **1-800-265-4555**

The Leader in 32-bit Development Tools

415 Phillip Street, Waterloo, Ontario, Canada Telephone: (519) 886-3700, Fax: (519) 747-4971

*Price in US dollars. Does not include freight and taxes where applicable. **Some resellers may charge restocking fee and limit time period for refund. Consult reseller prior to purchase. WATCOM and the Lightning Device are trademarks of WATCOM International Corp. 80486 processor photo courtesy of Intel Corp. DOS/4G and DOS/16M are trademarks of Rational Systems Inc. Other trademarks are the properties of their respective owners. Copyright 1993 WATCOM International Corp.

Circle 146 on Inquiry Card.



Even a *free* memory manager may not be a bargain—especially if it can't give you all the memory you need.

Introducing QEMM 7 The Memory Manager Worth Paying For


The newest version of the Quarterdeck Expanded Memory Manager (QEMM), version 7, once again is extremely innovative in using the critical area between 640K and 1024K. It finds space for more TSRs and drivers in this area than anyone thought possible. It optimizes this area, taking into account the many drivers that need more memory at start-up than when running; instantly calculating millions of possible memory configurations to find still more memory for your programs to use. And it treats the rest of memory as a giant pool to instantly fulfill the needs of all of your programs—whether they use extended or expanded memory. Whether your PC has 1 megabyte or 16, you can benefit from new QEMM 7.

Instant Riches

What does more memory mean in a practical sense? It means that your DOS and MS Windows programs run faster, smoother and more reliably. It means you can continue to add valuable utilities, drivers, TSRs and new capabilities to your PC. Whether it's workhorse drivers like LAN utilities and fax drivers; productivity-enhancers like disk caches and disk compressors; or fun and exciting capabilities like sound boards, CD ROM drivers, graphics tablets, etc. The better your memory is managed, the more versatility and flexibility your PC has. QEMM 7 lets you have it all without fear of 'out of memory' messages or crashes.



How to Look a Gift Horse in the Mouth



We tested DOS 6 with and without MemMaker and with QEMM 6 and our new QEMM 7 runs away from all of them. See details of test conditions listed below.

DOS 6 Giveth; DOS 6 Taketh Away

The best feature of new DOS 6 is the stable of utilities it includes. Trouble is, they all eat up memory. DoubleSpace file compression needs 43K, Vsafe anti-virus needs 7-45K, Smartdrv disk cache needs 28K and even Undelete takes 10-14K as a resident program. Using Microsoft's free memory utility, MemMaker, you could easily end up with a net loss of available 'conventional' memory in DOS 6.

New QEMM 7 takes the best of the new DOS 6 features into account, finding ways to give you more free memory for your program while taking full advantage of DOS 6. One new QEMM 7 feature, DOS-Up, moves the DOS 6 kernel, its data and resources to memory above 640K (this feature also works with DOS 3-5), freeing 7-70K. Another new QEMM 7 feature, Stealth DoubleSpace, frees 40K of the memory addresses used by DoubleSpace and makes them available for other drivers and TSRs. Both features ensure that the all-important memory below 640K is free for your programs. And QEMM 7's seemingly small feature of supporting multiple configurations gives you the flexibility and ease of setup that you expect. (MemMaker doesn't work well with this important DOS 6 feature.) That's why it makes more sense than ever to put your money on the best memory manager.



Prior versions of QEMM won just about every competition in sight, as well as remaining the #1 best-selling memory manager 5 years straight.

Page Frame: the Key to Your Future

There's been a lot of talk about our patent-pending Stealth technology. Jealous talk, mostly. Because nobody else can touch its performance. Our Stealth ROM feature, pioneered in QEMM 6, frees 48-115K of ROM addresses for use by TSRs and drivers. Our Stealth DoubleSpace feature, described above, frees another 40K. And as you might imagine, there's more to come.

The key to Stealth is its use of a 64K reserved area above 640K called the page frame. Besides being used by Stealth, the page frame is used by Lotus 1-2-3 r2.x for larger spreadsheets and WordPerfect 5.x for larger documents, DESQview for multitasking, Novell Netware, IBM LAN Server and DECnet for reducing the network driver memory footprint, plus games like Wing Commander, Car and Driver, Ultima Underworld II, Wolfenstein and others for fast action. You sacrifice all this when you turn off the page frame (which other memory managers do to maximize available memory above 640K). It's this use of the page frame by Stealth that lets you set up your PC with a mouse, CD ROM, sound board, a network such as Novell NetWare, reserve 8-24K of extra memory for optimal MS Windows performance, use all of DOS 6's memory-hungry utilities and still have more than 630K available for your programs. (Compared to DOS 6's 527K available in the same configuration, after using MemMaker).

There's lots more to QEMM 7:

- Tuned for MS Windows
- New ability to use Vidram inside MS Windows
- DPMI Host
- Pentium Support
- Laptop suspend/resume support
- PS/2 micro channel adapters
- Compaq support
- Fine tuning tools for power users
- 32-bit architecture for speed
- Enhanced compatibility in response to hardware needs of our millions of users:
  - Detects adapter RAM and ROM and bus-mastering hard drive controllers
  - Monitors DMA access into memory
  - Supports Shadow RAM

Easier to use for Novices, More Power for Experts; More Memory for All

Our seventh-generation thoroughbred QEMM has improved ease-of-use, with Express Install and Help features. And for power users, Advanced Install and editable parameters and troubleshooting hints.

And QEMM 7 comes with Manifest, the award-winning memory analyzer—enhanced for more flexibility with Pentium testing, laptop battery reporting, network analysis and editable configuration files.

The new and ever more exciting capabilities coming to your PC will all compete for memory with your favorite applications, TSRs and drivers. And that makes QEMM 7 the front runner in your efforts to get get the best performance out of your PC today—and tomorrow.

Quarterdeck

Quarterdeck Office Systems, 150 Pico Boulevard, Santa Monica, CA 90405 (310) 392-9851 Fax (310) 314-4219
Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380

QEMM Users: upgrades are available from dealers.

You can also buy direct from Quarterdeck. Call (800) 354-3222 ext. 1D7 and ask about our special Game Pack offer with your upgrade!

How we got the chart numbers: CPU—486/33 AUR Power/business VEISA machine equipped with 16 megs of RAM and running MS-DOS6. Comparisons were done using the following memory managers: QEMM 7, QEMM 6.02, MS-DOS 6 MemMaker. In addition to the driver (or drivers) required by each memory manager, the following drivers, DOS resources and programs were loaded for all comparisons: in the CONFIG.SYS file: SETVER.EXE, DOS=HIGH, FILES=20, BUFFERS=10, STACKS=0,0, MVSOUND.SYS, SNDBK12.SYS, SLCD.SYS, DOS SHELL=statement, in the AUTOEXEC.BAT file: VSAFE, MSCDEX, UNDELETE, LSL.COM, NE2000.COM, IPXODI.COM, NETX OR EMSNETX, MOUSE.COM, SMARTDRV.COM, PRTSCCAP.COM.

©1993 Quarterdeck Office Systems. Trademarks are property of their respective owners.

Circle 125 on Inquiry Card.

COMMUNICATIONS

E-Mail Unplugged by Wireless WANs

Wireless WANs (wide-area networks) have been slowly chugging toward mainstream business use. But the wireless-data movement is picking up steam, and the engine that's driving the demand for wireless WANs is convenient access to the E-mail systems that people depend on through the wired-phone network.

"E-mail is the logical first application for wide-area wireless networks," notes Eric Arnum, editor of *Electronic Mail and Micro Systems*, a newsletter published by BRP Publications (Washington, DC). "E-mail works, it's easy, and it's become an all-purpose data transfer system."

People wanting wireless E-mail have a few choices and will soon have more. Intel recently introduced three packages that put all the pieces—hardware, software, and network—into a reasonably priced bundle. The products are designed to work with RAM Mobile Data's radio-packet network, which charges $75 a month. The Intel packages cost $795 apiece.

"We think E-mail is the most-wanted application in the wireless field, and that people would prefer to use what they already know to get it," says Tom Jackson, wireless marketing manager at Intel.

Intel is not the first company to offer a coordinated solution for wireless E-mail. Ericsson GE is selling a $995 bundle called Mobidem Kit, which works with RadioMail's wireless service. Motorola, which currently operates a one-way, pager-based E-mail service called Embarc, says it plans to introduce two-way E-mail products in 1994, perhaps using the Ardis wireless network it runs with IBM. Many other companies are working on wireless products for delivery late this year and in 1994.

The next step in the evolution of wireless E-mail will be reducing the size of the hardware from a bulky external modem to a thin card that slides into the PCMCIA slot now found in many notebooks and hand-held PCs, including Apple's MessagePad. Motorola and Megahertz have announced their intentions to produce wireless modems on PCMCIA cards in 1994. "Until the PCMCIA two-way transceivers for RAM and Ardis come out, there will be limited acceptance," says Mark Eppley, chairman and CEO of Traveling Software (Bothell, WA), which is working on wireless products.

There are other obstacles, including the fairly short battery life of most portable modems and computers. But many believe it's only a matter of time before people begin embracing wireless E-mail as eagerly as they have cellular phones.

—Christopher O'Malley

PACKAGES	WIRELESS
• wireless modem—a Hayes-compatible radio modem (also sold by Ericsson GE as the Mobidem) • wireless version of Lotus's cc:Mail or Microsoft's Mail Both packages require a $795 server version.	
	• wireless modem • AT&T's Access Plus software (for use with its public EasyLink network)
	• Mobidem wireless modem • Hewlett-Packard's HP 95LX palmtop • wireless E-mail software and gateway service from RadioMail RadioMail is also available for other DOS systems and was recently introduced for Apple's PowerBook portables.

CELLULAR DIGITAL

Cirrus Subsidiary Leads CDPD Push

Pacific Communications Sciences, Inc., a subsidiary of Cirrus Logic located in San Diego, is playing a central role in the development of CDPD (cellular digital packet data), the technology that wedges bursts of bits into minuscule pauses in the analog cellular-phone system.

PCSI was a key developer of CDPD technology and specifications, supplying prototype equipment to the nine-member CDPD consortium and helping conduct field tests in 1992. This past August, only days after AT&T revealed its plans to acquire McCaw Cellular, PCSI announced that it had been selected by AT&T to supply equipment for adding CDPD capability to cell sites. PCSI's electronics will be bundled with other AT&T products and services and sold to cellular carriers upgrading to CDPD.

continued

CDPD NETWORK EMULATOR FOR DEVELOPERS

Wireless communications may get a boost from a new Windows-based development tool that emulates a complete CDPD (cellular digital packet data) network. The software emulator, called CDPD Workbench, lets developers test their applications while simulating various levels of network traffic, radio interference, vehicle speeds, and other variables that are difficult to create under actual conditions.


Workbench was introduced in September by Cellular Data (Palo Alto, CA, (415) 856-9800). Workbench emulates the entire CDPD network between the mobile-computing device (known as the MAS, or Mobile Application Subsystem) and the host device (the F-ES, or Fixed-End System).

"Given the alternative, which is to put an engineer in a car and drive around a lot, the price [$3995] is exceptionally attractive," says Jacques A. Robinson, president and CEO of Cellular Data. Without rigorous testing, says Robinson, developers can't be sure how their wireless applications will fare in the hostile environment of mobile communications.

Just before the official launch of CDPD Workbench, as this article was going to press, Cellular Data was informed that its key source of funding would no longer be available. A spokesperson said the company is seeking alternative sources.

—Tom R. Halfhill

The Network Emulator Replaces...



DEVELOPERS:


Have you been asked to produce a fast, open, client/server application that is inexpensive to deploy and differentiates your company?

Then we have a suggestion...

use our engine.

The new **Raima Database Server** is a product designed for developers who value flexibility along with speed and support for standards. Your application design is not constrained by the database interface. Why? With RDS, we begin with a multithreaded client/server architecture coupled to a high performance SQL processor/optimizer. Then we add support for C++ objects, a fast record-oriented API, and custom extension modules featuring remote procedure calls from your client application to your server-hosted user defined functions. Further, your database schema can be fully relational, network, or a combination of the two. It's all there for you.

Raima Database Server



Supports stored procedures, triggers, and referential integrity!

Join the thousands of developers, from small vertical market ISVs to industry giants like Hewlett Packard, who use our technology to set their applications and products apart.

Call **1-800-DB-RAIMA** for more information.

RAIMA™


BYTE RDS

Raima Corporation, 1605 NW Sammamish Rd., Issaquah, WA 98027 (206) 557-0200 Fax: (206) 557-5200

© 1993 Raima Corporation. Raima Database Server is a trademark of Raima Corporation. Raima is a registered trademark of Raima Corporation. Other computer and software names are trademarks or registered trademarks of their respective holders.

Raima Benelux - 31 (2159) 44738 Raima Deutschland 49 (7022) 9256 44 Raima España 34 (3) 485 13 04 Raima Italia - 39 (49) 829 1285
Raima UK Ltd. - 44 (276) 685 761 Rhône-Alpes - 41 (21) 825 4800 France - 33 (1) 46 48 61 02

Two w
make a



If patience is a virtue, it would be tough to find anyone more virtuous than a 386 user.

Of course, you're not waiting to be canonized. You just want to get your spreadsheet crunched, printed and e-mailed before your boss's boss calls you looking for it.

Now if you had a 486, you wouldn't have this problem. But all that wishful thinking goes out the window when you consider the double-knots on your company's purse strings.

Performance Benchmarks		
(figures indicate relative performance)	Intel i386	Cyrix 486 Upgrade
MS Excel 3.0	1.0x	2.1x
MS Word 2.0	1.0x	2.8x
Micrografx Designer 3.1	1.0x	2.6x
Benchmark tests run on IBM PS/2 Model 70/20MHz.		

The new Cyrix 386-to-486 Upgrade Microprocessor delivers application performance that's twice as fast. And that's twice as smart.

Fortunately, there's a smarter alternative to the downward migration path pictured above. It's called the 386-to-486 Upgrade Microprocessor.™ And it's only available from Cyrix,® the smarter microprocessor company.

It's smarter because it's the only single-chip upgrade solution of its kind. And as such, the most cost-conscious way to replace the pedestrian 386 computer you have, with the searing 486 power you want.

Our upgrade chip acts just like a 486, and with good reason. It has Clock Doubling, a 1K on-chip cache

© 1993 Cyrix Corporation. Cyrix is a registered trademark, and Cyrix instead is a trademark of Cyrix Corporation.

ays to 386 fly.




and enhanced Cx486 technology. Which means it delivers *twice* the application performance, and 100 percent compatibility with all your software.

MICROSOFT WINDOWS COMPATIBLE

yes It runs with NetWare

Like DOS, Windows and OS/2. Even Windows NT. It's also certified software compatible in Novell, Banyan and Lan Manager nodes.

What's more, it's easy to install (it takes all of 15 minutes), and costs under $400. So it's also easy to justify to even the stingiest bean counters.



Talk about immediate gratification. Just use the chip removal tool provided to pull out your 386DX chip (16, 20, and 25 Ml-Iz versions only at the moment), and plug our Cyrix Upgrade Microprocessor into the empty socket. Then get ready for screaming 486 power.

Every Cyrix upgrade chip comes with the reassurance of a limited lifetime warranty, toll-free telephone support, and a money-back guarantee.

So do the smart thing. Call us directly at 1-800-46-CYRIX. Quick. Before your old 386 computer inadvertently takes flight.

Cyrix® instead™

All other brand or product names are trademarks or registered trademarks of their respective holders.

Circle 83 on Inquiry Card.

Cirrus Subsidiary Leads CDPD Push

In addition to its work on the infrastructure side of CDPD, PCSI is providing products for the subscriber side. The company was awarded a contract in November 1992 to supply IBM with CDPD modules for mobile computers; IBM was expected to announce this fall a model of the ThinkPad with PCSI's CDPD modem built in. The company is also working closely with Apple to develop wireless-communications features for next-generation MessagePad systems.

Brandon Nixon, product line manager for wireless communications at PCSI, says that trials of real CDPD systems will begin this month, with many areas rolling out in the first half of 1994. National coverage and roaming agreements between carriers likely won't be in place until 1995. Nixon believes that there will be a strong link between CDPD and the use of hand-held computers like the MessagePad. "CDPD will really come on strong with PDAs [personal digital assistants]," he says.

On the other hand, he notes, the technical problems of implementing a cellular radio, especially in a PCMCIA form factor, are quite challenging, because electromagnetism from the screen interferes with the signal. PCSI's product for IBM will be embedded in the system, not on a PCMCIA card, but the company expects to deliver card-size products later, as does Motorola.

CDPD offers an attractive business opportunity for carriers, because they will be able to realize greater profits from their existing cell sites. A study by IBM and McCaw Cellular found that even at peak usage, roughly 30 percent to 40 percent of the total bandwidth at a site is idle; these holes can be filled with data packets billed at 5 to 7 cents each.

—Andy Reinhardt

DATA STORAGE

Sony's MiniDisc for Data: Future Floppy?

Sony's recent decision to adapt its 2.5-inch audio MiniDisc for computer data storage poses a new alternative to conventional floppy disks, which are falling far behind the curve of today's mass-storage requirements.

MD DATA, as Sony's new MO (magneto-optical) format is called, offers a promising combination of storage density, economical mass duplication, and cross-platform compatibility. MD DATA disks come in three variations: writable, read-only, and a hybrid that's partly writable, partly read-only. They all store 140 MB of data per disk, and all disks are readable on the same drive. The disks are protected against physical damage by a shuttered cartridge and are more resistant to stray magnetic fields than conventional floppy disks, according to Sony. Because MD DATA has its own file system, disks are interchangeable between PCs, Macs, and other supported platforms.

Writable MD DATA disks can be erased and rewritten any number of times. Blanks are expected to cost about $20. That's nearly as much storage as a hundred 1.44-MB floppy disks at a much lower cost per megabyte. For software publishing, read-only versions of the disks (called MD-ROMs) can be mass-produced using the same premastering process as CD-ROMs. In quantities of thousands, they could cost only $1 or $2 each.

Hybrid MD DATA disks are intended for interactive applications in which some information is read-only and the rest of the disk is writable. Like conventional MO formats, MD DATA uses a laser to heat selective locations on the disk to their Curie point—a temperature at which the magnetic material can be easily altered by the drive's read/write head. But MD DATA differs from conventional MO technology in two important ways. First, the drive can erase and rewrite data in a single pass; regular drives require two passes. Second, this direct-overwrite technology allowed Sony to greatly simplify the optical head, thus reducing cost, size, and power consumption.


Sony hasn't announced prices for MD DATA drives, but MiniDisc audio recorders now sell for about $700. MD DATA isn't a replacement for CD-ROM because it offers only about one-fourth the storage capacity. It also won't replace hard drives because the data transfer rate is only 150 Kbps, the same as most CD-ROMs. But MD DATA could fill the need for a writable, removable storage medium that matches the growing demands of today's PCs.

The shortcomings of floppy drives are becoming more apparent as PCs accumulate megabytes of memory, hundreds of megabytes of hard disk space, and applications software that ships on a dozen or more disks. Years ago, floppy disks could store two or three times as much data as the computer's RAM, but today that ratio is reversed. Many files—such as those produced by page-layout programs—are too large to fit on a single floppy disk, even when compressed. Hence the popularity of removable hard drives for sending files to service bureaus and the widespread use of tape cartridges to back up hard drives.

MD DATA could provide a universal solution that's small enough for mobile computers. The nearest likely competitor is floptical technology, which stores 21 MB on a 3½-inch magnetic disk and offers backward compatibility with existing 3½-inch floppy disks.

—Tom R. Halfhill

Overwriting Technique Used for 2.5-inch MiniDisc



Sony gets single-pass writing by using three new techniques. First, the laser and the magnetic read/write head are positioned on opposite sides of the disk, and the laser remains constantly on during reading and writing. Other MO drives repeatedly turn the laser on and off while erasing and writing the magnetic signal (see the figure inset). By leaving the laser constantly on, Sony was able to simplify the design of the optical head. Normally, this would require a powerful magnetic field, but Sony also invented a new magnetic layer (i.e., terbium ferrite cobalt), whose polarity can be changed by using only one-third as much magnetic coercivity as conventional MO drives. This allows a weaker magnetic field, which in turn reduces the size, complexity, and power consumption of the head. Sony claims the new head is more efficient than regular heads and requires only about 100 nanoseconds to reverse the polarity of a spot on the disk.

INTRODUCING FRAMEMAKER 4

We wrote & published, edited & organized & designed, formatted & indexed, cross-referenced & distributed the book on writing and publishing.

Writing is a breeze with our high-speed WYSIWYG word processor, which includes a spell checker and thesaurus.

Create custom colors with CMYK, RGB, HLS, and PANTONE® color palettes, and produce 4-color process or spot color separations.

Build complex documents easily using automatic hypertext markers, multichapter cross-referencing, running headers and footers, plus multiple indices and tables of contents.



Page layout tools enable rotated text and graphics, dashed and dotted lines, multiple columns, auto side heads, even portrait and landscape pages in the same document.

Conditional text lets you store or display multiple versions of a document in a single file.

Our advanced table editor lets you build multipage tables with unlimited paragraphs, straddled cells, rotated text, even graphics.

A sophisticated math editor lets you create and edit everything from simple arithmetic to calculus equations.

Create your own graphics with a full set of drawing tools, or import 24-bit color images.



Frame Technology presents the best way to write and publish demanding business and technical documents: Introducing new FrameMaker® 4. FrameMaker 4 dramatically increases your productivity because it automates much of the publishing process. Which makes it faster and easier to produce everything from simple business reports to complex multichapter manuals. Only one program handles it all, FrameMaker 4. Which means you don't have to switch back and forth between word processing, graphics, and page layout programs, and you won't lose any of your data or formatting. FrameMaker 4 is loaded with over 100 new features including context-sensitive help, automatic side heads, document compare, even ad hoc formatting. Best of all, you can share your FrameMaker 4 documents with your colleagues across the most popular hardware platforms. Including Windows, Macintosh, and X/Motif. So when you need to write, publish, design, edit — the works — make sure you use the one program that does it all: FrameMaker 4. **For a free guide to writing and publishing, or information on our special upgrade offer, call 1-800-U4-FRAME, Ext. 926.**

Frame®

©1993 Frame Technology Corporation. All rights reserved. International customers please call (408) 433-3311. Frame, FrameMaker, FrameViewer, Frame Technology, and the Frame logo are registered trademarks of Frame Technology Corporation. Other brand or product names are trademarks or registered trademarks of their respective companies.

Circle 90 on Inquiry Card.


The EXACT configuration you want.
At an affordable price.
Assembly no longer required.

AMBRA.

We custom-build. So you don't have to.

Complete customization — at no extra cost.

Sorry to disappoint all you hands-on, do-it-yourself types. Likewise, you people who insist on paying for every service that comes your way. When it comes to customizing AMBRA™ computers, you can leave your tools in the box and your money in the bank. Just send us your specs. We'll build you a ready-to-run computing solution including everything from your choice of processor to your choice of word processor. Plus your choice of options, preinstalled. And you won't pay an extra penny for the service, or wait an extra day.



High-powered technology — without high prices.

A word to the power-hungry: You can put away that huge purchase order. AMBRA offers the latest and leading industry-standard technology — like blazing-fast IBM® Blue Lightning™ processors, Intel® Pentium™ complexes, advanced video subsystems, high-speed local bus architecture, and lots more — for lots less.

Here's how: Sourcing worldwide from the best suppliers, we buy smart and bargain aggressively. And because we keep our overhead low, when you buy direct from us, we pass our savings directly along to you.

Prompt service and support — no empty promises.

Now, for you savvy buyers: We know you're looking for more than a mere computing "bargain." Quite rightly, you want to be sure of receiving rapid service and ready support. That's why we've contracted with IBM to back AMBRA systems with rock-solid one-year warranties. You can count on expert technicians nationwide to deliver onsite service within two days of your call, Monday through Saturday.[1] You can also rely on a toll-free support line for answers any time you need them - technical representatives are standing by to assist you 24 hours a day, every day.

Money-back guarantees — not gimmicks.

Finally, to all our new and soon-to-be-new friends: We absolutely want you to be satisfied with your customized AMBRA system. If, for any reason you're not, you can simply return it within 30 days for a full refund.[1,2] We're committed to delivering exactly the computer you want, exactly the way you want it, at a price that's only surprising in terms of its thriftiness. We build it your way. To meet your needs. And, if you're not happy, we'll give your money back.

1-800-25-AMBRA



AMBRA invites you to design the world's most important computer. Yours.

SLIMLINE (3x3)

Processor ☐486SLC2, 50 MHz ☐486SX, 25 MHz ☐486DX, 33 MHz

Memory ☐4MB ☐8MB ☐16MB ☐Other___MB

Hard disk ☐120MB ☐170MB ☐240MB ☐340MB

DESKTOP (5x5)

Processor ☐486 Blue Lightning, 66 MHz ☐486DX2, 66 MHz

Memory ☐4MB ☐8MB ☐16MB ☐32MB ☐64MB

Hard disk ☐170MB ☐240MB ☐340MB ☐440MB

MINITOWER (8x6)

Processor ☐486 Blue Lightning, 66 MHz ☐486DX2, 66 MHz

Memory ☐4MB ☐8MB ☐16MB ☐32MB ☐64MB

Hard disk ☐170MB ☐240MB ☐340MB ☐440MB

EISA DESKTOP (8x6)

Processor ☐486DX2, 66 MHz ☐Pentium, 60 MHz

Memory ☐8MB ☐16MB ☐32MB ☐64MB

Hard disk ☐170MB ☐240MB ☐340MB ☐440MB ☐540MB SCSI-2*

EISA TOWER (8x12)

Processor ☐486DX2, 66 MHz ☐Pentium, 60 MHz

Memory ☐8MB ☐16MB ☐32MB ☐64MB ☐Other ____MB

Hard disk ☐170MB ☐240MB ☐340MB ☐440MB ☐540MB SCSI-2

*Not available with 486DX2, 66 MHz processor.

MONITORS

14-inch ☐VGA color ☐SVGA color ☐UVGA color

15-inch ☐AMBRA Flat Square Tube ☐NEC Multisync 4FGE

17-inch ☐AMBRA Flat Square Tube ☐NEC Multisync 5FG

21-inch ☐NEC Multisync 6FG

OPTIONS

CD-ROM ☐Internal drive and software ☐Multimedia Kit

Modems ☐Data/Fax internal ☐2400 bps internal

Tape backup drive ☐120MB internal/external ☐250MB internal/external

Graphics accelerator ☐ATI Ultra Pro Graphics VL

Printers & scanners ☐IBM Personal Printer II (24-pin) ☐IBM LaserPrinter 4039 (12 ppm) ☐IBM LaserPrinter 4029 (10 ppm, 6 ppm) ☐Calera WS Complete PC Scanner

SOFTWARE

Word processing ☐Lotus Ami Pro ☐Microsoft Word® ☐WordPerfect

Accounting ☐Quicken

Spreadsheet ☐Microsoft Excel® ☐Lotus 1-2-3 ☐Quattro Pro

Graphics/ presentation ☐Lotus Freelance Graphics ☐Microsoft PowerPoint®

Comm/fax ☐WinFax Pro

Customized computers at uncommonly smart prices.



Slimline SuperSavers

- 486SLC2, 50 MHz
- 4MB RAM max: 16MB
- 64KB processor cache
- 3.5" 1.44MB diskette drive
- 120MB (19ms) hard disk
- 3 16-bit ISA slots
- Windows™ accelerator with 1MB video memory
- 14" VGA Color Monitor
- Slimline casing (3 x 3)
- MS-DOS® 6.0, Windows 3.1, mouse

$ 1,179

- 486DX, 33 MHz
- 4MB RAM max: 36MB
- 128KB processor cache
- 3.5" 1.44MB diskette drive
- 170MB (17ms) hard disk
- 2 VESA local bus slots
- Windows™ accelerator with 1MB video memory
- 14" SVGA LR Color Monitor
- MS-DOS 6.0, Windows 3.1, mouse

$ 1,539



Do-More Desktop

- 486 Blue Lightning, 66 MHz
- Upgradeable to Pentium technology
- 8MB RAM max: 64MB
- 256KB processor cache
- 3.5" 1.44MB diskette drive
- 240MB (15ms) hard disk
- Onboard SCSI
- 5 16-bit ISA slots (2 VESA on local bus)
- Windows accelerator with 1MB video memory
- ★ 15" Flat Square LR color monitor, NI
- Network-ready (Ethernet 10BaseT)
- Desktop casing (5 x 5)
- MS-DOS 6.0, Windows 3.1, mouse

$ 1,979
(For 8 x 6 minitower, add $50)



Multimedia Minitower

- 486 Blue Lightning, 66 MHz
- Upgradeable to Pentium technology
- 8MB RAM max: 64MB
- 256KB processor cache
- 3.5" 1.44MB diskette drive
- 440MB (12ms) hard disk
- Onboard SCSI
- 8 16-bit ISA slots (2 VESA on local bus)
- Windows accelerator with 1MB video memory
- CD-ROM drive
- Media Vision 16-bit sound card
- Stereo speakers
- ★ 15" Flat Square LR color monitor, NI
- Network-ready (Ethernet 10BaseT)
- Minitower casing (8 x 6)
- MS-DOS 6.0, Windows 3.1, mouse

$ 2,549



Pentium Processing Powerhouse

- Intel Pentium processor, 60 MHz
- 64-bit processor complex
- 8MB RAM max: 64MB
- 256KB processor cache
- 3.5" 1.44MB diskette drive
- 540MB SCSI hard disk
- Onboard dual-channel fast SCSI
- 8 32-bit EISA slots (2 VESA on local bus)
- ATI Ultra Pro Mach 32, 2MB VRAM
- ★ 15" Flat Square LR color monitor, NI
- Desktop casing (8 x 6; convertible to minitower)
- MS-DOS 6.0, Windows 3.1, mouse

$ 3,999

SPECIAL OFFER: GET THE BIGGER PICTURE!

★ We're upgrading the view on every AMBRA model with a 66 MHz or Pentium processor — without raising the price! With these systems, instead of the standard 14-inch SVGA, you get a 15-inch Flat Square color monitor. At no extra cost. Limited-time offer. Call for details.

In Canada,[3] call 1-800-363-0066, ext. 871

CALL 1-800-252-6272, EXT. 295

1-800-25-AMBRA

[1] Please call 1-800-252-6272 for details regarding AMBRA's money-back guarantee and limited warranty. Onsite service may not be available in certain locations.
[2] Return shipping and insurance charges are the responsibility of the customer.
[3] Offerings may differ in Canada.

©1993 AMBRA Computer Corporation.

AMBRA is a trademark of ICPI Ltd. and used under license therefrom. The AMBRA logo and logotype are trademarks of AMBRA Computer Corporation. IBM is a registered trademark and Blue Lightning is a trademark of International Business Machines Corporation. Intel is a registered trademark and Pentium is a trademark of Intel Corporation. Microsoft Word, Money, Excel, PowerPoint, and MS-DOS are registered trademarks and Windows is a trademark of Microsoft Corporation. All other product names are trademarks or registered trademarks of their respective suppliers. Offerings, prices and products are subject to change or withdrawal without prior notice. Prices do not include shipping.

WILL RUN ON MAC, WINDOWS, AND UNIX

First PowerPC Systems Hit the Street

It looks as though the first system to use the PowerPC 601 processor will come from—drumroll, please—IBM. The company's Advanced Workstations and Systems division plans to ship four PowerPC-based systems by the end of the year, including a server that will cost about $9000. Any future single-chip RS/6000 models that AWS will introduce will be based on the PowerPC. The company claims that the Model 250, one of the four new RS/6000s, will run two to three times faster than its older sibling, the Model 230.

The Model 250 will run the same AIX 3.2.5 applications as the current single-processor RS/6000s (Models 220 and 230), which use IBM's RISC processor. IBM says that its version of the PowerOpen environment, expected to ship this year, will also let you run Mac and Windows programs on the Model 250. Other operating systems being ported to the PowerPC platform include Apple's System 7, Microsoft's Windows NT, SunSoft's Solaris, IBM's OS/2 (perhaps in the form of Workplace OS), and Taligent's Pink.

"We've been criticized a lot for not being first to market with technology that we invented," said AWS's workstation marketing director John B. Holz, "so here's a case where we've been working real hard. We invented it, we want to be first, and, unless something strange happens, we will be first."

For people who need multiprocessor RISC systems, IBM offers POWER2, a replacement technology for the POWER chips now implemented across the SMP (symmetric multiprocessing) part of the RS/6000 line. While the PowerPC 601 is capable of multiprocessing, Holz says that the multichip POWER2 processor module is far superior to any multiprocessor array of PowerPC chips that could now be built.

At the Unix Expo show in New York, AWS also previewed the PowerPC-based notebook computer that Tadpole developed for IBM. The 5.5-pound notebook, boasting a 9.3-inch color TFT (thin-film transistor) display, is finished, said Holz, but IBM will not announce it until early next year.

The real trick for IBM will not be selling RS/6000 customers on the PowerPC. It will be persuading customers who use Intel-based systems that a PowerPC-based computer will run their DOS, Windows, and OS/2 applications. Another division of IBM's Personal Systems line of business, Power Personal Systems, came into being solely to develop PowerPC-based computers. The first of these will be client-level machines.

—Ed Perratore

Sharing the PowerPC

Three separate arms of IBM are currently devel- ated products. An additional suspect—IBM PC Co.—is with the Intel 80x86 platform, which includes IBM processors. like the 486-based Blue Lightning from IBM

bert Corrig

At least for no systems based solely on tl platform, despite earlier pu statements to the contrary

and marketing PC-like systems based exclusively on the PowerPC, this division expects to introduce its first products by mid-1994, which will compete with Intel-based systems.

Austin, Texas
Bill Filip, president

This division will have introduced the first PowerPC-based RS/6000 system, the Model 250, by the time you read this. Early next year, it will bring out a 5.5-pound Tadpole-developed notebook based on the PowerPC. It will eventually replace the entire single-chip RS/6000 product line with PowerPC-based systems running AIX and PowerOpen. Multiprocessor systems will be based on POWER2 processor modules.

IBM Microelectronics

Fishkill, New York
Michael J. Attardo, general manager

Formerly called IBM Technology Products, this division is the sole supplier of PowerPC 601 chips. It manufactures and sells the 6XX series to system makers and next year will introduce the PowerPC Embedded Controller 4XX series. It also makes IBM processors under a technology-sharing agreement with Intel.

—E. P.

IBM'S POWER2 SYSTEMS

For many customers of IBM's Advanced Workstations and Systems (AWS) division, the PowerPC just doesn't cut it—at least not in its present incarnation. For these high-end AIX users, whose needs rise to the level of massively parallel systems, there's the new POWER2 architecture and two systems to employ it.

POWER2 uses an eight-chip processor module that includes several processors and support circuitry (e.g., I/O and cache controllers). Because of the integration of these chips, IBM claims, a module will execute six instructions in one machine cycle. It looks like a uniprocessor to the operating system and any applications.

By contrast, an operating system dispatching instructions to an eight-processor PowerPC configuration would do so knowing there are eight processors. POWER2 modules can be implemented in the hundreds, while the PowerPC's efficiency quickly falls short beyond eight to 12 chips. Hence AWS's plans, at least for now, to limit PowerPC to single-chip implementations.

Along with the debut of POWER2, IBM has announced two system families that will use this architecture. The 990 replaces the RS/6000 970B and 980B. It may be rated the fastest RISC system in the industry, until new high-end systems appear. The new 58H and 590, running at 55 and 66 MHz, respectively, are replacements for the RS/6000 580. Existing systems are field-expandable to POWER2; no prices were yet available.

IBM is expected to announce massively parallel systems using POWER2 by the end of the year.

—E. P.

Extraordinary Exo-Upgrade.

Upgrade To CA-Clipper® 5.2 For $299 And Get A Copy Of New CA-Clipper®/ExoSpace™ And Your Choice Of Another Product Absolutely FREE!



Break Through The 640k Barrier With New CA-Clipper/ExoSpace!

CA-Clipper®/ExoSpace™ increases directly addressable memory by up to 2,500%—from 640k to 16 megabytes. Eliminate virtual memory swapping, greatly improve performance and run your Clipper applications in protected mode. Existing 5.2 users can get CA-Clipper/ExoSpace for only **$99**!

DBA readers rated CA-Clipper 5.01 Best Development Language, Best Xbase Compiler and Best Development Product.



Break through the 640k barrier with the ultimate extended memory manager! Increase directly addressable memory from 640k to 16 megs.



Over 550 time-saving, problem-solving functions in one high-performance package. Raise your productivity with this valuable library.



Compile almost any dBASE IV application in three easy steps—and produce executable (.EXE) files with the efficiency of CA-Clipper.



dBASE apps come alive with new CA-dBFast 2.0—the first dBASE-compatible database and language for Windows.

CA-Clipper 5.2: The Complete, Professional Programming Environment.

CA-Clipper® 5.2 is a robust language, an efficient linker, a flexible preprocessor and a high-performance compiler. It includes: an editor, debugger and make utility for creating PC- and LAN-based applications.

PC Magazine Editor's Choice for Xbase Development.

DBMS Reader's Choice winner for client/server development system.

Feature	CA-Clipper	FoxPro	dBASE IV
Lexical VariableScoping	YES	NO	NO
User-defined Commands	YES	NO	NO
Code Blocks	YES	NO	NO
Nested Multidimensional Arrays	YES	NO	NO
Predefined Object Classes	YES	NO	NO
Variables Modifiable in Debugger	YES	NO	NO
Customizable Reactive Error Handling	YES	NO	NO
Reads and Writes FoxPro (.CDX) Files	YES	YES	NO
Reads and Writes dBASE IV (.MDX) Files	YES	NO	YES
Reads and Writes Paradox (.DB/.PX) Files	YES	NO	NO

Comparison based on FoxPro Version 2.5 for DOS and dBASE IV Version 1.5.

New RDDs For FoxPro, Paradox and dBASE IV.

Replaceable database drivers for all the most popular development systems. Plus you can customize CA-Clipper with user-defined commands and functions. And seamlessly integrate modules from languages such as C, Assembly, dBASE and Pascal. There are no runtime fees, no additional licenses, no LanPaks.

So what are you waiting for? Call right now and upgrade to the new standard in Xbase development.

COMPUTER ASSOCIATES
Software superior by design.

SEE YOUR LOCAL DEALER TODAY OR CALL COMPUTER ASSOCIATES AT **1-800-225-5224,** Dept. 20500.

New CA-Clipper 5.2.

Circle 77 on Inquiry Card.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000. 1-800-225-5224. All product names referenced herein are trademarks of their respective companies. Free copy shipped direct from Computer Associates when you register product.

And you were told Pentium was powerful.

If you've heard the Pentium™ microprocessor was powerful, it's time you see the PowerPC™ Microprocessors from Motorola. To be perfectly candid, Pentium is fairly powerful, but it's not nearly as powerful as the PowerPC family of microprocessors.

The first of Motorola's PowerPC Microprocessors, the PowerPC 601™ Microprocessor will bring workstation-like performance to low-cost PCs. Its integer performance (how fast it handles basic computer functions) is equal to Pentium's. In floating point performance (the speed you need to crunch numbers, run graphics, video, voice and the like), the 601 is a full 40 percent faster than Pentium, with no loss in integer performance.


While the 601 outruns Pentium, it actually runs cooler. The 601 draws only 8.5 watts of power to 16 watts for Pentium which, incidentally, leads to lower overall system costs.

The 601, of course, is only the beginning. Over the next eighteen months, we'll ship ever



©1993 Motorola, Inc., Motorola and Ⓜ are registered trademarks of Motorola, Inc. PowerPC, PowerPC 601, PowerPC 603, PowerPC 604, PowerPC 620 and the PowerPC logo are trademarks of IBM Corporation. Pentium is a trademark and Intel is a registered trademark of Intel Corporation. All rights reserved. Speed comparisons are based upon press reports of performance of the 66MHz version of the Pentium as announced by Intel, and Motorola's announced simulation performance of the 66MHz version of the MPC601. Thermal comparison is based upon preliminary Intel specification for the 66MHz Pentium, and the performance of samples of the 66MHz version of the MPC601.

Circle 177 on Inquiry Card.



more powerful versions of the PowerPC microprocessor. The low wattage PowerPC 603™ Microprocessor will bring unprecedented performance to battery-powered computers. The PowerPC 604™ Microprocessor will push high end PC and server performance to new highs. The PowerPC 620™ Microprocessor will run at 200 to 400 SPECmarks in high end workstation, server and supercomputer applications.



To take a closer look at the future of computing, call Motorola today at 1-800-845-MOTO. We'll be happy to provide you with more information, including our free PowerPC Information Pack.

PowerPC Microprocessors from Motorola. They have the power to take you further into the future than the competition.

PowerPC Microprocessors. *Changing the course of computing. For the better.*

MOTOROLA

HIGH-SPEED MODEMS

At Your Own Risk: Faster Modems Now, Standards Later

Users accustomed to buying new high-speed modems within a year of their last upgrade will have to cool their jets for nearly another year—or risk gross incompatibility problems. Two years after the first V.32bis (14.4-Kbps) modems came to market, manufacturers are still waiting for the ITU-TSS (formerly known as the CCITT) standards committee to release the specification for the next set of improvements, known collectively as V.34 (formerly called V.fast) and promising data-pump speeds of up to 28.8 Kbps.

But the manufacturers of the chip sets that control the modems are forging ahead with products that close the gap between 14.4 and 28.8 Kbps. The problem is, these chip sets do not conform to any universally recognized standard. Users shelling out money for more speed are likely to find that the new modems will not connect, even with other superfast modems, at speeds greater than 14.4 Kbps.

AT&T and Rockwell, two central players in both the modem market and the ITU-TSS committee, are among the renegade chip-set vendors. As of this summer, the ITU-TSS, at a major impasse, had not expected to release the V.34 specification until 1995. Chip-set vendors jockeying for both market share and political power on the committee announced their plans to release superfast modems over the next year: AT&T developed a V.terbo modem with 19.2-Kbps speed, while market leader Rockwell readied a "V.fast" 19.2-Kbps chip set with a 28.8-Kbps version to follow by 1994. Motorola Codex also sells a nonstandard, 24.4-Kbps modem.

Unfortunately, these chip sets used different algorithmic schemes, in accordance with the companies' views on how the ITU-TSS specification should eventually develop. The practical result was that an AT&T 19.2-Kbps modem would not communicate with a Rockwell 19.2-Kbps modem at more than 14.4 Kbps.

This sort of incompatibility would have undercut years of industry effort toward "V-dot" standardization. The V-dot standards were developed so manufacturers and buyers could count on chip-set compatibility. Since many manufacturers use various brands of chip sets interchangeably, incompatibility loomed as a market disaster.

In late August, progress was made toward averting this debacle. The ITU-TSS said that the final version of the V.34 specification would be released in June 1994. With the market window for proprietary chip sets much smaller, both AT&T and Rockwell will support the new specification.

For the moment, however, AT&T is still releasing V.terbo. USRobotics is burning the specification onto Texas Instruments chip sets and offering it in the latest additions to its Courier line. And Rockwell is still developing V.fast. It's expected that both alternatives will appeal mainly to buyers able to control which modems are used on both ends of the data connection.

—Noa Schoenfeld

SPEEDS:
THE LONG AND WINDING ROAD BACK TO COMPATIBILITY

Just as modem vendors have supported the ITU's specifications for modem speed through the V.32bis specification, both AT&T and Rockwell have committed to supporting the V.34 specification when it is released. But until then, both companies are introducing nonstandard specifications.

	ITU-TSS	AT&T	ROCKWELL
14.4 Kbps	V.32bis	V.32bis (ITU)	V.32bis (ITU)
19.2 Kbps	—	[illegible]	V.fa [illegible] e this year)
24 Kbps	—	—	[illegible] y 1994)
28.8 Kbps	V.34		

DOCUMENT INTERCHANGE

Send Your Font Worries ElseWare ...

When sending an electronic document from your machine to another, it used to be sufficient to send it as plain ASCII text, or to make sure the recipient had the same word processor you did. Now you also have to pay attention to the fonts you use in your document.

ElseWare's Font Works software, expected to ship in December, promises to make the transition from ASCII less painful. Font Works ($129) installs into your Windows environment and uses ElseWare's Infinifont technology to synthesize hundreds of fonts on-the-fly. When you open a document that uses a TrueType, Adobe Type 1, or Agfa Intellifont font, Font Works will step in and generate the font for you from a description in its extensive database. According to ElseWare, the database and Font Works software take only 2 MB of hard disk space for the 220 fonts included in the package.

Font Works uses ElseWare's PANOSE typeface-matching system to find the best match for any font you don't have installed. PANOSE categorizes fonts by style and shape. Given the PANOSE description of a font, the Infinifont generator can create any of the fonts included in the Font Works package. PANOSE is currently supported in packages from Lotus, Aldus, Adobe, Bitstream, Microsoft, and others.

Font Works incorporates an extensive help system that assists you in picking the right typeface for a job. Font Chooser lets you build groups of related fonts that you can switch in and out of your Windows installation at will. You might have one group of fonts that you like for Ami Pro, while you want a second set for PageMaker work. Font Chooser lets you manage these font groups without hand-editing files or restarting Windows. Type Tutor lets you select a document style and then gives you suggestions for appropriate, complementary typefaces.

—Howard Eglowstein

Contact: ElseWare Corp., 101 Stewart St., Suite 700, Seattle, WA 98101, (206) 448-9600.


HOW TO BUY A DOUBLE-SPEED CD-ROM... WITHOUT GETTING TAKEN FOR A DRIVE.

Introducing Creative OmniCD.

If you've been thinking about adding the power and excitement of an internal CD-ROM to your PC, here's some great news: thanks to our exclusive Creative Double-Speed Technology,™ *double-speed CD-ROM performance is now available at about the same price you'd expect to pay for a single-speed drive.*



And we're not talking about just any CD-ROM here. This is a full-featured, MPC 2 compliant, XA-ready, 300KB/second, multi-session photo CD drive with a blistering fast 320ms access time: The all-new Creative OmniCD.™



WORKS WITH ANY SOUND CARD.

Of course Creative OmniCD works with your Sound Blaster™—after all, it is the industry standard for PC audio. But what if you've already got another sound card?

No problem. Because *Creative OmniCD works perfectly with just about every major brand of audio card*...or even *without* a sound card for applications that don't use audio.

Best of all, Creative OmniCD opens up a whole new world of CD-ROM applications. Like photo CD—we've even included Aldus® Photostyler™SE image enhancing software right in the box. And also games, multimedia and business applications, education, and more.



THE BOTTOM LINE: A LOT MORE DRIVE, A LOT LESS MONEY.

Sure, there's plenty of other manufacturers offering double-speed CD-ROM drives. But as part of a complete package *with an SRP of less than four hundred dollars?** Now *that's* Creative.

For more information and the name of your nearest Creative Labs dealer, call 1-800-998-5227.

Sound BLASTER™ CREATIVE™
CREATIVE LABS, INC.

MPC PC2 Multimedia PC

*SRP $399.95

© Copyright 1993 Creative Technology Ltd. Creative Double-Speed Technology, CreativeOmniCD, Sound Blaster and the Sound Blaster and Creative logos are trademarks of Creative Technology Ltd. All other trademarks are the property of their respective owners. U.S. inquiries: Creative Labs 1-800-998-5227 or 1-408-428-6600. International inquiries: Creative Technology Ltd., Singapore, TEL 65-773-0233 FAX 65-773-0353.

Circle 153 on Inquiry Card.

PENTIUM TECHNOLOGY.


NOW.

$3,999.

How? AMBRA. What more can we say besides "Call soon"?

Computers powered by Intel® Pentium™ processors are here!
And a fast-moving company puts them directly within your reach, right now! We're AMBRA,™ a new IBM® subsidiary committed to bringing you the very latest — like full-fledged 64-bit Pentium technology — for less. We think you'll agree our specs and prices speak for themselves. Loud and clear.







Model DP60E/VL

- Intel Pentium processor, 60 MHz
- 64-bit processor complex
- 8MB RAM, max: 64MB
- 256KB processor cache
- 3.5" 1.44MB diskette drive
- 540MB SCSI hard disk
- Onboard dual-channel fast SCSI
- 8 32-bit EISA slots
- 2 local bus VESA slots
- ATI® Ultra Pro Mach 32, 2MB VRAM
- 15" Flat Square LR color monitor, NI
- Desktop casing (8 x 6; convertible to minitower)
- 200-watt autoswitching power supply
- MS-DOS® 6.0, Windows™ 3.1, mouse

$3,999

Power times two — today and tomorrow.

AMBRA's dual-processor complex delivers double Pentium processor power in one computer — taking advantage of multi-processor support in such operating systems as UNIX® and Windows NT®.

AMBRA™

Model TP60E/VL[1]

- Intel Pentium processor, 60 MHz; upgradeable to dual processors
- Dual 64-bit processor complex
- 16MB RAM, max: 128MB
- 512KB processor cache
- 3.5" 1.44MB diskette drive
- 540MB SCSI hard disk
- Onboard dual-channel fast SCSI
- 8 32-bit EISA slots
- 2 local bus VESA slots
- L25 S3 805 video accelerator, 1MB DRAM
- 15" Flat Square LR color monitor, NI
- Tower casing (8 x 12)
- 350-watt autoswitching power supply
- MS-DOS 6.0, Windows 3.1, mouse

$4,639

Complete customization.

The Pentium processor-based systems presented here are just the beginning of your choices with AMBRA. We custom-configure to your exact specs — preinstalling and/or preloading your pick of memory sizes, hard disks, option cards, and more — with no extra service charge and no delay.

Complete confidence.

AMBRA covers every computer with a 30-day money-back guarantee, and we've contracted with IBM to provide one-year onsite warranties.[2,3] You can count on expert technicians nationwide to deliver service within two days of your call, Monday through Saturday. And you can rely on toll-free technical support 24 hours a day, 7 days a week.

Complete convenience.

To get more information or place an order, just call. AMBRA's lines are open every weekday 8 am to 9 pm, and Saturday 10 am to 6 pm (ET). We accept American Express,® Visa® and MasterCard® — as well as purchase orders from qualifying businesses. So pick up the phone, and get a direct line to Pentium processing power today.

In Canada,[4] call 1-800-363-0066, Ext. 889

CALL 1-800-252-6272, EXT. 313

1-800-25-AMBRA

1 FCC Class A system, for use in a commercial environment only. 2 Please call 1-800-252-6272 for details regarding AMBRA's money-back guarantee and limited warranty. Onsile service may not be available in certain locations.
3 Return shipping and insurance charges are the responsibility of the customer. 4 Offerings may differ in Canada.

©1993 AMBRA Computer Corporation. AMBRA is a trademark of ICPI Ltd. and used under license therefrom. The AMBRA logo and logotype are trademarks of AMBRA Computer Corporation. IBM is a registered trademark of International Business Machines Corporation. Intel is a registered trademark and Pentium is a trademark of Intel Corporation. MS-DOS and NT are registered trademarks and Windows is a trademark of Microsoft Corporation. All other product names are trademarks or registered trademarks of their respective suppliers. Offerings, prices and products are subject to change without prior notice. Prices do not include shipping.

MULTIMEDIA

Intel's VDI Speeds Up Video, Miffs Microsoft

Intel and Microsoft are at odds over a new way to dramatically accelerate Video for Windows. Although it's likely the two giants will resolve their differences before they cause problems for users, some of the smaller companies are scrambling to avoid getting trampled in the fray.

At issue is Intel's new Video Device Interface, a software extension to video drivers that roughly doubles the speed of software-only playback in VfW. A PC that plays VfW movies at a jerky 15 frames per second could attain true full-motion video at 30 fps at the same resolution without any additional hardware. Intel says VDI also improves overall picture quality and, once installed, is completely transparent to applications and users.

What's wrong with that? Plenty, says Microsoft. To achieve its magic, VDI bypasses the Windows GDI (Graphical Device Interface) and writes directly to the video controller's frame buffer. Although Microsoft acknowledges that direct access to the frame buffer is a legitimate way to accelerate software-only video playback, it argues that Intel's implementation is premature and overcomplicated. Microsoft says VDI conflicts with a similar mechanism it plans to introduce this year.

"The technique is not rocket science," says Carl Stork, Microsoft's director of Windows platform definition. "We could demonstrate our technology now, but we're not ready. We don't understand why Intel decided to announce the VDI specification [in late August]. They should have waited until we had the spec finalized and then made an announcement together."

According to Stork, codecs can't use VDI without understanding the frame buffer's internal structure, such as whether the buffer is arranged in banks and how large those banks are. Too complicated, he says: Codecs shouldn't have to know anything about the frame buffer but its starting address.


Likewise, the new VDI driver (which can be integrated with the video driver or installed as a separate DLL) can perform such functions as clipping and scaling. Redundant, says Stork: Those tasks are already handled by the GDI.

Intel contends that VDI is intended to complement the GDI, not replace it. The GDI is fine for regular graphics, says Intel, but it adds too much overhead to video playback and doesn't let codecs directly access the frame buffer in video's native format, YUV (luminance-chrominance).

Although Intel's announcement was joined by ATI Technologies, Brooktree, Matrox, Tseng Labs, Western Digital, and S3, a few vendors quietly avoided the press conference. A spokesman for one company that declined to participate told BYTE: "We don't want to be forced to choose sides between Intel and Microsoft. We're just a small company, and we can't afford to get stepped on by a pair of 800-pound gorillas."

—Tom R. Halfhill

How Intel's Video Device Interface Works



How Intel's Video Device Interface Works

1. Video for Windows sends the encoded data stream of compressed video to the video codec.
2. The codec queries the video driver to see if it supports VDI or checks to see if VDI is implemented as a separate driver. If there's no support for VDI, video is handled normally through VfW and the GDI. Otherwise, the codec queries the driver to see which VDI functions are supported (e.g., color-space conversion, color-keying, clipping, and scaling).
3. After determining which VDI functions are supported, the codec decompresses a video frame, opens a channel to the VDI/video driver, and hands off the appropriate tasks.
4. and 5. The VDI/video driver BitBlts the video frame onto the screen by directly addressing the video controller's frame buffer, bypassing the Windows GDI.

How Video for Windows Works Now

1. Video for Windows sends the encoded data stream of compressed video to the video codec.
2. The codec decompresses a video frame, converts YUV color to RGB, and sends it back to VfW.
3. VfW calls Windows GDI routines to handle such tasks as window management, clipping, and scaling.
4. The GDI sends the video frame to the video board's driver.
5. The video driver transfers the BitBlts to the video controller's frame buffer to display the frame on-screen.

BEAM MY FILES UP, SCOTTY


Infrared technology is poised to do for the office what it's done for the living room's entertainment center. Instead of being used to change TV channels, infrared light beams will make it much easier to exchange data between desktops, PDAs (personal digital assistants), and other devices. For swapping data to become as easy as changing channels, however, an infrared standard must be built into products from many companies. A nonprofit group called the InfraRed Data Association (IRDA) says it has a way to ensure that happens.

IRDA has agreed on a short-range, point-to-point standard for two-way infrared links. The group hopes these links will soon replace cumbersome cables for simple tasks such as moving a spreadsheet from your desktop to your laptop. IRDA's high-profile members include Intel, Microsoft, Apple, and Compaq.

Using infrared beams in place of cables is not new, of course. Infrared-leashed mice have been available for several years now, as have a handful of infrared-based LANs. Infrared has crept into newer products as well. But because they operate at different speeds and use varying protocols and data formats, they won't communicate with devices outside their immediate families. The new standard is expected to change all that. Based on the same technology already used in HP's products, the IRDA standard is a baseband system that zips along at 115 Kbps. HP's approach was chosen over competing systems from Sharp and General Magic due to its superior speed, circuit simplicity, low power requirements, and minimal cost, according to Steven Harris, an engineering manager at Crystal Semiconductor and chairman of IRDA's technical committee.

Whether or not there will be any provision for compatibility with previous infrared systems remains to be seen. Harris notes that it's possible to support the IRDA standard and a proprietary infrared system on a single chip. New products using the IRDA standard could begin appearing by the end of this year, with many more arriving in 1994.

—Christopher O'Malley



The *road* **warrior's** weapon *of* choice.

The HP 100LX palmtop PC keeps you in touch wherever you go.

It packs cutting-edge computing and communications features. All wrapped up in a sleek 11-ounce package. Including one-key access to:

cc: Mail® Mobile, the market-leading e-mail software. Today's new card modems fit neatly into our PCMCIA 2.0 slot, connecting you to your corporate or office e-mail systems. Talk about portable communications! This e-mail solution fits right in your pocket.

Take most of your office with you. Built-in MS-DOS® 5.0 means you can run optional PC software, such as Quicken, Microsoft® Project Manager and ACT! No other palmtop comes close.

With equal ease, you can create custom databases. And sort through a list of customer billing profiles or your favorite restaurants.

Even when you're on top of the world, our appointment book keeps you on top of your schedule. With week- and month-at-a-glance. You don't miss a thing.

Keep running numbers on the run. One touch brings up Lotus® 1-2-3,® Rel. 2.4. You're in spreadsheet heaven!

The features keep coming. Like notetaker to capture ideas. Powerful analysis on the HP financial calculator. Flexible phone book. And much, much more.


For more information and the name of your nearest HP 100LX dealer, call us at 1-800-443-1254, Dept. 785. Or in Canada, 1-800-387-3867. Then hit the road armed with all the right answers.

HEWLETT® PACKARD

cc: Mail Mobile is a U.S. trademark of cc: Mail, a wholly owned subsidiary of Lotus Development Corporation. Microsoft and MS-DOS are U.S. registered trademarks of Microsoft Corporation. Lotus and 1-2-3 are U.S. registered trademarks of Lotus Development Corporation. ©1993 Hewlett-Packard Company PG12307A

ARTIFICIAL INTELLIGENCE

AI Saves Money and Time



In a market dominated by drastically reduced profit margins, hardware and software companies are eager to use technology that will help them reduce costs while maintaining their standards for quality and customer service. One technology they are turning to is AI. The recent Innovative Applications of Artificial Intelligence conference featured 16 award-winning applications built at companies like IBM and AT&T. They saved between $1 million and $20 million annually. The programs spanned a range of areas: intelligent CASE tools, customer support, product quality management, troubleshooting, and configuration.

Compaq's Windows-based QuickSource typifies new products that offer knowledge publishing. Through a help-desk-on-a-disk program that Compaq ships with all its networked printers, Compaq has shrink-wrapped its staff's troubleshooting expertise and put it in the hands of its customers. The result, according to Compaq, is a savings of $10 million to $20 million annually in customer service operations. The company believes that 20 percent of all problems are now handled directly by customers themselves with QuickSource.

Compaq used CBR (case-based reasoning) techniques, a branch of AI, which enables programming by example. Knowledge is stored in the form of experiences, or cases, that are written in conversational-language style. When a new case is described to the CBR system, it retrieves similar past cases. This technique is proving valuable for help-desk applications, enabling users to store the expertise of its best specialists. QuickSource captures about 500 cases with three levels of detail: for internal Compaq use, for service providers/dealers, and for end users (printer customers). The system also includes rule-based reasoning, the hallmark of expert systems, to help focus the case searches.

Other companies with award-winning applications that use AI to save money include Nynex and IBM. Nynex, the Baby Bell serving the northeast U.S., has developed the Outside Plant Engineering and Resource Administration application, which assists more than 350 engineers in planning and installing sophisticated electronic equipment. Nynex reports a significant productivity gain and $5 million annual savings.

IBM's Diagnostic Yield Characterization Expert provides automated data interpretation and process diagnostics for semiconductor manufacturing. It looks at product quality and yield loss. The company says the program reduces diagnosis time from several hours to minutes. IBM estimates DYCE saves hundreds of hours per month of engineers' and technicians' time. In addition, early detection has saved additional products from being manufactured with a defective process. This has meant a savings of several million dollars.

Interest in AI declined after an initial flurry of interest in the middle 1980s. However, in today's highly competitive atmosphere, companies are looking for solutions that give them an edge over their competition. AI is proving to be one such solution. **—Sara Hedberg**

ERGONOMICS

Software Eyes Health Concerns

LONDON—When it comes to ergonomics and health issues regarding the use of desktop computers, Europe is often several steps ahead of the U.S. The Scandinavian countries' long-standing insistence on low-radiation monitors and the emergence of the EC's VDU directive that is now law in all member states exemplify a heightened awareness of how computers affect us.


The regulations and guidelines regarding the use of monitors in the workplace have created an opportunity for European software firms that develop products that help companies comply with the law. Two products focusing on eye testing on a user's machine and the wider implications of the EC's VDU law show that companies are taking advantage of the opportunity.

City Visual Systems (+44 71 837 3388) has released a product called Vision Screener. It makes use of a clause in the EC directive allowing optometric software to perform eye tests, with employee consent, on a user's machine. The software runs under Windows 3.1 and contains a series of tests aimed at spotting any eye problems experienced by the user.

Vision Screener does not replace the need for employers to arrange physical eye exams by a trained optometrist for employees. But it can help cut down on unnecessary testing. The package is also useful in charting a person's recovery from a VDU-related complaint after treatment.

The other Windows package is ErgAware from UserData (+44 71 243 2925). Through a question-and-answer process, the program assesses how well your company complies with European VDU health and safety provisions.

"There is a perception in Europe that everything must be more advanced in the U.S., but this is not really the case in ergonomics," says Chris Hunt, managing director of City Visual Systems. "The country [the U.S.] is so vast and has so many variations between state government and employer attitudes that things are fragmented, with no common guidelines." However, this state of affairs could change in the U.S. if regulations regarding the use of monitors in the workplace are attached to the U.S. Health and Safety Reform Act now wending its way through Congress. **—Dom Pancucci**




WinBench™ 3.11 by Ziff-Davis Labs Tests Remote Windows™ Speed

This graph shows the speed of the three leading remote control programs when transferring Windows screens. As you can see, Close-Up handles more pixels, faster, meaning you spend less time waiting for Windows screens.

The industry standard test, WinBench 3.11, is perfect for testing the speed of remotes. It is an accurate measure of video throughput. Video throughput is the limiting factor in remote operations, because remote programs must transmit Windows video functions from one PC to the other.

WinBench scores (average of 10 runs):
Close-Up 1,613,118
pcAnywhere 194,093
CarbonCopy 168,397



For Both Windows & DOS
NEW Version 5.0

New Remote Software Sets Windows Speed Record

Communicate Faster & Easier

Close-Up® lets you communicate faster & easier with five exciting technology firsts.

Close-Up is the only remote communications software that won both PC Magazine's coveted "Editors Choice" and PC World's "Best Buy" awards. Now Close-Up has a new faster & easier version that allows you to view and control another PC by modem as if you were there!

Technology Firsts
1. AI Video Compression
2. Photographic Memory
3. Non-Intrusive Technology
4. Expert System
5. Video Translation

Why Is Close-Up So Fast?

Close-Up learns as it works. It uses AI (Artificial Intelligence) to compress all Windows video function calls. That's why Close-Up does so well in Windows Benchmark tests (see WinBench 3.11 chart).

Close-Up uses its revolutionary Photographic Memory™ so that once Close-Up has seen all or part of a Windows screen, it's memorized. Then as screens change, Close-Up only transmits new unmemorized data. Incredibly, with this technology *Close-Up gets faster & faster the longer you use it.*

What Remote Companies Haven't Told You

Other remote programs permanently slow Windows and usually reduce your video resolution and depth of color, even when they are not in memory. That's because they permanently change your system.ini file. Close-Up's breakthrough Non-Intrusive Technology does not modify any of your sensitive Windows files including the system.ini. Close-Up is the only remote that when not in use, allows Windows and your PC to run at normal optimal levels.

Expert System Makes Communications Easy

You don't have to be a communications expert to get the results of one. Close-Up has an Expert System that automatically analyzes system components and configures your system for optimal speed.

Video Translation

With Close-Up, dissimilar PCs can easily connect, because Close-Up senses the video capabilities of both PCs and automatically displays Windows in a video mode compatible with both sides.

RISK FREE GUARANTEE MONEY BACK

Risk-Free Offer!

Try Close-Up. If you're not absolutely convinced that Close-Up 5.0 is the fastest remote program, we'll give you your money back!* Order Close-Up Host & Remote, a complete system, for only **$199.95**

Upgrade your current or competitive remote program to new Close-Up 5.0. Get both sides, Host & Remote, for only **$69.95**

Order Today 805-964-6767

Norton-Lambert®

We invite you to reproduce this test. We used two identical Gateway 4DX2-66V's with 66-MHz Intel 486DX2-66 CPUs, 16 MB RAM, 256KB RAM cache, 340 MB HD, IDE controller, no hardware disk cache. Video: Local Bus ATI Ultra Pro with 2MB VRAM, 640 by 480 pixels, 16 colors, VGA.DRV dated 3/10/92. Monitor 72 Hz. MS-DOS 5.0, SMARTDRV 2 MB cache. Modems: two 14,400 baud V.32bis. WinBench 3.11 is available on ZiffNet accessible via CompuServe. Test performed without verification by Ziff. All products are shipping versions. WinBench trademark of Ziff Communications Co. Windows trademark of Microsoft Corp.

*60 day money-back guarantee if purchased directly from Norton-Lambert. Offer expires 12/31/93. All prices in US Dollars. Prices exclude shipping.

© 1993 Norton-Lambert Corp. P.O. Box 4085, Santa Barbara, CA 93140 USA Phone (805) 964-6767 Fax (805) 683-5679

Circle 112 on Inquiry Card.

TREVOR MARSHALL

PCs and Printing Plates

In the world of desktop computing, every day brings a new technology that makes current technology obsolete. Compared to the fast-paced world of desktop computing, the prepress industry changes at an almost glacial-like pace. But based on observations at the International Printing Exposition, or IPEX, it is clear that this industry has begun to fully embrace the computer.

"This industry has seen little change for decades," says Andrew Low of Genix Imaging, the London-based distributors for Cactus plotting systems. "But this show is totally different from the last IPEX. There were very few PC-based prepress computers at the last show, just a lot of mechanical printing presses. In the last five years, this industry has been thrust into the computing age, and many of the artisans and craftsmen are finding it difficult to cope with the new concepts."

Some major industry players are managing better than others to understand the dynamics of this new marketplace. Mitsubishi announced the formation of MC-Imaging, a company that will market Mitsubishi's prepress products worldwide, as well as those of other manufacturers; thus, it can provide customers with solutions tailored to their own requirements.

MC-Imaging has also decided to sell directly to the end user, bypassing the distribution channels that Mitsubishi has previously used. Company officials say the reason for the direct-sales effort is that its customers increasingly demand better value for their money and the expert advice that only a specialized prepress company can provide.

Brussels-based Dainippon Screen is also restructuring its operations. Roger Mattalon, Dainippon's European general manager, says the company now sells open systems. "If a customer wants to use Photoshop on a Mac or PC, we will not try to sell him our own proprietary solution but only those parts of it that he needs," Mattalon says.

The most interesting new technology at IPEX is called direct-to-plate printing. Currently, when a page has been prepared on a PC, it is transferred as a PostScript image to an imagesetter, which plots the page to high-resolution film. That film is then put into a photographic platemaker, and the aluminum plates that the printing press uses are exposed and etched.

Direct-to-plate systems let the actual plate material be created in the imagesetter, bypassing the inaccuracies inherent in the old process. Agfa Compugraphic demonstrated its Lithostar process, which creates aluminum plates that have a service life of 100,000 copies. Mitsubishi Paper Mills has Silver Digiplate, a lower-cost alternative in which the plates are made with paper or polyester substrates.

Although MPM's plates are good for only 20,000 copies, the media can be used in standard imagesetters and costs only about $1 per square foot. This system could considerably lower the current cost of short-run color printing.

Perhaps the most interesting direct-to-plate technology was shown at the NewGen booth. There, Plazer Ltd. (Tel Aviv, Israel) was generating printing plates using standard laser printers. In Plazer's new process, special polyester material is fed into a laser printer. A person then etches the resulting image using nothing more technical than cotton swabs of etch solution. The sheets were then put into a small Heidelberg T-Offset press, which can generate prints at an alarming rate of 10,000 copies per hour. Plazer says that the life of a typical plate is 15,000 copies. The product can be bought in the U.S. from Anitec. The cost of this polyester "plate" material is about $1 per square foot.



Direct-to-plate technology, a highlight of the International Printing Exposition, will bring printers into the digital age.

Plazer's new technology might give new meaning to desktop publishing, as you can run what would normally be a plain black-and-white image several times through the press to produce prints with color spots. The plazer film is also transparent, so it can generate screens for silk-screen printing.

Autotype International showed a laser platemaker system called NovaDom that is similar to Plazer's, but Autotype processes its plates in a toner-fusing machine prior to putting them in the press. The fuser costs $450. Autotype is more conservative, claiming that each plate will last for 5000 or so copies, as compared to Plazer's claimed 15,000-copy life. Both systems are capable of resolutions in excess of 1200 dots per inch.

At the last IPEX, which was held in 1988, heavy machinery represented 90 percent of the exhibit space. This year the electronic prepress exhibits have expanded to occupy nearly half the total floor space. What a difference five years make. ■

PHOTOGRAPHY: ROB TALBOT / TONY STONE IMAGES © 1993

Beauty And dBASE.




For millions of dBASE developers, this is a fairy tale come true: new CA-dBFast™ 2.0, the first and only dBASE-compatible database and language for Windows.

CA-dBFast meets two giant needs: moving existing dBASE applications to Windows *and* developing dazzling new applications in record time. It's the one solution that lets you take advantage of Windows while protecting the huge investment you've made in Xbase technology.

MICROSOFT WINDOWS COMPATIBLE

With CA-dBFast 2.0, you get a proven, stable environment that's more visual and more intuitive than anything you've ever used. And there's no need for Microsoft's confusing, intimidating SDK, so creating applications with CA-dBFast is – true to its name – fast.



CA-dBFast includes Windows interface objects for pull-down menus, push buttons, radio buttons, check boxes, scrolling list boxes, bit-mapped graphics and more.

debugger that's so advanced it lets you watch your source code execute at run time – even Single Step through execution.



CA-dBFast's report writer, CA-RET, lets you mix text, graphics and data to produce great-looking reports in minutes.

The Visual Application Designer (VAD) makes creating pull-down menus, push buttons, radio buttons, check boxes, scrolling list boxes and other Windows objects as easy as "point and click" or "drag and drop." The VAD generates the required source code, saving you hours of complex programming. You also get a

COMPUTERWORLD — BEST PRICE/PERFORMANCE

1992 W 100 WINDOWS MAGAZINE A NNUAL WIN AWARD

CA-dBFast 2.0 also includes CA-RET – an outstanding Windows-based report writer that lets you mix text, graphics and data on the same report in a full WYSIWYG environment.

Creating great-looking tabular reports, form letters and labels is as easy as using a word processor.

FOR A FREE DEMO DISK, CALL 1-800 CALL CAI, Ext. 190.

With CA-dBFast applications, there are no license fees, royalties or key diskettes to bother with. And recipients of runtime programs don't need CA-dBFast to run the application – just Windows. CA-dBFast is also compatible with CA-CLIPPER, dBASE III Plus, dBASE IV, and FoxBASE.

Free Demo Disk

So whether you want to wake up old applications or build brilliant new ones, there's only one way to marry Windows beauty and Xbase power.

Check out CA-dBFast today.

COMPUTER ASSOCIATES®
Software superior by design.

New CA-dBFast Release 2.0.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000. All product names referenced herein are trademarks of their respective companies.

Circle 78 on Inquiry Card.

RICH FRIEDMAN

Walt Disney Knew a Good Interface





Experts in human-computer interaction predict computers will play a much more active role, taking the GUI far beyond today's point-and-click method of interaction.

The home of Disney World was a befitting place to hold the 5th International Conference on Human-Computer Interaction, or HCI. Disney engineers believed in multimedia long before the computer industry. As conference participant Lewis Branscomb, a Harvard University professor and former IBM chief scientist, noted, it was Walt Disney's people who created human-machine interfaces that have induced millions of people to travel long distances to visit theme parks and pay big bucks to be entertained by friendly machines.

Some 2000 academics and computer scientists from 43 countries came to the city Disney built to exchange ideas and research notes on how to make computers easier to use during the next 10 years. Several presenters showed or referred to that deceptively simple Knowledge Navigator video that Apple produced in 1987 to demonstrate what kind of computers we might be using in the future.

In the Knowledge Navigator video—set half jokingly in the "era of the 40-minute work week"—a young professor tells his computer, which looks like a small flat notebook, to rearrange his schedule, converse with a colleague, search disparate databases for "a certain paper that was written about two years ago on the effect of logging on the Amazon rain forest," and perform other perfectly natural tasks you'd love your PC to do.

So how close are we to such a vision? Not very, but by the turn of the century, experts predict that desktop PCs will be humming along at between 256 MIPS to 1 GIPS. The average PC will hold about 4 GB of data, and networked data access will be counted in terabytes. This means that if the hardware engineers continue to extract their miracles, there will be enough bandwidth and speed to take graphical interfaces far beyond today's menu- and mouse-driven applications. Welcome to much-improved speech and 3-D gesture recognition, virtual reality, agents, and eye tracking.

Jakob Nielsen, a research scientist at Bellcore in Morristown, New Jersey, who gave a day-long seminar on next-generation user interfaces, believes that future computers will play a much more active role in terms of what they present on their screens to users. For example, a PC might automatically change the size of a screen font to accommodate a user who sits further away from the screen. Object-oriented software will let the document, rather than the applications that created it, become the primary focus of the user's attention. In fact, plug-and-play software modules will replace applications altogether, thus eliminating, for example, the need to store—and use—six different spelling checkers that come with six different applications.

According to Nielsen, as multiple spelling checkers fade away, so, too, will our current notion of files. In the age of gigabyte hard drives, information retrieval will not be based on simple files but rather on interlinked information objects that let you manipulate associations between your data.

Although much work is yet to be done, agents will increasingly anticipate a user's needs and take over many tasks of operating a computer. If an agent senses that a user is having trouble, it can suggest a solution. An agent can learn fairly complex patterns, forward data to various locations depending on where a user is, and even, in some circumstances, DWIM (do what I mean) instead of DWIS (do what I say).

With its increased ability to recognize patterns and work habits, the computer will take on more programming tasks. By observing a user, the computer will be able to write programs that automate such behavior in the future. This will be more far-reaching and universal than the arcane scripting and macro languages contained in present applications.

Everyone's question, of course, is, When will the next-generation interfaces happen? Some are already in use, such as pen and voice recognition, but they are handicapped by today's hardware limitations. Researcher Nielsen does not believe we will have a very practical next-generation interface before the year 2000. He says that the hardest hurdle to overcome will be standards for advanced data interchange and system integration.

In 1986, a group of Danish computer professionals was asked how computer interfaces would change by the year 2000. A third mentioned speech I/O; 16 percent cited the increased use of graphics, mice, and icons; 12 percent thought the "system would adapt to the user's level," and 7 percent thought we would progress to the point of self-explanatory systems and eliminate the need for manuals. Yet an equal number believed "the past will survive."

COBOL lives. ■

Rich Friedman is BYTE's executive editor. You can reach him on BIX as "rfriedman."

ILLUSTRATION: MANUEL KING © 1993/ PHOTOGRAPHY: J. MESSERSCHMIDT /T.S.I. © 1993

INTEL TECHNOLOGY BRIEFING



INDEO™ TECHNOLOGY
REAL-TIME VIDEO COMPRESSION

DESKTOP VIDEO. NOW PLAYING ON YOUR PC.

Indeo™ video is a digital video recording format. It turns your PC into a video player, so you can view training tapes, recorded interviews and other digital "movies." With the appropriate hardware, it also turns your PC into a video recorder. In this brief, you'll learn about the technology behind the motion.

WHY DIGITAL VIDEO?

Due to its versatility, digital video has several advantages over analog video. You can edit it, store it, and transmit it easily. However, the process of digitizing video generates massive amounts of data, creating a storage problem. That's why you need Indeo video.



INDEO TECHNOLOGY DEFINED.

Developed by the Intel Architecture Labs, Indeo video is a software technology that reduces the size of uncompressed digital video files from 5 to more than 10 times. This is important, because a one-minute small-screen video file is typically 50MB, but it can reach hundreds of megabytes. On average, Indeo video will reduce this 50MB file to about 9MB. Not only do compressed files take up less hard disk space, they also process faster, giving you better quality playback.

How do you get Indeo video? It's included free in products like Video for Windows,* OS/2* and QuickTime* (Mac and Windows).

WHAT MAKES INDEO VIDEO "SMART?"

Indeo Technology has essentially three unique benefits:

SMART PLAYBACK.

Indeo Technology is scalable. That is, it automatically determines what hardware is available and optimizes playback for that configuration. For example, it will give faster frame rates to machines with more processing power. As shown in the chart video can be achieved with an Intel486™ DX2 processor. A Pentium™ processor gives even better quality.

SMART RECORDING.

To get the best quality playback, you must first capture as much video data as possible during the recording process. Currently, Indeo video allows capture in a 320x240 pixel window at 15 frames per second with 24-bits of color. This ensures good quality when video is played back in larger windows.

A unique feature of Indeo Technology is that it compresses video in real time, as it's being recorded through a video capture board. So the file doesn't have to be saved to the hard disk then later compressed—a process which can take up to 15 to 30 minutes per minute of video and requires massive storage capacity.

SMART COMPRESSION.

Only Indeo video uses multiple types of "lossy" and "lossless" compression techniques. (See diagram this page.) With lossless compression, no information is lost. It is instead encoded into a format that occupies less space. Lossy compression carefully removes from video images "excess" data which won't be noticed by the human eye. This affords greater compression ratios, and hence better playback performance.

How to record and play back video using

INDEO™ VIDEO TECHNOLOGY

Video recording.

1 Input and conversion. Analog video is received from a video camera, VCR or laserdisk in any standard format such as NTSC (broadcast TV). A video capture board—such as the Intel Smart Video Recorder—converts this analog video signal into digital information.

Video playback.

Indeo video lets you play back a video file regardless of whether or not you recorded it. Before the file can be viewed, it must first be decompressed. Indeo video reverses the compression process, reassembling the video information on the i486 microprocessor—again in real time. Since Indeo Technology is scalable, it automatically adapts playback (frame rate) to the hardware it is running on.



2 Single-step compression. After the video is digitized, Indeo video, running on the i750 video processor, compresses it in real time, utilizing the following:

Indeo video compression techniques.

- YUV Subsampling reduces a pixel area to an average color value
- Pixel Differencing and Temporal Compression shrink data by storing only the information which changes between pixels or frames, like a moving image
- Run Length Encoding notes a "run" of identical pixels and records how many occur
- Variable Content Encoding reduces a variable amount of information into a fixed number of bits.

3 Storage. Once compressed, the digitized video file is then combined with the audio information into a standard file format, such as Microsoft's Audio Video Interleave (AVI), and stored to a hard disk. Now the file is ready for use, i.e. playback, editing, distribution or storage on disk or CD-ROM.


FACTORS THAT AFFECT VIDEO QUALITY

WINDOW SIZE VS. FRAME RATE

Slow Frame Rate → Fast Frame Rate



FULL SCREEN
(640x480 PIXELS)



1/4 SCREEN
(320x240 PIXELS)



1/16 SCREEN
(160x120 PIXELS)

Large Window ← Small Window

MICROPROCESSOR PERFORMANCE

Processor**	Full Screen	1/4 Screen	1/16 Screen
i486 SX-25	~1 fps*	15 fps	30 fps
i486 DX2-66	10 fps	30 fps	30 fps
Pentium Processor	20 fps	30 fps	30 fps

*Frames Per Second. **Frame rate based on playing an Indeo video file captured at 30 fps. These are typical numbers only. The frame rate may vary based on system configuration and the video clip being used.

FACTORS THAT AFFECT VIDEO PLAYBACK.
THERE ARE ESSENTIALLY THREE FACTORS THAT AFFECT VIDEO PERFORMANCE:

- MICROPROCESSOR SPEED
- PLAYBACK WINDOW SIZE
- FRAME RATE

SMALLER PLAYBACK WINDOWS RESULT IN SMOOTHER, MORE NATURAL VIDEO IMAGES. A FASTER MICROPROCESSOR SUPPORTS BIGGER PLAYBACK WINDOWS AND HIGHER FRAME RATES.

INTEL VIDEO ADVANCEMENTS.

There are three ways in which Intel is continuing to improve desktop video. First, faster video starts with faster computers, so we're developing faster CPU technology. Second, we're working with leading graphics card vendors to optimize their software drivers for Indeo video. And finally, we're developing more efficient compression and decompression (codec) techniques to give video higher quality. All of which will help you understand why Intel and Indeo Technology mean higher-quality video.

HOW DO I GET INDEO VIDEO?

Indeo video is included in most operating systems, so you get it free. Additionally, most leading software developers are using Indeo Technology to add video capabilities to their applications, because of its high quality and interoperability between different platforms. So you can interchange video files between operating systems—even between PCs and Macs. Look for the Indeo video logo whenever you buy multimedia hardware and software.

indeo™ INTEL VIDEO TECHNOLOGY

FOR MORE INFORMATION ON INDEO VIDEO, CALL 1-800-955-5599.

We've prepared a complete package of information including an Indeo Video Technical Overview. Simply ask for literature packet #71. The materials are free. So is the call.

©1993 Intel Corporation. *All products mentioned are trademarks of their respective companies.

intel®

Big Blue Tales



ANDY REINHARDT

No matter how closely you've followed the inexorable decline of IBM over the last few years, or how voraciously you've devoured every revelation in the public and bitter "divorce" between IBM and its erstwhile ally Microsoft, you're bound to find new and fascinating details in *Big Blues: The Unmaking of IBM* by *Wall Street Journal* reporter Paul Carroll. Densely researched and richly detailed, it chronicles the fall of IBM, from the heady highs of the early 1980s—when the company posted a $6.6 billion profit in a single year, the most ever earned by any corporation—to the nightmare of 1993, when IBM ousted its chairman, broke its policy of no layoffs to jettison thousands of workers, and posted the largest corporate loss ever recorded.

Carroll covered IBM for seven years for the *Journal* and was especially admired for the quality of his sources. He minces no words in analyzing the factors that led to IBM's fall: thick layers of bureaucracy, excruciatingly slow development cycles, a mainframe mentality and lack of vision about the PC market, an inability to deliver good software, and, most of all, rampant complacency that obscured how bad things had really gotten.

The fast-paced narrative is full of juicy anecdotes; some have appeared elsewhere, but many more are published here for the first time. Carroll's access and knowledge are evident throughout. He covers a huge range of subjects, from the underlying trends that have shaped and altered the computer business over the last two decades, to the personalities of key executives inside and outside IBM, to fly-on-the-wall descriptions of key battles in the long-simmering feud between IBM and Microsoft.


Indeed, the strongest aspect of *Big Blues* is its anecdotes. Carroll reveals, for example, that IBM tried and failed to create a custom version of the 286 that would fix the chip's inability to switch from protected mode back into real mode. He also discloses that Lotus founder Mitch Kapor tried and failed to interest IBM in an exclusive marketing deal for 1-2-3. The latter is one of dozens of examples Carroll cites of opportunities squandered by IBM.

I found especially interesting the discussion of the "bus wars" of 1989, in which Carroll concludes that with the PS/2's Micro Channel architecture, "IBM had staked the future of its PC business on an irrelevancy." Another fascinating section is his description of the events leading up to the fateful 1989 Fall Comdex press conference in which IBM and Microsoft tried to clarify the relationship between OS/2 and Windows and succeeded only in confusing the market.

The book's main weakness is that its assessment of IBM may prove to be too unremittingly harsh. Carroll subjects the company and many of its executives to breathtaking criticism; those especially mauled are former chairman John Opel and former PC division head Bill Lowe, whom Carroll describes repeatedly as wooden and upon whom he heaps the most blame for IBM's PC market-share loss. Carroll accords most favorable treatment to Don Estridge, the head of the IBM PC skunk works, who was killed in an airplane crash in 1985. Microsoft chairman Bill Gates comes off surprisingly well, a notable change from the pasting he has taken in a wave of recent biographies.

The book's organization varies between chronological and thematic, which introduces redundancy and sometimes confuses the order of events. Readers who are not well versed in computer technology will appreciate how clearly Carroll explains basic concepts, but sometimes his lack of technical detail obscures the meaning of events, such as the battle between IBM and Microsoft in mid-1986 over whose GUI architecture should be used on top of OS/2.

Carroll's writing suffers from a problem common among newspaper-reporters-



INFORMATION GALORE

MICROSOFT DEVELOPER NETWORK CD QUARTERLY, $195

This powerful research tool, built around a customized version of Microsoft's Multimedia Viewer, is an information gold mine for the professional software developer. One section presents technical articles that address a wide range of questions: How do I use the DLL version of the Microsoft Foundation Classes? How does the SQL Server query optimizer work? How can my program exploit the Windows palette manager? Microsoft programmers answer these questions with surprisingly literate prose, diagrams, and sample code.

Another section presents nothing but code samples. You can view and in many cases run these programs directly off the CD. When you want to tinker with them, you can just click on a transfer button to move the complete sources onto your hard disk.

A third section presents the full text of a number of key specifications, including those for NDIS, DPMI, MAPI, ODBC, Windows Sockets, and Windows Telephony. A fourth section contains technical notes and bug reports for nearly 40 products, including Visual C++, FoxPro, MS-DOS, and various SDKs and DDKs. Almost all entries include illustrative code fragments. Bugs still outstanding are so noted, and workarounds (if available) are described.

A fifth section offers books and periodicals, notably classics on DOS and Windows programming by Charles Petzold and Ray Duncan and the *Microsoft Systems Journal*. A sixth section contains documentation for products such as the MSCDEX DDK, the Excel SDK, and the Windows 3.1 DDK and SDK, along with the Windows 3.1, Windows for Workgroups, and Windows NT resource kits. If your livelihood depends on Microsoft's growing family of operating systems, programming tools, and applications, you probably can't afford not to subscribe.

—*Jon Udell*

Circle 159 on Inquiry Card.

PROTECT YOUR SOFTWARE



NO BUTTON, NO ACCESS.

Dallas Semiconductor is re-shaping the world of software protection and distribution control with a new family of microchips called Buttons. We put the lid on software piracy by packaging microchips in button-shaped, stainless steel cans. The chips contain missing but critical information to make the software run.

We offer a variety of Authorization Buttons and features so you can select the level of protection and price point that are right for you.

Security Continuum

Button Type	Unique Serial #	Read/Write Memory	Password Protection	Expiration Timer	Decoy Responses
DS1420 ID Button	X				
DS1427 Time Button	X	4K bits		X	
DS1425 Multi Button	X	2K bits	X		X

Snap In, Snap Out

Authorization Buttons interface to the installed base of 100+ million PC's via the DS1410 Button Holder. They simply snap in and out. The DS1410 accepts two Buttons concurrently.

Toward a Dongleless World

New computers that accept Buttons directly, including palm and notebooks, are being designed at OEM's today. Our Dongle Trade-In Program will help in your transition to this world. With an approved application, we'll pay you $7.00 for each dongle that you trade in for an Authorization Button and Holder. This offer is good until December 31, The one-piece price for the DS1420 is $4.35; volume discounts apply.



We're Serious About Security

At Dallas Semiconductor, we design and manufacture our own microchips. And we're the only ones in the software protection business who do. Sixty intricate process steps and a 64-bit unique registration number lasered into each chip prevent duplication.

To learn how to button down your software, give us a call.

DALLAS SEMICONDUCTOR
4401 South Beltwood Parkway, Dallas, Texas 75244-3292
Telephone: 214-450-8170 FAX: 214-450-3715

turned-authors: a tendency to rely too much on stories strung together with generalizations and foreboding phrases. Thus, describing IBM's decision to pull the PC group back into the corporate structure, he says, "The move would not only doom IBM's PC business but would eventually put Don Estridge on a plane that would cost him his life." (The millions of IBM PCs and PS/2s sold since then suggest that the business was far from doomed.) The glibness reaches a peak in Carroll's frequent assertions that mainframes are dinosaurs and OS/2 is a failure, before the final verdicts have been rendered.

Although he doesn't offer a unique or especially profound analysis of the recent history of IBM, Car-



the walls of IBM, you'll soak up evei page.

You can reach him on BIX as "areinhardt."

CLONING TRENDS

TECHNOTRENDS by Daniel Burrus and Roger Gittines
HarperCollins, ISBN 0-88730-627-6, $25

In 1982, John Naisbitt's *Megatrends* launched a new subgenre of business books with a formula that was simplicity itself: Identify a handful of major trends, sketch out each n a highly structured chapter, and pitch the result to baby-boomer corporate business managers looking for a road map to the future. *Megatrends* wasn't so much a book to read as it was a database to access. Naisbitt's 30-something audience could pick up the buzzwords from the subtitles, dig a little deeper by scanning chapter introductions and boldface keynote paragraphs, and check out his statistics and other evidence at leisure. Not surprisingly, clones of *Megatrends* soon started rolling off the presses. Naisbitt even copied his own success in *Megatrends 2000* (which included a prediction that there would be no recession in the 1990s).

At first glance, Daniel Burrus's *Technotrends* seems to come from the same genetic heritage, albeit with a high-tech spin. The cover blurb promises "24 technologies that will revolutionize our lives." Pen-based and multimedia computers top the list, but that's just the start. Burrus identifies 20 core technologies, nine revolutions new products will create, 30 rules for leveraging new technology ("If it works, it's obsolete"), and nearly 100 paradigm shifts. If the genetic code for a *Megatrends* clone calls for a short list of memorable trends identified by buzzwords, *Technotrends* resembles a recombinant DNA experiment run amok.

Burrus is clearly no management pundit distilling the future into a simple road map. He's not a technologist, either; most BYTE readers won't learn anything new from the discussions of object-oriented programming and distributed computing. Burrus's goal is to get readers thinking about how all these products, technologies, revolutions, and trends fit together—and how ordinary people can create business advantages from technological change.

Unfortunately, the book's dialogue is sophomoric. And while Burrus's thoughts are wide-ranging, they never go very deep.

—Frank Hayes

Computing Know How Books

for advancing your business skills



Multimedia Mania

Learn the basics from adding CD-ROMs and sound boards to making an MPC system. Includes CD-ROM with over 400 megabytes of sounds, graphics, animations, samples and techniques. Experiment with several commercial multimedia demos. Valuable coupons from major software publishers worth over $600 inside.

$49.95 with companion CD-ROM.



EXCEL for Science & Technology

focuses on the power of Excel beyond the spreadsheet. Learn about Excel Solver, Scenario Manager, Mathematics Functions, Physics, Chemistry, Technology Conversion and many other topics.

This book and its companion disk allow you to immediately apply what you learn by using the macros and worksheets on the disk. **Excel for Science and Technology** is more than a book; it's an indispensable professional work tool.

$34.95 with companion disk.



HP DeskJet Companion

Hands-on knowledge necessary for running ink jet printers efficiently. Provides solid support including how to select and download new fonts, how to choose the correct Windows printer driver, tips on using the color options and practical advice on how to troubleshoot the most frequently encountered problems. The ideal reference for HP DeskJet users, whether they're looking for information about connecting the printer, paper handling or programming the HP DeskJet printer.

$26.95 with companion disk.



PKZIP, LHARC & Co.

Learn the basics of data compression and then the specifics of using the major shareware and freeware programs. Covers features and commands for using PKZIP, LHARC and others.

$19.95.

DataCruncher Software-

Fail Safe way to save disk space

A Windows shell for using any of the above software.

$17.95.

AutoCAD 12 Programming

See how to integrate custom functions and commands into AutoCAD. Learn batch file programming, for user defined startup; script files, for specific drawing sequences; and custom commands with AutoLISP or ADS. Diskette contains menus and programming examples to help you learn fast.

$44.95 with companion disk.



The 486 Book

See why the 486 is the processor of choice; how it works and how you can set up your system for maximum performance — even with DOS 6.

Info on new Overdrives, DX2s and even the pentium. Includes *SystemSleuth Professional* and *PCINFO* software on companion diskette.

$34.95 with companion disk.

Upgrading & Maintaining Your PC

Turn your PC into a high performance screamer! Whether you're adding memory or a hard drive, a CD-ROM or a sound board or upgrading an XT to a 386 or 486, this book shows you how. Includes companion diskette of utilities and *System Sleuth*™ diagnostic software that helps you analyze your systems performance.

$34.95 with companion disk.



OS/2 BIBLE

Tells you everything you want to know about IBM's latest and greatest Personal Computer operating system. Learn all about the OS/2 Workplace Shell and the fantastic programs IBM has included with OS/2. See why OS/2 runs Windows applications faster and better than Windows does. The appendix contains a complete printed reference of all the OS/2 commands, so you can find the info you need fast.

$44.95 with companion disk.

The SoundBlaster Book

This bestselling book is the complete guide to Sound Blaster™, from installation to custom programming. Discusses different Sound Blaster™ cards, commercial, public domain and shareware software products available.

$34.95 with companion disk.

Order Toll Free
1-800-451-4319

Available at: B. Dalton, Barnes & Noble, Bookstar, Bookstop, Waldenbooks, Crown Books, Software Etc., CompUSA, Computer City Superstores, Fry's Electronics, Computer Literacy, Tower Books, Stacey's, and other retailers nationwide.

In Canada at: Coles, W.H. Smith Books, Classic Bookshops, and London Drug. Call or write for our free catalog of PC Books.

Abacus

Dept. B11, 5370 52nd Street SE, Grand Rapids, MI 49512
Phone: (616) 698-0330 • Fax: (616) 698-0325

Circle 61 on Inquiry Card (RESELLERS: 62).

Please rush me the following books:

___	Multimedia Mania	$49.95 ea.
___	Excel for Science & Tech	$34.95 ea.
___	HP DeskJet Companion	$26.95 ea.
___	PKZIP, LHARC & Co.	$19.95 ea.
___	DataCruncher	$17.95 ea.
___	AutoCAD 12 Programming	$44.95 ea.
___	The 486 Book	$34.95 ea.
___	Upgrading & Maintaining	$34.95 ea.
___	OS/2 BIBLE	$44.95 ea.
___	SoundBlaster Book	$34.95 ea.

Subtotal: _____

MI orders include 4% sales tax: _____

In US & Canada add $5.00 shipping: _____

Foreign orders add $13.00 per item: _____

Total amount (US funds): _____

For fast delivery Order Toll Free 1-800-451-4319 EXT. 211, or FAX (616) 698-0325

Or mail this coupon to: Abacus, 5370 52nd Street SE, Grand Rapids, MI 49512

Method of Payment: ❑ Visa ❑ Master Card ❑ Am.Express ❑ Check / M.O.

Card#: _____ Expires: ___/___

Name: _____

Company: _____

Address: _____

City: _____ State: ___ Zip: _____

Phone#: _____ Fax#: _____

❑ Yes, please rush your free catalog of PC books and software. Dept. B11

Circle 170 on Inquiry Card.

Your PC goes Mac!



MacDisk*

for Windows

Reads, writes and formats Mac 1,44 MB floppies.

File exchanges between Word, Excel, PageMaker, XPress, etc. without any hardware modification.

MacSQ*

for Windows

Reads/writes 44/88 MB Mac SyQuest cartridges.

Transfer of scan files, colour separations. Supports Adaptec boards (ASPI), low-cost adapters and parallel port solutions (Puma, D2-Para).



MacDisk* Pro

A superset of MacSQ, also drives 128 MB MO cartridges and 90 MB Bernouillis and soon even bigger Mac SCSI volumes (600 MB MO).

Logiciels & Services DUHEM

21, rue La Bruyère - F-75009 PARIS (France)
Tél. (33.1) 49 70 04 55/Fax (33.1) 49 70 04 56
Free leaflet and demo disk. Offer good until supply lasts.
MacDisk **850 FF,** MacSQ **1250FF,** MacDisk Pro **1450FF** (w/o S&H fees).
EEC residents, add French VAT (18,6 %). We accept most credit cards.
Dealers welcome. Software in French/English/German, Manual in French/English.
* Registered trademarks of LSD in France and trademarks of LSD elsewhere.

Ever seen a grown pirate cry ?
Just plug this in ... and watch





MEMOPLUG™

The amazing Software protection system based on a hardware plug. Contains read-write programmable memory. This system is practical and easy to use for both programmer and end-user. Supports various programming languages, operating systems and types of computers.

U-PLUG™

The premiere protection plug for UNIX systems that connects the standard serial port of computers and workstations.





LANPLUG™

Comprehensive network protection starts with a single plug. The LANPlug lets you operate protected software from any workstation on the network, while supervising a number of authorized simultaneous operation applications.

Design: Zamir studio

CLOCKPLUG™

This unique Time-limited software protection system is based on a plug containing a real-time clock. It allows users limited execution times for leasing and demonstration applications.
A password system allows you to rewind the clock by telephone



U.S. office: Tel: 1 (800) 677 1587
Tel: (407) 682 1587 Fax: (407) 869 1409
South Africa: LionSoft Tel: 011 640 6002
Holland: M.H.P Tel: (31) 440612916
France: C.T.I Tel: (1) 47 38 16 17
Spain: Economic Data Tel: (34) 1 442 28 00
Czeck Republic: PC Kompas Fax: (42) 2 43 11 88

EliaShim
MICROCOMPUTERS LTD
5 Haganim, P.O. Box 8691
Haifa 35022 ISRAEL
Tel: 972-4-516111, Fax: 972-4-528613

Currently looking for international distributors

See us at COMDEX Fall '93, Location S 3031

Circle 87 on Inquiry Card.


RUN ROBOT RUN

MOBILE ROBOTS: INSPIRATION TO IMPLEMENTATION
by Anita Flynn and Joseph Jones
A. K. Peters, ISBN 1-56881-011-3, $39.95

Imagine a robot in your future. It will clean the house, walk the dog, wash your car, and take out the trash. Well, dream on, but don't expect reality to catch up with fiction anytime soon.

There are, however, extremely interesting projects currently under way in the robotics field: interplanetary explorers, deep-sea divers, and automated toxic-waste cleanup crews. In my opinion, one of the most interesting trends in robotics is the move away from the design of giant, all-powerful robots toward developing groups of small, special-purpose machines. It's the approach of trying to build ants rather than anything even as complex as a chimpanzee.

Another trend is the separation of intelligence from intelligent behavior. As long as a robot does what you want it to do, why bother wondering whether or not it's really intelligent? Leave that for the theorists and scientists. Engineers simply make things that work.



Mobile Robots: Inspiration to Implementation is a handbook for constructing your own experimental robots. These machines may be constructed of Legos and other equally inexpensive components, but they are more than simply toys. They are fully functioning robots with minds of their own.

The simplest machine, TuteBot, doesn't even require a microprocessor. Its programmable, exploratory behavior is controlled by a few transistors and potentiometers. Yet, even being brainless, it can explore entire rooms, wandering into remote corners and extricating itself for further exploration. Believe me, a roomful of these little critters is pure entertainment.


Rug Warrior is the more complex machine, complete with an on-board 68HC11 processor and software based on subsumption architecture. The subsumption approach to robotics is the simple yet elegant concept that behavior should be composed of increasingly complex levels of control. For example, a low-level behavior may simply know how to move a leg. A middle-level behavior could know about gaits. A high-level behavior could say, "Let's go through that door."

Flynn and Jones provide more than just step-by-step plans for constructing these robots. They include the basic mechanical, electrical, and software background for making it all work, and for designing your own machines. You'll find chapters on real-time control, types of sensors and how to control them, motor dynamics, battery recharging, and the design of stable systems. Appendixes provide complete plans for a 68HC11 control computer, a parts source book, and a list of current robot-related publications (it even references my own newsletter).

Whether you are a serious explorer intent on creating a future world populated with robot devices, or simply a backyard hobbyist building machines to frighten the neighborhood cats, you'll find *Mobile Robots* an indispensable handbook. ■

—Raymond GA Côté

High performance 486™DX2. Blazing 66MHz, backed by our exclusive turbo cache, for unparalleled workstation performance.



Two Full-length ISA Slots. Connections are everything. And this machine allows for plenty—Ethernet, video, you name it.





Optional Built-in 5.25" CD ROM. The medium with capacity for video clips, graphics, photo CDs, or an entire set of manuals.



PCMCIA Expandability. The T6600C offers a huge wealth of communication and expansion options, including a 16mm PCMCIA 2.01 compliant slot large enough for a hard drive!

Built-in Stereo Speakers. Quality audio adds another dimension to any program. With Microsoft® Microphone™ included, your work can speak for itself.

A technological tour de force that actually tours.

Take your entire show on the road. The new Toshiba T6600C Series represents the most advanced technology and muscle we've ever put into a portable. With its 486™DX2 processor, dual ISA full-slot expansion, and huge storage options, the T6600C Series delivers the power and capacity for the most demanding portable applications. From network analysis to software development to full-blown multimedia, if you need to tour with a great deal of force, this is your system.

Feel the force. **For your nearest dealer, call 1-800 457-7777.**

- Intel486™DX2/66MHz
- 8MB RAM expandable to 40MB RAM
- 10.4" color active matrix TFT-LCD screen
- SVGA display with 640x480x256 color resolution
- 510MB HDD
- Two full length 16-bit ISA slots
- One 16mm PCMCIA 2.01 compliant slot
- Built-in SCSI with external SCSI-II port
- Microsoft® Sound System™
- 5.25" half height 200ms double speed CD-ROM (T6600C/CD and T6600C/CDV models only)
- MediaShare®Mambo™ DVI®/Ethernet™ board (T6600C/CDV model only)

In Touch with Tomorrow


TOSHIBA

© 1993 Toshiba America Information Systems, Inc. The Intel Inside logo is a trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. asics is a registered trademark.

Circle 137 on Inquiry Card.

PC MAGAZINE REVEALS:

The Computer That Gives You The Most Bang For The Buck.





ZEOS 486DX2-66... THE TOP GUN $2995

- Genuine Intel 486DX2-66 microprocessor, upgradable to Pentium™ OverDrive™
- 8MB RAM expandable to 64MB
- 256K SRAM system cache
- 528MB local bus IDE hard drive
- Diamond Viper/VLB local bus video card with 1MB VRAM
- 1.2MB and 1.44MB floppy drives
- 15" ZEOS color SVGA non-interlaced monitor, .28mm dot pitch
- MS-DOS 6 with Enhanced Tools, Windows, and new Microsoft Mouse, plus choice of Lotus Windows applications
- 14,400 bps V.32 bis send/receive fax modem
- SAME DAY SHIPPING

Others pale in comparison. There's no way to dispute it! The results are in, and the ZEOS Upgradable 486DX2-66 is "the overall performance winner."

PC buyers expect low prices, top-quality, impeccable performance and prompt support. Basically, they want the most bang for their buck. *PC Magazine* recognized this and compared value-line PCs with more traditional systems to see if they were "truly good values or stripped-down machines trying to pass for good buys." The results are overwhelmingly in ZEOS' favor. In fact, *PC Magazine* said: *"ZEOS doesn't sell a separate value line, but the flexibility of its main system may be the least confusing solution of all."*

Stacked against Gateway, Dell, Compaq, IBM and others, ZEOS stood alone. Using the Benchmark Tests as a guide, *PC Magazine* made these conclusions:

"As DOSmark scores are heavily weighted for processor and hard disk performance, the ZEOS garnered the first-place position in that category as well."

"The clear winner is...the ZEOS Upgradable, which turned in an incredible score of 55.01 megapixels per second."

"The real highlight among tested hard disks was the Seagate ST3600A, which has 12-ms access time and 256K of built-in cache. The ZEOS 486DX2-66 Upgradable's hard disk performance was almost 31 percent above the average in this roundup."

Of the *"systems that demonstrated the best agility under strenuous exercise of all their components... ZEOS (scored) 26 percent above average."*

The ZEOS local bus upgradable systems are the perfect solution—the brand-new motherboard is faster, more integrated, versatile and reliable than ever. Plus, ZEOS is always thinking ahead to your

STANDARD WITH EVERY ZEOS UPGRADABLE SYSTEM

- Upgradable to Intel's Pentium™ OverDrive™ CPU. Zero Insertion Force (ZIF) socket makes upgrading easy.
- RAM expandable to 64MB on the motherboard.
- Two serial ports and one parallel port integrated on the motherboard.
- Flash BIOS for easy upgradability.
- Eight expansion slots: two VESA local bus, five 16-bit and one 8-bit.
- ZEOS six-bay desktop case with two cooling fans for increased reliability and product life.
- High-capacity power supply with built-in surge suppression; switchable between 115/230V.
- Socket for inexpensive optional on-board SCSI.
- Shadow RAM support.
- ZEOS 101-key space-saving keyboard.
- FCC Certified Class B; UL Listed.
- Complete ZEOS Customer Satisfaction Package.

486SX-25 $1395
Lease $59/month
486SX-33 $1495
Lease $63/month
486DX-33 $1695
Lease $61/month
486DX2-50 $1795
Lease $65/month
486DX2-66 $1895
Lease $69/month

- ZIF socket upgradability to Pentium OverDrive CPU
- 2MB high-speed RAM
- 107MB local bus IDE hard drive w/32K cache
- Diamond SpeedStar Pro Windows-accelerated VL local bus video with 1MB RAM. 16.7 million colors.
- ZEOS 14" 1024 x 768 N1 SVGA color monitor, .28mm dot pitch
- Your choice of floppy drives
- MS-DOS 6 plus Enhanced Tools

486SX-25 $1695
Lease $61/month
486SX-33 $1795
Lease $65/month
486DX-33 $1995
Lease $72/month
486DX2-50 $2095
Lease $76/month
486DX2-66 $2195
Lease $79/month

- ZIF socket upgradability to Pentium OverDrive CPU
- 4MB high-speed RAM
- 214MB local bus IDE hard drive w/128K cache
- Diamond SpeedStar Pro Windows-accelerated VL local bus video with 1MB RAM. 16.7 million colors.
- ZEOS 14" 1024 x 768 N1 SVGA color monitor, .28mm dot pitch
- Both 1.2MB and 1.44MB floppy drives
- MS-DOS 6, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows application

486SX-25 $1995
Lease $72/month
486SX-33 $2095
Lease $76/month
486DX-33 $2295
Lease $83/month
486DX2-50 $2395
Lease $87/month
486DX2-66 $2495
Lease $90/month

- ZIF socket upgradability to Pentium OverDrive CPU
- 8MB high-speed RAM
- 426MB, 13ms local bus IDE hard drive w/128K cache
- Diamond SpeedStar Pro Windows-accelerated VL local bus video with 1MB RAM. 16.7 million colors.
- ZEOS 14" 1024 x 768 N1 SVGA color monitor, .28mm dot pitch
- Both 1.2MB and 1.44MB floppy drives
- MS-DOS 6, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows application

486SX-25 $2495
Lease $90/month
486SX-33 $2595
Lease $94/month
486DX-33 $2795
Lease $101/month
486DX2-50 $2895
Lease $105/month
486DX2-66 $2995
Lease $108/month

- ZIF socket upgradability to Pentium OverDrive CPU
- 16MB high-speed RAM
- 528MB, 12ms local bus IDE hard drive w/256K cache
- Diamond SpeedStar Pro Windows-accelerated VL local bus video with 1MB RAM. 16.7 million colors.
- ZEOS 14" 1024 x 768 N1 SVGA color monitor, .28mm dot pitch
- Both 1.2MB and 1.44MB floppy drives
- MS-DOS 6, Tools, Windows & new Microsoft Mouse, plus choice of Lotus Windows application

FAVORITE OPTIONS

426MB to 528MB HDD UPGRADE.....**$190**

256K SYSTEM CACHE.....**$98**

ADAPTEC 6360 SCSI CONTROLLER CHIP
For on-board SCSI. Includes drivers **$49**

2400 bps V.42 bis MODEM WITH 9600 bps SEND/RECEIVE FAX.....**$99**

DIAMOND VIPER VIDEO CARD
1MB VRAM: **$149** 2MB VRAM: **$249**

15-INCH MONITOR UPGRADE
SVGA non-interlaced, 1024 x 768, flat screen **$95**

COMPLETE MULTIMEDIA PACKAGE
MPC compliant, multi-session CD-ROM, 16-bit/48KHz Cardinal Digital Sound Pro 16 with Digital Signal Processor (Soundblaster and Adlib compatible), and stereo speakers **$395**

Many other affordable upgrades and options available. Call for details!

future needs and technological advances; therefore, we include such features as CPU upgradability to Intel's Pentium OverDrive; a Zero Insertion Force (ZIF) CPU socket, Flash BIOS for easy upgradability, and a SCSI upgrade socket for adding SCSI without having to use a slot. We've even given you room to grow with eight expansion slots and six drive bays.

Choose from one of our money-saving packages, or we'll custom build a system to your specifications. Feature for feature, no one gives you more than ZEOS. At any price, anywhere. *It is the biggest bang for your buck!*

AWARD-WINNING SERVICE

We're the only company to win *PC Magazine's* Readers' Choice for Service & Reliability —for both desktops and notebooks—*twice!*



TOLL-FREE SUPPORT, WARRANTIES & GUARANTEES.

We're here for you 24 hours a day, 365 days a year, and always a toll-free call away. All ZEOS systems come with a One Year Limited Warranty, Express Parts Replacement Policy and a 30-Day Money-Back Guarantee.

Fax Orders: 612-633-1325, Government: 800-245-2449, TDD Orders: 800-228-5389, Outside U.S. and Canada: 612-633-6131. MasterCard, VISA, Am Exp, Discover, Z-Card,℠ COD and Leasing programs. Open 24 Hours a Day, 365 Days a Year!

CALL NOW TOLL FREE
800-554-5226
24 HOURS A DAY


ZEOS®
INTERNATIONAL, LTD.

Purchase orders are subject to approval. Business leasing programs available. Lease prices based on a 36-month lease; 10% purchase option. All prices, specifications and availability are subject to change without notice; call to confirm these and warranty details. Prices do not include shipping. All products and company names are trademarks or registered trademarks of their respective holders. ZEOS is a registered trademark; Z-Card and Computers Now! are registered service marks of ZEOS International Ltd. ©1993 ZEOS International Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS). UPGR-BYT-9311

Circle 147 on Inquiry Card.

Plug and Play Tape Backup.

The Plug.



NEW LOW PRICE $348 TRAKKER 120

That's it. Go Play.

Now, tape backup is easier than ever. Unpack Trakker and plug it into your computer's parallel printer port. That's it. No assembly, no installation, no problem.

Trakker goes anywhere. It's light and compact, the ideal solution for backing up notebooks and laptops. And Trakker can back up unattended, so you can go anywhere, too. Trakker is available in two models. At $348, Trakker 120 (120 MB capacity, using data compression) is the price leader. And Trakker 250 (250 MB capacity using data compression) is the fastest in its class at up to 8 MB/minute. Both give you QIC Industry Standard Recording Format, as well as Novell® and LANtastic® certification.

For a FREE 88-page catalog, please call **1-800-451-0897** ext. 227 today.



Trakker™

Backup so simple it's advanced.℠

COLORADO™ MEMORY SYSTEMS INC.

Mini data cartridge sold separately. © 1992 Colorado Memory Systems Inc. All rights reserved. Jumbo, Trakker and Colorado are trademarks of Colorado Memory Systems, Inc. All other trademarks are property of their respective companies. JTB-BYT051593

Circle 73 on Inquiry Card (RESELLERS: 74).

Get Your Kicks with Switched 56

DANIEL M. JOFFE



JAMES YANG © 1993

Switched 56 offers a happy middle ground in price and performance for high-speed data communications

Data communications can never be too fast or too cheap. This is especially true for demanding tasks such as internetwork communications, where vast amounts of data are exchanged on a constant basis. Using even the fastest available modems for this task can be slower and more expensive than you might like.

PC users battling the spiral of file sizes and LAN traffic are becoming aware of a digital telephone data-transport service called Switched 56. Every local and long-distance telephone carrier in the U.S. offers Switched 56 digital service. It is a digital, dial-up data channel with speeds of 56 Kbps synchronous or 57.6 Kbps asynchronous.

Although installation costs are higher than for analog service, Switched 56 usage charges are basically the same as for POTS (plain old telephone service). This means that you can save time and money with Switched 56 by shipping more data in much less time. At 9.6 Kbps, a modem takes 90 minutes to send a 5-MB file. The same file at 57.6 Kbps takes 15 minutes; assuming a long-distance call costs 25 cents per minute, you save $18.75 each time you transfer a 5-MB file at the faster rate. Even modems running at 24 Kbps and higher do not provide the speed and value of Switched 56.

Needy Applications

Switched 56 got a boost with the advent of low-bandwidth videoconferencing. The digital service made it possible to send acceptable sound and pictures using only 112 Kbps, or two Switched 56 lines. As a result, every major videoconferencing manufacturer today has embedded Switched 56 in its equipment.

In publishing, Switched 56 is used to transport high-resolution image files to and from editorial offices. And in medicine, Switched 56 has been tested as a way to send dental x-rays to health insurers for preapproval of procedures or to consulting specialists for examination.

People who work at home with remote connections to LANs—an increasing population—find that 9.6 Kbps can be painfully slow. As a result, some companies use Switched 56 to connect home machines to office LANs.

Switched 56 is growing as a tool for LAN internetworking. Until recently, LAN routers were linked by dedicated digital lines running at speeds of 56 Kbps to full T1, if traffic warranted, or by dial-up 9.6-Kbps modems. But full-time leased lines are expensive, while the performance penalties of 9.6 Kbps drove organizations to dedicated digital lines even with light traffic.

With Switched 56, LAN routers automatically dial remote locations in response to requests for data from remote servers. To accomplish this, router and Switched 56 CSU/DSU (channel service unit/data service unit) vendors have standardized on V.25bis

TELECOMMUNICATIONS SERVICES COST COMPARISON

Although it can cost significantly more in installation and monthly fees for a Switched 56 line than for a POTS line, per-minute connect charges are almost the same. This could save money considering the speed of Switched 56. The business daytime line rates shown here are quoted from Ameritech, Nynex, and Pacific Bell. Per-minute rates are based on AT&T interexchange rates.

	NEW YORK	NY TO SF	SAN FRANCISCO	NY TO CHICAGO	CHICAGO
POTS					
Installation	$270		$155.75		$165.50
Monthly	$23.11		$11.85		$13.35
Per minute		$0.25		$0.23	
Switched 56					
Installation	$532		—*		$750
Monthly	$82.35		$39.65		$83
Per minute		$0.264		$0.245	
Dedicated 56 Kbps					
Installation		$1851.08		$1976.61	
Digital 56 Kbps					
Monthly		$1645.93		$903.85	

* Fee waived for 24-month commitment.

as the synchronous dialing-command language. V.25bis is to the synchronous world what Hayes AT commands are to asynchronous users. With V.25bis capabilities, a router can dial anywhere using the same path over which synchronous data is transferred. In the asynchronous world, PC users can turn to 57.6 Kbps asynchronous with AT-compatible dialing to speed their data transfers. And since many Switched 56 CSU/DSUs provide a subset of the Hayes Standard AT command set, PC users do not need to change existing software.

Speed on Demand

Switched 56 is bandwidth when you need it. You only pay for the connection time. Analog modems offer the same capability but not the speed of 56 Kbps, nor the 99 percent error-free transmission accuracy guaranteed by the telephone company. The switched or usage-sensitive nature of the channel delivers powerful bandwidth-on-demand capability that opens up a new range of applications that dedicated channels made cost prohibitive and analog alternatives made too slow.

Just as a modem provides the data interface to a standard analog phone line, a CSU/DSU provides the data interface to a Switched 56 digital phone line. Switched 56 calls are dialed and handled in much the same way as regular telephone calls. Each Switched 56 line is assigned a telephone number that you can dial like any POTS line. The CSU/DSU automatically handles all telephone company maintenance requests and changes the digital line format to a format compatible with DTE (data terminal equipment). A CSU/DSU has a street price of about $1000—less than some V.Fast modems. You do, however, need a CSU/DSU at each end of the connection.

Switched 56 replaces the local analog access line with a local digital access line and extends digital capability to a home or business. The combination of Switched 56 access lines and CSU/DSUs keeps the signal from your DTE in digital format from start to finish as it travels through the telephone company's digital network. In contrast, to transmit data using an analog modem, the modem converts your computer's digital signal to analog format, and then A/D converters residing in the central office reconvert the signal to digital. The corresponding series of conversions and related signal degradations occur again at the central office and modems on the receiving end.

Moreover, Switched 56 lines maintain independent transmit and receive paths, making the transmission faster and cleaner. In analog transmission, transmit and receive directions are combined onto the one pair of wires running between your home and the central office. The analog modem has to separate these directions, causing additional delays and potential for errors.

Switched 56 offers true 57.6-Kbps asynchronous speed for PC-to-PC file transfers. "True 57.6 Kbps" means 1-MB file transfers in just under 3 minutes (assuming 8 bits, no parity, 1 stop bit, and an efficient file transfer protocol). You can send even compressed files that fast.

How do you transmit 57.6 Kbps over a 56-Kbps line? Each asynchronous 57.6-Kbps character is burdened by 1 start bit and 1 stop bit. The meat of the character is the remaining 8 data bits. The Switched 56 CSU/DSU transmits only these 8 data bits using a more efficient way to mark the beginning and end of groups of characters—flag patterns similar to HDLC (high-level data-link control).

BBSes and services like CompuServe typically store large files in compressed format. Compression algorithms such as V.42bis, the CCITT data compression standard used on analog modems, do nothing to speed transfer of already-compressed files. So a V.32 modem with a DTE interface set to 57.6 Kbps can provide a maximum throughput of only 960 characters per second. In contrast, real 57.6 Kbps provided by Switched 56 allows a maximum throughput of 5760 cps, regardless of whether the file was compressed.

PC-Compatible

Some PCs cannot keep up with true 57.6-Kbps speed; it depends on the IC that's being used for the asynchronous serial-port UART (universal asynchronous receiver/transmitter) chip. PCs originally came with 8250 UARTs and later changed to 16450 UARTs. Both chip families share the shortcoming of 1-byte transmit and receive buffers.

With a single-byte buffer at 57,600 bps, the CPU must collect the next byte every 174 microseconds or risk having it overwritten. The "missing" byte would be detected by the communications program's file transfer protocol, and this would result in multiple block retransmissions,

COST-JUSTIFYING SWITCHED 56

Based on installation, monthly, and per-minute fees, Switched 56 becomes more cost effective than using a modem on a POTS line or a dedicated high-speed line. This table shows at which point, measured in megabytes of data transferred per month, Switched 56 starts to save money

	MEGABYTES PER MONTH FOR		
	9.6-KBPS MODEM	14.4-KBPS MODEM	DEDICATED 56 KBPS
New York to Chicago	37.85	63.6	1064
New York to San Francisco	23.47	39.42	1924

SINCE OUR UPS COSTS LESS, LET'S FORGET ABOUT PRICE FOR A MINUTE...MAN

BECAUSE WHEN THE POWER DIPS, ITS NOT WHAT YOU PAID FOR YOUR UPS THAT'S IMPORTANT, ITS WHAT IT DOES

SO LET'S TALK ABOUT FEATURES...

The MINUTEMAN ALLIANCE A750 keeps your network safe from brownouts, the most common power problem. Our line-interactive technology continuously monitors and provides an automatic boost whenever power dips. This important feature prevents frequent battery usage, saving the battery for more severe power problems.

Other important features that make the MINUTEMAN A750 stand out are a 750 VA rating, extensive status indicators and a Test button so that you can confirm that the UPS is doing its job. A Site Wiring Fault Indicator is included to let you know if there is a problem with grounding or other on-site electrical wiring problems that could be catastrophic.

The Alliance A750 is compatible with MINUTEMAN's LanMaster unattended shutdown software for all operating systems to further protect your network, even when you're not there.

If all UPSs were priced the same, the choice would be easy based only on features. But when you compare prices, the choice becomes even more obvious.

We don't believe you'll pay 38% more for a product that gives you less. Call our POWER HOTLINE now and find out how to get more UPS for less.



MAKE THE COMPARISON YOURSELF

Model	Minuteman A750	Trip Lite Omni 750	Best SPS650B
PRICE	$429	$699	$449
VA Rating	750	750	650
Line-Interactive	YES	YES	NO
Waveform Output	Simulated Sinewave	Square-Wave	Simulated Sinewave
LED Status Indicators	YES 4-LED's	YES 2-LED's	YES 1-LED
Site Wiring Fault Indicator	YES	NO	NO
Test Button	YES	NO	NO

Product and company names mentioned herein may be trademarks or registered trademarks or their respective companies

$25,000 MINUTEMAN PLATINUM PROTECTION PLAN

yes NetWare Tested and Approved


MICROSOFT COMPATIBILITY TEST LAN MANAGER VERSION 2.1


MINUTEMAN®
UNINTERRUPTIBLE POWER SUPPLIES
1-800-238-7272

Minuteman's product line includes UPSs and Voltage Regulators ranging from 300VA to 10 KVA. International models are available.

1455 LeMay Drive
Carrollton, Texas 75007
214/446-7363 Voice
214/446-9011 Fax

Circle 115 on Inquiry Card.





Switched 56 connections *can serve most applications that demand high-speed communications: videoconferencing, network interconnectivity, or mainframe links. Each end of the connection must have a CSU/DSU and perhaps a bridge or router.*

dramatically reducing throughput.

The 16550 UART with its 16-byte receive and transmit buffers solves this problem. With a 16-byte buffer, the CPU now has 16 times as long, or 2.77 milliseconds, between reads of the receive buffer. This affords sufficient time for the CPU to respond and service longer interrupts from drives or lumbering code. Even so, Windows—particularly disk caching under Windows—generates interrupts so long that even the 16-byte buffer of the 16550 may not be enough. To handle this, some companies have built communications boards with larger buffers.

There are a few ways to find out if your PC has buffered (16550-based) or nonbuffered (8250- or 16450-based) asynchronous serial ports. The most direct way may be to just look under the hood. Alternatively, you can download one of the UART identification programs available on most BBSes. These programs tell you the quantity and type of serial ports in your PC. If your computer has a buffered asynchronous serial port, then you need only make sure that your software knows how to take advantage of the buffer.

Once you believe you're ready, you can run a final verification test by transferring a few large files between PCs using a null-modem cable. Most communications programs give file transfer statistics showing retransmissions and average throughput. This data will tell you whether you're making the most of your 5760-cps potential.

In some extreme cases, you may find that even with a buffered UART and appropriate software, there are still some block retransmissions, caused by an overwritten input buffer while the PC services a long interrupt. Possible remedies for this include using a serial port with an even longer buffer (make sure the software can take advantage of it—there is no de facto standard for such a card) or pacing the transmitter slightly (i.e., increasing the intercharacter timing).

A more expensive alternative ($600 versus $60) to standard 57.6-Kbps asynchronous serial ports comes in the form of synchronous 56-Kbps serial communications boards with large built-in buffers and separate processors. These cards off-load the communications task from your main CPU and typically provide an error-corrected HDLC data link. However, they are not that commonly used today, they have proprietary interfaces, and they usually must be interfaced to custom software. You would probably use this arrangement only if you were connecting to a mainframe in a corporate synchronous network.

Large corporations often have T1 (multiplexed digital) lines. This offers the possibility of further Switched 56 savings through bypassing the local telephone company. A heavy calling volume can be a factor in justifying this kind of arrangement. To determine whether your calling volume is high enough, calculate the crossover point in number of minutes by dividing the allocated monthly cost of the dedicated access channel by 5 cents, which is the per-minute rate the telephone company charges for providing access to long-distance carriers.

Hooking Up

There are two ways to make a local digital connection to a central office. The more common is known as *4-wire*. This uses independent pairs of wires for data transmission and reception. A slightly less common arrangement is known as *2-wire*, or *Datapath*. This uses one pair of wires and time-compression multiplexing to provide both directions of transmission on a single pair of wires. In time-compression multiplexing, the use of the single pair of wires is reversed every millisecond. For the first millisecond data is outgoing, and for the second millisecond the data is incoming. Which arrangement you use depends on which type your local telephone company offers.

Each telephone company calls its Switched 56 service by a different name, and a local telephone business office may not be familiar with digital services. This is why you should request a guide to services in your area. You can download such a listing of services, tariffs, and customer contacts from various BBSes and from BIX. [Editor's note: *For details on connecting to BIX, see page 5.*]

Installation costs vary widely: In California, Pacific Bell waives the installation charge if you keep a line for two years; in New England, the cost averages around $300. Usage charges are basically the same as for regular telephone lines. Monthly recurring charges are comparable to POTS business-line charges, ranging from $10 to $90 per month.

ISDN-Compatible

ISDN is essentially two 56-Kbps (sometimes 64-Kbps) data channels carried over a 2-wire technology called 2B1Q, which is incompatible with the 2-wire Datapath technology mentioned earlier. On top of this is a separate 16-Kbps channel for call control or X.25 packet data.

Switched 56 is compatible with ISDN BRI (Basic Rate Interface). This compatibility is important for companies with global networks, since Switched 56 is not

The New Generation 21" Monitor. Incredible Performance. Incredible Price.



COMDEX
Booth L2858

ViewSonic continues its advancement into the future with the powerful and full-featured ViewSonic 21. This flat square 21" monitor offers a picture-perfect image with unsurpassed clarity and brightness.

Designed for the discriminating user, the ViewSonic 21 offers some incredible features including an ultra-fine 0.25mm dot pitch, resolution up to 1,600 x 1,280 non-interlaced and a maximum refresh rate of 152Hz. It also has a double dynamic focus gun which provides a crisp focus even in the corners.

ViewSonic has added the ARAG™ coating to reduce annoying screen glare and ViewMatch™, a color control system that tunes colors to closely match printer output. Its two page display makes this monitor the perfect choice for all windows, 3-D graphics and CAD/CAM applications.

All of this for a suggested list of only **$2,399**? Unbelievable, but true. ViewSonic has indeed come up with another incredible monitor. In fact, VAR Business ranked ViewSonic as the "first place" monitor company (Products and Business Features) in a survey of high resolution monitor companies.

The ViewSonic 21 meets MPR-II certifications for low radiation and is backed by a three year limited warranty*. Call **800-888-8583** or visit your dealer today for information on the full line of ViewSonic monitors.

Welcome to the New Generation.

ViewSonic®

20480 Business Pkwy Walnut, CA 91789
Tel. (909) 869-7976 Fax (909) 869-7958

ViewSonic 21 screen image by SPATIAL TECHNOLOGY INC., Boulder, CO. Created with **ACIS**® Geometric Modeler and rendered with Visualization Husk.

ViewSonic 17 July 1993 — ViewSonic 17 June 1993 — ViewSonic 7 June 1993 — July 1993 — ViewSonic 15 June 1993 — ViewSonic 15 June 1993

*Three years parts (including CRT) and one year labor.

All products and brand names are registered trademarks of their respective companies.

Circle 144 on Inquiry Card (RESELLERS: 145).

Circle 130 on Inquiry Card.



Images in Your Computer

FROM VIDEO OR FULL PAGE SCANNERS. BOOST YOUR PRODUCTIVITY IN DESKTOP PUBLISHING AND MULTIMEDIA APPLICATIONS.

ColorSnap PC Pro



- Best Quality, real time, image capture for desktop publishing and video digitizing.
- 16.7 million colors
- NTSC/PAL compatible
- 640 x 480, Max video resolution
- **Video-For-Windows compatible**
- Digitize movies at 15/30 frames per second

ColorSnap PC Pro $699.00

Artiscan-Full Page Color



- 16.7 million color flatbed scanners with true hardware resolution and Twain universal driver.
- Top Media Ratings
- **FREE Image Processing Software**

AS6000 (600 x 600 dpi).....799.00
AS8000 (800 x 800 dpi).....999.00
AS12000 (1200 x 1200 dpi) 1499.00
Slide Scan Kit 545.00/685.00
Recognita OCR Software.....call

LifeView Victor

- Best Genlock, overlay graphics
- TV Tuner combination with Video Authoring and Image Manipulation software.

LifeView Victor and LifeView Tuner....349.00





LifeView Encoder

- Record your computer presentations to VCR or displayon TV.
- Flicker-Free, NTSC/PAL in one unit. 800 x 600 resolution

249.00



PA-100 Personal Archiver



- 600 dpi, 256 gray-scale levels
- FREE 10-page automatic document feeder
- FREE Image Processing Software, Archiving database, Recognita OCR software **$699.00**

Computer Friends, Inc. 14250 NW Science Park Drive - Portland, OR 97229
To Order 1-800-547-3303 Tel (503) 626-2291 Fax (503)

Circle 79 on Inquiry Card.

available in Europe and elsewhere but ISDN probably is. Where the ISDN service is not available, Switched 56 can step up to build large regional or national networks.

Among the problems that have delayed ISDN's deployment has been the cost of converting central office and interoffice facilities. Upgrading even existing digital switches to ISDN can cost from $500,000 to $1 million per switch. With this cost structure, some telephone companies have been reluctant to convert a central office without a guarantee of hundreds of subscribers on the day the conversion is complete. As a result, until recently, most telephone companies offered only a Centrex ISDN tariff. (Centrex is a multiline service where a portion of a central office switch provides PBX-like functionality to a business.) The majority of telephone companies still don't have single-line ISDN BRI tariffs in place, although most are planning for them by the end of 1993.

Upgrading digital switches to ISDN can cost $500,000 to $1 million per switch.

There is no existing standard for asynchronous 57.6-Kbps communication between Switched 56 CSU/DSUs, or between Switched 56 CSU/DSUs and ISDN BRI equipment. Some CSU/DSU manufacturers base their 57.6-Kbps asynchronous format on a commonly available Motorola DSI (Data Set Interface) that changes the asynchronous 57.6 Kbps to and from a synchronous 56-Kbps format with HDLC-like frames. This HDLC is available to the industry as a protocol developed by the ISO.

Even as ISDN deployment continues, there will be places where there is no economic justification for upgrading the central office. In these places, Switched 56 will remain the only way to provide high-speed digital bandwidth on demand. ■

Daniel M. Joffe is the director of network access equipment at Integrated Network Corp. (Bridgewater, NJ). You can reach him on BIX c/o "editors."

Power Packed Upgrades.


"The premier power-supply maker"
John Dvorak, *PC Magazine*, March 30, 1993
"The only company to go to for a power supply"
Jerry Pournelle, *Byte*, April 1993

STANDARD UNITS

These UL/CSA approved, fully tested power supplies are the best basic units available.

STANDARD 205 SLIM $89
STANDARD 220 DESK/TOWER $89

ULTRA-QUIET UNITS



Unrattle your nerves with a **Silencer** power supply, recognized since 1986 as the industry's quietest. They're cooled by custom, high-efficiency fans that are virtually inaudible!

A must for home office or *multimedia* applications.

SILENCER 205 SLIM $119
SILENCER 220 DESK/TOWER $129
SILENCER 270 DESK/TOWER $179

HIGH-PERFORMANCE UNITS



Upgrade your computer with one of our premium **Turbo-Cool** power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, super-tight regulation, ultra-clean output, a high-capacity **ThermaSense** variable-speed fan (300W models), UL/CSA/TUV approvals, and a no-hassle 2-year warranty! Ideal for high-end workstations and network file servers.

TURBO-COOL 300 SLIM/BABY $169
TURBO-COOL 300 DESK/TOWER ... $189
TURBO-COOL 450 DESK/TOWER ... $349



Give your computer a professional, high-tech look with one of our premium-quality, **American-made** all-steel cases. They're rigid—unlike light-weight imports—so motherboards, cards, and drives are always properly aligned and grounded. And, with **up to 18 drive bays,** they offer real expandability! Ideal for commercial and industrial applications.

CASE SPECIFICATIONS


	Desktop	Tower	Monster
Exposed Drive Bays:	3	6	13
Total Drive Bays:	5	8	18
Motherboard Capacity:	1	1	2
Power Supply Capacity:	1	1	2
Cooling Fan Capacity:	2	3	6
Filtered Air Inlet:	Yes	Yes	Yes
Lockable Front Door:	Yes	No	Yes
Professional Controls:	Yes	Yes	Yes
All-Steel Construction:	Yes	Yes	Yes
Beige or Black Finish:	Yes	Yes	Yes
Meets FCC-B Specs:	Yes	Yes	Yes
Made in USA:	Yes	Yes	Yes

SOLID-STEEL DESKTOP CASE $295
SOLID-STEEL TOWER CASE $395
SOLID-STEEL MONSTER CASE $895



It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can cool your 486 to a safe 85° - 95°F with our popular **CPU-Cool**. It prevents random system errors and other heat-related problems. Consists of a mini-fan embedded in a sculptured heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!

- cools CPU 70° - 100°F
- prevents system errors
- adds years to CPU life
- thinner, quieter, and better-built than cheap imported imitations.
- safe, simple installation



CPU-COOL $29

REDUNDANT POWER

Eliminate the risk of network downtime or data loss due to power supply failure with the **TwinPower 900** redundant power system. It delivers high-capacity, fault-tolerant power to your entire network server. Consists of two **Turbo-Cool 450** power supplies in parallel, utilizing a special power-management interface module. A must for mission critical LANs.

- 900 watts peak power
- 100 X more reliable than a single-unit
- load-sharing design
- hot-swap capability
- allows dual UPSs
- monster-case compatible




TWIN-POWER 900 ..... $995

PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

Most orders shipped same day. We accept Visa, MC, COD, or PO on approved credit. Turbo-Cool, TwinPower and CPU-Cool models guaranteed for 2 years. All other products guaranteed for 1 year. Hours: 7 a.m. - 5 p.m. (PT) Mon. - Fri. Silencer, Turbo-Cool, ThermaSense, TwinPower, and CPU-Cool are trademarks or registered trademarks of PC Power & Cooling, Inc. ©1993 PC Power & Cooling, Inc.

Circle 116 on Inquiry Card (RESELLERS: 117).


it
22

YES! I WANT TO CREATE MY OWN SUCCESS STORY USING MICROSOFT ACCESS. SEND MY COPY NOW FOR JUST $149.

This special upgrade offer expires January 31, 1994. For your Microsoft Access upgrade, see your local reseller.
For the name of a reseller near you or to order by phone, call (800) 894-6636, Dept. KS7.
Or fill out the order form below and return it to Microsoft.

To qualify for this offer, I understand that I must be a licensed user of one of the following products:

__Paradox® __dBASE® __Superbase® __R:BASE®
__Approach __FoxBASE+® __FoxPro® __Q&A
__PowerBuilder™ __DataEase® __Microsoft® Office
__Microsoft Excel __MS® PowerPoint® __MS Word __MS Mail

Customer's signature

Name

Company name (if company licenses product)

Address

City State ZIP

( )
Daytime phone (in case we have a question about your order)

Please check disk size:*
☐ 3.5" Kit No. 077-051-209

Rush me my copy of Microsoft Access 1.1
____ (quantity) at $149 each $ _____

Sales tax** (see list below) $ _____

Freight ($10 per unit) $ _____

Total cost $ _____

Payment method:
Please do not send cash or purchase orders. Make checks payable to Microsoft.

☐ Check or money order enclosed
☐ MasterCard ☐ VISA ☐ American Express

Check or credit card number: Expiration date:

Cardholder's signature

* If you need 5.25" disks, please call (800) 894-6636.

** Add the applicable sales tax in the following states: AR, AZ, CA, CO, CT, DC, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, NC, ND, NE, NJ, NM, NV, NY, OH, OK, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, and WY. Microsoft reserves the right to correct tax rates and/or collect the sales tax assessed by additional states as required by law, without notice.

Offer expires January 31, 1994, and is good only in the 50 United States. Only original order forms will be accepted. Please allow 2 to 4 weeks for delivery upon receipt of this order form by Microsoft. Your check will be deposited immediately upon receipt. If you have questions about this offer, call (800) 894-6636, Dept. KS7, before returning this order form. If you require Text Telephone (TT/TDD) services for people who are deaf or hard of hearing, call (800) 892-5234.


© 1993 Microsoft Corporation. All rights reserved. Microsoft, FoxBASE+, FoxPro, Microsoft Access, MS, and PowerPoint are registered trademarks of Microsoft Corporation.

KS7





NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 213 BUFFALO, NY

POSTAGE WILL BE PAID BY ADDRESSEE

MICROSOFT ACCESS UPGRADE OFFER
PO BOX 690
BUFFALO NY 14207-9908

BUSINESSES ARE USING MICROSOFT ACCESS TO TRACK WORMS, MOVE PEOPLE, AND MAKE WISHES COME TRUE.

HOW WILL YOU USE IT?

$149* 90-DAY GUARANTEE

You may have heard that the introduction of the Microsoft Access® database management system was incredibly successful. In fact, we've now shipped over a million copies. What you may not know is that this relational database for the Windows™ operating system is being used worldwide in a number of imaginative ways. Once you hear these success stories, you'll want to create one of your own.

Now everyone can get access to data.

The Commercial Office Supply Division at 3M® is always on the lookout for new product ideas. After all, the next Post-it™ note could be right around the corner. But until recently, they were missing a way to organize all of the "product wishes" floating around their department into a format everyone in the group could easily share and use.

"Our information was in a variety of locations: filing cabinets, notebooks, people's heads," recalls Bob Wolf, 3M Product Development Engineer. "The business problem we had was not being able to access our information effectively." They chose Microsoft Access to build their database of ideas, maintain mailing lists, generate surveys, and more. "It saves time in training, in building the databases, and it saves time in accessing the information." Which leaves more time to concentrate on turning wishes into the products people want.

Managing data and reporting are easier.

Scott Emmons, Professor of Molecular Genetics at Albert Einstein College of Medicine, spends a lot of time with worms. Thousands of them. As a basic research tool, nematode worms are a valuable part of learning how DNA forms the blueprint for life. For Scott, managing the variety of data associated with each different mutant worm strain—and being able to generate reports on his research quickly—is critical to keeping his lab running smoothly. He turned to Microsoft Access.

"A major part of the way I'm using Microsoft Access is the reports that I generate," says Scott. "I can sort the data a number of ways, and the ease of use means I can quickly scan these reports to locate a particular strain." And that means a lot less strain on Scott.

The uses are endless.


Intercity Transit in Olympia, Washington, recently moved from Paradox® because of the superior reporting capabilities in Microsoft Access, and its interoperability with other Microsoft applications. "To go with our suite of Microsoft® Office products, we felt it was the best choice for us," explains Richard Madrid, Intercity Transit MIS Specialist.

Today, Intercity Transit relies on Microsoft Access to keep them running—literally. By using it to maintain and generate timetables for bus riders and drivers, they've all but eliminated scheduling errors, and saved countless hours of proofing and information-transfer time. Plus, they can track ridership by customer segment and keep tabs on the productivity of every route. Now they plan to use Microsoft Access to help grow their rideshare program.

"Microsoft Access has given us a lot of capabilities, not just report writing, but access to the data, and configuring it the way we need it for reporting and tracking," notes Richard. "Plus it's easy, so people are happy." And that's bound to keep Intercity Transit headed in the right direction.

Now everyone in your organization can work smarter—if they work with Microsoft Access. If you use another database or any Microsoft Office program, you can take advantage of our special $149** offer today, which includes a 90-day money-back guarantee. Then you can create your own success story. When you do, we'd love to hear it—simply write to: Microsoft Access Product Manager, One Microsoft Way, Redmond, WA 98052.

For the name of your local reseller, or to order by phone, call (800) 894-6636, Dept. KS7.



Microsoft®

*Special offer for users of competitive database products and Microsoft Office.

**Plus freight and applicable sales tax when ordering direct from Microsoft. Reseller prices may vary. Offer expires January 31, 1994, and is good only in the 50 United States. ©1993 Microsoft Corporation. All rights reserved. In the 50 United States, call (800) 894-6636. For information only: In Canada, call (800) 563-9048; outside the 50 United States and Canada, call your local subsidiary or (206) 936-8661. Microsoft and Microsoft Access are registered trademarks and Windows and the Windows logo are trademarks of Microsoft Corporation.

Why do they call it a dongle?



He wasn't famous. He didn't drive a fancy car, but dressed in his favorite Comdex T-shirt and faded blue jeans, he set out to change the course of the computer software industry. Quite a task for a lonely software developer.

Sitting in front of his computer, drinking pots of coffee and smoking cartons of cigarettes, he'd write pages of code.



It took time. Years in fact. But he did it. He wrote the most powerful computer program in the world. Now came the hard part. Selling it.

The Most Powerful Program in the World

Determined to make those long years pay off, he called on every distributor, VAR and dealer in the world. He drove from Beantown to San Diego. Flew from Dublin to Borneo. Everyone loved the program.


So he sold a few. Only a few.

Back in Boston he waited. After a long year with only 13 orders he set out to see what happened. As he drove across the country and flew around the world he discovered everyone knew about his program. Everyone had it too.



The Global Marketplace

From Paris to Prague, his program was everywhere in Europe. When he got off the plane in Hong Kong he found his program stacked to the ceiling in every computer store. Amazed in disbelief, he bought a hundred cartons of cigarettes and a hundred pounds of Indonesian coffee and flew back to Boston.



Beaten, battered and bruised he went back to the drawing board. This time he would really change the face of the software industry. He would develop a device that would prevent unauthorized distribution of software programs.

Call It What You Like

He developed a hardware key. His peers applauded his efforts. Finally, a solid solution for revenue protection.

But he didn't know what to call it. He thought of naming it after an exotic place he visited in his travels. Madagascar was a bit too long, though.

"Name it after you, Don!", urged his peers. So he did. Soon everyone was calling the key a dongle, after Don Gall — the lonely software developer who did what he had to do.



You've Come A Long Way, Baby

Today, dongles are different. Fact is, they've come a long way. Leading the industry with security solutions, Rainbow Technologies has changed the face of hardware keys. They work with multiple applications, are programmable and network versions control concurrent usage. And they're always transparent to the end-user.

Sentinel Family from Rainbow

Truth is, more and more developers are using keys. And the Sentinel Family is the most widely used in the world. In fact, over 6,000 developers use Sentinel from Rainbow. Why? They are simply the most effective, reliable and easy to implement keys on the market.

Learn more about securing your software and how keys provide developers with extra value. Call for a free copy of **"The Sentinel Guide to Securing Software."** And see just how easy it is to install a hardware key into your application in just minutes. Try it with our low cost Sentinel Evaluation Kit. Order one for your DOS, OS/2, Windows, Macintosh or UNIX based application.



And remember, when you need a dongle, you need Sentinel — the only dongle Don Gall would use.

CALL
800/ 852-8569
FOR YOUR FREE GUIDE
TO SECURING SOFTWARE

SENTINEL
Securing the future of software

Some call it a dongle. Those who know, call it Sentinel.

RAINBOW TECHNOLOGIES

9292 JERONIMO ROAD, IRVINE, CALIFORNIA 92718 ▪ 714/ 454-2100 ▪ fax 714/ 454-8557
International offices are located in the United Kingdom, Germany and France.

Circle 127 on Inquiry Card (RESELLERS: 128).

In Good Electronic Form

BEN SMITH AND
HOWARD EGLOWSTEIN



MEL LINDSTROM © 1993

A large insurance company and a small manufacturing firm save time and money with electronic forms

Truth be told, there is no such thing as the paperless office. Today's offices wouldn't function without forms—contracts, supply requisitions, purchase orders. And it's not enough to fill out the forms; somebody has to process them. Even small companies often have employees whose only job is to handle insurance and tax forms.

For Cigna Insurance, the move from paper to electronic forms not only sped up the processing but also saved millions of dollars in printing costs, storage, shipping and postage, and waste removal. And it paved the way for even greater productive use of Cigna's huge network. For a relatively small company like Trace Technologies (a San Jose, CA, maker of magnetic-media duplicating equipment), the motivation was compliance with ISO9000 (a specification for business organizations), but again the immediate returns have been increased productivity.

Moving Mountains

Cigna Insurance is an international company whose services have depended solely on moving information, but a major operating expense has been the mountains of paper that hold that information. By reducing the amount of paper without reducing the information flow, the company stands to save a considerable amount.

Cigna's corporate headquarters employs over 5000 workers in a Philadelphia skyscraper. But the company has over 500 offices spread over several continents, with a total of more than 45,000 employees.


That's the scale of the company; the scale of the paperwork is even greater. Internally, Cigna uses more than 300 different forms. Externally, with its agents and corporate clients, it distributes over 35,000 different forms. This represents tens of millions of sheets of paper a year: warehouses of blank forms and of forms that have been filled out and filed.

When any of these forms become obsolete, all the unused copies are discarded and new forms are printed and distributed. This may be good business for the paper industry and printing companies, but it costs Cigna millions of dollars a year. Just moving the paper forms to an electronic format would prevent tremendous waste and reduce the expenses of warehousing and distributing the paper forms.

But blank forms are only part of the expense. If Cigna could also reduce the filled-out forms to electronic format, it would realize tremendous savings from not having to file and archive the paper. As a bonus, the company would retain the information in the format needed to process it as computer data; normally, a data-processing center rekeys the data from stacks of paper forms.

Big Changes in Three Stages

The project to automate forms at Cigna is an important case to study, not only because of the scale of the company's paperwork



The three phases *of Cigna's electronic-forms adoption. The first phase moves 10 to 20 forms onto PCs, where users fill them out, print them, and mail them via traditional mail. The second phase incorporates forms routing via E-mail. The final phase ties in a data-processing component with electronic signatures and direct transfer of data to database applications.*

and processing, but also because the company decided to take the project all the way, eliminating almost all paper handling. Cigna planned the changes in three stages:

1. Automate the filling out and printing of forms.
2. Automate the transfer of the forms by using E-mail.
3. Tie the forms processing directly into data processing.

Cigna had to implement each stage carefully so that the new process would not interrupt the operations that were already in place. First, the company selected a subset of 10 corporate (in-house) forms to be "electronified." Of that set, one form, the internal purchase-request form, was chosen as the test of the technology.

This form had all the complexities inherent in the other hundreds of forms. In particular, its approval path required both electronic-signature verification and electronic-forms routing. This one pilot project takes the original request from the Cigna employee all the way through the approval process, even to the point of issuing the order to the vendor.

Two groups brought these plans to fruition: the forms management group, headed by Paul Ferrand, and the networking/systems product-delivery group, represented by Mark Orthner. The entire project was inspired by Ray Caron, the chief information officer, who started the search for the technology eight years ago.

The Essential Link

Before Cigna implemented electronic-forms routing, it had to establish a solid infrastructure on which to build. Mark Orthner and others of Cigna's systems division (now more than 4000 strong) developed Cigna-Link, a huge enterprise network and E-mail system.

Cigna-Link consists of more than 500 separate IBM Token Ring networks loaded with 386 (or better) PCs. Each office maintains a Token Ring network. For instance, the Philadelphia office ties its 5000 PCs together, along with 76 file servers, on a 16-Mbps Token Ring network. The Token Ring networks talk to IBM mainframes connected with an IBM SNA (Systems Network Architecture) network over T1- and T3-grade leased phone lines. The mainframes had been the data-processing core of Cigna's operations back when IBM 3270 terminals sat on everyone's desk.

Cigna-Link gives everyone in the organization a smooth, seamless link to the system's E-mail and file storage. Cigna-Link workstations are also highly standardized. We saw a variety of hardware vendors represented in the Philadelphia office, but the software is essentially the same on all 25,000 machines: Microsoft Mail 3, WordPerfect 5.x, assorted compatible versions of Lotus 1-2-3, and IBM LAN Server client software. Some machines run Microsoft Windows; some are still running DOS.

Orthner is quick to point out that Cigna-Link's most significant attribute is not its topology, but the fact that there is only one LAN network operating system (LAN Server 3 from IBM) and one E-mail system (Microsoft Mail 3) throughout the entire enterprise. Cigna's current electronic-forms distribution system would be impossible without this standardized, mature infrastructure. The painful process of bringing an entire corporation under a single set of standards was somewhat alleviated because the standards were in place before a PC-LAN anarchy developed. One of Orthner's suggestions (see "Tips from the Experts" on page 76) is that you put the network in place, get your E-mail running reliably, and make sure everything is working before you attempt an electronic-forms solution.

Eight Years of Electronic Forms

Eight years ago, Cigna adopted a mainframe-based forms design product. With it, sales agents could customize the necessary forms to conform to their clients' requirements. The forms design program applied a set of preprogrammed rules to the profile of the company (i.e., its size, the kind of business, and so on) and created a contract form with all the right clauses and paragraphs for the customer. In addition, it automatically generated additional forms or contracts that might be applicable.

Cigna's next step was to adopt form-filling/data-entry software so that sales agents could fill in forms at a computer. To help make electronic forms more acceptable, the electronic form looked, on-screen, just like the paper version. However, the data-entry fields incorporated some error checking. The completed form could be printed out or even sent directly to Cigna's database system. Cigna started working with form-filling products in 1987, but these early versions of forms software did not have all the capabilities Cigna needed.

In 1991, Cigna began an internal pilot program with 120 forms. This system produces health-care paperwork for large corporate customers. With this project, the electronic forms and design team learned that the electronic form does not need to



Development's greatest hits.

They're all here. All the tools, tips and techniques you need to send your OS/2® development rocketing up the charts. Brought to you by the original artists: IBM's own OS/2 development team.



Join The Developer Connection for OS/2,™ and you'll receive the most timely and extensive information available to the OS/2 community. Four times a year, you'll get a CD packed with the latest productivity tools, utilities and sample programs from IBM and others. A powerful browser and easy, graphical user interface let you locate any topic instantly in our comprehensive technical library.

Each CD includes the latest releases of smashes like "The Developer's Toolkit for OS/2," "Multimedia Presentation Manager/2 Toolkit," and "Pen for OS/2 Toolkit." Plus, you also get pre-release versions of many IBM products, operating systems, internal development tools, product demos, bit maps—you name it.

But wait, there's more. You also receive



The Developer Connection News, our newsletter filled with information about the latest OS/2 developments, new products, a Q&A column and much more. Plus, you get access to the Developer Connection forum on CompuServe,™* where you can talk directly to the experts.

And here's music to your ears: Buy a year's subscription to The Developer Connection for OS/2 before November 30, 1993 and pay only $149—a savings of $50 off the regular rate. Call 1 800 6DEVCON today, and start producing some hits of your own.

Operate at a higher level.™

IBM

*CompuServe membership is required. IBM and OS/2 are registered trademarks and The Developer Connection for OS/2 and "Operate at a higher level" are trademarks of International Business Machines Corporation. CompuServe is a trademark of CompuServe Incorporated. ©1993 IBM Corp.

Circle 372 on Inquiry Card.

look identical to the paper form. It's nice to have the screen presentation look like the paper form it replaces, but it's not always necessary, and sometimes it's not desirable. Instead of letting the forms software dictate the form's appearance or simply mimicking the paper form onto the screen, the forms automation group goes through a *process engineering* step: When the group puts a form together, it determines how a department plans to use the form and analyzes the current paper form's layout.

One example of a reengineered form is a purchase requisition. On a paper form, you might have a section where you could enter a long list of items. At the top of the list are the headings that describe the different columns. But you can't fit as many lines of text on a 24-line computer screen as you can on paper, so repeating the column headings periodically throughout the section makes it easier for end users to remember where the data goes. For a special comment section, where the paper form might have room for several lines of text, the electronic version could start out with one line and expand as needed. Cigna considers the user interface critical and puts a great deal of effort into its design.

Questions about Routing

The next obvious step was to implement electronic-forms routing—a form and its data moving through the network via E-mail. A basic premise of electronic-forms routing is that paperwork doesn't necessarily flow in a straight line; depending on conditions, it may be rerouted or even returned to a previous status for further processing. The form must somehow maintain routing and status information. Either the form can carry this information with it, or the information can be maintained in an external database.

Other concerns center around security: Who can see the form? Who can modify the form's contents? How do you ensure that only the authorized signer has signed the document?

There must, of course, already be an E-mail or other network service in place that spans the entire network and is supported by the forms-routing application. Fortunately, the Cigna-Link network with its Microsoft Mail already provided the infrastructure for the forms routing. The more sophisticated database-structured forms-routing packages were still in development. So Cigna looked at the E-mail–based systems. As it turned out, only JetForm provided what Cigna needed: forms design, forms filling, forms routing via Microsoft Mail, and a secure electronic-signatures database.

Cigna's Solution—JetForm

JetForm's solution consists of three basic parts: JetForm-Design, a Windows product that lets you design the appearance and function of your electronic form; JetForm-Filler (DOS and Windows), for entering data into the predesigned forms; and JetForm for E-Mail (DOS and Windows), to both enter data and transfer it through E-mail to another networked location. A fourth piece, JetForm-Server, runs under DOS or OS/2 to provide client-server forms handling.

Cigna's forms solution is conceptually simple:

- Use JetForm-Design to create both screen and paper versions of the form. Include the transfer information so that the form knows how to move from one place to the next.
- E-mail the finished form to each site so that it automatically installs itself onto

No Noise, No Hassle. Just SCREAMER Prices!

and cellular technology!



$239	Est. retail price for PC external
$249	Est. retail price for Mac external

You get *no noise* from AT&T's Optical Line Interface* (OLI™), just the fastest speeds possible on good or bad phone lines. You get *no hassle* either, with AT&T's Enhar Throughput Cellular (ETC™) protocol,* just the fastest speeds when connected to a cellular call.

- V.32bis/V.17 (sends/receives 14,400 bps data and fax)
- V.42bis/MNP 5 (data compression, error correction)
- 16550A buffered UART for PC internal card
- Increased first time connectivity and optimal speed using OLI and ETC
- Background faxing
- Auto data/fax discrimination
- Backed by AT&T for as long as you own it
  - Lifetime warranty and TOLL-FREE technical support

Includes QuickLink II comm/fax software for DOS and Windows or the Mac. Mac version also has serial port cable.

Visit Computer City, Fry's, and Elek-Tek for exciting low prices! Or for the name of other dealers near you, or to order the DataPort 14.4/Fax Modem directly, call now:
1 800 554-4996 ext. 96011.

Visit us at Comdex, Room #LN102

AT&T

Circle reader service #157

Outside US or Canada circle #158

* Patent pending © 1993 AT&T. DataPort, OLI, and ETC are trademarks of AT&T. All other products or services mentioned are the trademarks, service marks, registered trademarks, or registered service marks of their respective owners. Lifetime warranty is limited and applies to original purchaser only.

Catch the latest AM news.

This just in. Applications Manager, best known as *AM*,™ has just added OS/2® 2.1 support. We repeat, the flagship client/server application development software from Intelligent Environments is now available for OS/2 2.1 environments.

For the latest-breaking developments, we take you to corporate America, where *AM* and OS/2 offer a tried and tested mechanism for building 32-bit, multitasking, line-of-business client/server applications. *AM*'s visual programming environment streamlines the development and maintenance of mission-critical client/server applications by teams of programmers. And Static SQL support makes *AM* a real headliner.

This recent news is becoming quite a feature story. By interfacing with MMPM/2, included with OS/2 2.1, *AM* lets programmers employ innovative team development capabilities like dynamically linked programming—simplifying reuse and maintenance of program code. DDE support allows programmers to paste information, including *AM* code, comments and *AM*-generated documentation, into Windows™ 3.1 applications easily. And there's also quicker screen interaction and improved productivity through support for OS/2's new high-performance 32-bit graphics engine.

With *AM* and OS/2, you'll never again have to return to your regularly scheduled programming.




Use AM to develop your own highly rated network programs.

To order or to find out more about OS/2 2.1 or *AM*, call 1 800 3-IBM-OS2. In Canada, call 1 800 465-7999.

Operate at a higher level.™

IBM and OS/2 are registered trademarks and "Operate at a higher level" is a trademark of International Business Machines Corporation. *AM* is a trademark of Intelligent Environments, Inc. 2 Highwood Drive, Tewksbury, MA 01876. 1 508 640-1080 or 1 800 669-2797. Windows is a trademark of Microsoft Corporation. © 1993 IBM Corp.



A simplistic view of Cigna-Link, *Cigna's WAN (wide-area network) infrastructure. Each office runs PCs over a Token Ring network. The Token Rings talk to an IBM mainframe. The mainframes are connected with an IBM SNA network over T1- and T3-grade leased phone lines.*

each of the 25,000 machines.

• When a user fills out a form, make the data available for printing on a local printer or for sending off electronically. JetForm for E-Mail takes care of dispatching the data through the mail system.

• Obtain an approval/signature, if one is required.

• Route the form on to the next site.

Two of these steps present challenges worth mentioning. First, distributing the form to each of the workstations on a huge network requires a tight integration between your forms package and your mail system. You also have to make sure that you've tested out everything thoroughly: You wouldn't want to distribute 25,000 copies of a defective form. Second, approvals/signatures, simple on a small network, can be a significant problem on a large network.

The typical way of handling electronic signatures on a LAN-based forms system is to use public-key encryption (see "Digital Signatures" on page 309). When a form requires your signature, you move the cursor to the signature field. The forms software presents a list of authorized people, and you select your name from the list. After you enter your password correctly, the data on the form is secured and encrypted. From then on, anyone reading the form can decrypt it, but not change it. Further approvals work the same way.

continued

DATA COMPRESSION LIBRARIES™

PKWARE's® Data Compression Libraries™ allow software developers to add data compression technology to software applications. The application program controls all the input and output of data allowing data to be compressed or extracted to or from any device or area of memory.

- All Purpose Data Compression Algorithm Compresses Ascii or Binary Data Quickly with similar compression achieved by the popular PKZIP software, however the format used by the compression routine is completely generic and not specific to the PKZIP file format.
- Application Controlled I/O and memory allocation for extreme flexibility.
- Adjustable Dictionary Size allows software to be fine tuned for Maximum Size or Speed.
- Approximately 35K memory needed for Compression, 12K memory needed for Extraction.
- Compatible with most popular Languages: C, C+ +, Pascal, Assembly, Basic, Clipper, Etc.
- Works with any 80x86 family CPU in real or protected mode. $295.00
- No runtime royalties.

RUNNING OUT OF EXPENSIVE DISK SPACE?

PKZIP can help! PKZIP compresses your files to free up disk space and reduce modem transfer time. You can compress a single file or entire directory structures with a single command. Compressed files can be quickly returned to their normal size with PKUNZIP.

Software developers can reduce the number of diskettes needed to distribute their product by using PKZIP. Call for Distribution License information.

See Us At Comdex, Booth #S1488

The included PKZIP utility lets you store compressed files as a single self-extracting .EXE files that automatically uncompresses when run. Only $47.00

PKWARE® INC.
THE DATA COMPRESSION EXPERTS®

9025 N. Deerwood Dr.
Brown Deer, WI 53223
(414) 354-8699
Fax (414) 354-8559

BY1193


Circle 122 on Inquiry Card.

This VX·REXX will really get you GUI-ing.



Developers: on your marks, get set—GUI! With VX·REXX,™ WATCOM™'s visual development environment for OS/2® REXX, you're on the fast track to creating applications that exploit the graphical user interface capabilities of OS/2 and the Workplace Shell.™

VX·REXX is an easy to use, powerful and fully integrated environment that combines a project management facility, visual designer and an interactive source-level debugger to deliver a very approachable and highly productive visual development environment. With the visual designer, you can graphically create CUA '91 objects, quickly customize their properties, and easily attach REXX procedures to the objects.



With the visual development environment of VX·REXX, it's all systems GUI.

Since it's based on IBM System Object Model (SOM) technology, the VX·REXX environment is wide open. You can access all standard REXX API's including DB2/2. VX·REXX also lets you package applications as EXE files or PM macros. There's support for multithreaded applications. You can even include OS/2 style help and hints in your applications.


To keep GUI-ing, WATCOM customer support delivers timely response by phone, fax, e-mail, CompuServe,™ or the WATCOM bulletin board system. So when it comes to developing OS/2 applications, VX·REXX is the way to GUI. To order or to find out more about OS/2 2.1 or VX·REXX, call **1 800 3-IBM-OS2**. In Canada, call **1 800 465-7999**.

Operate at a higher level.™


IBM and OS/2 are registered trademarks and "Operate at a higher level" and Workplace Shell are trademarks of International Business Machines Corporation. WATCOM and VX•Rexx are trademarks of WATCOM International Corporation. CompuServe is a trademark of CompuServe Incorporated. © 1993 IBM Corp.

IBM®

Circle 374 on Inquiry Card.



Electronic forms *can alleviate many of the resource-intensive steps of forms processing. Traditional typesetting and printing steps are unnecessary. Distribution and storage requirements are streamlined when handled electronically. And processing centers do not need to rekey data from paper-based forms, since the data remains in electronic format throughout the process.*



An electronic form *can prevent errors by validating entries, and it can save time by filling in parts of the form automatically. Along with these embedded rules, the form can carry routing and tracking information.*

The only disappointment with JetForm was that the signature database didn't scale up to Cigna's requirements—a distributed database with 25,000 records. What JetForm evolved for Cigna was an ability to use the Microsoft Mail signature system in place of JetForm's. You have to log onto the server and your mail system anyway, and the server has to have your password handy. When you need to sign a form, JetForm asks you for your network ID and password; if you enter them correctly, the form is secured. This is not as safe as the public-key method, but it doesn't require anything special from the network.

In 1½ years of work with JetForm, Cigna has moved 1800 forms over to electronic format. Of that set, 30 forms have progressed all the way to electronic routing. Cigna is just beginning the process of interfacing the routed forms directly to its databases. Currently, the company is only partially through stage two of the three-stage program.

Pains and Gains

Despite the tremendous work that Cigna has done and the accomplishments the company has achieved, Paul Ferrand says the project is still in the "show me" stage. Cigna is committed to totally automating all the appropriate forms, but offices within Cigna still need to be convinced that this is all worthwhile.

The forms automation group has invested a tremendous amount of time in "dog-and-pony acts" to demonstrate the usefulness of electronic-forms routing. This investment in time has really helped smooth the way for change.


Cigna estimates that it can save 80 percent of the cost of handling internal forms with the system that is in place. That's a pretty significant piece of change. While Cigna wouldn't put an exact dollar figure

C Set++ for the mission critical set.

Get set for incredible 32-bit power. Get set for mission critical reliability. Get set for a range of advanced features. Get C Set++,™ from IBM Programming Systems. C Set++ is the most complete object-oriented application development package you can buy for OS/2®.

C Set++ lets you create the most advanced, high-performance applications imaginable. Its 32-bit C/C++ compiler lets you unleash all the power of OS/2, giving you industrial-strength code for your mission critical applications. It has an extraordinary code optimizer with a full set of options—even a switch to optimize for the new Pentium™ processor. Plus there's a full set of class libraries, including application frameworks for PM, container classes and classes for multitasking, streams and more.

C Set++



Set your eyes on this: C Set++ gives the Workplace Shell™ quite a workout.

There's a whole set of other helpful features, like an interactive source level debugger. The unique Execution Trace Analyzer traces the execution of a program, then graphically displays diagrams of the analysis. You also get Workframe/2,™ a language-independent tool that lets you customize your own environment. It's adaptable and flexible—you can use any16 and 32-bit DOS, Windows™ and OS/2 tools.

With C Set++, it's easier than ever to set your sights on success. To order or to find out more about OS/2 2.1 or C Set++, call **1 800 3-IBM-OS2.** In Canada, call **1 800 465-7999, ext. 460.**


Operate at a higher level.™

IBM

IBM and OS/2 are registered trademarks and C Set++, Workplace Shell, Workframe/2 and "Operate at a higher level" are trademarks of International Business Machines Corporation. Pentium is a trademark of Intel Corporation. Windows is a trademark of Microsoft Corp. ©1993 IBM Corp.

Circle 100 on Inquiry Card.


Just Add Code.



Award-winning 32-bit Fortran language system for writing or downsizing Fortran applications as large as 4 GB.
$795
Special Offer: EM/32 owners can now pre-purchase a copy of our Fortran 90 for only $400.



Designed for professionals writing Fortran programs running under DOS. This Language system's tools include an editor, debugger, profiler, linker, library manager, and make utility.
$595



This fast ANSI 77 compiler comes with an editor and debugger at an unbeatable price.
$99

(800) 548-4778
Free, Unlimited Technical Support
30-Day Money Back Guarantee
Same-Day Shipping

Lahey Computer Systems, Inc.
Fortran is our forte

(702) 831-2500
Fax: (702) 831-8123
P.O. Box 6091
Incline Village, NV 89450

Feature

Tips from the Experts

If you're considering an electronic-forms solution, Cigna and JetForm have several suggestions:

- **Make sure your network and E-mail systems are fully implemented and stable before you begin looking at forms software.**
- **Don't be swayed by a large bundle of prepackaged forms. It's not likely that you'll want to use any of them directly; you'll want to design your own.**
- **Instead of simply transferring your paper forms to the screen, rethink the form. Is it really necessary? Do you need all that data? Don't ask your users to do any more work than necessary.**
- **If your forms package lets you use the same data in both screen and printed form, the screen form doesn't have to look exactly like the printed version. The screen may need a different format to use space efficiently.**
- **Once you select a product, switching to another will be difficult. There are no standard electronic-forms formats.**
- **Don't buy vaporware. If a vendor doesn't have a component you need for your forms system, ask yourself if you can live without it, or look elsewhere.**

on the savings, any reasonable estimate would easily be in the millions of dollars. Of even greater value to Cigna is CignaLink users' change of attitude about using the network and E-mail system to automate other tasks. As Ferrand puts it: "We are just touching the surface of the capabilities of these systems."

On a Smaller Scale

It isn't just the huge paper-based operations like Cigna that have benefited from electronic-forms routing. Trace Technologies has started moving its operations over to electronic forms.

Trace is a leading manufacturer of digital-media copy equipment for the computer industry. Its worldwide operation employs only 275 people (tiny compared to Cigna). Its network consists of two HP 3000 database servers and many MS-DOS/Windows PCs mixed with just a few Macintoshes. It is a multiprotocol 10Base-T Ethernet network, but with a single E-mail system. Because of the scale of operations at Trace, only one person, Felix Camerino, has the responsibility for working out the move to electronic forms.

Trace is working on gaining ISO9000 certification. ISO9000 is an international standard for total quality management. One of its elements is office automation with electronic-forms routing (called *automate with validation*). Therefore, implementing electronic forms has a dollar value independent of the operation's expense savings. And the expense savings are considerable: Time-card automation will bring savings of $30,000 per year, and all five forms of the pilot project should save about $250,000 per year.

Camerino considered other LAN-/E-mail-based forms-automation paths, but he, too, found that JetForm fit the needs better than any other existing package. One major consideration was that it worked well with cc:Mail.

Camerino created and evaluated a prototype system for payroll time sheets. The evaluation period lasted six months and required one JetForm-Designer license and 10 JetForm-Filler licenses—an initial investment of $15,000 for licenses. The original time-sheet electronic-form design took him roughly 80 hours, even though the form had nearly 600 data fields, each with an associate attribute or formula.

After the pilot program started, Trace completely changed its processing and policies for time cards, so Camerino has made a second version of the electronic form. The second version will be distributed to users along with the JetForm-Filler licenses.

Now and the Future

In the next few years, we will see sophisticated forms-routing products that will reach beyond even what JetForm offers now. These emerging products will manage and track all aspects of a company's work flow. Forms routing will be only an element of this broader ambition.


But for now, the electronic-forms software is sufficient for sophisticated operations. An electronic routing system can reduce expenses and increase productivity for companies with only a few hundred employees on up to organizations tens of thousands strong. ■

Company Information

JetForm Corp.
(JetForm-Design, JetForm-Filler, JetForm for E-Mail)
800 South St., Suite 305
Watermill Center
Waltham, MA 02154
(800) 538-3676
(617) 647-7700
fax: (617) 647-4121
Circle 1087 on Inquiry Card.

Ben Smith and Howard Eglowstein are testing editors for the BYTE Lab. You can reach Ben on BIX as "bensmith" or on the Internet at ben@bytepb.byte.com. Howard can be contacted on BIX as "heglowstein."

Whether for Business, Home or Entertainment, Acma has a Solution to Make You Smile



SPECIFICATIONS

- Intel 486 Processor
- 170MB Hard Drives
- 4MB RAM Exp to 32MB
- 128K External Cache
- 14" SVGA Color Monitor
- VGA Card with 1MB
- IDE Controller
- 1.44 & 1.2 Drives
- Desktop Case
- 101 Enhanced Keyboard
- 3 Button Serial Mouse
- Built-In Stereo Speakers*
- CD-ROM Drive*
- Sound Card*
- CD Software*

*MPC & MPC+ Systems Only

Your MPC Plus System comes with these CD-ROM software titles:



Sound Library, King's Quest,
Mixed Up Mother Goose
Microsoft Bookshelf:
American Heritage Dictionary,
Bartlett's Familiar Quotations,
The Concise Columbia Dictionary,
The Concise Columbia Encyclopedia,
The Hammond Atlas,
Roget's Electronic Thesaurus

ACMA PC SOLUTIONS

486SX/33 PC	$1399
486SX/33 MPC	$1699
486SX/33 MPC+	$1799
486DX/33 PC	$1499
486DX/33 MPC	$1799
486DX/33 MPC+	$1899
486DX2/50 PC	$1599
486DX2/50 MPC	$1899
486DX2/50 MPC+	$1999
486DX2/66 PC	$1799
486DX2/66 MPC	$2099
486DX2/66 MPC+	$2199

The New Acma 486 Multimedia Computer. The Latest Addition to the Family of Solutions From Acma.

Call & Order Today

VISA MasterCard

47988 Fremont Blvd., Fremont, CA 94538
Direct: (510) 623-1212, Fax: (510) 623-0818

Nat'l/Corp.: 800-786-6888
Government: 800-578-1888

intel inside

COMPUTERS, INC. Acma

Prices & specifications subject to change without notice.
Prices do not include shipping & handling. Call to confirm configuration.
Intel Inside logo is a registered trademark of Intel Corporation.

Circle 63 on Inquiry Card.

Guaranteed Best Prices!

800 445 - 7899

Absoft F77 for Windows NT™
by Absoft Corporation

A globally optimizing ANSI Standard FORTRAN 77 with all DoD MIL-STD extensions. Intel486™ and Pentium™ optimizations produce the fastest F77 applications for NT. Compatible with MS C/C++, windbg, and other NT SDK tools. VAX, Sun, Cray, Fortran 90 features aid in porting. Source compatible with other Absoft F77s for Macintosh, DOS, NeXTSTEP & UNIX.

List: $995 Ours: $845 FAX*cetera* # 0012-8601



OS/2 2.1
by IBM

OS/2 v2.1 lets you take advantage of the award-winning features found in v2.0 and increase your productivity with new enhancements. Includes support for MS Windows v3.1 applications including enhanced mode and full 32-bit graphics engine. Adobe and TrueType Font support gives you the best of both worlds. WIN-OS/2 setup icon allows changes to default values of all Windows applications. Start your DOS and OS/2 apps from a WIN-OS/2 Desktop!

List: $249 Ours: $139
Upgrade List: $199 Ours: $ 99
FAX*cetera* # 3142-0009



WindowsMAKER Professional 5.0
NEW VERSION!
by Blue Sky Software

Next generation of the most powerful C/C++ Code Generator and Prototyper for Windows 3.1, NT & Win32s. The fastest way to create full-featured Windows apps. This product stands out, does everything—even a toolbar can be created with 1 click! Test run your design, make changes interactively, generate code for multiple platforms—ANSI C, MFC, OWL, etc.; widest compiler support in industry. TrueCode technology—user code is 100% preserved. Highly recommended!

List: $1,096 Ours: $899 FAX*cetera* # 2602-0003

PRODUCT OF THE MONTH



Symantec C++ Professional 6.0
by Symantec

Reach new levels of programming power with Symantec C++ for Windows, DOS, and Win32s. Breakthrough new IDDE revolutionizes the way you work. Includes optimizations and tools, OPTLink linker and Blue Sky visual tools, with MFC 2.0 and Win32s, and 8000 pages of documentation. Your productivity will increase so much you can go on vacation; an included coupon for two travel certificates to Hawaii will get you there. **Competitive Upgrade for Borland or Microsoft customers $199.95.**

List: $499 Ours: $299
Comp. Upgrade List: $199 Ours: $189
FAX*cetera* # 2132-0038


New Version of Mathematica!
by Wolfram Research



A system for doing numerical, symbolic, and graphical computation used both as an interactive calculation tool and a programming language. Numerical capabilities include arbitrary-precision arithmetic and matrix manipulation. Graphics are generated in PostScript form. On some systems, Mathematica's front end supports "Notebooks" that mix input, graphics, text, and sound.

Standard/Wind List: $595 Ours: $505
Enhanced/Wind List: $995 Ours: $845
FAX*cetera* # 2014-0001

CA-Clipper 5.2 Competitive Upgrade
by Computer Associates



Yes, the newly released CA-Clipper version 5.2 is being offered to Xbase language product owners at the low retail price of $199. This competitive upgrade is available for a short time only! What a great opportunity to get the power of CA-Clipper, at a super price! And now when you buy, get your choice of dBFast, Clipper Tools or dBASE Compiler Kit—*FREE* from CA when you register!

List: $199 Ours: $149 FAX*cetera* # 5400-0001



Commence 2.0 Adds LAN Support, 50+ Major New Features
by JENSEN-JONES, INC.

Commence 2.0, the most powerful and flexible PIM for Windows, gives users an easy way to store, organize, view—and share information. Includes basic PIM features: calendar, contact management, task management, plus powerful new features for transparently sharing Commence databases, views, categories, connections and a unique database synchronization feature.

List: $395 Ours: $289 FAX*cetera* # 3015-0001

NEW VERSION!

Q+E Database Library
by Q+E Software

Build DBMS-independent client server applications today!

Q+E Database Library 2.0 streamlines DBMS-independent applications development by providing transparent access to major SQL and PC DBMS from user's desktops with automatic support for ODBC & IDAPI. QELIB2 works with existing development tools and is simply the best way to add complete DBMS access to applications today, and tomorrow!

List: $699 Ours: $559 FAX*cetera*# 2625-0003

Programmer's Paradise®

Come See Us At COMDEX/Fall '93 Booth H308

MetaWare High C/C++
by MetaWare, Inc.



NEW RELEASE! High C/C++ version 3.1, MetaWare's 32—bit compiler is shipping. Includes a 32-bit source-level debugger, and a 32-bit Application Developers Kit for Windows. The "Incremental Strengths" feature enables gradual migration from C to C++ one block at a time. High C/C++ provides optional ANSI conformance, eight levels of global optimization and a full implementation of C++ templates.

List: $795 Ours: $669 FAXcetera # 1590-0008

C++/Views for OS/2
by Liant Software Corp.



C++/Views is the best object-oriented application framework for developing multi-platform, native GUI programs using C++. C++/Views includes a library of over 100 C++ classes that solve a broad range of software development problems including interface design, data management, event processing, and more. C++/Views includes C++/Views Constructor, a unique development tool that lets you work visually with the C++/Views class library. C++/Views applications are source-code portable across MS Windows, OS/2 PM, OSF/Motiff, and Mac. No royalties or run-time fees. Source code is free.

List: $749 Ours: $599 FAXcetera # 1812-0001


WATCOM™ SQL for Windows
by WATCOM



WATCOM™ SQL for Windows is a complete client/server DBMS including a standalone single-user SQL database server. WATCOM SQL for Windows allows you to develop and deploy single-user standalone applications, and to develop applications for use within the WATCOM SQL Network Server Edition. WATCOM SQL for Windows includes support for the Microsoft Open Database Connectivity (ODBC) standard for database applications.

List: $395 Ours: $299 FAXcetera # 1683-0013

DataTable Spreadsheet Control
by ProtoView Development



NEW! Create sizzling database applications with ProtoView DataTable, a sophisticated Windows spreadsheet control that will give your application the look and feel of Excel. It makes the perfect user interface for any database. With its output picture clause masking you can edit and format data right in the cell as you type it! Works with any standard dialog editor for interactive setup. Supports all C/C++ Windows compilers and Pascal.

List: $249 Ours: $224
w/source List: $495 Ours: $449
FAXcetera # 2553-0003

NEW THIS MONTH

Blinker 3.0
by Blink Inc.



A Windows linker, a royalty-free 286 DOS extender and an award -winning DOS dynamic overlay linker in one easy-to-use product. The only way to create programs which run in both real and protected mode DOS. Comparable with most programming languages Blinker 3.0 creates memory efficient programs for DOS or Windows in seconds.


List: $299 Ours: $199 FAXcetera # 2534-0001

WATCOM™ C/C++32 v9.5
by WATCOM



C/C++32 is a professional, multi-platform C and C++ development system supporting 32-bit extended DOS, OS/2 2.x, Windows 3.x, Windows NT, Win32s, and AutoCAD ADS/ADI. The complete toolset includes: C and C++ optimizing compilers, royalty-free DOS extender with VMM support, licensed components from the MS Windows 3.x SDK, interactive source-level debugger, linker, profiler, Supervisor for executing 32-bit applications and DLLs under Windows 3.x, 32-bit run-time libraries for extended DOS, OS/2 2.x, Windows 3.x and Windows NT, and more.

List: $599 Ours: $349 FAXcetera # 1683-0003




Get Help From The Windows Help Magician 2.0!
by Software Interphase, Inc.

Develop Windows Hypertext Help Files! Doesn't require Word for Windows and will import RTF files. Has built-in editor. New version 2.0 supports Help Compiler features such as non-scrolling regions, secondary windows, macros, advanced paragraph formatting, jumps to other help files, no memory limitations, spell checker and much more! Supports all Windows languages.

"Certainly for Windows programmers it's indispensible."
—PC Magazine/July '93

List: $199 Ours: $169 FAXcetera # 1767-0008



GUARANTEED BEST PRICES!
(Call for Details)

To order call: 800-445-7899
Corporate (CORSOFT): 800 422-6507
FAX: 908 389-9227
International: 908 389-9228
Customer Service: 908 389-9229

For more information on the products featured on these pages call–
FAXcetera®: (201) 762-1378


Programmer's Paradise®
1163 Shrewsbury Avenue
Shrewsbury, NJ 07702

• All prices are subject to change without notice.

Circle 105 on Inquiry Card.

800-445-7899

INTRODUCING SYMANTEC C++ PROFESSIONAL. DESIGNED BY MICROSOFT AND BORLAND C++ USERS.



We asked questions. We listened. And we took what we learned from Microsoft and Borland C++ users and created a better way for you to develop applications.

The best compiler. And the best linker.

Microsoft users hate slow compilers. Borland users hate slow, fat code. So we made Symantec C++ Professional 6.0 faster and more efficient.

But our one-pass compiler isn't just faster — it produces faster applications. Thanks to powerful global and local optimizations. And some unique C++ optimizations you won't find anywhere else. We've also included OPTLINK, absolutely the fastest linker you can buy.

The best environment.

Symantec C++ is the first development system to fully integrate editing, compiling, debugging and version control in a completely new and graphical Integrated Development and Debugging Environment (IDDE). This breakthrough new IDDE is packed with graphical tools, a great new resource editor and drag-and-drop capabilities.

The best visual tools.


Using technology developed for Symantec by Blue Sky Software, Symantec C++ gives you the world's most sophisticated visual tools. This is what Microsoft Visual C++ should have been.

Win32s from the leader in 32-bit compilers.

Win32s is free in every box. Create true 32-bit applications that run unchanged under both Windows 3.1 and Windows NT. Develop and debug apps on your existing Windows system.

It's easy to switch.

Symantec C++ is highly compatible with Microsoft and Borland C++. So there's no reason to wait. We've also included the complete Microsoft Foundation Classes 2.0 as well as support for Microsoft Visual Basic controls.



Symantec C++ is available in both Professional and Standard versions.

Order today.

Symantec C++ Professional 6.0 is now priced at just $499.* But if you are already a Microsoft or Borland user, we have a special upgrade offer of just $199.95.** A 60% savings.

See your dealer. Or call 1-800-453-1077 ext. AP80 and order now. Symantec C++ Professional 6.0 is everything a Microsoft or Borland C++ user could want.

Get today's best C++. And two tickets to Hawaii.

Two awesome environments in every box. Along with our incredibly powerful IDDE, you'll also find a coupon redeemable for two airline tickets to Hawaii in every copy of Symantec C++ Professional or competitive upgrade.

This coupon is redeemable for a travel certificate that entitles you to receive from Travel Reservations, roundtrip airline tickets for two to Honolulu, Hawaii upon the purchase of seven nights hotel accommodations with an estimated total cost of $826 to $1,806. Prices may be subject to reasonable changes (i.e., inflation) prior to confirmation. Prices may vary depending on times and dates of departure. Some restrictions do apply. For complete FAX details, dial 1-800-554-4403, select option #1, document #443.

SYMANTEC.™

**Suggested retail price. Actual price may vary. **Upgrade offer plus shipping, handling and applicable tax. Offer price in U.S. dollars. Valid in U.S. and Canada only. For more information in Europe, call 31-71-353111. In Australia, call 61-2-879-6577. In Canada, call 1-800-667-8661. Everywhere else, call 408-252-3570. Symantec C++ is a registered trademark of Symantec Corporation. All other products are trademarks or registered trademarks of their respective holders.*

©1993 Symantec Corporation. All rights reserved.

Circle 148 on Inquiry Card.

SPECIAL BYTE REPORT

WINDOWS vs. OS/2

Find out which one meets your needs









COVER STORY

Is There a Better Windows Than Windows 3.1? ..... Page 85

Windows, OS/2, and NT offer distinct benefits and disadvantages. The right choice depends on your requirements.

Guide to Top Software for Windows & OS/2 ..... Page 151

A compilation of word processors, spreadsheets, development tools, communications programs, and more

APPLICATIONS

OS/2 2.1: A User's Perspective ..... Page 97

One man's view of life with OS/2.

Partners Seek to Unite Phone and PC ..... Page 107

IBM Has High Hopes for Multimedia on OS/2 ..... Page 110

Pen for OS/2 ..... Page 112

IBM Makes MP Promises for OS/2 .... Page 114

NETWORKING

OS/2 and Windows Networks ..... Page 117

IBM's LAN Server and Microsoft's LAN Manager have more similarities than differences.

IBM's Assault on Distributed Objects .. Page 125

Developers Cautiously Optimistic About Multiplatform OpenDoc ..... Page 130

IBM Ships DCE SDK for OS/2 and Windows ..... Page 131

TECHNOLOGY

Compilers: Essential Partners ..... Page 135

The processors behind operating systems like OS/2 and NT need this essential piece of software.


Windows NT Supports Posix, but Does it Matter? ..... Page 142

Will OpenGL Be 3-D Standard for Windows NT? ..... Page 144

OS/2 Gets Device Support ..... Page 146

How To Mana

The Ultimate Combination Of Power And Ease-Of-Use.



ge The Future.

Now Available For Both Windows *And* OS/2.




Introducing the first project manager your entire company can use.

For power users, there are dozens of new features, functions and an internal development language that makes creating advanced macros quick and easy.

For beginners, the easiest, friendliest interface and shortest learning curve in the industry.

The new graphics and reporting options will make every user look



MICROSOFT WINDOWS. COMPATIBLE

Buy one version, get the other FREE.

g

ANNUAL WIN AWARD any bridges.

FOR A FREE DEMO DISK
CALL 1-800 CALL CAI
EXT. 240.

Call today to test-drive the award-wining project management software that can help you manage the future. Today.

Free Demo Disk

COMPUTER ASSOCIATES®
Software superior by design.



New CA-SuperProject 3.0.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000.
All product names referenced herein are trademarks of their respective companies.

Circle 291 on Inquiry Card.

COREL DRAW!

The Best in Graphics ...and more!



Get animated with CorelDRAW 4!

4

PAGE LAYOUT
CHARTING
ILLUSTRATION
PHOTO-PAINT
TRACING/OCR
PRESENTATIONS
FILE MANAGEMENT
ANIMATION



Create Dazzling Illustrations

CorelDRAW is renowned for its powerful graphics capabilities. CorelDRAW 4 now leaps even further ahead by adding page layouts, animation and OCR, as well as hundreds of other feature enhancements. It's the best value in software today–and it's still the easiest to use!

CorelDRAW 4 is the ideal desktop publishing tool! It includes illustration, charting, photo-editing, tracing/OCR and presentation capabilities...and so much more! There are advanced word processing features, multi-page layouts and dozens of artistic and special effects. It's packed with more fonts, more clipart images and symbols, more graphic tools and business applications. And now CorelDRAW 4 also includes CorelMOVE, a brand new animation module.

- **Comprehensive DTP Features**
- **Flexible Multi-Page Layouts**
- **Enhanced Word Processing**
- **Advanced Direct Scanning**
- **Powerful OCR (Optical Character Recognition)**
- **Single-Step Business Forms Tracing**
- **Thousands of Fractal Textures and Fills**
- **Dazzling Artistic Tools and Special Effects**
- **Convenient Spreadsheet and over 80 Chart Styles**
- **Object Data Management**
- **Over 5,000 "Drag and Drop" Symbols and Shapes**
- **Over 18,000 Clipart Images and Symbols**
- **Over 750 Fonts (650 Bitstream and ITC)**
- **Complete Color Separations**
- **On-line Help**
- **20 Photo-Paint Filters and 14 Image Correction Filters**
- **37 Import/Export Filters**
- **21 Transition Effects**
- **Over 200 Animated Flics**
- **Over 400 Cartoons**
- **Over 750 Actors, Props and Sounds**



ALSO INCLUDES TWO BONUS CD-ROMs
–featuring a complete CD version of CorelDRAW 4 plus libraries of clipart images and symbols, fonts, animation elements, sound effects, and a Video for Windows enhanced QuickTour.


18,000 CLIPART images and symbols

Includes ITC Licensed FONTS

750 FONTS Bitstream

ONLY **$479** U.S. FUNDS

Registered User Upgrade $249
CorelDRAW 3 – Now Only $149





THE PROGRAMMERS SHOP

Order Now!
1-800-421-8006

MICROSOFT WINDOWS COMPATIBLE

KUR-0015-1


Circle 292 on Inquiry Card.

COVER STORY

Is There a Better Windows 3.1 Than Windows 3.1?

Windows, OS/2, and NT offer distinct benefits and disadvantages. One of them excels at running standard Windows applications. But the best choice depends on your requirements.

JON UDELL



DANIEL PELAVIN © 1993

Let's get right to the point: The answer is no. I ran the BYTE Windows application benchmarks and the BYTE Windows low-level benchmarks on five fast Intel systems under Windows 3.1, OS/2 2.1, and Windows NT 3.1 (and on two RISC systems under NT alone). For applications, the hands-down winner was Windows 3.1.

That's a result that should surprise no one. Running 16-bit Windows software is not the primary mission of either OS/2 or NT. These are robust operating systems built to run 32-bit Presentation Manager and Win32 applications, respectively. Of course, if you adopt one of these systems to run mission-critical line-of-business applications, you won't want to forgo standard productivity applications like the ones in our application suite—Excel, Ami Pro, and Superbase. And since PM and Win32 versions of these aren't yet available (Ami Pro for OS/2 was imminent but missed our deadline), that means you'll be leaning on the Win16 support built into OS/2 and NT.

The good news is that your Win16 applications will run on the Win16 subsystems of both OS/2 and NT. The bad news is that they will run more slowly there than under straight Windows 3.1.

There are, of course, a number of ways to qualify that statement. For starters, note that Windows 3.1 posts the best marks when running in standard mode, not 386 enhanced mode. Windows 3.1 narrowed, but clearly did not eliminate, the performance gap that made many Windows 3.0 users prefer standard mode. Despite that gap, however, 3.1 users need enhanced mode to multitask DOS, to run virtual device drivers such as the 32-bit FastDisk driver and the Windows for Workgroups network components, and to run 32-bit Windows-extended applications.

If you don't rely on any of these features, you might as well run Windows 3.1 in standard mode. On three of the four systems for which the comparison was possible, the overall applications index for standard mode was 12 percent to 15 percent better than for enhanced mode. If you're like most Windows users, however, you do rely on enhanced-mode features. Note that while both OS/2 and NT lag behind Windows 3.1 in Win16 application performance, they lag enhanced mode by less than they lag standard mode.

Tales of the Triple Boot

Despite horror stories you may have heard, Windows, OS/2, and NT can coexist peacefully on the same hard disk. Once you install all three, switching among them is straightforward. However, there is no master boot utility that can control the whole show. OS/2 provides two mechanisms: a simple dual-boot utility and the Boot Manager, which can switch between an operating system that boots from drive C and an arbitrary set of operating systems that can boot from other partitions. NT offers only the equivalent of OS/2's dual-boot utility.

Ideally, you would let Boot Manager (or an equivalent)

handle everything. Launching from its active 1-MB partition, it would present three choices: DOS/Windows on primary partition C, OS/2 on a logical partition, and NT on another logical partition. Unfortunately, NT, like DOS, wants to boot from partition C. That dictates a two-tiered boot strategy. You first make a C partition on each system—reserving space for a D partition and Boot Manager—and install DOS 5.0 and Windows 3.1 on C. You can then install OS/2 and NT in any order.

If OS/2 goes on first, say on drive D, add drive C to the Boot Manager menu as usual. Then, while booted to DOS from C, install NT. The only complication is that NT will make C the active partition. To recover Boot Manager and gain triple-boot capability, use FDISK or NT's Disk Manager to set NT's partition active again. (NT informs you that you need to reactivate Boot Manager if you want to use it.)

Alternatively, you can install NT on top of DOS/Windows and then add Boot Manager and OS/2 into the reserved space on the disk. Either way, use Boot Manager to control a primary choice between DOS and NT on drive C and OS/2 on drive D. When you choose C, you'll land in NT's dual boot, which controls your secondary choice between DOS and NT.

On one system, an IBM PS/2 Model 90 XP 486, I forgot to leave room for separate OS/2 and Boot Manager partitions. Stuck with OS/2's dual boot, I used the `boot` command to switch to DOS. Next, I installed NT with its dual booter. The system was then switchable between DOS and NT.

If OS/2's dual booter switched to OS/2 and then back to DOS, would it restore NT's dual booter faithfully? Half expecting to find that I had sawed off the limb I was sitting on, I tried the experiment ... and it worked just fine.

The moral is that, while triple-booting DOS, OS/2, and NT may not be an exercise for the casual user, you shouldn't run into any trouble if you're inclined to test these operating systems head to head—assuming, of course, that your disk can hold them all. Don't forget that NT's hefty swap file (28 MB on a 16-MB Intel system) makes it a voracious disk hog.

Into the Starting Gate

While OS/2 won points with me for its wonderfully flexible Boot Manager, NT's

Win-OS/2 Subtleties: Enhanced-Compatibility Mode and DDE

Windows 3.1 uses one kernel for standard mode (KRNL286.EXE) and another for enhanced mode (KRNL386.EXE). Win-OS/2, however, uses only an IBM derivative of the enhanced-mode kernel. Win-OS/2 KRNL386.EXE can, confusingly, operate in two modes that IBM calls standard (the default) and enhanced compatibility.

In standard mode, Win-OS/2 KRNL386.EXE always runs with the standard-mode flag set. In enhanced-compatibility mode, it loads with the enhanced-mode flag set, switches temporarily to standard mode to suppress the loading of virtual device drivers (since OS/2 doesn't support virtual device drivers), and then switches back to enhanced mode.

Why bother with this rigmarole? Applications like Mathematica, FoxPro, and Interleaf Publisher use Windows extenders to gain access to linear extended memory, and the extenders depend on enhanced mode. Why, then, isn't enhanced-compatibility mode the default? "I lost that battle," says Win-OS/2 architect Ayo Anise.

Probably IBM should have listened to Anise, because users of 32-bit Windows 3.1 software under Win-OS/2 can run into some strange problems, the causes of which are not immediately apparent. Ordinarily, when you run multiple Windows 3.1 applications under Win-OS/2, they share a single VDM (virtual DOS machine) that supports either a full-screen or seamless display in Win-OS/2 standard mode. To run an extended program like FoxPro, however, you have to set its WIN_RUN_MODE to 386 enhanced compatibility. It's not obvious to the user, but that means FoxPro will run alone in one VDM while other applications using the default settings will share another VDM.


You might argue, as IBM loudly does to anyone and everyone who will listen, that this isolation of Windows 3.1 applications into separate VDMs means greater robustness: A Windows spasm in one VDM won't affect Windows programs running in another. That's true, but the multi-VDM scenario causes problems for DDE. In the single-VDM case, applications share common address space; to perform a DDE data transfer, they need only exchange a handle. In the multi-VDM case (or in the case of Windows-to-Presentation Manager DDE), DDE messages and transaction data must move from one address space to another. IBM solved this problem by building a mechanism to relay DDE traffic across process boundaries. Unfortunately, it doesn't work as well or as reliably as it should.

To test DDE under Win-OS/2, I modified the DDEML (DDE management library) samples provided in the Windows SDK (Software Development Kit) to time a 1-MB data transfer between a DDE server and a DDE client. Under Windows 3.1 and single-VDM Win-OS/2, the transfer works reliably and (since there's no memory-to-memory copying) in a negligible amount of time. Under multi-VDM Win-OS/2, though, I ran into the same set of problems on several test systems. First, I had to tweak the transaction time-outs to make the transfer work. Second, transactions took an order of magnitude longer than they did under Windows 3.1 and single-VDM OS/2. Third and most troubling, the connection invariably broke after one successful transfer, and no further DDE transactions were possible without restarting both client and server.

IBM has gone to great lengths to portray multi-VDM Win-OS/2 as a robust alternative to the DOS multitasking of Windows 3.1. In general, it is. But—despite IBM's insistence to the contrary—you pay a price for that "crash protection." DDE across VDMs (or between Win-OS/2 and PM) is wobbly. OLE, which rides the DDE transport, also suffers.


If you use 32-bit Windows software under Win-OS/2 and also rely on DDE, you should probably use enhanced-compatibility mode for all your 16- and 32-bit Windows applications. That way they'll share a common VDM, and you'll avoid DDE hassles.

What about NT? The Win32 subsystem handles DDE calls from both Win16 and Win32 applications evenhandedly. 16-bit DDE and OLE clients interoperate smoothly with both 16- and 32-bit DDE and OLE servers, and vice versa.



Visio 2.0 is the easiest way to make great business drawings.

Now, it's also the easiest way to make a great business decision.



If you've used a stencil, you know how to use Visio. Visio stencils address virtually all your business drawing needs.

You're looking at some great drawings and diagrams made by a bunch of people who can't draw.

All were created with Visio,™ Shapeware's® award-winning drawing program for Windows™ 3.1 users.


Visio provides job-specific, on-screen stencils for easy access. So instead of drawing, you simply select SmartShapes™ from one of 20 stencils, and drag and drop them into place.

Unlike clip art, Visio's 600-plus SmartShapes have built-in intelligence. So they resize without distorting, connecting lines stay glued and integrated text makes labeling and editing a snap. You can even create and customize shapes of your own.



Visio's drag and drop SmartShapes take the "drawing" out of business drawing.

And since Visio supports OLE 2.0, you can easily integrate drawings with other Windows applications. Creating great business drawings has never been simpler.



For a limited time, buy Visio 2.0 for just $129.

Here's an easy business decision: Purchase Visio 2.0 by December 31, 1993, and save $170. Visio also comes with a 60-day, money-back guarantee. To order, for more information, or for the names of authorized Visio resellers near you, call toll-free:

1-800-446-3335, ext. EN9

SHAPE WARE

© Shapeware Corporation, 1993. All rights reserved. Outside the U.S. and Canada contact Shapeware by phone (303) 743-9533 or fax (303) 695-0555. Offer applies to versions for use in the U.S. and Canada only. Offer price is in U.S. dollars. Shapeware is a registered trademark and Visio, Drag and Drop Drawing for Everyday Graphics, and SmartShapes are trademarks of Shapeware Corporation. Windows is a trademark of Microsoft Corporation.

BYTE WINDOWS APPLICATION AND LOW-LEVEL BENCHMARKS FOR WINDOWS, OS/2, AND NT

Machine	IBM PS/2 Model 90 XP 486
Processor	486DX/33
Secondary cache	256 KB
RAM	16 MB
Drive controller	IBM SCSI-2
Video controller	XGA-2

Machine	Everex Step 486DX2/50
Processor	486DX2/50
Secondary cache	256 KB
RAM	16 MB
Drive controller	Adaptec 1742
Video controller	STB Horizon (Cirrus Logic 5426)

Machine	ALR Flyer 32LCT 4DX2/66
Processor	486DX2/66
Secondary cache	256 KB
RAM	8 MB
Drive controller	Ultrastor 15C
Video controller	VGA

	IBM PS/2 Model 90 XP 486					Everex Step 486DX2/50					ALR Flyer 32LCT 4DX2/66			
	WINDOWS STANDARD	WINDOWS ENHANCED	OS/2 SEAMLESS	OS/2 FULL-SCREEN	WINDOWS NT	WINDOWS STANDARD	WINDOWS ENHANCED	OS/2 SEAMLESS	OS/2 FULL-SCREEN	WINDOWS NT	WINDOWS STANDARD	WINDOWS ENHANCED	OS/2 SEAMLESS	OS/2 FULL-SCREEN
Ami Pro 2.0 (times in seconds)														
Load	1.33	**1.30**	**1.80**	**1.80**	1.53						**0.60**	0.77	**1.67**	1.03
Search and replace	**5.63**	5.77	5.67	5.67	**5.97**						**3.13**	**3.37**	**3.37**	3.33
Last page	3.50	**3.47**	3.57	3.60	**3.73**						2.13	**2.10**	**2.20**	2.17
Paragraph moves	10.93	**10.43**	11.40	13.80	**16.33**						5.73	**5.53**	**6.43**	6.03
Spelling check	**2.10**	2.20	2.57	2.43	**6.07**						1.40	**1.37**	**2.03**	1.50
Save file	1.97	**1.80**	2.50	2.37	**2.70**					**2.55**	1.23	**1.10**	**2.63**	2.10
Excel 3.0a (times in seconds)														
Open savage	**11.00**	**11.00**	11.33	**11.00**	**12.33**						**6.00**	6.33	**7.00**	**6.00**
Recalc savage	**10.00**	**10.00**	10.67	**10.00**	**13.00**				7.50	**10.00**	5.33	**5.00**	**5.67**	**5.67**
Goalseek	**10.33**	10.67	11.67	12.00	**17.00**				**13.50**	11.50	**6.33**	**6.33**	**7.00**	6.67
Superbase 4 1.30 (times in seconds)														
Insert	**5.00**	**5.00**	8.00	8.00	**9.00**				8.00	**9.0**	**3.00**	4.00	**6.00**	**6.00**
Index	4.00	4.00	4.00	4.00	**3.00**				4.00	**3.00**	**2.00**	**2.00**	**3.00**	**3.00**
Scroll	16.33	16.33	14.00	**13.00**	**16.67**				17.00	**18.50**	7.00	**6.67**	**9.00**	7.00
Remove	**11.00**	12.67	**15.00**	**15.00**	11.00					.00	**7.33**	9.00	**11.33**	11.00
Sorted query	**1.00**	1.67	2.00	2.00	**1.00**					**1.00**	1.00	1.00	1.00	1.00
Word Processing index	0.98	**1.00**	0.69	0.67	**0.62**	**2.08**	.73	**0.82**	**0.82**	0.91	**3.33**	2.59	**1.06**	1.86
Spreadsheet index	**1.01**	1.00	0.94	0.96	**0.76**						**1.80**	**1.80**	**1.62**	1.73
Database index	**1.03**	1.00	**0.91**	0.92	0.96						**1.68**	1.54	**1.18**	1.24
Overall index	**1.01**	1.00	0.84	0.85	**0.78**						**2.27**	1.98	**1.29**	1.61
WINDOWS LOW-LEVEL														
Primitive operations per second														
Pixels	**8128.00**	7910.00	3943.00	5872.00	**2664.00**						**23005.00**	21116.00	**9566.00**	21230.00
Lines	4641.00	4589.00	2272.00	**4681.00**	**1335.00**						**2758.00**	2576.00	**2165.00**	2570.00
Rectangles	3424.00	**3435.00**	2534.00	1670.00	**831.00**						**1452.00**	1444.00	**1312.00**	1425.00
Polygons	151.00	140.00	**115.00**	**153.00**	149.00						**233.00**	231.00	**159.00**	217.00
Ellipses	187.00	187.00	**182.00**	**182.00**	**279.00**						**227.00**	218.00	**211.00**	213.00
BitBlt	1436.00	**1437.00**	1711.00	**1218.00**	1373.00						**218.00**	212.00	**204.00**	208.00
Text out	**674.00**	569.00	552.00	**407.00**	459.00						2175.00	2250.00	1910.00	**2252.00**
Draw text	376.00	399.00	**427.00**	389.00	**37.00**						**945.00**	**742.00**	813.00	844.00
Local memory	13.00	13.00	13.00	13.00	**12.60**						**25.00**	**25.00**	**24.00**	**25.00**
Global memory	**1.50**	0.40	0.37	0.39	**0.06**						**0.93**	0.69	**0.50**	0.56
KBps														
Sequential I/O	373.00	**342.00**	662.00	668.00	**839.00**						368.00	349.00	**551.00**	540.00
Random I/O	**1898.00**	2221.00	2126.00	2147.00	**5134.00**						**2870.00**	2514.00	1204.00	**1188.00**
Graphics index	**1.02**	1.00	0.63	0.78	**0.38**						**1.68**	1.54	**0.88**	1.55
Memory index	**1.08**	1.00	1.00	1.00	**0.94**						**1.94**	1.92	**1.83**	1.91
File I/O index	0.89	1.00	1.09	1.10	**2.33**						**1.18**	1.12	0.68	**0.67**
Cumulative index	1.00	1.00	0.90	0.96	**1.22**						**1.59**	1.53	**1.13**	1.38

Insufficient RAM to run NT on this machine.

Red = Best **Blue = Worst**

Machine	Gateway 2000 4DX2-66E
Processor	486DX2/66
Secondary cache	256 KB
RAM	16 MB
Drive controller	Ultrastor 24F
Video controller	Diamond Speedstar 24x (WD 90C31A)

Machine	Unisys 5606e
Processor	Pentium/60
Secondary cache	256 KB
RAM	40 MB
Drive controller	Adaptec 7770
Video controller	ATI Mach 32

Machine	SGI/Mips Magnum 75SC
Processor	Mips R4400/75-150
Secondary cache	1 MB
RAM	32 MB
Drive controller	NCR 53C9X
Video controller	SGI G346

Windows Standard	Windows Enhanced	OS/2 Seamless	OS/2 Full-Screen	Windows NT	Windows Enhanced	OS/2 Seamless	OS/2 Full-Screen	Windows NT	Windows NT
0.63	0.73	1.43	1.37	1.63	0.47	0.80	0.60	0.70	—
3.53	3.53	3.40	3.53	3.50	2.27	2.00	2.03	1.97	—
2.33	2.43	2.53	2.50	2.57	1.07	1.13	1.13	1.17	—
6.13	6.67	11.37	9.50	12.50	3.83	5.10	5.40	6.77	—
1.43	1.50	2.00	1.80	4.77	0.83	1.00	0.90	2.30	—
1.17	1.30	1.60	1.73	1.87	0.70	1.27	1.00	0.93	—
6.33	7.00	7.00	7.00	8.00	4.00	4.00	4.00	4.00	1.00
5.00	5.50	5.33	5.67	8.00	3.00	3.00	3.00	4.33	4.00
7.00	7.00	10.67	10.67	11.67	4.00	4.00	4.00	5.67	2.00
3.67	4.00	6.00	8.00	7.00	2.00	3.00	3.00	4.00	—
2.00	3.00	3.33	3.00	2.00	1.00	1.00	1.00	1.00	—
7.00	7.33	13.00	12.33	18.00	4.00	6.00	4.00	8.00	—
8.00	10.00	11.67	11.00	8.67	4.00	6.00	6.00	4.00	—
1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	—
2.99	2.49	1.08	1.19	0.77	6.26	3.40	4.56	3.09	—
1.74	1.63	1.43	1.40	1.16	2.90	2.90	2.90	2.29	5.27
1.59	1.36	1.06	1.05	1.14	2.64	2.07	2.25	2.00	—
2.11	1.83	1.19	1.21	1.02	3.94	2.79	3.24	2.46	—
14787.00	11499.00	8276.00	9861.00	3305.00	18517.00	10640.00	20080.00	7070.00	6359.00
4892.00	4222.00	3791.00	4042.00	3369.00	21303.00	12060.00	22106.00	12715.00	3338.00
5426.00	4847.00	1864.00	1883.00	1715.00	12496.00	6520.00	8837.00	12741.00	1808.00
255.00	251.00	151.00	157.00	151.00	525.00	321.00	467.00	669.00	479.00
214.00	198.00	223.00	222.00	959.00	319.00	226.00	226.00	1468.00	815.00
2112.00	2084.00	273.00	284.00	241.00	4464.00	3957.00	4076.00	3048.00	1047.00
911.00	766.00	433.00	436.00	453.00	1947.00	1296.00	1378.00	605.00	336.00
546.00	466.00	484.00	460.00	461.00	1112.00	1083.00	1165.00	301.00	917.00
18.86	18.83	19.65	19.50	19.55	41.76	38.07	40.97	38.65	8.86
1.30	0.69	0.52	0.50	0.09	0.54	0.79	0.77	0.09	0.16
467.00	423.00	629.00	623.00	974.00	537.00	1015.00	1027.00	5620.00	2482.00
2496.00	2813.00	2037.00	1757.00	6245.00	4713.00	3934.00	4170.00	9653.00	9994.00
1.56	1.30	0.83	0.93	0.57	3.25	1.93	3.13	2.07	0.81
1.50	1.46	1.51	1.49	1.47	3.16	2.90	3.11	2.89	0.67
1.16	1.26	1.04	0.93	2.82	2.05	1.93	2.03	5.96	4.87
1.41	1.34	1.13	1.12	1.62	2.82	2.25	2.76	3.64	2.12

No standard mode; video driver requires enhanced mode.

Windows 3.1 applications did not execute. Excel results are for an experimental Mips version of Excel.

extensive device support scored a knockout. In the first week of its commercial release, I installed NT on four Intel systems: a Unisys 60-MHz Pentium-based 5606e, a Gateway 2000 4DX2-66E, an Everex Step 486DX2/50, and the 33-MHz PS/2 Model 90 XP 486. (A fifth machine, the ALR Flyer 32LCT 4DX2/66, lacked the RAM to run NT; with only 8 MB, it ran DOS/Windows and OS/2.) NT detected and automatically configured for every drive controller, video adapter, network card, and CD-ROM it encountered, with one exception—the Unisys-brand CD-ROM in the Unisys machine.

With OS/2, 18 months after the release of its first 32-bit version, the situation was quite different. On the Gateway machine, for example, OS/2 appeared to install happily but then turned in suspiciously poor benchmark results. There were two problems.

First, OS/2 does not, by default, detect and configure for SuperVGA controllers like the Diamond Speedstar 24x (Western Digital 90C31A accelerator) that came with the Gateway machine. You have to run a separate utility, `dspinstl`, to configure advanced video support.

Second and more troubling, OS/2 silently used its generic INT 13–based SCSI support to substitute for the Ultrastor 24F driver that didn't come in the box. That worked, but slowly, and precluded access to the Toshiba 3401 CD-ROM drive in the machine. The correct .ADD driver is available from Ultrastor; I downloaded and installed it, and then everything was fine. But the burden was on me, the user, to notice a problem with disk performance and take steps to correct it.

Why was the Ultrastor driver, if available, not bundled with OS/2? An Ultrastor spokesperson expressed frustration with IBM on this point, but also said that IBM's procedures are changing and that future versions of OS/2 should come with more complete bundled device support.

I also had to use `dspinstl` to activate OS/2 support for the embedded ATI Mach 32 controller in the Unisys Pentium machine and for the STB Horizon adapter (Cirrus Logic CL-GD 5426 accelerator) in the Everex system. Further, I had to acquire the .ADD driver for the Adaptec 7770 in the Unisys machine (which, in fairness, wasn't available in March when OS/2 2.1 shipped), and I learned that Ultrastor no longer offers specific OS/2 support for the 15C caching IDE controller in the ALR machine.

Finally, OS/2 did not, of course, even attempt to make use of the Ethernet adapters that were available in all the test machines. With OS/2, as with Windows 3.1, installation is all too often just the beginning of what can be a long and complicated journey. Although NT does not initially target the mass audience of desktop users that Windows and OS/2 do, it puts both those systems to shame when it comes to easy and comprehensive installation. Ironically, the system administrator who installs NT to run server applications for a department will probably have an easier job than the administrator or user who installs Windows 3.1 or OS/2 to connect to that server.

A Closer Look at OS/2

I began by running the OS/2 tests four times on each machine to account for all combinations of modes. There are a number of possibilities to consider. You can run a Windows 3.1 program seamlessly—that is, side by side with PM programs on the OS/2 desktop—or full-screen in a dedicated Windows screen session. Each Windows program can also run in standard mode or in what IBM calls 386 enhanced-compatibility mode. Finally, Windows programs can share a common VDM (virtual DOS machine) or run in their own separate VDMs.


Since our application suite doesn't require that multiple Windows programs be concurrently active, I ran all the tests in a single shared VDM. However, I separately uncovered problems with DDE across OS/2 VDMs; for a description of these problems, see the text box "Win-OS/2 Subtleties: Enhanced-Compatibility Mode and DDE" on page 86.

Although I initially tested both standard and 386 enhanced-compatibility modes for both the seamless and full-screen cases, the standard/enhanced differences turned out to be insignificant. After IBM explained that the two modes are effectively the same, I settled on just one test for seamless display and one for full-screen display.

Seamless display does mean extra work for OS/2, so you'd expect that full-screen display would be best for graphics-intensive tasks. Interestingly, the five Intel systems cluster into two groups when you compare ratios of the low-level graphics index under seamless Win-OS/2 to the same index under full-screen Win-OS/2 (see the figure "Seamless versus Full-Screen Win-OS/2"). For the Unisys with its ATI Mach 32 controller and the ALR with its standard VGA controller, seamless display had no better than 60 percent of the performance of full-screen display. For the remaining three systems, seamless performance was 80 percent to 90 percent that of full-screen.

The word processing indexes, which register these variations in video performance, suggest that for systems with less capable Win-OS/2 drivers (like those in the first group), the seamless penalty when running an application like Ami Pro can be significant. By contrast, for systems with better Win-OS/2 drivers (like those in the second group), the penalty can be relatively insignificant.

Looking at the Windows application



Ratios of seamless to full-screen *Win-OS/2 performance for five systems cluster into two groups. Systems with relatively weak seamless Win-OS/2 display drivers pay a significant penalty for seamless operation. Systems with stronger seamless Win-OS/2 drivers pay little or no penalty.*

BREAKTHROUGH!

Client/Server SQL Database for Windows Applications



WATCOM™ SQL for Windows is a high-performance SQL database engine for Windows applications. The package includes everything required to begin using WATCOM SQL immediately from many popular Windows applications, supporting interfaces ranging from ODBC and DDE to the Windows clipboard. Everything necessary for application development in C/C++ (using compilers from WATCOM, Microsoft or Borland) is also included.

Installation in Under 10 Minutes The easy installation and setup reduce the time and expense traditionally required by client/server technology. Further, WATCOM SQL lets you achieve high performance results right out of the package without the need for performance setup and tuning by expert personnel.

Performance and Reliability WATCOM SQL's cost-based query optimizer and efficient data representation combine to deliver high performance. Transaction processing and declarative referential integrity protect the consistency of your data. The client/server architecture reduces network traffic, resulting in increased performance for your multi-user applications.

Scalable SQL for Now and the Future WATCOM SQL applications can be designed to run without change in environments ranging from standalone PCs to large multi-user networks. The 32-bit WATCOM SQL Network Server Edition unleashes the power of 386/486 PC's to deliver high performance for large networks with many clients.

The Best Value in SQL Database Engines WATCOM™ SQL for Windows has a suggested retail price of $795* but for a limited time you can get it at the **introductory price** of only **$395***. Even better, as a registered user of WATCOM SQL you'll be able to get a copy of the 6-user Network Server Edition for **only $99*** (Suggested retail price: $795*).

Royalty-Free Runtime for only $99* As a registered user you can get royalty-free runtime support for just $99*, enabling you to distribute our standalone single-user runtime SQL database engine with your applications **royalty-free**.

Highlights

- ODBC Level 2 support
- Built-in declarative referential and entity integrity
- Visual Basic Interface
- Bi-directional, scrollable, updatable cursors
- Row-level locking
- ANSI SQL and IBM SAA compatible
- Full transaction processing support with checkpoint log and forward transaction log
- Multiple simultaneous application connections
- Symmetric multi-threading of concurrent requests
- Import data from popular file formats including DBF
- Automatic use of expanded and extended memory to improve performance
- Static and dynamic embedded SQL interface for use with WATCOM's 16 and 32-bit C/C++ compilers, and other popular C/C++ compilers

Also available:

WATCOM™ SQL Developer's Edition for DOS

Complete Client/Server Development Tools Package for DOS including Standalone Single-user SQL Database Engine. Enables development and deployment of single-user standalone applications, and development of applications for use with the WATCOM SQL Network Server Edition.

WATCOM™ SQL Network Server Edition


High-performance Multi-user SQL Database Server for PC LANs. Supports multiple concurrent DOS or Windows clients in a network environment.

WATCOM **1-800-265-4555**

The Leader in Development Tools

WATCOM, 415 Phillip Street, Waterloo, Ontario, Canada, N2L 3X2. Telephone: (519) 886-3700, Fax: (519) 747-4971. *Prices do not include freight and taxes where applicable. Authorized dealers may sell for less.
WATCOM, and the Lightning Device are trademarks of WATCOM International Corporation. Other trademarks are the properties of their respective owners. Copyright 1993 WATCOM International Corporation.

Circle 337 on Inquiry Card.



On the application benchmarks, *OS/2 trails Windows by a wide margin, while NT in turn trails OS/2, although by a lesser margin. NT's prodigious disk performance dominates the low-level results, although the graphics numbers are disappointing.*

benchmarks across systems, OS/2 was a middle-of-the-road performer, generally a bit better than NT and a lot worse than Windows (see the figure "Windows versus OS/2 versus NT: Summary Results"). At best, on the PS/2, OS/2's overall applications index (using full-screen display) was 85 percent that of enhanced-mode Windows. At worst, on the Everex, it was 64 percent of Windows.

The Windows low-level benchmarks reveal some interesting details. For example, OS/2's enhanced FAT (file-allocation table) file system and robust disk cache often get credit for improving the performance of DOS (and therefore Windows) applications relative to what you can achieve under DOS equipped with SmartDrive or another DOS-based disk cache. On four of five systems, however, Win-OS/2's file I/O index lagged or, at best, didn't quite equal that of enhanced-mode Windows. The lone exception was the PS/2 system, on which Win-OS/2's file I/O bested that of DOS/Windows by 10 percent. Evidently, OS/2 on the PS/2 machine makes good use of that system's IBM SCSI-2 controller. Note, though, that NT—a shockingly good disk performer—more than doubled OS/2's score on the same PS/2 hardware.

The low-level graphics results show that OS/2's SuperVGA drivers exploit some accelerated chip sets spottily. OS/2's full-screen pixel- and line-drawing performance on the Unisys system's embedded ATI Mach 32 accelerator actually outdid Windows running ATI's Mach 32 driver, and OS/2's BitBlt performance lagged behind that of Windows by only about 10 percent. On the Gateway's WD 90C31A, however, OS/2's pixel- and line-drawing

"Abracadabra! We put VDTs into your PCs"



Falco is taking center stage, making magic right before your eyes with Pipeline - VDT emulation software for Windows.

With over 1 million terminals installed, Falco pulls Pipeline out of its bag of tricks. Falco terminals, known for high performance and extensive list of features, have been deftly transformed into software.

Pipeline will create more than an illusion of a terminal sitting on your desk. With its 20 full features terminal emulations, including VT 420 and Wyse 60, Pipeline doesn't rely on smoke and mirrors.



Pipeline's interactive host features aren't for a limited audience. They can be controlled from the keyboard, or application software, including; configurations, emulations, port switching, baud rates and color mapping. And Pipeline can do it over serial lines, modems and high speed networks.

Just point and presto. With Pipeline's graphical keyboard display you can map keyboard functions where you want them and program over 176 soft keys - like magic.

Pick a color, any color; in fact there are over 16 million to choose from.

Like any great assistant, Pipeline will set the stage by saving all your favorite configurations both single window and window groups.

Don't get sawed in half by the competition, choose the most complete VDT software for your next performance. Call Falco today.


1-800-325-2648

Pipeline
by Falco Data Products

440 Potrero Avenue, Sunnyvale, CA 94086-4196
Tel: (408) 745-7123 FAX: (418) 745-7860

Trademarks are registered to their respective owners.

Circle 295 on Inquiry Card.



BYTE's portable benchmarks *display raw CPU/FPU horsepower for five Intel systems and two RISC machines.*

numbers dropped noticeably, and the BitBlt function was nearly an order of magnitude slower than under Windows with the Speedstar 24x driver from Diamond. The same was true for the Everex's Cirrus Logic 5426; here, OS/2's BitBlt score wasn't even a twentieth that of Windows. On these same systems, however, NT fared even more poorly than OS/2.

The moral? There's more to accelerated SuperVGA support than just handling popular display resolutions and color depths. Both OS/2 and NT recognize and support a variety of SuperVGA chip sets, but their drivers don't always support the acceleration functions of those chip sets as comprehensively as the drivers that are available (though usually not bundled) with Windows.

NT's Maiden Voyage

Two striking findings emerge from the NT numbers. On the application benchmarks, NT trailed in nearly every case. (The gap between NT and OS/2 was much narrower, however, than that between OS/2 and Windows.) As always, there are various filters through which to view that result.

On the one hand, Microsoft hasn't vociferously made IBM's "better Windows than Windows" claim on behalf of NT. It can also say with some justification that Win32 applications (which can be very close cousins of Win16 applications) will soon alleviate pressure on NT's Win16 subsystem.

On the other hand, Microsoft admits that NT must run Win16 binaries well and has said that the API pass-through architecture that gives those programs access to NT's native Win32 subsystem would give Windows 3.1 performance under NT a major shot in the arm. It's likely that the pass-through has increased performance, and that performance would be even worse if NT had to rely for its Win16 support entirely on its VDM (as is the case with OS/2).

When you consider NT's overhead—the costs of protected subsystems, C2 security, portability, and Unicode—the surprising result may not be that OS/2 leads NT, but rather that NT doesn't lag by a wider margin. The fact remains that pure Win16 application performance is not a reason to prefer OS/2 over NT. Note, also, that NT will barely run on an 8-MB system like the ALR, a machine on which OS/2 performs admirably.

The second startling result is NT's tremendous performance on the low-level file I/O test. NT's unified cache manager aggressively exploits memory mapping and can use all available RAM not needed by applications. Evidently, the strategy pays off: NT's file I/O numbers range from one-and-a-half to nearly three times those of Windows. Indeed, the I/O index is so disproportionately large that it overcomes weak graphics results and causes NT to emerge as the overall winner on three of four systems on the low-level benchmarks.

- **Standard-mode Windows does it fastest.**
- **Enhanced mode runs a close second.**
- **OS/2 runs a not-so-close third.**
- **NT brings up the rear.**

For evidence of this effect at the application level, look at the disk-intensive remove subtest of the Superbase test (see the table on page 88). Here, NT consistently equaled or bettered both enhanced-mode Windows and OS/2. Clearly, these results bode well for NT not only on file and database servers but also on high-end workstations that must deliver industrial-strength I/O.

The RISC Dimension

Our RISC systems were a Silicon Graphics/Mips Magnum 75SC (75- to 150-MHz R4400, 32-MB RAM, SGI G364 frame buffer, and NCR 53C9X SCSI controller) and a DECpc AXP 150 (150-MHz Alpha, 64-MB RAM, Q-Vision video adapter, and Adaptec 1742 SCSI controller). The BYTE portable benchmarks indicate how these machines stack up against the Intel crowd in terms of raw CPU and FPU horsepower (see the figure "Portable CPU/FPU Benchmarks").


Note that NT was shipping for the Mips but not for the DECpc at the time of this review. Because the version of NT on the DECpc was an unoptimized debug build of the operating system rather than an optimized retail build, I have chosen not to report the application and low-level benchmark results for the DECpc. However, BYTE's portable benchmarks, which don't rely heavily on NT system services, do hint at the awesome potential of this machine.

The Mips Magnum's cumulative low-level Windows benchmark results place it ahead of all the Intel boxes except the Unisys—an impressive performance indeed. Application benchmarks, however, were a severe disappointment. While Ami Pro, Excel, and Superbase did load and operate interactively, all three applications fell flat on their faces when subjected to our test scripts.

Why did the low-level Windows benchmark succeed where the applications failed? Our staff-written benchmark is a vanilla Windows program that plays by the rules. Commercial applications almost always bend some of the rules, and the Mips version of NT's Insignia-derived emulator clearly won't tolerate such behavior. (Interestingly, two of the three scripts did complete, albeit slowly, on the DECpc.) Clearly, NT's Win16 compatibility on the



FIRST WE MADE WINDOWS. NOW IT'S TIME TO TALK.



With the new Microsoft® Windows™ Sound System, just tell your computer what you want it to do. You can customize your system to respond to your personal spoken commands. Even our new directional microphone knows exactly who you are.

This full set of audio software has lots of options, too. Spice up presentations with music or quotes. Or proofread numbers as the computer reads them back.

All for the price of a game.

You can also get this software with the sound board included. So go visit your nearest reseller to see what's creating all the conversation.

Microsoft
Making it easier

© 1993 Microsoft Corporation. All rights reserved. Microsoft is a registered trademark and Windows and the Windows logo are trademarks of Microsoft Corporation.

Mips machine will have to improve. At the same time, however, the availability of RISC NT—an attractive, high-powered option—should induce Windows developers to rely less on dirty tricks. (Editor's note: *At press time, Microsoft informed us that our Excel, Ami Pro, and Superbase test scripts did run successfully on several Mips machines at Microsoft. We worked with a Microsoft technician to resolve the problem, but, despite several reinstallations of Windows NT, we could not pinpoint whether NT's configuration or the Mips Magnum itself was at fault.*)

Ultimately, your bread-and-butter applications want to run as native Win32 programs on RISC NT platforms. The Excel results hint at the kind of performance you can expect. These numbers are *not* for Excel 3.0a under Windows 3.1—which, like the other Win16 tests, did not complete—but rather for an experimental Mips-native version of Excel 4.0. Using those results, the spreadsheet index for the Mips Magnum more than doubles the next-best result (posted by the Unisys Pentium machine).

Both IBM and Microsoft deserve credit for their operating systems' Windows support.

The Final Analysis

Both IBM and Microsoft deserve great credit for the Windows support they have engineered into their 32-bit operating systems. But neither OS/2's nor NT's Windows support would entice me to use these systems purely as Windows platforms. If you can tolerate Windows on DOS, you probably should—it's faster even on machines well equipped to run the bigger and better operating systems. Use OS/2 or NT to deploy mission-critical 32-bit programs, and tap the 16-bit Windows software base for personal productivity. Their Win16 subsystems are plenty good enough for this.

What about OS/2 versus NT? Comparing the two is really inappropriate. The apples-to-apples comparison would be Chicago versus OS/2, and the oranges-to-oranges matchup would be NT versus Workplace OS. But neither Chicago, which will be Microsoft's Intel-specific offering, nor Workplace OS, which will be IBM's portable offering, is shipping. That leaves the unfortunate but inevitable apples-to-oranges comparison of OS/2 to NT.

With respect to Win16 support, OS/2 has a performance edge and does well in 8 MB. NT handles DDE and OLE more reliably and needs double the RAM. Ultimately, of course, the choice will hinge not on Win16 support but on availability and quality of 32-bit line-of-business applications. Developers in both camps are hard at work, and we'll be following their efforts closely. ■


Jon Udell is a BYTE technical editor at large. You can reach him on BIX as "judell" or on the Internet at judell@bytepb.byte.com.

You love videography. It's your life. So why get involved with a video editing system that seems attractive now, but can't accommodate your needs in the future; an editing system that shows signs of age as soon as your entry-level video devices have to be upgraded?

The beauty of AmiLink CIP for Windows editing system is that it's totally devoted to your career. AmiLink CIP for Windows has been specifically designed to stay with you all the way no matter where it all leads.

The day you're ready to improve your abilities in character generation, animation techniques or special effects, AmiLink CIP for Windows will be at your side. When you make the crucial decision to build your business on larger, more sophisticated projects and build a reputation of quality at the same time, AmiLink CIP for Windows will support each and every one of your efforts.

Not too surprising when you consider that AmiLink CIP's parents are video people not computer people. AmiLink CIP for Windows is from RGB, the same company delivering pro-quality editing to pro-editors and Video Toaster™ users all across the country.



Are you about to marry an editing system that can't keep up with your career?

So shuttle over to your AmiLink dealer today. Or call RGB for more information about AmiLink CIP for Windows, the video editing system that will never let you down.

For more information **call 1-800-535-7876.**

COMDEX/Fall'93 November 15-19, 1993 • Las Vegas, Nevada USA
Visit us in booth # A1887

RGB Computer & Video, Inc.
Picture Perfect

4152 W. Blue Heron Blvd., Suite 118
Riviera Beach, FL 33404-4858
TEL (407) 844-EDIT, FAX (407) 844-3699

AmiLink is a registered trademark and Pro is a trademark of RGB Computer & Video, Inc. Windows is a trademark of Microsoft Corporation. All other trademarks are the property of their respective owners © RGB Computer & Video, Inc.

Circle 322 on Inquiry Card (RESELLERS: 323).

OS/2 2.1: A User's Perspective

STAN MIASTKOWSKI



DANIEL PELAVIN © 1993

For a few minutes, let's forget the politics, the personalities, and the seemingly interminable corporate bickering associated with The Great Windows versus OS/2 Controversy. The subject at hand is OS/2 2.1...from a decidedly user-oriented perspective. While it's tempting to throw down the OS/2 versus NT gauntlet, the more apt comparison for most PC users right now is OS/2 2.1 versus Windows 3.1.

If you're a Windows user attempting to make a decision on whether to make the move to OS/2, the obvious question is whether OS/2 2.1 really delivers a "better Windows than Windows" (as IBM is so fond of saying). The answer: a resounding "It depends." The more you do with Windows, the more advantages you can get from 2.1. If you place yourself in the power-user category, run numerous Windows applications simultaneously, are comfortable tweaking INI files, and still depend on multiple DOS applications, OS/2 2.1 offers many advantages. On the other hand, if you don't push Windows to its limits, you're just as well off staying with it.

Are you feeling cramped by DOS/Windows? Give OS/2 a try.

Strong Foundations

Windows 3.1 and the Windows that runs in OS/2 2.1—dubbed Win-OS/2—are virtually identical. Windows compatibility also existed in OS/2 2.0. The problem was that it included Windows 3.0 at the same time that Microsoft was shipping 3.1. With OS/2 2.1, things are on a more even keel.

One of the biggest advantages that OS/2 2.1 offers is that Win-DOS runs on top of a true 32-bit operating system, using a 386 or 486 processor to nearly its full potential. OS/2 is a full-fledged preemptive multitasking operating system. Windows, DOS, and OS/2 applications all run in their own protected-mode sessions, guarded from the slings and arrows of overlapping application problems. If one crashes, the others are usually unaffected. (In certain circumstances, it is possible to lock up the whole system, but it happens considerably less frequently than in a DOS/Windows-based environment.)

A Long Installation

Both installing and using OS/2 2.1 requires time and commitment (at least initially). Getting up and running isn't simply a matter of copying a few disks. You should figure on at least half a day, and make a backup before you begin. There are many decisions to make along the way, too. The size of the installation task becomes apparent as soon as you rip open the shrink wrap. Buried under a couple of manuals is a pile of 25 3½-inch disks. (A 5¼-inch version is available, too, with even more disks.)

If you have a CD-ROM drive, IBM also offers a CD-ROM version. But in order to install OS/2 2.1 directly from the CD-ROM (and be able to access the CD-ROM drive later), you'll need to have a true SCSI CD-ROM drive connected to a specific SCSI controller from Adaptec, Distributed Processing Technology, Future Domain, or IBM. There are a lot of nonstandard CD-ROM drives around with their own proprietary interfaces. IBM lets you use a nonstandard CD-ROM drive by first manually creating all 25 installation floppy disks (under DOS) from the files on the CD-ROM.

IBM says you'll need at least a 386SX and 4 MB of RAM. You'll definitely want more RAM and power, though, especially if you'll be taking advantage of OS/2's true multitasking capabilities. I found that a 486 (even an SX) and 8 MB of RAM is about the minimum to obtain acceptable performance. I finally settled on running OS/2 on a generic clone based on a 66-MHz 486DX2 along with 16 MB of RAM. You'll need a hefty hard disk as well. A full OS/2 2.1 installation requires about 29 MB of disk space.

continued

Take Your Choice

You can have the installation format your hard disk and start from scratch, choosing between the standard DOS FAT-based (file allocation table) file system or the HPFS (High Performance File System) that's unique to OS/2. HPFS offers some unique advantages, especially if you're using data-intensive applications such as databases. It is generally faster, although your mileage may vary, and it offers some neat extras, such as long (up to 255-character) filenames. However, HPFS and FAT files aren't compatible. For most users who are easing into the brave new world of OS/2, FAT will be sufficient.

If you decide to stay with FAT, you can use all the programs and data that are already on your hard disk. You can then also opt for the dual-boot feature that lets you boot either OS/2 2.1 or DOS at start-up. Being able to boot into your old familiar DOS environment is a comfort, but setting up your system for the dual boot is needlessly complex. To IBM's credit, the process is for the first time explained in plain English in the installation manual. But it requires a number of steps, such as adding lines to your existing CONFIG.SYS and AUTOEXEC.BAT files and then copying all files from your root directory into your DOS directory. Why couldn't it include a batch file to automate the process?

The Old Disk Shuffle

Installing OS/2 isn't a linear process. You have to reinsert various disks at various times. It's also during the installation that some of OS/2 2.1's limitations begin to show up. To get seamless Windows (i.e., the ability to run windowed OS/2, Windows, and DOS applications side by side) in something beyond 16-color standard VGA, you need to have a graphics card based on chips by ATI, Cirrus Logic, Headland Logic, IBM, Trident, Tseng Labs, or Western Digital. Or, you need to

Tips for Tweaking OS/2

For those used to twiddling with a few well-known commands in a DOS CONFIG.SYS or AUTOEXEC.BAT file, taking a look at the OS/2 versions can be daunting. They may have the same names as the DOS versions, but they're different beasts entirely. A "typical" OS/2 CONFIG.SYS file consists of 60 or so lines with a raft of unfamiliar commands such as THREADS, MAXWAIT, and TIMESLICE.


What to do? Luckily, the OS/2 installation does a great job of setting all these esoteric commands to what's best for your system. But if you must tweak, help is right at your fingertips. Just typing, for example, HELP THREADS at an OS/2 prompt brings up detailed graphical help that includes everything you need to know and even specific (and always helpful) examples

Caching—OS/2's built-in caching utility uses very little RAM for disk caching: 256 KB for an 8-MB system, and 512 KB for a 16-MB system. Although you might be tempted to increase that, it's best to leave it alone. OS/2 uses caching in a different and vastly more efficient way than does DOS. Your best bet is to leave the rest of the RAM for programs.

Swapping—OS/2's swap file is different from that of Windows. It's dynamic, expanding and contracting as needed, and usually stays comparatively small because it works very quickly and swaps data to and from the hard disk (when needed) in small segments. Unlike Windows' permanent swap file, you can't set it to a specific size, but you can specify the minimum amount of free space that it should leave in a disk partition. For the best performance, set the swap-file path for its own partition, although that re-

[illegible] 3.1, is virtually identical to Microsoft's version. It should be; it's virtually the same source code. Win-OS/2 has its own WIN.INI and SYSTEM.INI files, and you're welcome to tweak away,

The key to maximizing Win-OS/2 performance is OS/2's unique settings



can adjust just about any settings of Win-OS/2 that you can imagine (and many that you've never imagined). Best of all, you can set up different settings for different applications and different

[illegible] lots of things at the same time, and because minimized program icons don't appear on the desktop, it's easy to lose track and end up with lots of concurrent programs dragging down system performance. Wha
er helpful hints

- If you're running a system with minimal RAM, say 4 MB, you should disable the default animation that's used to draw boxes in the Workplace Shell. [illegible]on't run multiple Windows sessions if you can help it. They absorb system resources like a software sponge.
- If you are running short on hard disk space, there are all sorts of OS/2 files you can live without. (For example, OS/2 comes with two different text editors.) The OS/2 manual does a great job of explaining every single file that's loaded during installation, and it tells you what isn't essential for what you're doing. It's a great way for you




GRAPHICS SO FAST, WE HAD TO GO TO A SPECIAL PLACE TO TEST IT.

Don't let the next generation of high-performance graphics cards pass you by.

Introducing Pro Graphics™ 1024. Driving a stunning 16.7 million colors at 1024 x 768 resolution, it delivers the best performance in the field. Now, that's True Color. And it's from Media Vision, the leader in innovative PC graphics. With a refresh rate of 76 Hz for a crisp flicker-free display, Pro Graphics 1024 delivers the speed you're looking for. At a price that won't blow you away.



16.7 million colors at 1024 x 768 resolution puts a new twist on performance.



Graphics Cards


Why not test drive a Pro Graphics 1024 at your local computer retailer? And see what 16.7 million colors at 1024 x 768 looks like at this speed. For more information on the whole Media Vision family of Pro Graphics accelerators call **1-800-845-5870 dept. 630**.

MEDIA VISION


Tests performed using Ziff Davis Labs' WinBench™ V.3.11 without independent certification by Ziff. Media Vision conducted all tests based on Diamond motherboard with Intel 486DX2/66 CPU, 16MB RAM, 256K cache, 340MB IDE hard drive, MS-DOS Version 5.00. ©1993 Media Vision, Inc., 3185 Laurelview Court, Fremont, CA 94538. (510) 770 9592. Pro Graphics 1024 is a trademark of Media Vision, Inc. Any other trademarks and registered trademarks are owned by their respective holders.

Circle 344 on Inquiry Card.

GET A VIRTUAL
VIRTUALLY E



Virtual screen technology is like having two monitors in one. Create the mother of all spreadsheets. Run PageMaker and Excel side-by-side. Use your monitor as a viewfinder and pan across to the place you want to be. All it takes to upgrade to a 2048 x 1024 virtual screen is just 2MB of optional RAM (1MB VRAM, 1MB DRAM).




Our chameleon cursor can change size and color so it never gets lost. So you never have to play that frustrating game of hide-and-seek.

†Performance measured by running WinBench 3.11 at 1024 x 768, 256 colors, using #9GXE Display Driver 9. Dell system configured with 66MHz 486DX2 processor, 16MB RAM and 256KB cache. VL-Bus is a trademark names of others. *©1993 Dell Computer Corporation. All rights reserved.*

SCREEN WITH VERYTHING.

Our Resolution Exchange Panel gives you complete control over your desktop environment. And since the VL-Bus links video directly to your powerful 486DX2, your commands are executed instantly.*



*Resolution Exchange Panel and Hawkeye Zoom examples given for #9GXE configured with 3MB RAM (2MB VRAM, 1MB DRAM), and 1280 x 1024 monitor.

Our Hawkeye Zoom Feature gives you up to four levels of magnification.* So you can really see the details of what you're working on.

ORIGINAL SIZE





If you want to plug in a mouse, Dell gives you a dedicated mouse port.

If you open up your Dell Dimension™ XPS PC, inside you'll find a #9GXE video card. This fast and versatile video card uses the VL-Bus™ and ultra high-speed video RAM to give you the video ride of your life.

A Dell Dimension XPS PC configured with our #9GXE video card (with 1MB Video RAM) delivers 26 million WINMARKS! Or with our optional 2MB RAM upgrade (1MB VRAM, 1MB DRAM), it delivers a face-warping 33 million WINMARKS! Either way, we're talking incredibly fast.

But raw speed is just part of the Dell Dimension XPS story.

The Dell Dimension XPS's #9GXE video engine can be accessed on-screen via a control panel that allows you to configure a host of powerful utilities to give you total control of your desktop video environment.

Add our optional 2MB RAM upgrade and you have the power to switch your #9GXE to a virtual screen with a resolution of up to 2048 x 1024 pixels. Very cool.

This versatile add-in effectively gives you the desktop equivalent of two monitors. So you can have two full-size applications, like Excel and PageMaker, displayed side-by-side.

The virtual screen allows you to seamlessly pan across your monitor from application to application.

When you need a closer view of your work, press a "hot key" and you can zoom in and out with four levels of magnification.*

Working against color backgrounds? Our chameleon cursor can change size and color so it never gets lost.

You can also create a whole library of time-saving "hot keys" for all of your applications.

When it comes to video and video-related utilities, Dell Dimension XPS PCs are your ticket to ride.

DELL DIMENSION XPS. PCs DESIGNED FOR THE HIGH PERFORMANCE USER.

DELL™

TO ORDER, CALL


800-545-1586

HOURS: MON-FRI 7AM-9PM CT SAT 10AM-6PM CT SUN 12PM-5PM CT

IN CANADA, CALL 800-668-3021. PLEASE REFERENCE **#11EAP**

of Video Electronics Standards Association. Dell disclaims proprietary interest in the marks and

FAST VS HALF-



With faster access and nearly double the data transfer rate our double-spin CD ROM makes others seem positively sluggish.



Thanks to our multi-session CD technology, you can have the disk printed on up to four different times, storing up to 100 color photographs in all.




Many of our competitors use a spring mechanism to eject your disks. At Dell, we give you a motorized loading tray like you'd expect from a high-end CD player. The choice is yours. But if your CDs could talk, we know which one they would choose.



Whistle while you work. Or tap your foot. Or sing along. Our audio center CD ROM software lets you play disc jockey while you carry on with the important work of the day.

*All comparisons based on manufacturers' specifications. The Dell CD ROM is the Panasonic 563. Other CD ROMs compared are LMSI CM205 and Sony CDU-31A. Dell disclaims proprietary interest in the marks and names of others.

CDs FAST CDs.



When you buy a Dell Dimension™ XPS 450V or 466V equipped with a CD ROM, you get a CD ROM drive that runs circles around our competition.*

Thanks to advanced dual-spin technology, our CD ROM gives you an access time of just 350ms and a data transfer rate of 300KB per second. That's nearly twice the performance of many of our competitors.

And that's just the start.

Our drive has the automatic, push-button motorized tray you'd expect to find on a high-end CD player.

Compare that to the manual spring-load reject, uh, eject button from many of our competitors. It's still push-button, but your CDs don't glide effortlessly. In fact, they don't glide at all.

Ours is obviously a lot easier and more pleasant to use. And our CD ROM drive is built to last.

Our CD ROM is Kodak Photo-CD compatible. Which means you can take advantage of the latest in CD technology and view photographs on your PC screen. What's more, our CD drive is multi-session. Which means you can have the disk printed on up to four different times. Storing up to 100 pictures in all. Keeping them in perfect condition with no fading.

Our CD ROM also comes with software that lets you play your favorite audio CDs while you work.

So you can listen to Mozart as you crunch numbers or bop along to the Beatles as you cruise your local BBS.

Sound like a better drive for your money? It is.

So if you want the best CD ROM technology for your money, make a fast decision and call Dell today.

After all, there's absolutely no reason why you should settle for a CD ROM that's behind the times.

DELL DIMENSION X PCs DESIGNED FOR THE HIGH PERFORMANCE USER.

DELL™


TO ORDER, CALL

800-626-4806

HOURS: MON-FRI 7AM-9PM CT SAT 10AM-6PM CT SUN 12PM-5PM CT

IN CANADA, CALL 800-668-3021. PLEASE REFERENCE **#11EAQ**

©1993 Dell Computer Corporation. All rights reserved.



Seamless Windows. *OS/2 2.1 can run Windows, OS/2, and DOS applications concurrently. True preemptive multitasking means they're all running and not in a state of suspended animation.*

have OS/2-specific drivers from the graphics-card maker. These are becoming more common. For this review, I used a Radius XGA-2 board designed specifically for OS/2. I also tested beta drivers with a high-speed Matrox board and beta drivers for the Diamond Viper board. A fast graphics board and OS/2-tuned drivers can result in some impressive video performance.

The final step in the installation is "migrating" both Windows and DOS applications to OS/2. The applications themselves aren't changed; essentially, folders and icons are created for the OS/2 desktop. Some common non-OS/2 applications require fine-tuning to run to best advantage in the OS/2 2.1 environment. OS/2 2.1 comes with a Migration Database that contains settings for many applications, taking advantage of the fact that each VDM (virtual DOS machine) in which a Windows or DOS application runs can have its own settings. (You can also migrate non-OS/2 applications later, or just install them directly from the OS/2 environment.) An IBM spokesperson says the company plans to update the migration database regularly. It will be available on major BBSes and on CompuServe.

Exploring the Workplace

When you finish installing OS/2 2.1, the moment of truth finally arrives: rebooting into the environment. What you see on the screen is vastly different from Windows' irritating-yet-familiar Program Manager. Initially, you can think of the Workplace Shell as a cross between the Macintosh desktop and Norton Desktop for Windows. But it's much more than that. The WPS is almost infinitely customizable and can be clean or cluttered, depending on your work habits. You can have icons for applications and folders. And the WPS is hierarchical, too; you can have folders within folders ad infinitum. Unique to the WPS is its ability to *shadow* icons—to create multiple icons for the same application that can reside in multiple locations on the desktop (e.g., in multiple folders).

The WPS is also object-oriented with a vengeance. You've heard that before, but this is the real thing. Icons, folders, and even the blank space on the WPS are all true objects. You can drag and drop to your heart's content. And you'll need to exercise that long-neglected right mouse button. When you point to any object on the screen and click the right-hand button, up pops a list of common tasks associated with that object. It makes a great deal of sense, but it also takes getting used to.

Virtual DOS Reality

If you are a creature of confirmed Windows habits, you can click on the Win-OS/2 Full Screen icon and work away in 3.1 Program Manager while completely ignoring OS/2. That's fine, but the real edge of OS/2 2.1 is in its true multitasking capabilities. From within the WPS, you can click on any application icon—Windows, DOS, or OS/2—and OS/2 starts it up. It's possible to have multiple Windows, DOS, and OS/2 sessions all running concurrently. In fact, that's the major advantage of OS/2.

The ability to have multiple Win-OS/2 sessions running concurrently isn't hard to see. You can, for example, have Procomm Plus doing a high-speed file transfer in one Windows session while Excel is doing some heavy calculations in another. They don't get in each other's way. And while all this is going on, you can also be formatting a floppy disk under OS/2 and perhaps running a dBase sort under DOS. Admittedly, the system I used for this review is powerful, but I didn't begin to see any degradation of performance until I had six major applications running concurrently.

For those of us who occasionally still run old favorite DOS applications, OS/2 is particularly powerful. You can run gobs of separate VDM sessions. And each can have separate CONFIG.SYS and AUTOEXEC.BAT files, as well as numerous other customized settings. The same holds true of Win-OS/2 sessions. (See the text box "Tips for Tweaking OS/2.")

VDMs aren't perfect. They don't, for example, let you run block device drivers such as those used by my Bernoulli PC-Powered MultiDisk 150, which uses a proprietary SCSI interface that isn't supported under OS/2. In addition, I couldn't run the drivers for the LANtastic 5.0 network operating system. There is, however, a

ADVANTAGES	DISADVANTAGES
• Multitasking: True preemptive multitasking walls off applications from each other.	• No 32-bit Windows support: OS/2 is a 32-bit operating system, but it won't run 32-bit Windows applications and Windows VxDs (virtual device drivers). IBM says a solution is on the way.
• Workplace Shell: This truly object-oriented graphical interface is like a cross between the Mac and Norton Desktop for Windows.	• Missing drivers: Version 2.1 has more built-in drivers (e.g., CD-ROM, SCSI, and graphics) than ever before. But you still can't be sure that your peripherals will work to best advantage with OS/2. And some peripheral makers have no plans to make drivers available.
• Windows anywhere (or DOS or OS/2): Start any application from anywhere in Windows, DOS, or OS/2.	• Workplace Shell: Even though this also appears under Advantages, it can be needlessly complicated to figure out how to use the GUI. Common operations are sometimes buried deep in confusing layers of object orientation. Plus it's too easy to lose track of what's where and what's running.
• Capable Interapplication Communication: Clipboard and DDE work between all Windows and OS/2 applications.	• Wimpy applications: The Productivity Applications included with 2.1 are a misnomer. Wipe them off the disk and get real applications.
• On-line help: Just about everything you need to know is a couple of mouse-clicks away.	• Dual-boot setup: It works well, letting you switch back to your original DOS-based system. But setting it up is a needlessly complicated manual process.
• Advanced multimedia: True multitasking makes multimedia easy and powerful, supporting IBM's Ultimedia. OS/2 2.1 supports Sound Blaster and Media Vision sound cards and plays digital video at up to 30 frames per second in up to 320- by 420-pixel resolution. The CD-ROM version of 2.1 includes a considerable collection of sound and video files.	

PERFORMANCE MACHINES THAT BLOW THE GATES OFF GATEWAY.



DELL DIMENSION™ 433SV
i486™ SX 33MHz SYSTEM

$1,499† | BUSINESS LEASE◊ $55/MO.

- 4MB RAM
- 64MB MAX RAM
- 170MB (17ms) HARD DRIVE
- UPGRADEABLE TO PENTIUM™ OVERDRIVE™
- 5 16-BIT ISA EXPANSION SLOTS AVAILABLE, 2 ON VL-BUS™
- ACCELERATED LOCAL BUS VIDEO
- ULTRASCAN™ 14C MONITOR (14", 1024 x 768, .28mm, NI)
- DUAL DISKETTE DRIVES (3.5" AND 5.25")
- SPACESAVER KEYBOARD
- MS-DOS® 6.0/MICROSOFT® WINDOWS™ 3.1/MOUSE

ALSO AVAILABLE IN 33MHz i486 DX FOR $1,999† BUSINESS LEASE: $74/MO. SYSTEM INCLUDES ABOVE, PLUS: 8MB RAM, 230MB (17ms) HARD DRIVE AND ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI).

† *Promotional price expires 11/5/93.*



DELL DIMENSION XPS 450V
i486 DX2 50MHz SYSTEM

$2,799† | BUSINESS LEASE $104/MO.

- 8MB RAM
- 64MB MAX RAM
- 230MB (17ms) HARD DRIVE
- **128KB SECOND LEVEL EXTERNAL CACHE**
- UPGRADEABLE TO PENTIUM OVERDRIVE
- 5 16-BIT ISA EXPANSION SLOTS AVAILABLE, 1 ON VL-BUS
- **VL #9GXE VIDEO ACCELERATOR CARD WITH VIDEO CONTROL PANEL SOFTWARE**
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)
- ONE DISKETTE DRIVE (3.5")
- SPACESAVER KEYBOARD
- **MULTI-SESSION, DOUBLE-SPIN CD ROM DRIVE**
- **SOUNDBLASTER 16-BIT SOUND CARD, AMPLIFIED SPEAKERS, MICROPHONE**
- MS-DOS 6.0/MICROSOFT WINDOWS 3.1/MOUSE



DELL DIMENSION XPS 466V
MULTIMEDIA
i486 DX2 66MHz SYSTEM

$2,999† | BUSINESS LEASE $111/MO.

- 8MB RAM
- 64MB MAX RAM
- 320MB (17ms) HARD DRIVE
- **128KB SECOND LEVEL EXTERNAL CACHE**
- UPGRADEABLE TO PENTIUM OVERDRIVE
- 5 16-BIT ISA EXPANSION SLOTS AVAILABLE, 1 ON VL-BUS
- **VL #9GXE VIDEO ACCELERATOR CARD WITH VIDEO CONTROL PANEL SOFTWARE**
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)
- ONE DISKETTE DRIVE (3.5")
- SPACESAVER KEYBOARD
- **MULTI-SESSION, DOUBLE-SPIN CD ROM DRIVE**
- **SOUNDBLASTER 16-BIT SOUND CARD, AMPLIFIED SPEAKERS, MICROPHONE**
- MS-DOS 6.0/MICROSOFT WINDOWS 3.1/MOUSE

DELL DIMENSION XPS. PCs DESIGNED FOR THE HIGH PERFORMANCE USER.

Now that you have been a witness to the impressive technological advancements of the Dell Dimension XPS PCs, there are only two small decisions you have left to make. And they're both easy ones:

Which Dell Dimension XPS PC is the right computer for you?

And what kind of software would you like to go with it?

That's right. You can order your software at the same time you order your Dell Dimension PC. That way, you'll be up and running the minute you open the box and unpack your system.

Purchase any combination from 100 of the most popular and competitively priced MS-DOS and Windows applications and have them pre-loaded onto your machine for one flat $15 installation fee per system. Now that's a really good deal.

And should you ever feel the need to add a peripheral, upgrade a software package or order a new application, we're ready and able to help you there too. With our DellWare℠ program. A great selection of more than 2,400 software and peripheral items that you can order direct from us at discount prices. And if you want your DellWare selections in a real hurry, we'll ship your order to you overnight for only $5 extra. For no charge at all, we'll send you a free DellWare catalog.

Now if there's anything else we can do for you, just pick up the phone and call.

DELL™


TO ORDER, CALL
800-545-7129

HOURS: MON-FRI 7AM-9PM CT SAT 10AM-6PM CT SUN 12PM-5PM CT
IN CANADA* CALL 800-668-3021. PLEASE REFERENCE #11EAR

Prices valid in the U.S. only. Some products and promotions not available in Canada. ◊Business leasing arranged by Leasing Group, Inc. The Intel Inside logo is a registered trademark and i486, Pentium and Overdrive are trademarks of Intel Corporation. MS-DOS and Microsoft are registered trademarks and Windows is a trademark of Microsoft Corporation. VL-Bus is a trademark of Video Electronics Standards Association. Dell disclaims proprietary interest in the marks and names of others. ©1993 Dell Computer Corporation. All rights reserved.

A GUIDE TO THE WORKPLACE SHELL

The Workplace Shell is aggressively object oriented. Point anywhere, even on a blank area (as shown), and click on the right-hand mouse button; up pops a menu of associated choices. Shaded icons mean an application (or application in the group) is running in the background.



MINIMIZED WINDOW VIEWER
To keep the Workplace Shell look and feel clean, minimized applications aren't arranged across the bottom of the screen as in Windows. Instead, the icons are tucked into their own folder. (If you'd really prefer the Windows method, you can change it.)

PRINTER ICON
Want to print a file? Just drag the file icon and drop it on the printer icon. It also gives you the print-queue status.

DUAL BOOT
Clicking on it closes all running applications and boots your original version of DOS (if set up that way during installation).

START HERE ICON
This icon tells you just about everything you need to know the first time OS/2 appears on your screen.

DISK A
It accesses the floppy drive.

SHREDDER
The name is a misnomer. It's just like the Mac Trashcan. It erases files, but you can also recover them.

FOLDERS
This is a hierarchical approach, just like the Mac Desktop. Organize applications and data in as many layers of folders as you wish. It's the graphical equivalent of subdirectories.

TEMPLATES FOLDER
Templates are predefined objects for the Workplace Shell for programs, data, printers, and so forth. Each type has a stack of templates you peel off (like a sheet off a pad) and drag and drop to a location in the Workplace Shell or in a folder. Then you click on the right-hand mouse button and customize the settings. Templates save gobs of time when you're setting up new applications.

PROGRAM ICONS
Any Windows, DOS, or OS/2 applications. OS/2 starts them directly. (No need to enter Win-OS/2 to run Windows applications.)

way to get around the problem, at least partially. You can boot a "true" DOS image and use drivers that aren't supported under OS/2's VDMs. The process is comparatively complex. You first create a bootable DOS disk on another computer, then copy FSFILTER (a DOS device driver that provides access to OS/2 partitions) to it, use VMDISK to create an image of a disk on your OS/2 hard drive, and finally create a new object for the DOS session. It works, but you get access only to the devices from within the DOS session under OS/2.


The 32-bit Question

The future of true 32-bit applications for the OS/2 environment is a mixed one. Although OS/2 applications are becoming more prevalent, few yet take advantage of the OS/2 internal power and multithreading capabilities. Some (e.g., WordPerfect for OS/2) are 16-bit ports of Windows applications. But true 32-bit applications (e.g., Lotus Ami Pro for OS/2) are now appearing. Their performance is impressive when compared with Windows.

More thorny is the question of the future of 32-bit applications under Win-OS/2. When I wrote this, Win-OS/2 didn't support Windows 32-bit applications and VxDs (virtual device drivers). At the present time, most applications are compatible under OS/2 2.1. And because Windows for Workgroups uses VxDs, you can't use it with OS/2. Help should be on the way; IBM expects that an OS/2 2.1 upgrade will appear "by the end of the year" to handle this. In the meantime, however, you're definitely out of luck. And, as mentioned, the question of longer-term OS/2 compatibility with future versions of Windows remains up in the air.

Let's get real. OS/2 2.1 isn't going to push aside Windows. Windows has too large an installed base. But neither will Windows destroy OS/2 2.1. OS/2 has some tantalizing advantages that make it ideal for true PC power users, especially in the corporate environments that IBM knows and loves. After years of development and testing and six versions, IBM should finally take a few well-deserved bows for OS/2 2.1. For PC users who need true preemptive multitasking, OS/2 makes a solid choice. ■

Stan Miastkowski is a BYTE consulting editor. He was cofounder and publisher of the OS/2 Report *newsletter and has been an OS/2 user since version 1.0. You can reach him on BIX as "stanm," on the Internet at stanm@bix.com, or via MCI Mail at 530-9979.*


WordPerfect
SIX.0
WINDOWS
WordPerfect
SIX.0
WINDOWS
IT'S AS
INDIVIDUAL AS
YOU ARE.
WordPerfect
SIX.0
WINDOWS
WordPerfect
SIX.0
WINDOWS

INTRODUCING WORDPER
IT'S WINDOWS THE W

Of all the things people do with personal computers, word processing may be the most personal.

Nobody writes the way you do. Nobody gets the same assignments or tackles them the same way. And nobody understands that better than WordPerfect®, the worldwide word processing leader.

That's why we're excited to intro—duce WordPerfect 6.0 for Windows. We didn't design it to be the perfect writing tool for the *average* user. We designed it to be the perfect writing tool for *you.*

MAKE IT YOUR OWN.

Which features of your word processor do you use most often? Are they organized so that you can get at them quickly?

WordPerfect 6.0 gives you direct, one-click access to *any* command, process or macro in the program. Just drag your favorites to a context-sensitive Button Bar™ and arrange them any way you like.

You can even drag in other Windows applications and files and launch them from within WordPerfect. (How's that for easy integration?)



How it looks is up to you. Because every aspect of the WP interface can be easily customized.

You can quickly create customized interfaces to streamline the writing of reports, memos or letters. Or you can simply use any of 70 profession—ally designed ExpressDocs™ templates included in the package.

And it's not just com—mands you're in command of. Virtually every element of the interface — including how it looks and feels—is yours to do with as you will.



Now, you can create 3-D charts from table and spreadsheet data without ever leaving WordPerfect.

It's the most easily customized word processor ever to come out of a box.

* LIMITED TIME OFFER. WORDPERFECT IS A REGISTERED TRADEMARK OF WORDPERFECT CORPORATION WITHIN THE UNITED STATES AND OTHER COUNTRIES. ALL OTHER BRAND AND PRODUCT NAMES ARE TRADEMARKS OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE COMPANIES. © WORDPERFECT CORPORATION 1993.



FECT® 6.0 FOR WINDOWS.
AY YOU WANT IT TO BE.

GETTING HERE WILL BE EASY.

With more than 100 built-in spreadsheet functions and advanced charting and drawing capabilities, this is the most powerful program WordPerfect has ever developed. But how difficult will it be putting all this power and flexibility to work?

If you've used WordPerfect on another operating system, you and your existing documents and macros will feel right at home here. This is the WordPerfect you know, in a friendlier, more accommodating environment.

There's an on-line tutorial for first-timers, of course. But there are also interactive Coaches smart enough to lead you step-by-step through sophisticated operations, not on *sample* documents, but on *your* documents. And if you have any questions, WordPerfect's support people (widely acknowledged to be the best in the business) are standing by to help.

THE BEST REASON FOR MOVING TO WINDOWS.

This is everything WordPerfect has learned about word processing over the years, combined with all the advanced ease-of-use capabilities of the Windows environment.

It connects your documents directly to other powerful Windows applications, and to the rest of the business world. And the power of WordPerfect 6.0 is all yours.

Borland®
Quattro® Pro 5
INSIDE SPECIALLY MARKED BOXES*

To claim it for yourself, visit your local reseller and ask about the special introductory offer with Quattro Pro 5.0. For a free demo disk or to order directly, call WordPerfect at (800) 526-2788.


- Document templates
- Spreadsheet functions
- Interactive Coaches
- Sophisticated drawing tools
- Direct spreadsheet import
- Document management
- Graphics editing
- Irregular text wrap
- Borders
- Full WYSIWYG in all views
- Power bar
- Indexing and text retrieval
- Quickmenus
- Direct database import
- Styles
- Macros
- Auto macro conversion




WordPerfect®

6.0 FOR WINDOWS™

TO WIN THE PAPER CHASE



STOP CHASING PAPER




DOC•IT INCREASES YOUR PRODUCTIVITY AT WORK.

We've just brought the paper chase to a resounding and refreshing halt with the invention of DOC•IT, the revolutionary, desktop document processor that combines a multitude of talents.

With DOC•IT, Okidata has integrated faxing, printing, copying, scanning, cutting and pasting in one unit with a footprint so compact, it takes up just a corner of your desk. Incorporating graphics capability compatible with Windows™ and most major software, DOC•IT lets you create and communicate finished presentation-quality documents–complete with visuals–without having to get out of your chair.

No more standing in line. Everything sits on the corner of your desk: simple, handy, productive and private; and incredibly easy to use. If DOC•IT looks good to you on paper, come see it in action at your nearby authorized Okidata DOC•IT dealer. ***TO RECEIVE YOUR OWN ON-SCREEN DEMO DISK, OR THE NAME OF A DEALER NEAR YOU, CALL 1-800-OKI-TEAM, EXT. 264.***

Circle 314 on Inquiry Card.



DOC•IT T.M., Okidata Reg. T.M. M.D. OKI Electric Industry Company, Ltd. Windows T.M. Microsoft Corp. "THE END OF THE PAPER CHASE" Reg. T.M. Micro Dynamics, Ltd., Silver Spring, MD.

Partners Seek to Unite Phone and PC

The Windows Telephony API promises a new generation of phone-enabled applications for the desktop

ANDY REINHARDT



Applications

Despite their obvious affinity, the two most essential pieces of equipment in today's offices, the computer and the telephone, have yet to be fully integrated. The gap has not gone unnoticed by vendors, but old habits and technology have kept the worlds apart.

Now, as part of its ongoing WOSA (Windows Open Services Architecture) initiative, Microsoft is trying to bridge this gulf. Following the front-end/back-end model the company has used in other WOSA components, Microsoft and its partners have designed a set of software interfaces that will facilitate connecting Windows systems to phone equipment.

The goal of the Windows Telephony API, or *TAPI*, is to enable a new generation of telephone-enabled software applications, while at the same time making it easier to connect desktops, laptops, and LANs into phone systems and PBXes. TAPI defines a client-side API that supports telephony features and a back-end SPI (service provider interface) that defines how phone equipment talks to a Windows DLL. When implemented, TAPI will let you access sophisticated central phone functions from your PC and let developers create phone-based programs without having to worry about the intricacies of the device on the other side of the interface.

Helping Hands

Microsoft's partners include phone-equipment vendors Northern Telecom, Alcatel, and Rolm; call-processing system makers Dialogic, Natural Microsystems, and Octel; software vendors Lotus, Delrina, and Contact Software; chip makers Intel, National Semiconductor, and Analog Devices; and RBOCs (Regional Bell Operating Companies) Ameritech and US West. Together, these companies are redefining the physical and logical connection between phone and PC. Soon you may have both devices on your desk, attached to a PBX and operating under the control of desktop software. In the future, telephone hardware could become integrated into the PC, and a handset could become a standard PC accessory.

In either scenario, the PC display will be the user interface to the phone system. To place a call, you could select a recipient from a pull-down list, and the phone number would be routed out through the PBX or switch. If you have a separate desktop phone, the PBX would ring it when the connection is made. Similarly, taking advantage of the Caller I.D. capability that identifies the phone number of an incoming caller, the PBX could feed the number to a database that would look up the caller's record and send it to your screen while the phone rings.

Much of the motivation for TAPI is the growing complexity of today's phone systems. Many users don't take advantage of sophisticated features such as Call Forwarding because they can't figure out how to use them. Providing access to these capabilities through the Windows interface could make them easier to use. For example, you could set up a conference call by dragging and dropping the names of all the participants into a box on the screen, leaving the PBX to place the calls.

An attractive potential application of TAPI would be a unified "in box," where E-mail, fax, and voice-mail messages are presented. This would eliminate an annoying aspect of voice mail: the need to listen to all the messages in a linear fashion. With Caller I.D. and a database of known numbers, incoming messages could be listed by the name of the caller, letting you retrieve them in any order. Using the same kinds of filtering software now available for E-mail (e.g., BeyondMail), you could prioritize voice messages or specify that calls from certain people be forwarded to another location.

Adding the LAN

For the time being, TAPI assumes that each client system is linked directly into the PBX or phone switch. It also requires that the software to implement phone capabilities be installed on every client, which could cause big companies with tens of thousands of users to think twice about the cost of buying it.

To better address the installed base, Novell and AT&T have established a nonexclusive partnership to connect NetWare servers and AT&T Definity switches. This server-based approach would allow the same kinds of features described above—dialing out directly from the client (routed through the server to the PBX) or looking up incoming Caller I.D.s in a server database—but would distribute the cost of telephony software across all network nodes. One major advantage of a LAN-based solution is that the PBX and LAN user directories may be integrated and centrally managed. It could also eliminate the need for separate network and telephone wires to each workstation.

The Novell/AT&T and Microsoft solutions are not necessarily incompatible: You could apply client-side TAPI applications in a NetWare environment through AT&T switches. Sue Rubinstein, a senior research analyst for the

Meta Group (Reston, VA), says that Microsoft's architecture "is more end-user oriented, for voice-enabled applications sold through retail." She argues that the Novell approach will be preferred by corporate customers because it fits in better with today's installed base of network and telecommunications equipment.

In the future, Microsoft is expected to supply a server-based solution that runs on the NT Advanced Server. Although both companies have said they are not competing for the same market, Rubinstein disagrees. "They're coming at it from two different directions," she says, "but they'll absolutely be competing head to head within two years."

The problem with the LAN-based approach, notes Frank Dzubeck, president of Communications Network Associates, a Washington, D.C., consultancy, is that today's networks aren't designed to handle real-time voice traffic. While Dzubeck believes telephony functions will appear immediately in notebooks and PDAs—typically in wireless implementations—they won't become common in the desktop environment until voice can be carried well across LANs.

Whither the Phone?

Dzubeck agrees with Rubinstein that the Novell/AT&T solution is now more attractive to customers. "Companies aren't going to throw away their PBXes, so they'll want to tie them to servers," Dzubeck says. But later in the decade, especially with the rise of desktop videoconferencing, those PBXes will be replaced with video servers and ATM switches, affording great risks to the established suppliers and an opportunity for new players. Instead of sophisticated, proprietary hardware devices, phone "systems" will become software modules running on off-the-shelf servers and local data/voice/video switches.

The same holds true on the desktop: If telephones migrate from stand-alone devices into PC peripherals, established players could lose their shirts. Rubinstein points out that there is no need for a fancy desktop phone with lots of buttons and an LCD display if all of its features can be accessed from a Windows desktop. So, vendors of phones will have to learn to sell PC add-ins and software to computer owners.

Another wild card in the path to acceptance for TAPI is General Magic's Telescript, an interpreted language that aims to do for telecommunications what Adobe's PostScript did for printing. Telescript defines an architecture for communication of rich data types transparent to underlying protocols and media. Through the use of "agent" objects, Telescript goes well beyond merely integrating today's PCs into the phone system: It defines an intelligent subsystem for establishing and routing communications among users and processes. Given its backers, who include AT&T, Apple, and Motorola, Telescript may find its initial acceptance in mobile applications, but it could eventually become standard middleware between the client Windows interface and back-end services ranging from local switches to the information highway. ■

Andy Reinhardt is BYTE's West Coast bureau chief. You can reach him on BIX as "areinhardt."

SoftCollection
High Powered Software Without the High Price



Work Faster and Easier with Floppies
One-pass diskette copy, multiple diskettes, copy 3-1/2" to 5-1/4" and vice versa, much more.
Item# B211 $23.95.



Windows Tune Up
Analyze and reconfigure your system to supercharge Windows with this slick, convenient group of utilities.
Item# B216 $17.95.



Personal Data File Manager
Manage your addresses, contacts, books, VCR tapes and more. This fast and simple database manager has a report generator and more.
Item# B222 $17.95.



Astronomy Star Finder for Windows!
Turn your PC into a Windows planetarium. Complete data-base of 10,000 stars (with technical info) from 200 places worldwide.
Item# B215 $19.95.



Windows Icon Editor
Create, personalize and change icons for your own taste. Works with EXE and DLL files. With icon library and screen capture to a 32x32 icon, more.
Item# B219 $17.95.



DataCruncher
Fast access to all compression programs. Here's a simple way to run PKZIP, LHARC, ARJ and others from Windows. Pack and unpack quickly without problems.
Item# B214 $17.95.



Art Masterpieces on Your PC
From Monet and VanGogh to Michaelangelo and others, their work is here for you to use in BMP format.
Item# B226 $15.95.



Add Impact with Graphics
Each package contains 100+ ready-to-use, professionally created clipart in PCX format.
Item# B224 $15.95.
More Graphics
Item# B225 $15.95.



The Frugal Desktop Publisher
Create newsletters, brochures, ads, and more with this feature-filled Windows page layout package. Import graphics, change fonts, add designs, more.
Item# B217 $19.95.



Puzzles, Pranks, Toys and Games for Windows
Outrageous puzzles, pranks and games that will make everyone laugh. The most hilarious collection of fun yet for Windows.
Item# B227 $19.95.

Original Software, Not Shareware. Available at book and software stores everywhere or have your dealer call us.

Abacus
Dept. S11, 5370 52nd Street SE
Grand Rapids, MI 49512

e rush me the following items:

	Title	Price
___	_____	_____
___	_____	_____
___	_____	_____
___	_____	_____
___	_____	_____

Subtotal: _____
MI orders include 4% sales tax: _____
In US & Canada add $5.00 shipping: _____
Foreign orders add $13.00 per item: _____
Total amount (US funds): _____

For fast delivery Order Toll Free 1-800-451-4319 EXT. S11, or FAX (616) 698-0325
Or mail this coupon to: Abacus, 5370 52nd Street SE, Grand Rapids, MI 49512

Method of Payment: ❑ Visa ❑ Master Card ❑ Am.Express ❑ Check / M.O.
Card#: |_|_|_|_|_|_|_|_|_|_|_|_|_|_|_|_| Expires: ___/___
Name: _____
Company: _____
Address: _____
City: _____ State: ___ Zip: _____
Phone#: _____ Fax#: _____
❑ Yes, please rush your free catalog of PC books and software. Dept.S11



Make Windows Scream, Literally With sounds, effects and wave manager. Windows becomes lively and fun with 40+ new sounds.
Item# B221 $19.95.

Circle 278 on Inquiry Card (RESELLERS: 279).

"ALR's EVOLUTION VQs have certainly made the most out of existing technology."
IDC Weekly Update - May 20, 1993

"A stylish tower system, the ALR EVOLUTION VQ incorporates more new hardware features than any other machine reviewed here."
PC Magazine UK- July, 1993

Pentium Processor Power From Just $2495

"Best of Show, Spring Comdex, 1993"
BYTE Magazine- May, 1993



PC Magazine- June 15th 1993

intel inside pentium PROCESSOR

Systems shown from left to right; ALR EVOLUTION VQ/60 & EVOLUTION V

The Intel iCOMP Index 40%

40% greater performance is now only $1 more than our comparably configured 33-MHz i486DX systems!

ALR EVOLUTION IV 4/50d



Prices Start at
$1,365
Call ALR For Other Pricing and Custom Configurations
*Limited time offer on ALR EVOLUTION IV ISA-based systems only.

"Fast, compact, nicely designed... a solid desktop choice." *InfoWorld July 5, 1993*

- High-end power at an affordable price
- 2 VESA local bus slots for enhanced compatibility and performance
- WD33 local bus graphics for high speed Windows™ computing
- Ample expandability for challenging applications such as image processing, data management, and high-end multimedia
- An upgrade path to Pentium Technology and ALR's revolutionary 5 Year/15 month warranty provide true investment protection
- EISA and ISA bus architectures available

ALR FLYER VL 4/50d



Prices Start at
$1,460
Call ALR For Other Pricing and Custom Configurations

"The power-saving capability carries no price premium." *PC Week June 7, 1993*

- Remarkably affordable 50-MHz computing
- Integrated accelerated local bus graphics (WD33 RocketChip) for outstanding Windows performance
- Energy saving design helps lower your electric bill while promoting a better environment
- VESA local bus slot for enhanced compatibility and performance
- 5 Year/15 month warranty provides long term peace of mind

We could talk for days about how great our new EVOLUTION V family is. We could fill up pages detailing why these 64-bit Pentium processor powerhouses are the most revolutionary systems to hit the microcomputer industry in years. But frankly, it's easier for us to just quote the industry experts. After all, these folks live, breathe and dream computers, so if something impresses them, you know it has to be good.


MVP FINALIST

Yet these systems are more than just award winners. The EVOLUTION V family continues ALR's eight year history of delivering state-of-the-art technology at unbeatable prices — a tradition shared by our entire family. Backed by our industry leading 5/15 warranty, the entire ALR product line delivers an unbeatable combination of performance, service, and value.

The ALR EVOLUTION VQ/60 & EVOLUTION V

Technology designed from the inside out

While most of today's Pentium processor systems are merely upgraded versions of existing 32-bit i486-based PCs, the ALR EVOLUTION V and the EVOLUTION VQ were engineered from the ground up to take full advantage of this advanced, 64-bit CPU. With support for the Pentium processor's wider data path and high performance write-back mode, these powerful systems easily outperform their less sophisticated competitors.



1. 60 or 66-MHz Pentium Processor
2. Quadflex 128 Architecture (ALR Custom ASICS) with Dual 64-bit Path cache to Memory; Supports Pentium Write-Back Mode
3. Dual 256-KB (512-KB total) 64-bit integrated Write-back Cache
4. 16-MB RAM(Expandable to 1-GB); True 64-bit Data/Memory Path
5. Ten 32-bit EISA Expansion Slots
6. 3 VESA VL Local Bus Slots
   Also Includes:
   13 Drive Bays
   415 Watt Power Supply

The ALR EVOLUTION VQ System Board Technology



1. 60-MHz Pentium Processing Supports Pentium Write-Back Mode
2. 8-MB RAM(Expandable to 128-MB); True 64-bit Data/Cache/Memory Path
3. Integrated 256-KB Write-back Cache
4. Integrated MULTUS (Multi-seeking) IDE Controller
5. Six ISA Expansion Slots
6. 3 32-bit VESA VL Local Bus Slots
   Also Includes:
   Six Drive Bays
   200 Watt Power Supply

The ALR EVOLUTION V System Board Technology

For more information or to order please call

800-444-4ALR

ALR can be reached on Compuserve -- GOALRINC

ALR
Advanced Logic Research, Inc.

9401 Jeronimo Irvine, CA 92718 (714) 581-6770 FAX: (714) 581-9240

Some systems shown with optional monitors. Prices, specifications and configurations are subject to change without notice. Verify competitive pricing with manufacturer. Prices based on U.S. dollars. ALR is a registered trademark of Advanced Logic Research, Inc. Intel Inside logo is a trademark of Intel Corp. All other brand and product names are trademarks or registered trademarks of their respective owners. ©1993 by Advanced Logic Research, Inc.

Circle 280 on Inquiry Card (RESELLERS: 281).

IBM Has High Hopes for Multimedia on OS/2

Multimedia Extensions for Presentation Manager gives capabilities to OS/2 that outstrip Windows 3.1

NICHOLAS BARAN



IBM faces an uphill battle in its effort to make OS/2 a major player in the PC operating-system arena. But the company has a clear advantage with the multimedia capabilities of OS/2, which are packaged as the Multimedia Extensions for Presentation Manager (or MMPM/2 for short).

This advantage comes in part from OS/2 features such as 32-bit bandwidth and preemptive multitasking. These features enable the operating system to handle simultaneous multiple video and audio sources as well as the demands of video and audio synchronization and high-speed video frame rates that are required for digital movies.

Windows 3.1, on the other hand, does not offer the performance or the robustness to handle sophisticated multimedia applications. (For a detailed comparison of multimedia on Windows 3.1 and OS/2, see "Multimedia Infrastructures," August BYTE.) In spite of the software's limitations, however, Microsoft has focused its multimedia program on Windows 3.1 and has not done much to promote multimedia for its new high-performance Windows NT operating system. Observers speculate that Microsoft will promote multimedia heavily in its 32-bit successor to Windows 3.1 (called, depending on whom you talk to, either Chicago or Windows 4), which is due out sometime next year.


Window of Opportunity

In the meantime, IBM is aggressively pushing OS/2 for multimedia. In the past few months, IBM has announced a series of multimedia development tools, under the moniker *Ultimedia*, that work with MMPM/2.

Ultimedia Builder allows you to build multimedia presentations. Ultimedia Perfect Image is an image-processing tool for editing and enhancing captured images. And Ultimedia Workplace provides links for multimedia applications and databases so that you can incorporate data from your database into multimedia presentations. In addition, IBM is about to release a tool called Ultimedia Video IN for capturing video footage and converting it into a sequence synchronized with audio.

All of these tools support IBM's Ultimotion data-compression algorithm; in addition, they also support other major data-compression algorithms, such as SuperMac's Cinepak and Intel's Indeo. It is also interesting to note that IBM is porting its Ultimotion algorithm to Windows.

But while few would dispute that IBM's multimedia offerings are superior to what is currently available from Microsoft, there's considerable concern about OS/2's installed base. Says Joe Scirica, vice president of product development at Maxis (makers of the popular SimCity game for the Mac and Windows), "The OS/2 market is still too small. The installed base isn't large enough for us to support OS/2. Where's the OS/2 section in the software store?"




Multimedia Extensions for Presentation Manager.


While OS/2's small installed base might scare off the game makers, IBM says that it is making headway with corporations that want to use multimedia for computer-based training and video E-mail and conferencing. For example, Holiday Inn is designing a multimedia training system for its desk clerks using OS/2 multimedia.

IBM's brand manager for multimedia, Karl LaWall, observes that "people who are beginning to use multimedia are discovering they need a robust platform—we're seeing increased acceptance of OS/2 across all areas of [the multimedia] marketplace." ■

Nicholas Baran is a BYTE consulting editor living in Sandpoint, Idaho. He is the author of Windows from the Keyboard *(John Wiley & Sons, 1993). He can be reached on BIX as "nickbaran."*



BEFORE SURE!MAPS, THIS WAS THE ONLY WAY TO ACHIEVE PIN-POINT ACCURACY.



Expand Sure!MAPS with detailed information on major metropolitan areas.



Street maps let you pin-point locations by address or latitude/longitude.



Now there's a better way: Sure!MAPS™ **CD-ROM** based desktop mapping software from Horizons Technology. No more colored stick pins. No more holes in your office wall. Sure!MAPS brings detailed mapping capabilities directly to your DOS or Windows PC. Import your database into Sure!MAPS to reveal geographic trends that will help you make faster and better business decisions. Whether it's real estate listings, office locations, customer sites or virtually any kind of point-specific data, Sure!MAPS can open your eyes to a world of valuable insights.

The Sure!MAPS base product includes a continental U.S. map and two world maps. You can expand your map coverage by ordering full-color raster USGS Map Sets of major metropolitan areas, complete with terrain contours and details like airports, parks, rivers, buildings and bridges. Street-level maps and satellite imagery are available, too. All you have to do is pick the Map Set that contains your city or region and Sure!MAPS does the rest. It even imports spreadsheet and database files, calculates distance and area, and scrolls from map to map in one seamless presentation.

$199 RETAIL!

Pin-point mapping will never be the same after Sure!MAPS. So throw away those little pins and call **1-800-828-3808**. Or plot a course to your local distributor, reseller or computer store to get your copy today.

HORIZONS TECHNOLOGY, INC.®

Horizons Technology, Inc.
3990 Ruffin Rd.
San Diego, CA 92123-1826
(800) 828-3808

Sure!MAPS is a trademark of Horizons Technology, Inc.
Street-level maps are copyrighted by Etak, Inc.

Circle 298 on Inquiry Card (RESELLERS: 299).

Pen for OS/2

IBM sees multitasking as key to moving OS/2 into the pen market

ED PERRATORE



IBM first had to make OS/2 the robust operating system users expect. Then came pen capability, supported by hardware makers such as Dauphin Technology, Telepad, and AST Research. Now for the Personal Systems Products group's next challenge: selling Pen for OS/2 horizontally in an essentially vertical market.


IBM's chief target market is the company's long-established base of existing users. "Customers want either to take those custom-built applications and add pen function to them or to continue running their DOS, Windows, and OS/2 applications *and* write a brand-new pen application," says Gordon Arbeitman, PSP's technical planner for pen software. This approach saves money and programming time, especially considering the "very minor transition" for a competent OS/2 programmer to master Pen for OS/2's controls and APIs.

The problem? Despite notebook PCs with bigger hard drives and more RAM, the perception lingers that OS/2 is a desktop operating system. And there is the better-grounded perception that handwriting recognition has a long way to go.

But for mobile workers using standard forms and needing to multitask, Pen for OS/2 may serve well. For example, says Debra Davis, PSP pen brand manager, if you're a meter reader filling out a pen-driven form, "you could be sending the data back, accessing customer files, preparing bills, and getting them out faster."

Says Gerry Purdy, Dataquest's chief mobile computing analyst: "It may end up, for a mission-critical application, to be the kind of operating system that is absolutely right on. You can't get that [yet] from Microsoft." ■

Ed Perratore is a BYTE news editor based in New York. You can reach him on BIX as "eperratore."



TIM HEFLIN
Manager, End-User Services
Microsoft, Inc.

Network Topology: Ethernet
Networking Protocol: TCP/IP
Host: DEC VAX

"DynaComm® is Microsoft's® choice for terminal emulation." It should be yours.

Evaluating terminal emulation software? Consider the one Microsoft chose for communicating across their world-wide network. FutureSoft's DynaComm for Windows™ offers a single solution for PCs communicating across multi-platform networks to host computers.

DynaComm features:
- 16 Terminal emulation types for UNIX, DEC, Hewlett-Packard, IBM, and Data General systems
- 19 Network interfaces including TCP/IP and IPX
- Powerful development tools for creating GUI front ends to host applications

800-989-8908



FutureSoft.
12012 Wickchester Lane, Suite 600 • Houston, Texas 77079-1222 USA
713.496.9400 • 713.496.1090 FAX • 800.989.8908 Sales (USA)

Windows is a trademark of Microsoft Corporation. Microsoft is a registered trademark of Microsoft Corporation. DynaComm and FutureSoft are registered trademarks of Future Soft Engineering, Inc.

Circle 296 on Inquiry Card (RESELLERS: 297).

No doubt you've experienced the limitations of Windows.



Too slow. Too cluttered. And a little klutzy. Clearly, Windows has its imperfections. Fortunately, they're easy to fix. All you need is PC Tools™ for Windows software. It makes Windows faster, simpler, more fun—while it protects your data. Infoworld *concluded, "with the release of PC Tools for Windows, Central Point has in a single stroke grabbed the top spot as best Windows shell from Norton Desktop." We couldn't have said it better. And at $99 (from participating dealers) the advantages of PC Tools for Windows are really hard to ignore. To see if you qualify for the $49.95 upgrade to PC Tools for Windows,* ***just call 1-800-695-0679.***

Central Point Software

Circle 288 on Inquiry Card.

Central Point and PC Tools are trademarks of Central Point Software. Names of other products are used for identification purposes only and may be trademarks of their respective companies.

IBM Makes MP Promises for OS/2

By adding symmetrical multiprocessing to OS/2, IBM has brought scalability to its premier desktop operating system

ED PERRATORE



Applications

Multiprocessor-capable hardware is a waste if your software is unable to use more than one CPU at a time. One major criticism of OS/2 has been its lack of support for multiprocessing. IBM plans to rectify this situation with OS/2 SMP, an operating-system enhancement due to go into beta by year's end.

IBM expects OS/2 SMP to turn in performance numbers superior to SMP performance on kernel-based operating systems. According to OS/2 developer Dave Medina, OS/2 SMP lacks much of the baggage of message passing and other overhead required to enable SMP on kernel-based architectures. This could mean a performance advantage for OS/2 over Windows NT and IBM's forthcoming Workplace OS when compute-intensive applications are run on a multiprocessing system.

OS/2 SMP makes no distinction between operating-system threads, such as the Workplace Shell or the Windows Manager, and those of the applications, says OS/2 SMP development manager Ayodele I. Anise. And DOS and Windows applications as well as those for OS/2 will be supported. Multithreaded applications will benefit the most, of course, because the various threads can be dispersed among available processors.


Ensuring Compatibility

By the time the code goes into beta, IBM hopes to have overcome difficulties created by certain OS/2 ISVs (independent software vendors) who, in the words of John Navas, a consultant working with alpha OS/2 SMP code under contract with Everex, "have written code that makes a lot of assumptions that are tied to a uniprocessor." Such software can very easily get into race conditions, where two pieces of code in the same application deadlock over simultaneous attempts to access the same resource. For example, the application may boost its priority because it assumes nothing else will be running. "In a multiprocessing environment, that doesn't work," says Navas. The answer, he suggests, may be to offer a compatibility mode in which a particular ill-behaved application can run in a uniprocessor-emulation mode.

Navas's team, running AutoCAD, Windows applications, Ultimedia for OS/2, and other applications, has encountered no problems that he does not expect to see resolved by the time the code goes into beta. "Our only concern right now is how fast IBM is going to move forward," he says. "I've got people who are saying that they'd take it *yesterday*."

When we went to press, the decision on how to package OS/2 SMP had yet to be finalized. Weaving it into OS/2 2.2 is a possibility, as is offering it as a quiet upgrade—the way the Personal Systems Products division included the 32-bit graphics engine in its Service Pak late last year. IBM says it tentatively expects to sell it through the OEM channel on OS/2-equipped multiprocessing systems from IBM and other vendors.

However it hits the market, OS/2 SMP is sure to better IBM's attraction in the face of formidable opposition from Microsoft and from PSP itself. "One of the big objections I've seen many times, from clients who are looking at OS/2, is its lack of scalability," says Navas. "They're saying, 'It's limited to one Intel processor—what if I need more power than that?' This is the answer. It's limited to however many chips you want to buy, assuming the hardware guys come through and deliver reasonably priced systems." ■



In a symmetrical *multiprocessing system, the processors have equal access to system resources, and any processor can run any operating-system or application thread. In an asymmetrical system, one processor usually runs the operating system and controls access to resources, creating imbalances in the distribution of work across the processors in the system.*

IBM Corp.
Old Orchard Rd.
Armonk, NY 10504
(800) 342-6672 (end-user sales)
(800) 426-4579 (OEM sales)
Circle 1088 on Inquiry Card.

Ed Perratore is a BYTE news editor based in New York. You can reach him on BIX as "eperratore."

SOFTWARE DEVELOPERS

The Key to Solving Your Piracy Problem & Increasing Sales.



Protect Your Software and Profits

Let's face it. Piracy costs software developers billions of dollars in lost sales each year. The only way to protect yourself from these losses is to protect your products. That's why more developers protect with Sentinel from Rainbow Technologies, the world's largest manufacturer of software protection devices for software developers.

Most Widely Used Keys in the World

Over 10,000 software developers worldwide use the Sentinel Family of software protection keys from Rainbow Technologies. They are simply the most reliable, compatible and effective keys available. And with more keys to choose from, the Sentinel Family offers keys for more platforms and languages than anyone else. For DOS, OS/2, Windows, Macintosh, LAN, UNIX, open systems and more.

SENTINEL
Securing the future of software

Service and Support Worldwide

Rainbow Technologies is the world leader in software protection. With offices throughout Europe and the United States, and distributors located worldwide, Rainbow Technologies offers just-in-time delivery and the largest engineering and technical support staff in the software protection industry. Find out how Sentinel keys can help solve your piracy problem and increase sales. Contact Rainbow Technologies at 800/852-8569 for a free copy of *"The Sentinel Guide to Securing Software"* and ask how you can get a Sentinel Evaluation kit.

RAINBOW TECHNOLOGIES

yes NetWare Tested and Approved

NEXT GENERATION ASIC TECHNOLOGY

9292 JERONIMO ROAD, IRVINE, CALIFORNIA 92718 • 800/852-8569 • 714/454-2100 • fax 714/454-8557
International offices are located in the United Kingdom, Germany and France.
Distributors located worldwide.


MICROSOFT WINDOWS COMPATIBLE

MEMBER SPA Software Publishers Association

© 1993 Rainbow Technologies, Inc. All product names are trademarks of their respective owners.

Circle 319 on Inquiry Card (RESELLERS: 320).

SHAPING UP FOR GREATER RECOGNITION



➤ THE EMERGENCE OF THE INFORMATION AGE HAS CREATED NEVER-ENDING MOUNDS OF PAPER. THE TASK NOW OF EFFICIENTLY SLIMMING DOWN THIS EXCESS OF WRITTEN MATERIAL IS TREMENDOUS. ENTERING ALL VALUABLE INFORMATION INTO A DATABASE IS ONE LEAP OVER THE HURDLE, BUT MANUALLY RETYPING THE MATERIAL IS TIME CONSUMING AND MAY LEAVE YOU BEHIND IN THE RACE.

➤ NOW, SHAPING UP HAS NEVER BEEN EASIER WITH RECOGNITA PLUS 2.0. THIS OPTICAL CHARACTER RECOGNITION (OCR) SOFTWARE HELPS TRIM DOWN THOSE PAPER OBSTACLES, BY ACCURATELY SCANNING AND READING PRINTED TEXT AND DATA QUICKLY AND ECONOMICALLY INTO YOUR COMPUTERS.

➤ WHAT MAKES RECOGNITA PLUS 2.0 A LEADER OF THE PACK IS ITS *OMNIFONT* CAPABILITY, PLUS BEING PRE-TRAINED AND TRAINABLE. IT IS VERY LIGHT ON MEMORY AND DISK SPACE, AND IS EXTREMELY FAST, REACHING SPEEDS OF UP TO 300 CHARACTERS PER SECOND.

➤ A TRULY GLOBAL COMPETITOR, RECOGNITA PLUS 2.0, OPENS UP THE WORLD, WITH ITS ABILITY TO READ OVER EIGHTY LANGUAGES.

➤ EXERCISE YOUR CHOICE FOR A MORE EFFICIENT OFFICE WITH RECOGNITA PLUS 2.0. HERE IS A PRODUCT BOTH PERFORMING AND DESERVING GREATER RECOGNITION.

NEW FEATURES OF RECOGNITA PLUS 2.0

IMPROVED ACCURACY: DUE TO SELF ASSERTION TECHNOLOGY.

EASE OF USE: REDESIGNED SCREEN, ACCESSING MANY NEW AND ENHANCED FEATURES.

NEW RECOGNITIONS SUPPORTED: DOT-MATRIX, AND FAX FILE.

FULL INTERNAL EDITOR FOR ALL FORMATS: PLUS DEFERRED EDITING AND A UNIQUE OCR SPECIFIC SEARCH AND REPLACE FACILITY.

WINDOWS WORD-PROCESSORS: DIRECT CONNECTIONS AVAILABLE, PLUS DEFERRED PROCESSING AND TEMPLATES.

DEVELOPMENT TOOLKIT AVAILABLE, PLUS TWAIN SUPPORT.

SZKI
RECOGNITA Corp.


Circle 321 on Inquiry Card.

IT'S IN BETTER SHAPE THAN EVER!

CALL ONE OF THESE TO FIND THE ADDRESS OF YOUR NEAREST DISTRIBUTOR:
SZKI RECOGNITA CORP., H-1012 BUDAPEST, MÁRVÁNY U. 17., HUNGARY • PHONE: 36-1/201-8925 FAX: 36-1/201-7607
RECOGNITA CORP. OF AMERICA,1156 ASTER AVENUE, SUITE F SUNNYVALE CA 94086. USA • PHONE: 1-408/241-5772 FAX: 1-408/241-6009
RECOGNITA BÜROAUTOMATISIERUNG GMBH. HAINSTRASSE 19, AUFGANG D, D-04109 LEIPZIG, GERMANY • PHONE: 49-341/209-635 FAX: 49-341/281-643

OS/2 and Windows Networks

BARRY NANCE



DANIEL PELAVIN © 1993

When you visit a foreign country, you use the local currency, and you try to follow the local customs. On many levels, you soon discover that people are not all that different. If you're familiar with Novell's NetWare, using a LAN based on OS/2 or Windows gives you the same feeling of being in a foreign country. You learn to think of the LAN in different terms, but you quickly find the net result—shared disk space, shared files, and shared printers—not all that different from what you're accustomed to. LANs based on OS/2 and Windows use different means to achieve file and print I/O redirection, and they offer some capabilities difficult to implement in a NetWare environment.

Two server-based NOSes (network operating systems), IBM's LAN Server 3.0 and Microsoft's LAN Manager 2.1, run on various flavors of OS/2 and share a common code base—programmers from IBM and Microsoft worked closely together to create the original versions of these products. Microsoft's newest operating system, Windows NT Advanced Server, runs on NT; Microsoft will continue to offer and support LAN Manager running on OS/2, as well as the NT Advanced Server.

Future products will use IBM's SMB protocols on NetBIOS to exchange file data. Lee Reiswig, president of IBM's Personal Systems Products Division, says his division plans to ship a peer-to-peer LAN product later this year or in early 1994. The as-yet-unnamed product has an object-oriented interface and a clipboard that lets different workstations share information. IBM licensed the core software from Symbotics. IBM will position its peer LAN relative to OS/2 the same way Microsoft does with Windows for Workgroups and Windows 3.1.

Other NOSes that work with Windows but aren't part of the base Windows environment include LANtastic for Windows, Invisible LAN, and WEB for Windows. Sun Microsystems says that later this year, it will release a version of NFS (Network File System) that will run on NT. IBM offers TCP/IP for OS/2. These latter two products help OS/2 and NT work with Unix-based servers.

LAN Server and LAN Manager

LAN Server 3.0 is a 32-bit NOS that the BYTE NSTL team has clocked as being faster than NetWare 3.11. LAN Manager uses many of the same commands as LAN Server and, like it, works internally. LAN Server runs on OS/2 2.x, which you buy separately, while LAN Manager comes bundled with OS/2 1.3.

IBM's LAN Server and Microsoft's LAN Manager have more similarities than differences

LAN Server and LAN Manager are excellent environments for client/server computing. It's relatively easy to program an OS/2 computer, even one that is already running as a file server. If you have a staff of programmers or if the applications software you buy already supports LAN Server and LAN Manager, client/server architecture becomes a possibility. SQL Server, Oracle, and DB2/2 are examples of RDBMSes (relational database management systems) that work well on OS/2-based LANs.

In LAN Server and LAN Manager parlance, a *requester* is the software that lets a workstation log on to a domain—a group of file servers and workstations with similar security needs—and use network resources. Users have access to the network through the OS/2 LAN Requester program from OS/2 workstations and through the DOS LAN Requester program from DOS workstations. A server can share its files, printers, and even serial devices (e.g., modems) across the LAN. DOS requesters can't access a shared modem, but OS/2 requesters can.

During installation, the network administrator specifies a server to be a domain controller or an additional server. There is only one domain controller in a domain. You can set up several domains on a large LAN Manager or LAN Server network. On a small LAN, a file server can also act as a domain controller. Domains provide a simple way

to control access to the network and the network's resources. A network user can have accounts in multiple domains, but he or she can log on in only one domain at a time. Additional servers cannot be started, nor can users log on, if the domain controller is not running. Several domains can exist on the same LAN, each managed separately, but each file server belongs to only one domain. Domains are managed by network administrators who set up, maintain, and control the network, manage its resources, and support its users.

Same-Domain Concept

LAN Manager and LAN Server both use the domain concept but in slightly different ways. If you want to use LAN Manager and LAN Server on the same physical network, you should set up separate domains for each NOS.

In one domain, all file servers should run LAN Manager, or they should all run LAN Server. You should ensure that workstations in a LAN Server domain log on to a LAN Server domain before trying to access LAN Manager file servers. Workstations in a LAN Manager domain, however, can log on to any domain. Once logged on, you can access files on servers in other domains if the network administrator has given you access rights on the other servers and defined the other servers as external resources. In practice, most people just log off one domain and log on to the next when they want to cross domains. The new NT Advanced Server eliminates this annoyance with a feature called *Trusted Domains* (which I'll explain later); however, you must add at least one NT Advanced Server to each LAN Manager or LAN Server domain.

To give access to an external resource, you assign a nickname, or *alias*, to it. On a server named ACCTING, an administrator might create an alias named OCTRCPTS to refer to the server's C:\RECEIPTS\OCTOBER directory. Workstations equate the OCTRCPTS alias to a drive letter, perhaps drive G, to gain access to the files in that directory. The alias specifies the server where the directory is located and the path to the directory, so people at workstations don't have to remember server names and directory structures. An alias remains defined after the domain controller is stopped and restarted, but a network name does not.

LAN Server can use aliases for shared resources, but LAN Manager cannot. LAN Manager workstations must refer to the shared resources by their full name, not by the alias. Suppose you have a LAN Server machine named PRODUCTION that shares a printer with an alias of REPORTS. The full name of the shared printer is \\PRODUCTION\PRINTER1. LAN Server workstations can share REPORTS, but LAN Manager workstations must use the full name \\PRODUCTION\PRINTER1 to access that printer.

LAN Manager offers a feature called

NetBIOS and SMBs

The NOSes (network operating systems) discussed in the main text use NetBIOS to send and receive messages. The NetBIOS messages contain Server Message Blocks, or SMBs, to carry file I/O requests and responses between servers and workstations. NetBIOS accepts communications requests from the file redirection portion of the NOS or from an application program, such as an E-mail product. NetBIOS operations fall into four categories:

Name support—Each workstation on the network is identified by one or more names. These names are maintained by NetBIOS in a table; the first item in the table is automatically the unique, permanently assigned name of the network adapter. Optional user names (e.g., Barry) can be added to the table for the sake of convenient identification of each workstation. The user-assigned names can be unique or, in special cases, can refer to a group of users.

Session support—A point-to-point connection between two names (workstations) on the network can be opened, managed, and closed under NetBIOS control. One workstation begins by listening for a call; the other workstation calls the first. The computers are peers. Both can send and receive message data concurrently during the session. At the end, both workstations hang up on each other. LAN Server, LAN Manager, Windows for Workgroups, and NT Advanced Server establish sessions between workstations and servers.

Datagram support—Message data can be sent to a name, a group of names, or all names on the network. A point-to-point connection is not established, and there is no guarantee that the message data will be received.

Adapter/session status—Information about the local-network adapter card, other network adapter cards, and any currently active sessions is available to applications software that uses NetBIOS.

At the workstation, the requester software intercepts an application's file I/O operations and sends them across the network to the file server, using IBM's SMB protocol to accomplish the redirection. SMBs can be used for session control, file access, print service, and sending messages.

Session control—Once a NetBIOS session is established between a workstation and the server, the workstation sends a Verify Dialect SMB to the server. This message contains data indicating the capabilities of the version of the PC LAN Program running at the workstation. The server examines this message and responds to the workstation with information about itself and the capabilities the server supports. This exchange is then followed by one or more Start Connection SMBs, which are used to create logical connections between the workstation and network resources at the file server. These logical connections are later terminated by the workstation when it sends End Connection SMBs to the server (or when the NetBIOS session is aborted by the occurrence of an error).

File access—A workstation uses the SMBs in this category to gain access to the files on the server's hard drive. The functions included in this category let the workstation treat the server drive almost like a local hard drive—the workstation can create and remove directories; create, open, and close files; read, write to, rename, delete, and search for files; get or set file attributes; and, of course, lock records. The requester detects file operations intended for network files and converts the operation into one or more SMBs. The local operating system (e.g., DOS or OS/2) never sees file requests for network files. The server performs the file operation when it receives the SMB message and returns a response to the workstation's requester.

Print service—The SMBs in this category let a workstation queue files for printing by a server and to obtain print-queue status information. The workstation can create a spool file, write data to the spool file, close the spool file, and ask that the server return a print-queue status SMB.

YOU CAN'T CONTROL YOUR BOSS, YOUR WORKLOAD, YOUR WEIGHT, YOUR BACKHAND, YOUR WEEDS, YOUR DOG, YOUR LIFE. AT LEAST NOW YOU CAN CONTROL YOUR CURSOR.



At Microsoft, we feel there are enough things in the world that follow their own unpredictable path.

So we redesigned just about every aspect of the new Microsoft® BallPoint® mouse to let you regain control of your portable computer.

We started by changing the weight of the ball. We improved the smoothness of the tracking mechanism. We reshaped our mouse to fit your hand better. We even added software features that make it easier to find and control your cursor.

All of which means, in simple terms, that the cursor will now do what you want it to do.


And which is why, in independent tests, people worked 35% faster with the BallPoint mouse than with other leading portable and built-in pointing devices.

Of course, you should try it yourself. So pick up a BallPoint mouse at a computer store today.

And have one aspect of your life firmly, and comfortably, in the palm of your hand.

Microsoft®
Making it easier

MICROSOFT WINDOWS. © 1993 Microsoft Corporation. All rights reserved. Microsoft and BallPoint are registered trademarks and Windows and the Windows logo are trademarks of Microsoft Corporation.



IBM's OS/2 LAN Server.

persistent net connections that helps you avoid retyping resource names at log-on time. By default, each time you log on, you get the same network connections you had in your last session. You can enable or disable persistent connections with the /PERSISTENT= option on the NET USE command. You can also put entries in a user's LANMAN.INI file to turn persistent net connections on or off or to freeze a certain set of network resources as shared by that user.

An administrator assigns a network name to a resource (e.g., disk directory, printer, or serial device) to define the resource temporarily. Like an alias, a network name identifies a shared resource on a server. But to use a resource through its network name, you specify the server name as well as the network name. Unlike an alias, a network name does not remain defined if the domain controller is stopped.

A UNC (Universal Naming Convention) name consists of a server name and a network name, which together identify a resource in the domain. A UNC name has the following format:

```
\\servername\netname\path
```

Note the use of the double backslash characters preceding the server's name.

If you assign LPT1 to a shared print queue, you override your local printer port, and your print jobs go to the network printer. On the other hand, you can't override local drive letter assignments. If you have drive C on your computer, you must use other drive letters besides C to refer to file-server disk resources.

Security

User-level security on a LAN Manager or LAN Server network consists of log-on security and permissions. Each user account has a password; you specify your user ID and password to gain access to the network through a domain. A network administrator can limit a particular user's access to certain times of the day or the workstation(s) from which a user logs on. Permissions limit the extent to which you can use shared resources. The network administrator, for example, can create a COMMON directory that everyone can use, and the administrator can create an UPDATE directory, with files only certain people can modify but everyone can read. With share-level security, a feature of LAN Manager, the administrator can set up a single password to limit access to a particular shared resource or device. LAN Server does not support share-level security.

The network administrator creates an access-control profile to grant, restrict, or deny access to a shared resource. Each shared resource (usually a disk directory) can have just one access-control profile. An administrator can put individual log-on accounts in an access-control profile, or the administrator can set up named groups of accounts and insert group names in the access control profile. Group names are more convenient, and they help keep the profile to a manageable size. Each individual or group name has a list of permissions and security restrictions the administrator can use. The access permissions allow or disallow the following operations:

—run programs
—read and write data files
—create and delete subdirectories and files
—change file attributes
—create, change, and delete access control profiles

Fine Tuning

You tune LAN Server by using a text editor to modify the computer's CONFIG.SYS and IBMLAN.INI files. LAN Manager features auto-tuning, whereby the file-server software monitors its own activity and changes its initialization files automatically. To take advantage of auto-tuning, you merely have to stop and restart a LAN Manager file server periodically.

LAN Manager and LAN Server interoperate well on a Token Ring LAN but not on an Ethernet LAN. On Ethernet networks, you may need to modify both NOSes' configurations. LAN Server supports the DIX (Digital/Intel/Xerox) 2.0 protocol and the IEEE 802.3 protocol; LAN Manager does not support DIX. On Ethernet networks, you need to switch LAN Manager and LAN Server to use IEEE 802.3 so that workstations can use both file servers.

You should also note that the networking products from Microsoft and IBM can't do packet routing inside a file server, as NetWare can. You need to buy router hardware if you want to segment your LAN. Mike Nash, product manager at Microsoft, says that Microsoft and IBM share the philosophy that file servers aren't the place to do packet routing. On the other hand, if you decide to link two or more LANs, you have a wide variety of options to choose from. For example, you might connect LAN Server or LAN Manager through a leased line, T1 link, or X.25 connection.

Both LAN Server and LAN Manager support the use of RFS-compliant (Remote File System) NetBIOS over TCP/IP. Through appropriate routers or bridges, you can issue standard NET USE commands to gain access to remote shared resources.

Windows NT Advanced Server

In early August, Microsoft surprised the industry by releasing NT Advanced Server at the same time as NT itself. Microsoft had said that NT Advanced Server would lag behind NT by about 30 days. NT Advanced Server extends the features and advantages of LAN Manager in a number of ways.

Like LAN Server, NT Advanced Server is a 32-bit NOS; however, unlike with LAN Server, you can run NT Advanced Server on Intel, Mips R4000, or DEC Alpha platforms. While CPU speed is rarely a bottleneck on file servers, you might choose to run NT Advanced Server on a symmetric multiple CPU. The extra CPU processing power might let you use the file server for additional client/server applications.

NT Advanced Server offers C2-level security, which means that the NOS has a secure log-on procedure, memory protection, auditing, and discretionary access control (i.e., the owner of a shared resource can monitor who is using the shared resource). Some corporate and military LANs require C-2 or higher security. In the area of reliability, NT Advanced Server uses a transaction-based file system that can back out file updates if a series of related updates don't finish successfully. NT

XOFTWARE™


New Desktop Edition Only $195!

X WINDOWS FOR DOS, MS WINDOWS & WINDOWS NT

At $195, New X Windows is Priced for Every PC!

Mainstream PC users running MS Windows have wanted to access network-based Unix applications for quite awhile, but for most the price has simply been too high to justify the hook-up. Until now.

Announcing *XoftWare™ for Windows, Desktop Edition (DT)*, the first easy-to-use, value-priced PC X server software. Now anyone with a 386/486 PC can afford an integrated system that combines the best of MS Windows and Unix simply by clicking on icons.



WITH A SIMPLE CLICK, *XoftWare for Windows, Desktop Edition* makes it easy to cut-and-paste between MS Windows and X.

Finally, Unix for the rest of us. *XoftWare for Windows DT* was created specifically for the non-technical PC user. Which is to say, those of us who occasionally want to access Unix applications, but don't need the higher throughput or extra features of a true 32-bit X server.

Truth is, *XoftWare for Windows DT* has been streamlined to give all PC users just what they need in features and functionality, and at a very affordable price.

Are you tired of poring over User Guides? We thought so. That's why we made *XoftWare for Windows DT* exceptionally easy to install, simple to start up, and a snap to operate. With our *XoftStart™* feature, PC users don't even have to know how to start Unix, much less run it. Just click and start from a Windows-based icon. You'll also appreciate our *CascadeX™* feature, which positions windows in a Microsoft-like cascading window format.


XoftWare for Windows DT supports all leading network software, including the MS Windows Sockets API. You can even order it bundled with Novell's TCP/IP networking software.

Act now for free fonts. Already an exceptional value, if you act while supplies last we'll send you our *XoftFonts™* font package, a $50 value, absolutely free. *XoftWare for Windows DT*– the perfect add-on to your networked PC. Call us at (619) 455-8600. Fax: (619) 597-6030. email: sales@age.com



MicroAge Applauds 32-bit X Server for its Vim, Vigor and Very Good Value

Staten Island, NY—Michael Conroy, Systems Engineer for MicroAge, likes AGE's new *Desktop Edition*, but he loves its big brother — *XoftWare™/32 for Windows*. "We tell our customers it's the turbo-charged version - with the throughput and process power to handle a broad range of robust Unix applications and databases. It gives MS Windows PCs workstation-like functionality." Conroy says he was surprised at its ease of use. "You figure when you get the power, you sometimes lose friendliness, but that's not the case with AGE's products. I particularly like MPSS™ — the Multi-Process Start-up System, which lets users start multiple applications simultaneously, saving valuable time." Conroy says he likes the 32-bit offering's price point, $395 (or $495 with Novell's TCP/IP bundled). He's also looking forward to the upcoming 32-bit X server for MS Windows NT, which will be priced at $495.



MicroAge's Michael Conroy: If fast is good, faster's better!

Circle 348 on Inquiry Card.

age

AGE Logic, Inc., 9985 Pacific Heights Blvd., San Diego, CA 92121

All registered trademarks property of their respective owners.

Circle 349 on Inquiry Card.

Advanced Server supports RAID level 5 (disk striping with parity), recognizes signals from a UPS (uninterruptible power supply), and comes with tape-backup software.

Trusted Domains

NT Advanced Server adds Trusted Domains to the way domains work in LAN Server and LAN Manager. Suppose, for instance, that your LAN has separate domains for engineering and marketing. People in the engineering department have developed a new product and want to let product managers in the marketing department see the specifications for the new product. The engineering department can authorize access to its files by making the marketing domain *trusted* and giving read-only permissions to the product manager's group. The product manager doesn't have to separately log in to the engineering domain to view the files. When the file server holding the documents senses a request from a marketing-domain product manager, the file server verifies access permission, with the trusted marketing-domain controller, through the engineering domain controller.

Native Networking Options

Windows
- Windows for Workgroups
- Windows NT
- Windows NT Advanced Server

OS/2
- LAN Server
- LAN Manager
- NetWare 4.0 for OS/2

A Performance Monitor utility helps administrators manage NT Advanced Server, and the NOS is also SNMP- and NetView-aware. Desktop and LAN management products such as OpenView, LANLord, LANDesk, and Frye's Utilities should soon support NT Advanced Server. Microsoft says NT Advanced Server will comply with the DMTF (Desktop Management Task Force) specification for the management of LAN-connected desktop computers as soon as the DMTF finalizes its specification. Other utilities you get with Advanced Server include User Manager, Disk Administrator, Event Viewer, and an enhanced Control Panel.

If you prefer not to establish permanent drive-letter mappings for each workstation but rather to let each workstation browse lists of shared resources to create new connections to shared directories and printers, you'll like NT Advanced Server's BrowseMaster feature. Each PC with resources to share periodically reports a list of those resources to the BrowseMaster server. When a person at a workstation clicks on the Browse push button (e.g., in Windows for Workgroups File Manager or Print Manager), the workstation gets the list of available resources from the central BrowseMaster computer. This technique keeps LAN traffic down, because servers and workstations don't have to continually broadcast resource lists to each other.

NT Advanced Server uses SMBs, on NetBIOS, to send and receive file I/O redirection requests over the LAN cable. This means that NT Advanced Server should interoperate with LAN Server, LAN Manager, Windows for Workgroups, and even the older PCLP (PC LAN Program). In addition, NT Advanced Server supports TCP/IP and Novell's IPX/SPX transport-layer protocols.

You get a wealth of other connectivity options with Microsoft's latest NOS: Windows Sockets, Named Pipes, NetDDE, IBM's DLC (data-link control) for host sessions, and RPCs (remote procedure calls). This last interface is compatible with the OSF/DCE (Open Software Foundation/Distributed Computing Environment) specification. Microsoft says it will offer connectivity modules for SQL Server and SNA Server. The version of Remote Access Server for NT Advanced Server handles up to 64 concurrent connections over dial-up, leased, X.25, and ISDN lines. And NT Advanced Server has Macintosh support built in.

Windows for Workgroups

Windows for Workgroups is a marriage of Windows 3.1 and NOS that includes an E-mail application (i.e., Microsoft Mail) and an appointment book application (i.e., Schedule+). The two software products install themselves into the main program group.

If you're a part of a small team of people who are accustomed to using applications in a Windows 386 enhanced-mode environment, Windows for Workgroups can help you share information. Shared files can exist on every PC running Windows for Workgroups in 386 enhanced mode, or they might be located on a separate, unattended PC that you use just for file storage. A PC must be running Windows for Workgroups in 386 enhanced mode to share files, however.

Users who use Windows for Workgroups can share printers as well as disk files. Using File Manager and Print Manager, you can designate the PCs that should share disk directories and those that should share printers. When you share a disk directory or printer from a PC, you give the shared resource a name by which other users can refer to that resource.


Other users establish connections to shared resources by also using File Manager and Print Manager. Establishing the connection assigns a new drive letter (perhaps D) to a shared directory and, for a shared printer, redirects the parallel printer port (LPT1) across the LAN to the shared printer. You can tell Windows for Workgroups to remember the connections you've established. Windows for Workgroups will automatically re-create each connection when you start Windows. You have access to shared directories and printers both from within Windows and from within the DOS applications you run in a Windows DOS session (either via the DOS Prompt icon or a program information file, or PIF).

You can use Windows for Workgroups to add convenient peer-to-peer networking functions on a LAN that is running LAN Manager, LAN Server, or NT Advanced Server. Security on a Windows for Workgroups LAN isn't great, but for small groups who already use Windows, this entry-level peer-LAN environment can be effective. Windows for Workgroups is the easiest LAN to set up and use.

Building a LAN based on Windows or OS/2 can be a good investment. You'll find these environments fertile ground for client/server applications. For example, you can save hardware and software dollars by running a database manager directly on the file server. You'll be able to easily create peer-LAN relationships on a Windows or OS/2 LAN. Or you might use one of these NOSes as an application server on a LAN that's already running Novell NetWare.

Novell has about 70 percent of the NOS marketplace, and that percentage isn't likely to plummet significantly any time soon. However, you may find it advantageous to add LAN Server, NT Advanced Server, or perhaps Windows for Workgroups to your Token Ring or Ethernet LAN. At first, the new NOS may make you think you're in a foreign country. But you'll find the extra drive letters and other shared resources not all that different from NetWare's. And you may find you spend less money on network software. ■

Barry Nance, a programmer for the past 20 years, is a BYTE contributing editor. You can reach him on BIX as "barryn."






$425

$3,280

KINGSTON PROCESSOR UPGRADES. SAVE YOUR SYSTEM AND A BUNDLE.



Significant Savings, Equivalent Performance.
Kingston's IBM designed SLC/Now! plus SX/Now!, 486/Now! and MCMaster processor upgrades make existing systems perform like new 386SX, 486SX or 486DX models. They provide the power needed for today's software, perform comparably to new systems and cost at least 70% less.

Upgrade	Before	After	New System	System Supported
SX/Now!	IBM-AT	With SX/Now! 25	PS/2 Model 57SX-045	SX/Now!
Landmark Speed 2.0: Recount: Retail Price:	8 MHz 5:44 Min.	35 MHz 1:51 Min. $215	22 MHz 1:54 Min. $1,545	286-based systems from AST, Compaq, Epson, Everex, Hewlett-Packard, IBM, NEC, Toshiba and Zenith
SLC/Now!	PS/2 Model 50	With SLC/Now! 50	PS/2 Model 90-0H9	SLC/Now!
Landmark Speed 2.0: Recount: Retail Price:	13 MHz 3:34 Min.	114 MHz :29 Sec. $425	84 MHz :38 Sec. $3,280	IBM PS/2 Models 50, 50Z and 60
486/Now!	PS/2 Model 70-25MHz	With 486/Now! SX 25	PS/2 Model 90-0H9	486/Now!
Landmark Speed 2.0: Recount: Retail Price:	39 MHz :55 Sec.	84 MHz :39 Sec. $495	84 MHz :38 Sec. $3,280	IBM PS/2 Models 70 and 80, Compaq Deskpro Models 386/16, 386/20, 386/20e, 386/25, 386/25e, 386/33
MCMaster	PS/2 Model 55SX	With MCMaster SX 25	PS/2 Model 90-0H9	MCMaster
Landmark Speed 2.0: Recount: Retail Price:	16 MHz 2:47 Min.	84 MHz :36 Sec. $795	84 MHz :38 Sec. $3,280	IBM PS/2 Models 55, 56, 57, 65, 70, 80 and 90

All systems tested with 16 MB installed except MCMaster, tested with 8MB on-board and 8MB on mother board. All system prices are MSRP at standard configuration as of 4/1/93. Processor upgrade prices are MSRP as of 4/1/93. Recount conducted on .XLS Excel for Windows spreadsheet generated by Kingston Technology.

Quality is Assured.
Bench testing of each and every product with the original system diagnostics and certification by the National Software Testing Laboratory provides the maximum assurance of individual product quality and compatibility.

Full Compatibility.
Kingston's processor upgrades are tested to be fully compatible with today's most popular operating environments including MS DOS, Microsoft Windows, IBM's OS/2 and Novell Netware.

More Information.
Contact your nearby Kingston dealer or give us a call at (800) 835-6575 to find out which processor upgrade is best for you.

[800]



Kingston Reliability.
Like our memory products, every processor upgrade is individually tested prior to shipping, supported by free comprehensive technical assistance and backed by a five-year warranty.


Kingston TECHNOLOGY CORPORATION

THE INSIDE NAME IN UPGRADES

17600 Newhope Street, Fountain Valley, California 92708 (714) 435-2600 Fax (714) 435-2699


All Trademarks, Registered Trademarks and Logos are of their respective holders. Kingston and Kingston Technology are Registered Trademarks of Kingston Technology Corporation. MCMaster is a Trademark of Aox, Inc. Both SXNow! and 486Now! are currently certified by The National Software Testing Laboratory. Certification for recent introductions, MCMaster and SLC/Now!, is pending. Developer tested only. Novell makes no warranties with respect to these products.

Circle 306 on Inquiry Card (RESELLERS: 307).



For Fast Efficient Process Mapping, There's Only One Way To Go.

Micrografx ABC FlowCharter® for Windows takes the frustration out of mapping the way work flows through your organization. Simple-to-learn, specialized tools help you create flow charts that can easily be reconfigured as quickly as you generate new ideas. Like multiple palettes of standard shapes as well as the option to incorporate clip art or scanned images. Automatic linking instantly connects shapes as they're added. Plus text can be edited right on the charts, in a variety of fonts and sizes. We even provide friendly telephone support 24 hours on weekdays and 8 a.m. to 5 p.m. CST on weekends (U.S. only).



Simply choose a shape and place it. Lines automatically connect and stay connected if shapes are moved.

So take the first step in improving efficiency in your company. To find out more about ABC FlowCharter call 1-800-578-1981 or contact your local software dealer.

MICROGRAFX®

ABC FlowCharter

Micrografx, Inc., 1303 Arapaho Road, Richardson, Texas 75081 (214) 234-1769. Micrografx also has offices in Toronto, London, Paris, Munich, Milan, Sydney, Copenhagen and Tokyo. Copyright © 1993, Micrografx, Inc. All rights reserved. Micrografx and ABC FlowCharter are registered trademarks of Micrografx, Inc. All other products are trademarks or registered trademarks of their respective owners.

Circle 308 on Inquiry Card (RESELLERS: 309).

IBM's Assault on Distributed Objects

With its Distributed System Object Model, IBM is in the forefront of bringing the benefits of object technology to distributed applications

JON UDELL



Networking


When IBM shipped OS/2 2.0 in the spring of 1992, the company touted the new object-oriented Workplace Shell as a major achievement. While the WPS itself garnered mixed reviews, the foundation on which it rests—the System Object Model—emerged as an object technology to be reckoned with. Its successor, the Distributed System Object Model, extends objects across networks and forms the cornerstone of IBM's distributed-object strategy.

SOM 1.0, which shipped with OS/2 2.0 and 2.1, is an operating-system extension that provides OOP (object-oriented programming) mechanisms such as inheritance and method dispatching. OOP-language products such as Smalltalk and C++, which have traditionally provided these mechanisms, can't adequately package objects for binary reuse across languages or even across implementations of the same language. The SOM 2.0 engines (there are two) retain backward compatibility with the 1.0 version while adding multiple inheritance, C++ bindings, and an interface-definition language that can now work in combination with the latest Object Management Group standard. Both engines—the Workstation Runtime and the Workgroup Runtime—are available as part of the SOMobjects Developer Toolkit.

Objects Local and Remote

The Workstation Runtime engine enables objects to communicate across process boundaries on a single OS/2 or AIX system. The Workgroup Runtime engine enables those same objects to communicate across system boundaries over NetBIOS, TCP/IP, or IPX transports. This engine swaps byte order as needed to keep data streams intelligible in mixed networks of OS/2 (Intel) and AIX (RISC) machines. There's no protocol bridge yet, however, so stations on LAN Server networks will have to run NetBIOS and TCP/IP concurrently to talk to stations on AIX networks.

The Workstation Runtime will help correct a flaw in the WPS. Currently, user-written shell objects share address space with the WPS itself and can therefore crash it. With SOM 2.0, such objects can optionally run in a separate address space. The WPS in OS/2 2.1 can't take advantage of this feature yet, but a future version will be able to. More important, the Workstation Runtime will enable developers to build on a single machine the distributed-object systems they plan to deploy on networks. To switch from single- to multiple-machine mode, you just replace the Workstation Runtime ($75) with the Workgroup Runtime ($235).



The DSOM Environment lets applications take advantage of remote objects by creating a local proxy that regulates access to remote methods.

Object Framework

In addition to the run-time systems, the SOMobjects Developer Toolkit ($365 for OS/2; $585 for AIX) includes the SOM compiler, documentation, a class that supports collections (notable because it's the first IBM product derived from the Taligent effort), and three sets of C++ classes that IBM calls *frameworks*.

The emitter framework provides IDL (interface definition language) parsing support for those interested in binding SOM to a programming language other than C or C++. MicroFocus used this framework to bind SOM to its COBOL implementation. The persistence framework writes objects out to disk and reads them back. The replication framework has a number of intriguing uses: Objects that inherit from it can share common data safely. A collaborative text editor, for example, might use the replication framework to enable live editing of a document by multiple concurrent users.

"DSOM gives you the opportunity to solve the most difficult aspect of distributed

"DSOM gives you the opportunity to solve the most difficult aspect of distributed computing, which is latency."

computing, which is latency," says SOM architect Mike Connors. That's because SOM adds another layer of indirection to the standard RPC (remote procedure call) model. With RPC, you make direct calls to the local proxies that invoke remote procedures. With DSOM, even calls to local proxies are dispatched through method tables. If you write an intelligent proxy, Connors says, you can cache some object-state information locally. That way, you won't automatically incur network delay every time you inquire about a remote object's attributes.

You won't go out and buy DSOM directly. Instead, you'll acquire it from developers of DSOM-based applications and utilities. One early proponent is ChipChat-Cawthon Software, a longtime developer of OS/2 communications software. The company's ChipChat SOM objects support file transfer and terminal emulation over serial, parallel, and telnet ports. "If we didn't already give you telnet support," says ChipChat-Cawthon's president Marty Cawthon, "you could add it yourself in the language of your choice and automatically inherit our ability to perform XMODEM, YMODEM, Kermit, and ASCII file transfers. Our ChipChat object encapsulates communications ports at a high level, just as a UART encapsulates them at a lower level."

The Wide World

IBM's DSOM strategy doesn't end with OS/2 and AIX. Windows support is due by year's end, according to IBM's object czar Cliff Reeves. Moreover, a technology exchange with Hewlett-Packard will synchronize DSOM with HP's Distributed Object Management Facility. For HP, the deal means access to DSOM, a finer-grained object technology than HP's own. For IBM, it means a strategic link between DSOM and DCE (Distributed Computing Environment). While DSOM offers its own native directory service, IBM is investing heavily in DCE for large-scale distributed systems. The ability to run DSOM over DCE will be crucial. DSOM will also provide the packaging and method-dispatching services used by Apple's forthcoming distributed compound-document technology, OpenDoc.

Distributed computing will have truly arrived when software developers can build distributed objects the same way they write stand-alone ones. If IBM delivers the SOMobjects Developer Toolkit for Windows by year's end as promised, DSOM, rather than a future version of OLE, could be the first to realize that dream. ■

Jon Udell is a BYTE senior technical editor at large. You can reach him on BIX as "judell" or on the Internet at judell@bytepb.byte.com.

Introducing the $139 investment no computer user can afford to be without...

"Don't take chances...Get the ultimate protection...Back-UPS from APC."

PC World Top 20 Upgrade



Blackouts, brownouts, sags... if you use computers, your bottom line is directly linked to your power line. The fact is, your data and hardware are vulnerable to problems that surge suppressors and power directors just aren't equipped to handle.

Call for your FREE 60 page PC power protection handbook!

Now there's an Uninterruptible Power Supply (UPS) to suit any budget. **Back-UPS®** are perfect protection for LAN servers, personal computers, phone/fax systems, POS equipment, or any other device that can go down when the power does. If lightning is a concern, Back-UPS are even **backed by a $25,000 insurance policy** against surge damage to your equipment (see details).

So don't wait for the inevitable power problem to rob your business. Protect your productivity with Back-UPS, available where quality computer products are sold.

APC Back-UPS provide instantaneous battery power during power disturbances, so your data and hardware are safe!

American Power Conversion

800-800-4APC, dept. A2

Businessweek's #1 Hot Growth Company!(NASDAQ:APCC)

© 1993 Trademarks are property of their respective owners. * Suggested list price.

Circle 282 on Inquiry Card.

New. . .
Mathematica Notebooks
For The X Window System

Mathematica®


POWERFUL CALCULATION. EFFECTIVE COMMUNICATION.

The Mathematica Notebook

Add introductions, explanations, and conclusions to your computations just as you would with a word processor.

Cut, paste, or edit your calculations or formulas at any time and your answers, plots, and graphics will be re-calculated or re-graphed right in the notebook.

Solve problems with custom solutions that you create using Mathematica's high-level programming language.



for Microsoft Windows

for NEXTSTEP

for Macintosh

for X Windows—*Now Available*


You can exchange your notebooks with co-workers even if they use another type of computer, because Mathematica notebooks are compatible across multiple platforms.

Use notebook cells to organize your document into sections. You can collapse and re-open cells to control what sections you want to see on the screen as you work.

Create full-color 3D graphics and animation from functions and lists of data. You can easily import graphics into your notebook or export Mathematica graphics in PostScript and other standard graphics formats.

You've done the work, now it's time to let everyone know. Colleagues, your manager, the department head, your own students—they all need to understand what you've put together.

Mathematica already brings today's most powerful technical computing system to your desktop. But beyond that, the *Mathematica* notebook enables you to communicate quickly and clearly, either electronically or on paper. As you work in *Mathematica* you automatically create your own notebook—an electronic *Mathematica* document.



Live computations, plots, animated graphics, and text that you assemble in this notebook are then easily organized in an outline format for an impressive technical report, a personal record of your work, class courseware, or even book publishing. When your work is done, simply print it out, send it over the network, or present your notebook directly from your computer.

Print your report directly from your electronic notebook, controlling font styles, font sizes, and line spacing as you wish.

Use *Mathematica* to get work done faster and *Mathematica* notebooks to make a professional impression with your results. Nothing could communicate your ideas more convincingly.

For the latest information, call:

1-800-441-MATH

(U.S., Canada)



Wolfram Research

Wolfram Research, Inc.
+1-217-398-0700; fax:+1-217-398-0747; email: info@wri.com

For European inquiries:
Wolfram Research Europe Ltd.
+44-(0)993-883400; fax: +44-(0)993-883800; email: info-euro@wri.com

©1993 Wolfram Research, Inc. *Mathematica* is a registered trademark of Wolfram Research, Inc. *Mathematica* is not associated with Mathematica Inc., Mathematica Policy Research, Inc., or MathTech, Inc. All other product names mentioned are trademarks of their producers.

For Macintosh information circle 340, For IBM/Compatible information circle 341, For UNIX information circle 342 on Inquiry Card.

The truth about

Before you decide what client/server platform is right for you, make sure you know what's true, and what's Not True.

Fact: the OS/2® client/server solution preserves your current hardware and software investment, accessing your mainframes, minis and PCs when necessary and bringing their power and capacity to the desktop level. **Fact:** the Windows NT™ solution is based on PC servers and desktops and *doesn't* embrace all your existing resources. That could mean porting applications and data. The only plus that offers is the cost of porting *plus* the cost of additional PC servers.

Fact: OS/2 2.1 runs DOS, Windows™ and more than 1,200 native OS/2 applications. With LAN Server 3.0 or Novell® NetWare,® OS/2 supports DOS, Windows, OS/2 and Mac clients. **Fact:** it's not likely NT will support all your existing applications. It won't run existing 32-bit applications like WordPerfect® 5.2 for OS/2 and Lotus® 1-2-3® for OS/2. It *will* require additional software to support DOS, OS/2 and even Windows clients. Worse yet, *Infoworld* sources report that Windows 3.x applications run *20% slower* under NT than they do under OS/2 2.1!



▲ *All this monkeying around with NT raises lots of questions. OS/2 has the answers.*

Fact: OS/2 delivers powerful, reliable, client/server applications for data storage and retrieval (DB2/2,™ Oracle 7,® InfoPump™), communications (Communications Manager/2, REMOTE OS,™ TalkThru®), transaction processing (CICS, IMS Client Server/2 V2), comprehensive network management (LAN NetView,® CA-UNICENTER®,



The OS/2 ► client/server solution exploits your existing hardware and software investment. There's No Telling how much the NT solution could cost you.



clieNT


Domain/DACS,™ AlertView,™ Foundation Manager™), and more. **Fact:** The NT strategy is still Not There, and neither are native client/server applications.

Fact: OS/2 is committed to the industry-accepted Distributed Computing Environment (DCE) standards of the Open Software Foundation. **Fact:** NT is NoT.

Fact: NT still Needs Time to prove itself in the real world. **Fact:** OS/2 is used by millions world-wide. It's the leading, second generation, 32-bit Intel®-based operating system—a more stable, more developed version of the award-winning March, 1992 release.



▲ *Who needs first-generation slipups? OS/2 is second-generation solid.*



◄ *With OS/2, it's full speed ahead for your DOS, Windows and OS/2 applications—there's no need to buy DOS and Windows.*

If you're looking for a cost-effective, secure, high function client/server solution today—Not Tomorrow—then OS/2 is for you. To order or to find out more about OS/2 2.1, call **1 800 3-IBM-OS2.** In Canada, call **1 800 465-7999.** OS/2 2.1 is also available at your local software dealer. And that's a fact.

Operate at a higher level.™

server.

IBM®

This ad was created by LINTAS and got to this publication on time using DOS, Windows and OS/2 programs running on OS/2. IBM, OS/2 and NetView are registered trademarks and DB2/2 and "Operate at a higher level" are trademarks of International Business Machines Corporation. All other products are trademarks or registered trademarks of their respective companies.
© 1993 IBM Corp.

Circle 300 on Inquiry Card.

Developers Cautiously Optimistic About Multiplatform OpenDoc

Are users ready to have documents—as opposed to applications—become the focus of desktop computing?

DAVE ANDREWS

One of the benefits of Microsoft's OLE 2.0 technology is that it lets you focus on the document you're creating instead of the Windows applications that created it. OLE 2.0's integrating features, such as its support for in-place editing and drag-and-drop of data, show promise for interapplication collaboration on a single CPU. But OLE 2.0 does not address remote execution of applications and sharing of data among Mac, Windows, Unix, and OS/2 applications running over a network.

Currently, only programmers developing Windows applications can take advantage of OLE 2.0. Microsoft says it will release implementations for Mac and Windows NT developers by year's end, but this still leaves OS/2 and Unix out of the picture. Several companies, uncomfortable with OLE 2.0's lack of support for other operating systems and its control by a single company, have announced an architecture called OpenDoc that promises an object-based framework for developing applications that interoperate across platforms and distributed networks.

What's Inside

OpenDoc will use technology from several companies, including IBM's System Object Manager for its object-calling mechanism, Apple's Bento standard as its storage mechanism, and the industry-standard CORBA (Common Object Request Broker Architecture) for sharing objects across a network, according to Cliff Reeves, program director of object-oriented technology products for IBM's Personal Systems Products division. WordPerfect is working on an implementation of OpenDoc for Windows (WordPerfect's OpenDoc effort was code-named *Amber*) that will interoperate with OLE 2.0, Reeves said. He added that an OpenDoc consortium, which will set the architecture's direction and certify applications for compliance, will be modeled after the X Consortium.

Reaction from third-party software developers to OpenDoc is mixed, partly because programmers are not expected to receive the first code drops for developing OpenDoc applications until late 1993. Hilmi Ozguc, senior product manager for Lotus 1-2-3, said the ideas espoused in OpenDoc fit well with Lotus's cross-platform orientation. "We like the direction . . . but it's too early to come out and make a commitment." Also, because different parts of OpenDoc will come from different companies, developers questioned whether the three major companies providing OpenDoc technology—IBM, WordPerfect, and Apple—could successfully coordinate their efforts.

The Redmond Tack

Microsoft is working on its own distributed OLE solution, naturally. David Seres, Microsoft's OLE 2.0 product manager, said a distributed OLE implementation will be included with Cairo, Microsoft's unreleased, object-oriented version of Windows. But that isn't expected to ship until sometime in 1995.

Perhaps the biggest hurdle OpenDoc and Microsoft's distributed OLE will face at the end-user level is the network bandwidth issue. Network administrators may see a significant network performance degradation as applications access data or remotely execute other applications over the network. Others question if users and developers will truly accept the notion of small object programs, or *componentware*, exchanging data with other programs.

Planned OpenDoc Features

- **Open scripting architecture**
- **Bento storage format defines how complex data is stored on disk in such a way that the producer of one document can exchange that concept with another producer rather than rely on private data forms**
- **Technology road map set by multivendor consortium**
- **Support for Unix, Windows, Mac, and OS/2**
- **Support for irregular document frames, version control, in-place editing**



Networking

Craig Yappert, product marketing manager at Frame Technology, said one of the reasons users like working with a single application is that it gives them a feeling of security through their expertise. "Software applications really aren't designed around this concept of 'I'm going to be kind to all these other applications around me,'" he said. "OpenDoc is an interesting goal, but for a lot of applications and a lot of users, it's still unclear how people are going to use it." ■

Dave Andrews is a BYTE news editor. You can reach him on the Internet at dave.news@bix.com.

Compaq Would Like To Make An Announcement Of Staggering Proportions.

TRAPPED IN THE BODY OF THIS TINY SE

This is a story about a small computer engineered to be so dependable, you won't think twice about trusting it with your mission-critical applications. And to be this without filling a closet, much less a room. If you haven't thought of Compaq as an enterprise-critical platform before, we invite you to grab your bifocals and begin. (We'll be cramming a lot of information into this ad, which, given how much we managed to fit into our new servers, only makes sense.)



If there's one thing we've learned working with our customers, it's that you're running more and more mission-critical applications on your network. And if your network goes down, your business goes down. All of which makes the introduction of the new Compaq ProLiant Server even more timely.

The ProLiant is a new family of affordable, high-performance, easy-to-manage servers engineered specifically to provide the high availability you need for mission-critical networks. We've designed ProLiant in three different models, ranging from a single-processor configuration to a four-Pentium processor model.

Now, how can you be sure our server is truly a miracle and not a mirage? To begin with, there's Full Spectrum Fault Management, provided by Compaq Insight Manager technology and software that continually monitors over 800 aspects of the server's operating status. (For example, Drive Parameter Tracking checks 15 hard-drive parameters.) All of this information is constantly gathered, analyzed and then used to prevent, tolerate or recover from system problems.




If the performance of a monitored component drops below a specified level, our unique Pre-Failure Warranty kicks in. We'll actually replace a Compaq warranted drive or memory system free. Before it stops working. No downtime. Ringing cash registers. Happy boss.*



Still, no network's perfect. In the unlikely event problems occur, our server exhibits remarkable tolerance. Every ProLiant includes Compaq-designed hot-pluggable drives. ProLiant Models 2000 and 4000 come standard with advanced error-correcting memory and off-line backup processor features (whereby the server reboots automatically to a second processor). And, most notably, the Compaq Smart SCSI Array Controller together with the ProLiant Storage System ensures mission-critical data integrity. Should a network problem bring the server down, the Rapid Recovery Systems of the ProLiant are designed to bring it back up.

VER IS A MAINFRAME WITH AN ATTITUDE.



For example, Automatic Server Recovery 2 uses a historical record of server status and performance to perform an astonishing array of tasks. Like intelligently restarting the server, automatically correcting a variety of problems, and accessing a telephone pager to contact network administrators.

By now you'd expect us to have rethought server setup, configuration and OS installation, but you might be surprised by the results. Introducing SmartStart, a CD-ROM system that takes the headache out of getting your server up and running. ProLiant includes a CD-ROM drive and bundled CDs of optimized Netware and other major operating systems. To get hooked up to your network operating system, simply call your dealer for an access code, enter it, answer a few questions, and leave. Minutes later—say, after you've enjoyed a cup of coffee and a jelly donut—you'll return to find an integrated OS fully installed and optimized for increased performance and improved management. And we'll keep you updated via CD when new operating system versions appear.



*And finally, to accompany our new line of mission-critical servers, we're introducing mission-critical support. With ProLiant, we now offer extensive analysis, installation and service through our CompaqCare System Partners, a select group of highly trained systems experts backed by Compaq engineers. You can now choose 4-hour on-site warranty response upgrade** direct from Compaq. Again, there's our unique Pre-Failure Warranty. And, of course, all Compaq servers come with a 3-year on-site† warranty, and 7-day-a-week, 24-hour-a-day technical support.*



All in a surprisingly small box for not a whole lot of money. In fact, a DX2/66 Compaq ProLiant 1000 starts at about $6000‡.

Which may help to explain the look your boss gives you when he hears how much money you've saved: stunned admiration. But you'll get used to that. It goes with the territory. For more information on the new Compaq ProLiant servers, or for the location of an authorized Compaq reseller near you, just call us at 1-800-345-1518. If you'd like to receive model, feature and specification information immediately via fax, select the PaqFax option. Or, if you'd like that information even sooner, just turn the page.



COMPAQ

THE NEW COMPAQ PROLIANT MISSION-CRITICAL SERVERS

	ProLiant 1000	ProLiant 2000	ProLiant 4000
HIGH PERFORMANCE NETWORK SERVERS			
Processor	DX2/66 or Pentium 60MHz	DX2/66 or Pentium 66MHz	DX2/66 or Pentium 66MHz
Architecture	TriFlex/PC One Processor	TriFlex with up to two symmetric processors	TriFlex with up to four symmetric processors
Network Interface	Up to 12 High-Speed Channels; NetFlex 2 with Packet Blaster Technology Standard		
Standard Disk Controller	Integrated Fast SCSI-2 and Smart SCSI Array Controller (selected models)		
Storage Capacity	550MB–112GB Internal/external	1050MB–140GB Internal/external	1050MB–140GB Internal/external
Typical Usage	Departmental network services—primarily NetWare	Departmental network application services—NetWare, NT and Unix	Application services for preemptive downsizing—NT and Unix
Transaction Rating	50–150 TPS	200–300 TPS	300–400 TPS
Estimated Starting Street Price‡	$6,000	$8,900	$13,900
SERVER DEPENDABILITY AND AVAILABILITY			
Management	Second-generation Compaq Insight Manager (standard) combines with innovative hardware design to constantly monitor, assess and report server health and performance		
Fault Prevention	Insight Manager alerts you to server status changes in over 800 component parameters, allowing proactive server management backed by 3-Year Pre-Failure Warranty		
Fault Tolerance	Standard support for RAID levels 1,4,5; hot-pluggable drives; on-line spare drive; off-line backup processor§; advanced ECC RAM§		
Fault Recovery	Standard rapid recovery services automatically return server to full operational status even in the event of a critical subsystem failure		
SIMPLICITY, EASE OF OWNERSHIP AND SUPPORT			
SmartStart	Standard CD-based intelligent hardware configuration and system software installation, providing simplified server configuration for NetWare, NT or Unix. (CD-ROM drive standard)		
System Warranty	Free Three-Year, On-Site Limited Warranty		
Pre-Failure Warranty	Three-Year, On-Site Warranty replacement of designated components that fall below preestablished thresholds		
4-Hour Warranty Response Upgrade	Optional Three-Year On-Site Warranty upgrade to 4-hour response		
Technical Support	Toll-free, 7 x 24 technical phone support from Compaq engineers		
CompaqCare System Partners	Highly trained, dedicated, third-party professionals who provide systems maintenance and comprehensive technical support		
QuickFind/PaqFax	Proactive notification and delivery of new technical information/7 x 24 fax response for updated specification, configuration and settings data		

COMPAQ

© 1993 Compaq Computer Corporation. All rights reserved. Compaq Registered U.S. Patent and Trademark Office. ProLiant, Insight Manager and SmartStart are trademarks of Compaq Computer Corporation. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies. CompaqCare is a servicemark of Compaq Computer Corporation. *Applicable only to advanced ECC memory and disk drives running under Compaq IDA, IDA-2 or SMART SCSI Array controllers. **Fee-based option supported under CompaqCare and not part of the Three-Year On-Site Warranty. †This service provided by Contracted Service Providers and may not be available in certain geographic locations. Certain restrictions and exclusions apply. Monitors, battery packs and certain options are covered by a one-year warranty. For further details on our limited warranty, contact the Compaq Computer Support Center. ‡Estimated U.S. reseller selling price, actual reseller pricing will vary. The Intel Inside logo is a registered trademark of the Intel Corporation. §Models 2000 and 4000 only.

Circle 289 on Inquiry Card.

IBM Ships DCE SDK for OS/2 and Windows



Networking

Big Blue makes DCE the cornerstone of its future distributed-computing platforms. Will DCE carry the load or sink under its own weight?

ANDY REINHARDT

Given a reputation for lagging the market in software, IBM's recent announcement of the first Distributed Computing Environment SDK (Software Development Kit) for OS/2 and Windows is especially noteworthy. As one of the founding members of the OSF (Open Software Foundation), which distributes DCE, IBM has long played a major role in that organization. However, IBM's true commitment to open systems continued to be questioned by some observers.

Now, IBM has shipped a set of tools that facilitates the creation of distributed applications across not just IBM platforms (i.e., OS/2 and AIX), but also non-IBM Unix servers from competitors such as DEC and Hewlett-Packard. By embracing DCE as a strategic direction, IBM has confirmed that SAA (Systems Application Architecture) is no longer its only play. And with client support for Microsoft Windows, IBM shows that it is increasingly more practical than parochial.

Inside DCE

DCE is an architecture for multiplatform distributed computing defined by the OSF. It's based on contributions from member companies and MIT. DCE encompasses a mechanism for RPCs (remote procedure calls), security and authentication based on MIT's Kerberos, a timing service that synchronizes clocks throughout a network, a "cell" naming and directory service, and a threads service, which adds multiple program threads to Unix. The SDK will let developers write applications for OS/2 and Windows clients that will meet the DCE specification and can call services on DCE-compliant remote servers. OS/2 server support is slated for later delivery.

IBM also has committed to supporting DCE throughout its product line. Client and server compliance already is available for AIX and is planned for OS/400 and MVS. When implemented, this scheme should allow complete interoperability among IBM systems and systems from its competitors. "DCE is fundamental to IBM's whole approach to client/server and distributed computing," says John Rymer, editor of *Distributed Computing Monitor*, "to the point where they're almost too obsessed with it for their own good."

The reason for Rymer's observation is that DCE isn't the only game in town, and its acceptance has been slow, to say the least. After dribbling out of OSF in 1991, the technology has spent the last two years being evaluated by corporate and commercial users in feasibility and pilot programs, but it has not exactly taken the market by storm. In part, this was due to its heavy association with Unix, but this is changing now that implementations of DCE for non-Unix platforms are starting to appear.

Beyond Unix

One such program, and the source of IBM's Windows DCE offering, comes from Gradient Technologies (Marlborough, MA), whose PC/DCE is an implementation of DCE client-side support for DOS/Windows 3.1. Gradient did not implement DCE server-side support because it requires a robust, preemptive multitasking foundation, which DOS couldn't provide. However, the company will likely create DLLs for Windows NT that implement both the client and server modes of DCE. This third-party solution will let NT systems interoperate with Unix servers and IBM minicomputers and mainframes.

That Gradient couldn't practically implement DCE server capabilities on DOS/Windows points to DCE's main impediment to widespread adoption: It was designed presuming an all-Unix world of desktops and servers. Notes Rymer, "A lot of people I talk to see DCE as almost irrelevant; it's too big, too complex. The dominant desktop now is Windows, but DCE's design point was a much more powerful client."

IBM's response to this problem, naturally, is to emphasize OS/2 as a client, because it is a fully 32-bit, preemptively multitasking, multithreaded operating system. Another alternative is to forgo DCE entirely and use NetWare to implement client/server applications.

"Look at what NetWare has become: a distributed-computing environment," says Rymer. Most client/server applications now under development are small in scale and designed for local workgroups, not worldwide enterprises, he argues. The high-end features of DCE are overkill for these users, while NetWare, he says, "has distributed directories, security, network management, but is optimized for the low end, for workgroups and LANs of PCs."

Another potential weakness of DCE is its security model, which is based on Kerberos, derived from the DES. Rymer

notes that many IBM competitors, notably Novell and Microsoft, have openly scorned DES in favor of RSA public-key encryption. "There's also concern that Kerberos won't work on a large scale, which is ironic given the high-end design center of DCE," says Rymer. Novell, he says, rejected Kerberos because it was too slow.

Nevertheless, IBM has committed strategically to DCE as the basis for its open client/server offerings. Given how widely supported DCE will likely be, IBM's decision to aim for today's high end—which will be tomorrow's mainstream—may not turn out to have been a mistake. The riskiest part of the strategy is the problem that haunts all open-system providers: If the products are truly interchangeable, how do you keep your customers from bolting to the competition? Here, IBM aims to win based on better service and support, market-leading implementations of standards-based technology (e.g., AIX), and superior network and enterprise management tools (e.g., NetView).

Scoping the Competition

The ultimate wild cards will be Novell and Microsoft. Both companies want to move into IBM's enterprise computing space by extending their current offerings upward, but neither one—to the chagrin of the OSF—has licensed DCE. Both companies support SNA (Systems Network Architecture) connectivity from their network servers, but this is mere plumbing compared to the high-level distributed-computing model encompassed in DCE.

Novell is moving surprisingly slowly on DCE, given its acquisition of USL, which had committed to DCE, and the fact that it controls Unix. Novell has a lot of interest in preserving its own naming conventions, RPC methods, and security provisions, so the approach it probably will take will be to support DCE as a backbone mechanism for connecting NetWare LANs to each other or to DCE-compliant minicomputers and mainframes.

Microsoft's approach is, typically, even more proprietary and homegrown: The company has coded its own versions of some parts of DCE, such as a compliant RPC mechanism in LAN Manager and Cairo. But Microsoft isn't using the DCE cell directory (derived from Banyan technology), nor the X.500-based global directory services. And, of course, both companies have opted to use RSA encryption.

IBM's DCE SDK is shipping now (the Windows *client* still is in beta testing) and costs $1095, including five OS/2 and five Windows run-time licenses. Additional OS/2 client run-time licenses are available for $55. Although DCE is protocol-independent, this first implementation for OS/2 assumes TCP/IP, says Trudy Henke, IBM brand manager for OS/2 DCE. The OS/2 SDK implements all major DCE functions, but because OS/2 supports threads, the native mechanism is used. IBM's AIX client and server are one generation more advanced, and now they support distributed file systems and global directory services based on the X.500 model. ■

Andy Reinhardt is BYTE's West Coast bureau chief. You can reach him on BIX as "areinhardt."

GREAT THINGS COME IN SMALL PACKAGES

This powerful print server can tackle your biggest network printing problems

- Connects any parallel printer directly to your Ethernet LAN
- Fully Novell Netware 286 and 386 compatible
- Can attach to 8 file servers simultaneously
- Fast and easy to install
- Combines high-speed printing and exceptional printer control
- Supports encrypted passwords, forms, notify, cancel, and others
- Full one-year warranty and unlimited free technical support
- Made in the U.S.A.



Make the Rose Connection


ROSE ELECTRONICS

10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713) 933-7673 • Fax (713) 933-0044

1-800-333-9343

Circle 324 on Inquiry Card.

ALL BUSINESS DECISIONS SHOULD BE THIS EASY.





Great for entertainment:

- Education
- Games
- Music

Perfect for business audio:

- Adding voice to e-mail
- Word processing
- Spreadsheets

Today, most business people don't have time to play games.
Therefore SoundXchange, a private, convenient and powerful business tool,
literally adds your voice to important business communications.
Just plug in the familiar speakerphone-style sound system without opening your computer
and within minutes you can be using your unique, most
effective business asset - your voice.

SoundXchange, the easiest business decision you'll ever make.

See your dealer or call today to order.

"SoundXchange ...is the perfect complement to the office environment, providing an excellent business level audio solution for a growing new market."
Windows Magazine, January 1993

See us at COMDEX® Booth L6219

INGRAM MICRO


interACTIVE™
MULTIMEDIA FOR BUSINESS COMMUNICATIONS™

1-800-292-2112

204 NORTH MAIN, HUMBOLDT, SOUTH DAKOTA 57035 • PHONE 605-363-5117 • FAX 605-363-5102

End Users circle 301, Resellers circle 302 and 10+ Networked PCs circle 303 on Inquiry Card.


CALL FOR INFORMATION OR OTHER CONFIGURATIONS 1-800-331-1701



AUSTIN'S LOOP 360 BRIDGE

Austin has it all!

With Austin's powerhouse 486DX2-66, a 340 MB hard drive, and active matrix display ...



you simply don't need a desktop computer anymore!

Come see us at Comdex in the Multimedia Pavillion!

Austin 486 Notebooks

The freedom of fully portable, fully powered computing!

Discover the freedom to go anywhere the road takes you. Do anything. Anytime. Our compact, high-performance notebook computers prove it! The active-matrix color models provide crisp, clear screens with the advantage of simultaneous CRT and LCD display—a must for impressive, portable presentations.

The full-size keyboard is easy to use whether you're at your desk, in a plane, or on the road. The large 16mm trackball is located front and center for optimal comfort and control. The PCMCIA slots accept two Type II devices or one Type III device for communications and future multimedia options.

Powerful Portable!

The state-of-the-art Intel 486DX2--66 model packs all the speed and power of the best desktop workstation into a compact, lightweight case. A 32-bit local bus Windows accelerator provides the best notebook video performance available.

486DX2-66 **$4,499**

340 MB Hard Drive,
9.5" TFT Active-Matrix
Color LCD Display

Affordable Portable!

486SX-25 **$1,899**

130 MB Hard Drive,
9.5" Mono Display

Austin 486 Notebooks

Intel 486SX, DX, or DX2 Processors • 4 MB RAM Expandable to 32 MB • 130, 213, or 340 MB Hard Drive • 3.5" Floppy Drive • 32-Bit Local Bus Windows Accelerator Video • Monochrome Display or TFT Active-Matrix Color Monitor with Simultaneous Display • 85-Key Keyboard with 16mm Front-and-Center Trackball • Two Serial Ports, One Parallel Port • Two- to Five-Hour Battery Life • 11.1" x 8.58" x 2", 6.3 lbs. • Preinstalled MS-DOS 6.0, Windows 3.1 • One-Year Warranty

© 1993 Austin Computer Systems. All rights reserved. The Intel Inside logo is a registered trademark of Intel Corporation. Microsoft is a registered trademark and Windows and the Windows logo are trademarks of Microsoft Corp. Prices and specifications are subject to change without notice.

intel inside®

MICROSOFT WINDOWS READY-TO-RUN

energy star

AUSTIN
AN IPC COMPANY


Buy Direct 1-800-331-1701

AUSTIN COMPUTER SYSTEMS • AN IPC COMPANY •10300 METRIC BOULEVARD, AUSTIN, TEXAS 78758
FAX: 512-454-1357 • OVERSEAS: 512-339-3500 • CANADA: 1-800-338-1565

Circle 284 on Inquiry Card (RESELLERS: 285).

Compilers: Essential Partners

OLIVER SHARP



DANIEL PELAVIN © 1993

Both Windows NT and OS/2 are portable; they run on multiple hardware platforms. Thus, they can take advantage of the latest generation of high-performance processors to bring unparalleled computing power to DOS and Windows users.

However, a high-performance processor such as the DEC Alpha or the PowerPC is only one part of a high-performance platform. An equal partner is the compiler used to generate code for the processor. Increasingly, Windows NT and OS/2 depend on advanced compiler technology to wring the utmost performance from the hardware.

During the last five years, a new generation of microprocessors has swept the industry. Today's processors use a variety of architectural advances that result in dramatically improved performance, but these improvements have introduced a lot of complications into the lives of programmers. It is now much more difficult to predict how long a particular sequence of instructions will take to execute. That uncertainty makes programmers even less willing to optimize code sequences by hand, leaving it up to the compiler to squeeze the best performance out of the system. Compiler writers have been working hard to live up to their new responsibilities.

Although there have been many changes in chip design during the last decade, compiler designers are only interested in the ones that have a visible effect on program execution. To a compiler writer, the most important parts of a processor are the pipelines, the cache, the registers, and the multiple functional units. The table on page 136 summarizes the characteristics of many of today's leading processor designs.

The processors behind today's sophisticated operating systems can't go very fast without an essential piece of software—the compiler

Air in the Pipes

Pipelining is an old idea for speeding up computation. In fact, it has uses far beyond computing. For example, an assembly line in a factory is just a pipeline for building widgets. As VLSI technology improves, chip designers are able to pack many millions of transistors onto a single chip; they have taken advantage of this freedom to pipeline the most important pieces of the processor, including instruction interpretation and arithmetic computations.

Pipelines work most efficiently when instructions flow smoothly through them. As each stage finishes working on one instruction, it must be able to start working on the next instruction as soon as possible. But in an unpredictable environment, a designer can't always prevent interruptions.

A load instruction, for example, imposes a delay while it accesses the cache. If the data is available, the processor will receive it within a small number of instruction cycles (typically one or two). During this *load shadow*, the processor may have to wait until the data arrives, introducing a gap (or *bubble*) in the flow through the pipeline.

Modern chips try to do some useful work in the shadow. The easiest way is to "expose" the load delay—the architecture of the chip specifies that the instruction following a load (in what is called the *load delay slot*) may not use the value being loaded. Because it isn't dependent on the results of the load, the instruction in the slot can execute while the load is still pending.

A compiler for an architecture that uses an exposed delay slot can rely on a variety of strategies to find suitable instructions. In a simple strategy, the compiler generates naive code and then goes back and shuffles the order around a bit to fill as many delay slots as possible. If the compiler can't ferret out an instruction to put in the delay slot, it is forced to put a NOP (no operation) there. Because of

the complexities that load delay slots create for superscalar instruction issue, most present-day processors have abandoned this feature.

The second way to fill the load shadow puts the burden on the processor. After a load is issued, the chip continues to the next instruction and tries to execute it. If the new instruction uses the data being loaded, the chip prevents execution from continuing via an *interlock*. The compiler is free to blithely output instructions without paying any attention to delays. It will produce better code, however, if it factors in the delay while choosing an instruction order. Note that an exposed delay slot and a hidden one require the same analysis to exploit; an exposed delay just forces the compiler to be honest when it fails to find a useful instruction to put in the shadow (see the listing above).

Rearranging for the load delay. *This listing shows two instruction sequences that compute the same expression. By moving the first load instruction down, the second sequence can begin the add operation immediately while waiting for that load to complete, reducing the cycle count.*

```
expression: x = a + (b + c)
code:              cycle of issue:
r1 = a                    1
r2 = b                    3
r3 = c                    5
r4   r2 + r3              7
r5 = r1 + r4             10
   finish after          12
code:              cycle of issue:
r2 = b                    1
r3 = c                    3
r1 = a                    5
r4 = r2 + r3              6
r5 = r1 + r4              9
    finish after         11
```

The Problem with Branches

More troublesome than load shadows are branch instructions. Unconditional branches aren't a problem, because the processor can tell which instruction will be executed next and prefetches it. However, you can get a break in the smooth flow of instructions through the pipeline when the processor encounters a conditional branch. The condition that determines which way the branch will go may not be determined when the processor encounters the instruction, leaving the processor with no idea whether it should prefetch normally or assume that the branch will be taken. The processor must halt prefetching until it can tell which direction the branch goes in. This introduces idle processor time, which is a performance penalty.

To reduce the performance cost of branches, processor designers have come up with two strategies. The first is to expose the delay, creating a branch delay slot. The instruction following a conditional branch statement is always executed, regardless of whether the branch is taken. With the advent of superscalar processors, however, delay slots have become less popular, because these chips need more than one instruction to keep the pipeline filled, and multiple delay slots are unwieldy.

The other solution, *branch prediction*, is based on the fact that, in general, branch instructions are more likely to go in a particular direction. If the program is checking an error condition, the error is usually a rare event, so the resultant branch is rarely taken. On the other hand, if the branch is part of a loop, it will normally execute many times before it exits. With branch prediction, the processor guesses which direction the branch will go in and begins executing the likely branch ahead of time. If the guess is wrong, the work must be undone. The cost of a mistaken guess depends on the pipeline complexity and ranges from a single cycle to as many as 10.

But how does the processor determine whether a branch will be taken? One way is to look ahead; since a modern chip prefetches several instructions at a time, it may be able to figure out the outcome of a branch far enough in advance to begin fetching the appropriate follow-on instructions. The compiler can help by putting a few instructions between the evaluation of the test expression and the branch.

When all else fails, somebody or something must guess which way the branch will go. The processor can force the compiler to do it by having the compiler put a hint in the branch instruction. To compute the hint, the compiler can analyze the code, use profiling information, or both. Alternatively, the chip can make its own guess. The two usual techniques are *static prediction*, in which the chip guesses based on whether the jump is forward or backward, and *dynamic prediction*, in which the chip caches the most recent branches and assumes that cached branches will behave the same way they did the last time. The PowerPC uses static prediction with an optional overriding, compiler-specified hint in the branch instruction, while the Pentium relies on dynamic prediction.

Another way a compiler can reduce the cost of branches is to get rid of them. Three major ways to cut down on the number of branches are to evaluate them at compile time, move them out of loops, or execute

CHIP COMPARISON CHART

CHIP	# REGISTERS	EXPOSED DELAY SLOT	BRANCH PREDICTION[1]	FUNCTIONAL UNITS[2]	WORD SIZE
Alpha 21064 (DEC)	32 GPR[3] 32 FPR[4]	No	Hint	1 integer 1 floating-point 1 load/store 1 branch	64
R4x00 (Mips)	32 GPR 32 FPR	Branch	None	1 integer 1 floating-point	64
PowerPC 601 (IBM/Motorola)	32 GPR 32 FPR	No	Static with hint override	1 integer 1 floating-point 1 branch	32
Pentium (Intel)	8 GPR, FP stack	No	Dynamic	2 integer 1 floating-point[5]	32

[1] Branch predictions: Dynamic: Keep track of former behavior and predict. Static: Guess based on target of jump (backward/forward). Hint: Compiler sticks a bit in the instruction. None: Eat the delay; sometimes fall-through is free.

[2] The number of functional units doesn't necessarily reflect how many instructions can execute in parallel. For example, under normal circumstances, the four functional units of the DEC Alpha will execute two instructions at once.

[3] General-purpose registers.

[4] Floating-point registers.

[5] Actually, there are three dedicated FPUs (add/multiply/divide), but they share pipeline stages so they cannot execute in parallel. Results will arrive one per cycle with full pipelines. The floating-point and integer instructions can't execute in parallel.

A MESSAGE FOR DEVELOPERS WHO COULD USE A BUNDLE.

Something big is happening.

It's called CD-ROM. And it's the only way to handle the tons of information you need these days–without filling up your hard drive.

And since a development system can now fit on a single disc, that's where we put the Microsoft® Visual C++™ development system for Windows™ and Windows NT.™

It comes with over 8,000 pages



of our Books Online. And for a limited time, it also comes with a prepaid coupon for a double-speed, Windows NT™-compatible Chinon™ CD-ROM 535 Series drive, featuring an average access time of 250 ms.

Better yet, when you get this package, you save a bundle. Which is to say $200* at the very least.

See your local reseller today and ask about our remarkable offer. It'll make your life easier. And richer.

Microsoft
Making it easier

*Based on current suggested retail pricing. Offer consists of software package and an enclosed prepaid coupon that can be redeemed by mail for CD-ROM drive. Offer good only in the 50 United States and Canada. Offer good until February 28, 1994 or while supplies last. Visual C++ 32-Bit Edition is available only in CD format. © 1993 Microsoft Corp. All rights reserved. In the 50 United States, call (800) 426-9400; in Canada, call Microsoft Windows (800) 563-9048. For information only: Outside the United States and Canada, call your local subsidiary or (206) 936-8661. Microsoft is a registered trademark and Visual C++, Windows, Windows NT and the Windows logo are trademarks of Microsoft Corp. Chinon is a trademark of Chinon America, Inc.

CHINON

them less often by modifying loops.

In the first method, the compiler can sometimes figure out (using a method called *constant propagation*) how a conditional will evaluate. This lets the compiler eliminate the conditional and the code associated with the branch that won't be taken. The second transformation is a form of loop-invariant code motion; if there is a branch inside a loop that doesn't need to be there, move the branch outside the loop. Finally, the compiler can reduce the frequency of branching by combining loops or by iterating fewer times. One of the most common and most useful ways to reduce the number of iterations is to "unroll" the loop:

```
for i = 1 to 100
  A[i] = A[i] * 1.1
```

becomes

```
for i = 1 to 100 by 2
  A[i] = A[i] * 1.1
  A[i+1] = A[i+1] * 1.1
```

Here, the number of iterations, and hence the number of branches, is cut in half. Unrolling is a straightforward technique, although it becomes a bit more complicated to apply when the compiler doesn't know the loop bounds or if there are GOTO statements in the loop body. Despite its simplicity, unrolling a loop yields substantial performance improvements. This example unrolled four times yields a respectable 17 percent improvement in performance on the Hewlett-Packard PA-RISC.

Maximizing the Cache

The great thing about a cache is that you can ignore it; programs generally have good locality, so they execute much more efficiently when a cache is present. However, as memory has increasingly failed to keep pace with CPU speeds, compiler designers have begun to think about optimizing the use of the cache to avoid the deadly cost of excess memory references caused by cache misses.

A simple technique to avoid cache misses is to align data structures on cache boundaries. When a cache accesses memory, it loads a block of data called a *cache line*. The blocks are typically on the order of 16 words long. If a small data structure is aligned so that its first word of data is on a cache line boundary, a single memory transfer can load the entire structure. The same structure, straddling a boundary, would require two loads.

Aligning structures is a fine idea, but the real opportunity to benefit from cache management is in restructuring code. The kind of code that improves most dramatically—and is the easiest to manipulate—is the loop. Because they almost always represent the majority of execution time in a program and they have regular behavior, loops are the center of modern optimization research.

Caching provides the most benefit when data is reused many times after it is loaded from memory. The listing on the right shows how a loop can be restructured with a transformation called *blocking* (or *tiling*) to use the cache more effectively. The original code consists of two nested loops that walk over a 2-D array and compute a value for each element based on its four neighbors. The cache isn't big enough to hold the array, so some of the elements are reloaded unnecessarily. The compiler transformation divides the array into blocks of 50 by 50 elements, each of which is small enough to fit in the cache. It then converts the original two loops into four, where the outer two walk over blocks and the inner two perform the computation within a block. The transformation improves performance by 33 percent on an HP PA-RISC, despite the extra branch instructions added by the new loops.

Few commercial compilers do aggressive cache optimization yet, but it is an active area of research, and the ideas are migrating into industrial practice.

Register Considerations

The gulf between processor and memory speed has also led designers to take a different approach to the use of registers. Traditional architectures like the DEC VAX and Intel 80x86 have instructions that use values in registers, but they also have instructions that perform computations directly on values in memory. A key element of the RISC philosophy is the *load-store* architecture, in which all operations are performed on values stored in registers. To use values stored in memory, a program must first load them into a register.

Because register operations are so fast, RISC chips use as much extra silicon as possible to provide many more registers than older-style processors did. As the chart in the table shows, members of the new generation of processors generally have 64 registers. This abundance is a mixed blessing to compiler writers; while greatly improving performance, registers are another resource that needs to be managed carefully. The compiler has two opportunities for improving register usage: It can transform the code to increase reuse of intermediate values, and it can be intelligent in its register allocation strategy.

The effect of blocking. *The improved reuse of the second loop yields a 33 percent improvement in performance on an HP PA-RISC, despite the extra branching necessary.*

```
real A[0..1001,0..1001]
Loop 1:
for i = 1 to 1000
  for j = 1 to 1000
    A[i,j] = (A[i-1,j] + A[i,j-1] + A[i+1,j]
      + A[i,j+1])/4
Loop 2:
for a = 1 to 1000 by 50
  for b = 1 to 1000 by 50
    for i = a to a+49
      for j = b to b+49
        A[i,j] = (A[i-1,j] + A[i,j-1] +
        A[i+1,j] + A[i,j+1])/4
```

There are many transformations that improve locality, including loop unrolling. For example,

```
Loop 1:
for i = 1 to 100
  A[i] = A[i] + A[i+1]

Loop 2:
for i = 1 to 100 by 2
  A[i] = A[i] + A[i+1]
  A[i+1] = A[i+1] + A[i+2]
```

Loop 1 loads 200 values from memory Loop 2, the transformed one, loads only 150—the compiler puts `A[i+1]` in a register when it is loaded for the first statement and reuses it for the second. Further unrolling reduces the number of loads even more. Unrolling is only one of many loop optimizations that improve register usage.

Once it has transformed the code into its final form, the compiler must allocate registers. The usual strategy is to look at each procedure and figure out how many intermediate values need to be stored. The next step is to do *liveness* analysis; a value is "live" if some future computation needs to use it. After a value is no longer live, the compiler can reclaim the register that stored it and use it for another value. If more values are live at any given point than there are registers to hold them, some of the values are temporarily (and expensively) "spilled" to cache or memory. It is

INTELLIGENCE RECOGNIZED!

"ZyXEL modems are now among the best performers" – PC Magazine

Leading industry publications are giving the ZyXEL family of modems rave reviews for top performance. ZyXEL's Ultra High Speed Modems are packaged to fit a variety of modem configurations, giving you more intelligent features for less.

"ZyXEL modems are loaded with features, it comprises a virtual treasure box of surprises." – Boardwatch Magazine

ZyXEL's U-Series modems offer an array of intelligent features that ensure fast, reliable operation – and true "plug-and-play" operating ease. Offering two-way fax capabilities and it's NEW VOICEFAX SOFTWARE,* ZyXEL lets users forward and retrieve voice mail box messages from remote locations. With ZyXEL's Rackmount and NMS, you can control and monitor hundreds of sites at a time. And for users on-the-go, it's the new U-1496P portable modem/fax with voice which offers cellular capability and portability, plus all of ZyXEL's standard features.

"Some modems are good. Some modems are fast. ZyXEL modems are good and fast." – Computer Shopper

ZyXEL PLUS Series gives you top speeds of up to 19.2 Kbps, with DTE speeds of up to 76.8 Kbps. And don't forget that ZyXEL modems come with a 5-year warranty** and will be upgradable to V.Fast Advantage, upon finalization of the standard, starting at $249.***

"ZyXEL modems scored a three way tie for best two way communications modem." – BYTE

PC Magazine honors ZyXEL modems as one of the top three out of sixty-two modems that have perfect connection record. Compatible with most other modems, ZyXEL modems operate in asynchronous and synchronous mode – and in all environments, including DOS,™ Windows,® OS/2,® Macintosh,® UNIX,® NeXT® and Amiga.™ And, with V.25bis for synchronous communications, ZyXEL is compatible with IBM's AS/400 and RS/6000.

ZyXEL's Intelligent Features

- Ultra High Speed 19.2/16.8 Kbps
- V.32bis/V.32, V.22bis/V.22, BELL 212A
- V.17-14.4 Kbps, EIA Class 2, G3 Fax, S&R
- V.42/V.42bis with Selective Reject-MNP® 3/4/5
- Digitized Voice Capability
- Caller ID/Distinctive Ring
- Remote Configuration
- Auto Fall Forward/Fall Back
- Call-Back Security with Password Protection
- Line Probing Techniques
- 2/4 Wire Leased/Dial Line
- Auto Data/FAX/Voice Detection****
- Upgradable by EPROM

Join industry experts in finding out how ZyXEL's Intelligent modem can be a wise investment.



Call: (800) 255-4101

COME SEE US AT BOOTH 7142 COMDEX FALL '93

ZyXEL

The Intelligent Modem

4920 E. La Palma Avenue, Anaheim, CA 92807 (714) 693-0808 BBS: (714) 693-0762 FAX: (714) 693-8811

*Available with Windows,® DOS,™ and Macintosh® versions. **2-year warranty for Rackmount models. ***V.Fast upgrade price depends upon the model, this offer is valid in USA and Canada only. ****Auto Data/Fax/Voice detection available on DOS version, Window/Mac version available with Auto Fax/Voice detection. Specifications are subject to change without prior notice. All trademarks are the property of their respective owners.

Circle 351 on Inquiry Card (RESELLERS: 352).

PC MAGAZINE EDITORS' CHOICE
June 29, 1993
ZyXEL U-1496 PLUS

PC PROFESSIONELL EMPFEHLUNG DER REDAKTION
February 1993
ZyXEL U-1496E PLUS

PC Digest RATINGS REPORT
Vol. 7 No. 7, May 1993
"The ZyXEL U-1496E PLUS costs less than many of the V.32bis modems that it outperforms."

JULY 1993 BYTE BEST VALUE HIGH-SPEED MODEM
ZyXEL U-1496E PLUS

JULY 1993 BYTE BEST TWO-WAY ALL-AROUND MODEM
ZyXEL U-1496E

COMPUTER SHOPPER
July 1993, ZyXEL U-1496E PLUS
ZyXEL U-1496 PLUS
Top 10 List

PC Computing HARDWARE 200 TOP RATED
June 1993
ZyXEL U-1496E

NETWORK WORLD
May 10,1993 "The ZyXEL modem is faster...practically across the board."

Data Comm MAGAZINE Top Performer JULY 1993
ZyXEL U-1496 PLUS

BOARDWATCH MAGAZINE
November 1992
ZyXEL U-1496
ZyXEL U-1496E

Winter 1992 ZyXEL U-1496
Awarded 5 NeXTWORLD Cubes

common to run out of registers on architectures like the Intel Pentium, which has relatively few available. For architectures with dozens of registers, the more usual reason to spill is a function call.

Every compiler has a calling convention that defines how function calls are made. The convention includes where the arguments go, which registers can be modified at will, which registers need to be preserved, and so forth. For example, if a processor has 64 registers, the compiler can stipulate that perhaps 32 of them can be modified arbitrarily by the called function. That means that the calling function must save any values in those 32 registers that it will need after the called function completes. The called function can't use the other 32 registers unless it saves their value first and restores it when the function is ready to return. Saving and restoring registers adds overhead to the cost of a function call; unfortunately for the compiler writer, modern programming techniques encourage the programmer to make many function calls.

The compiler can make function calls much more efficient if it considers the interaction between procedures, rather than treating each one in isolation. Without knowing anything about the target of a call, the compiler has no choice but to preserve values conservatively—it is better to run slowly than incorrectly. However, if the procedure being called will use only some subset of the registers, the caller doesn't need to bother saving the others. Another trick is to assign frequently used values to registers permanently.

Parallelism. *The RS/6000 has independent parallel floating-point and integer units. The first loop uses each unit per iteration. The second loop is the unrolled version of the first, exposing more parallelism and reducing the branching cost. It executes in 82 percent of the time needed by the first. The third loop has the same looping behavior as the second, but each statement depends on the previous one. This forces the loop to run much more slowly — it takes 36 percent more time to execute than does the original unrolled code.*

```
A is a floating point array
B is an integer array

       1
for i = 1 to 100
  A[i] = A[i] * 1.1
  B[i] = B[i] * 2

       2
for i = 1 to 100 by 2
  A[i] = A[i] * 1.1
  B[i] = B[i] * 2
  A[i+1] = A[i+1] * 1.1
  B[i+1] = B[i+1] * 2

       3
for i = 1 to 100 by 2
  A[i] = A[i] * 1.1
  B[i] = A[i] * 2
  A[i+1] = B[i] * 1.1
  B[i+1] = A[i+1] * 1.1
```

Multiple Functional Units

One of the most dramatic improvements in processor performance comes from low-level parallelism in the chip. Simpler architectures can execute only a single computation at once; so-called superscalar chips have multiple functional units that can be working on more than one result simultaneously. They can also issue more than one instruction at once. The instruction decode logic generally looks at the next few instructions to find one or more that are ready for execution. Some chips support *out of order* execution, meaning that they may execute instructions in a different order than they appear in the program.

Just like implicit delay slots, superscalar chips allow the compiler to act in ignorance; the chip will do its best to find and use parallelism. A smart compiler, though, tries to order instructions to take as much advantage of the multiple functional units as possible. Strategies for finding a good instruction sequence range in complexity from simple heuristics to detailed models of the target architecture.

The Intel Pentium is a good demonstration; it is a superscalar chip, but its predecessors were not. The Pentium is able to execute any 486 application unchanged, but performance will usually be much better if that application is recompiled. The recompilation doesn't change the basic computation, but it reorganizes the instructions so that they take better advantage of the chip.

For example, Watcom's 32-bit C++ compiler for DOS and Windows can perform "Pentium-aware" optimizations. The compiler accomplishes this by "RISCifying" the code; that is, by breaking each complex machine instruction in the emitted code into a series of simpler (though equivalent) instructions. The instructions in the "RISCified" code are then reordered where possible to take advantage of the Pentium's internal dual pipelines. A final pass recombines the simple instructions (again, where possible) into equivalent complex instructions to reduce the size of the final executable file.

To exploit multiple function units, an aggressive compiler begins by restructuring loops to expose more parallelism. Then it looks at each basic block and tries to find an instruction ordering that will minimize the instruction cycle count.

A tremendous variety of loop transformations have been proposed for exposing parallelism, including loop unrolling. The listing at left shows three loops and compares their performance on an IBM RS/6000 workstation.

The combination of multiple instruction issue and multiple functional units makes it difficult to figure out how long an instruction sequence will take to execute. Changes to the sequence can have strange effects; one of my favorite examples is what happened to some of my coworkers on the Mips architecture, who, to check the behavior of executables, modified them by inserting extra instructions at compile time. One program began to execute more quickly even though it was doing more work. After a frenzied attempt to figure out what was happening, they discovered that the Mips interlock imposes an extra penalty. When a conflict forces the chip to stall an instruction, not only does the instruction stop executing during the cycle, but it is penalized for causing trouble. The inserted instruction executed for free and, by preventing the interlock, caused the program as a whole to run faster.

This example brings home the point that, in the future, the compiler will be just as important as the processor in getting optimal performance for leading-edge operating systems and applications. ■

Oliver Sharp is an associate at Heuristicrats Research, Inc., a developer of optimization software. He is completing his Ph.D. in computer science at the University of California/Berkeley on compilation techniques for parallel architectures. You can reach him on BIX c/o "editors" or on the Internet at oliver@heuristicrat.com.

For More Information


This article is based on results coming from the compiler optimization community. To learn more, you need to resort to research papers. A comprehensive reference for traditional compiler techniques is *Compilers: Principles, Techniques, and Tools* by Aho, Sethi, and Ullman. You might find *High Performance Computing* from O'Reilly an interesting reference for figuring out how to make your code run faster. Before you worry about superscalar chips, however, make sure you've chosen your basic algorithms and data structures wisely. Jon Bentley's classic *Writing Efficient Programs* is an excellent place to start.

DOS • NT • OS/2 • DOS • NT • OS/2 • DOS • NT • OS/2 •

Windows NT Supports Posix, but Does It Matter?

Posix is an important standard for character-based applications, but it may not have much of an impact in a windowcentric world

NICHOLAS BARAN



Technology

Microsoft is promoting its new top-of-the-line operating system, Windows NT, as the natural successor to Unix in environments requiring multitasking, high-level security, and conformance with federal standards. It is the first major operating system other than Unix to support Posix, which for years has been required for all government procurement contracts involving Unix-based systems. The question is whether NT's Posix support is merely a regulatory formality or a major technical feature.

Posix (for Portable Operating System Interface based on Unix) was intended to ensure application portability between Unix platforms. This initial standard required source code portability as specified in IEEE 1003.1 standard, which requires that system-level calls in the C language follow specific guidelines.

A second part of the Posix standard (IEEE 1003.2) provides a command-line interface standard as well as a number of shells and utilities, all based on Unix. (For example, `grep`, `awk`, and `lex`, are Unix commands that are standard functions in IEEE 1003.2.)

NT supports the entire IEEE 1003.1 standard and parts of IEEE 1003.2. The 1003.1 standard is supported in a "Posix subsystem" within NT, which lets programmers write C code in accordance with the 1003.1 standard. For example, Posix requires a specific method for handling process hierarchies and inheritance and uses a routine called `fork()` for this purpose, while NT's Win32 subsystem uses a routine called `CreateProcess()`.

Many 1003.2 components, such as `vi` and the Korn shell, are embodied in the NT resource kit, but 1003.2 support is not complete. A complete Unix-command interface for NT is available from third-party vendors such as Mortice Kern Systems of Toronto, Ontario.

Heart of the Matter

So the real question is: What good is Posix? The answer is that in its current state Posix is mainly good for satisfying federal procurement requirements. Even Posix supporters admit that the standard does not go far enough to ensure application portability between platforms. DEC's Jim Isaak, former chairman of the IEEE Posix committee, says, "Posix isn't rich enough to do many things that [applications developers] want to do—like control windows or the screen with something other than text I/O."

In other words, Posix only provides standards for developing character-based applications. With graphics and windowing systems, you're on your own. That's where NT hopes to fill the void. Developers can write Posix-compliant applications and then use the Win32 environment to create the graphics and windowing portions of their applications. Says Microsoft's director of business development, Bob Kruger, "The availability of NT in a Posix world is very significant because it fulfills the objectives that Posix was originally designed to fulfill: that is, portability, scalability, and multiplatform."

The U.S. government is not likely to standardize on NT. Currently, X Window System is the preferred (but not required) windowing standard in the Posix world and PHIGS and GKS are the dominating graphics standards.


NT has the ingredients for becoming a standard, because it provides a complete set of tightly controlled programming specifications from text to graphics, unlike Unix, which spawned a myriad of different versions and graphics and windowing standards. According to Kruger, "Unix and NT started out with a different focus historically. Unix started out as a lab exercise as opposed to a commercial product."

Incompatible and nonportable applications will continue to exist unless the world switches to NT or an alternative system. And although Microsoft may spend millions to promote NT's cause, it's not likely to happen. Unix is by no means dead, and it's hard to imagine DEC, Sun Microsystems, and Hewlett-Packard dropping their investment in X Window–based applications to adopt the Win32 environment. Isaak sums it up: "We haven't escaped the problem we're trying to address: application portability." ■

Nicholas Baran is a BYTE consulting editor living in Sandpoint, Idaho. He is the author of Windows from the Keyboard *(John Wiley & Sons, 1993). You can reach him on BIX as "nickbaran."*

When you see data access made this easy...

it's OK to point.



Accessing SQL databases in a client-server environment... until Andyne GQL, it's never been this easy. The industry's most advanced ad hoc query tool, GQL has something for everyone. Database administrators can build and customize data access environments while maintaining corporate security and control. Users can build complex queries, produce timely reports, and integrate data with other applications. In minutes. Without writing a single line of code. Without seeing any SQL.

Ad hoc queries, Executive Buttons, interactive prompting, Executive Information System capability, WYSIWYG reporting, and inter-application communication are just some of the features that give users the kind of access they need to corporate data. GQL's graphical point-and-click interface is easy to understand and simple to use.

And GQL offers more. More access to databases like Ingres, Oracle, Sybase, SQL Server, DB2, SQL/DS, Informix, Rdb, Tandem, AS/400, Unidata, Supra, and NCR/Teradata. More connectivity support, including MDI Gateway, SequeLink, EDA/SQL, DAL, TCP/IP, SQL*Net, DB-Library, ODBC, and Novell. Plus true cross-platform performance on more desktops—Windows, Macintosh, and Unix/Motif.

Find out what thousands of organizations have already discovered. Call us for a free GQL demonstration package. It's that easy.

Free Demo Disk Offer:
for Macintosh or Windows



Phone: 613-548-4355 Fax: 613-548-7801

All Andyne products are trademarks of Andyne Computing Limited.
All other brand and product names mentioned are trademarks of their respective holders.

Andyne products are also available in Europe.

Andyne

Andyne Computing Limited
552 Princess Street
Kingston, Ontario, Canada
K7L 1C7

1·800·267·0665

Circle 350 on Inquiry Card.

Will OpenGL Be 3-D Standard for Windows NT?



Technology

Microsoft says yes, but some insiders have doubts

NICHOLAS BARAN

Conspicuously absent in the first release of Windows NT is support for 3-D graphics. This is a capability Microsoft needs if it expects NT to overtake Unix as the preferred operating system for high-performance graphics-intensive applications.

So far, 3-D imaging and rendering have largely remained the domain of scientific visualization and computerized animation applications running on expensive workstations, such as Silicon Graphics, Inc.'s, Iris. But with the relentless drop in hardware price/performance and the advent of multimedia as a broad-based technology, 3-D graphics is poised to become a common component in many applications and is of critical importance to Windows NT.

Workstation 3-D graphics are dominated today by two competing standards: OpenGL from SGI, and PEXLIB, a consortium based at MIT that has developed PEX, a set of 3-D extensions to the X Window System. The PEX standard is promoted by Hewlett-Packard, Sun, and IBM, all members of COSE (the Cooperative Operating System Environment), the alliance attempting to "unify" Unix. IBM also supports OpenGL, as do DEC, NEC, and Intergraph.

Windows NT presents a major new platform for 3-D applications. SGI is porting its OpenGL graphics library to NT, and Microsoft says it will include OpenGL 3-D graphics primitives in its next major release of NT. Referring to that release, SGI's OpenGL product manager Mason Woo says that "anybody who gets NT will get OpenGL, establishing a standard in 3-D." Greg Lobdell, Microsoft's group product manager for NT, confirms, "Our plans are to have OpenGL primitives in the Win32 API."

It's anybody's guess when this "next major release" will be available, but it's not likely to be until late next year. Lobdell told BYTE that OpenGL for NT is in beta testing now but declined to give an actual release schedule. Meanwhile, Media Vision (Santa Clara, CA), which was founded by former SGI engineers, has already released a version of OpenGL for Windows NT that it claims will be fully compatible with the future Microsoft version of OpenGL. The Media Vision OpenGL runs on Intel, DEC Alpha, and Mips platforms. Intergraph is also working on its own implementation of OpenGL for NT.

Stormy Horizon

Although Microsoft's official line is that OpenGL will be the 3-D standard for NT, there are some questions. One insider in the 3-D graphics business, who requested anonymity, doubts Microsoft will actually adopt OpenGL. First, OpenGL is a proprietary graphics interface controlled by SGI, much as PostScript is controlled by Adobe Systems. (Remember when Microsoft endorsed PostScript? It ended up developing a competing font library called TrueType.) Graphics board manufacturers pay SGI a licensing fee to support OpenGL, much as laser-printer manufacturers pay a fee to Adobe for PostScript.

Second, one of Microsoft's key software vendors for Windows NT is AutoDesk, maker of the hugely successful AutoCAD. And AutoDesk has recently acquired Ithaca Software, which makes a 3-D graphics development interface called HOOPS. HOOPS works with both OpenGL and PEX, as well as with various 2-D interfaces, such as Microsoft's GDI (Graphical Device Interface) and Apple's QuickDraw. AutoDesk may be reluctant to throw its support exclusively to SGI when it owns a development tool that works with other graphics interfaces. Lobdell sidestepped the issue by saying, "It's not clear whether we'll support other 3-D standards."

It also seems unlikely that Microsoft will standardize on another company's proprietary 3-D interface. That just isn't how Microsoft operates. One possible scenario is that Microsoft is developing its own library of 3-D extensions to GDI and is merely supporting OpenGL in the near term, until it can release its own solution.

Microsoft certainly has the resources to develop its own 3-D extensions to GDI, and it would then control its own 3-D interface and compete with SGI and PEXLIB. But Microsoft's Lobdell discounts this theory: "OpenGL is where most of the momentum is now, and we're trying to avoid redundancy, so we probably wouldn't invent another set of 3-D primitives."

Time will tell. At the moment, OpenGL looks like it's in the driver's seat. ■

Nicholas Baran is a BYTE consulting editor living in Sandpoint, Idaho. He is the author of Windows from the Keyboard *(John Wiley and Sons, 1993). You can reach him on BIX as "nickbaran."*

Discover the basic principle of connectivity...



Look to SmarTerm® for visionary emulation and multi-platform connectivity.

It's a basic principle worthy of Galileo:
SmarTerm's stellar PC-to-host connectivity puts you at the center of your system. New SmarTerm emulation software for Windows will expand your vision with a galaxy of UNIX, VMS, and DG host applications. SmarTerm 420 for Windows and SmarTerm 340 for Windows have both been upgraded. We also offer SmarTerm 470 for Windows, the first full-featured Data General 470 emulation product for Windows. And coming soon—SmarTerm for Windows NT!

New Windows Sockets TCP/IP and more!
Assure your system a window on the future with great new features like SmarTerm TCP/IP as a Windows Sockets DLL, drag-and-drop FTP, a dialing directory, a script recorder, and *SmartMouse*™ enhanced mouse support!

Test a proven theory for reducing support costs.
It's a fact. You'll save money and time with SmarTerm's pioneering corporate support tools and utilities. These corporate support tools include simplified keyboard remapping, pop-up keyboard, toolbox, customizable help system, and enhanced button palettes with icons or text.

Discover SmarTerm.
It's the only emulation software that includes LAT and SmarTerm TCP/IP as a Windows Sockets DLL (a $199 value) FREE in every package. Discover the basic principle of connectivity today.



Call **1-800 EMULATE (1-800-368-5283).**

persoft®
CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Persoft U.S.A. 465 Science Dr.• Box 44953 Madison WI 53744-4953 • Phone (608) 273-6000 • FAX (608) 273-8227
Persoft Europe World Trade Center • Beursplein 37 • Box 30237 • 3001 DE Rotterdam, The Netherlands • Phone +31 10 405.3560 • FAX +31 10 405.5073


©1993 Persoft, Inc. SmartMouse is a trademark and Persoft and SmarTerm are registered trademarks of Persoft, Inc. Other trademarks mentioned are properties of their respective companies.

Circle 316 on Inquiry Card.

OS/2 Gets Device Support

IBM finally makes it easy for hardware vendors to support OS/2

STEVE MASTRIANNI



Technology

Perhaps the most notable improvement in OS/2 2.1 over version 2.0 is the newer version's dramatically increased support for third-party expansion hardware. For example, for the first time ever, I'm able to run my ATI Graphics Ultra Plus in 1280- by 1024-pixel-resolution mode, with 256 colors. Users of S3-based video boards are reporting similar success. Admittedly, these drivers are in beta, but they will soon be generally available.

By the time you read this, OS/2 will likely support most of the state-of-the-art video accelerator chip sets from companies such as S3, ATI, and Weitek. It will also claim support for non-SCSI CD-ROM drives, 24-bit color printers, scanners, touchscreens, and a host of other input and output devices.

This situation is unusual for OS/2, to say the least. For most of its existence, the operating system has lacked meaningful support for third-party hardware. The major reason for this situation has been the lack of a DDK (device-driver toolkit) from IBM. OS/2 device drivers are difficult to write under the best of circumstances. Without samples, they are nearly impossible.

Driver History

When OS/2 2.0 was released, the only existing OS/2 device-driver toolkit was the Microsoft DDK, which Microsoft had already pulled from the market. Moreover, many things had changed in OS/2 2.0 that precluded the use of the Microsoft DDK with this new version. The kernel debugger, which was version-specific, was not able to work with OS/2 2.0. In addition, IBM replaced the Microsoft LADDR (Layered Device Driver) architecture with the ADD (Adapter Device Driver) architecture, and the Microsoft Strategy 2 disk driver interface was replaced by IBM's EDDI (Extended Disk Driver Interface).

Changes in DOS compatibility also affected device drivers. OS/2 1.x supported only one DOS session, in which the processor actually operated in real mode. OS/2 2.0, however, introduced multiple VDMs (virtual DOS machines), which allowed each DOS program to run in its own 1-MB memory space, completely unaware of any other running applications. These programs needed to have shared access to I/O devices even though they assumed that they had exclusive access to them.

IBM's solution is the VDD, or virtual device driver, which arbitrates ownership of the device. The VDD has also virtualized the common system devices, such as the clock, the serial ports, and the DMA controller.

VDDs are 32-bit DLLs, which brought up yet another problem—namely, that there were no existing 32-bit compilers for OS/2 when version 2.0 shipped. IBM had used a Microsoft 32-bit compiler, but it could not distribute the compiler externally. As a result, developers were forced to write VDDs in assembly language or not at all.

The Turnaround

As a result of all these problems, device-driver support for OS/2 2.0 was nonexistent. Late in 1992, IBM finally realized that the lack of device support was hindering OS/2 2.0's success and would also hurt the expected success of OS/2 2.1.

Under the direction of Lois Dimpfel, director of IBM's Personal Operating Systems division, a group was formed in Boca Raton to make enhanced device support a reality. The group consisted of device-driver experts from all parts of IBM. Dubbed the Worldwide Industry Hardware Support department, it was given a simple mission: do whatever was necessary to make enhanced OS/2 device support a reality.

The culmination of the IBM group's effort was the release of the first beta DDK in early 1993. To ensure that it received feedback from a large number of developers, IBM released the beta DDK for a nominal charge of $15. The DDK was available only on CD-ROM because of its size and complexity, and it included the previously unreleased 32-bit C compiler to make it possible to write VDDs in C.

The first commercial DDK was released a few months later. Dubbed the IBM Device Driver Sourcekit 1.0, the DDK contained more than 70 device-driver sources, as well as a large set of on-line documentation. Included were sources to the mouse, disk, CD-ROM, serial, printer, and floppy disk drivers, as well as a modest collection of device-driver test tools.

In July of this year, IBM held the first-ever IBM OS/2 Device Driver Conference. This conference was attended by more than 300 OS/2 device-driver developers. Today, drivers for all types of devices are at last beginning to appear, spurred on not only by the efforts of the Boca Raton team, but by the success of OS/2 2.1 as well. IBM has put OS/2 device support back on the right track. ■


Steve Mastrianni is president of Personal Systems Software in Canton, Connecticut. He specializes in device drivers, operating systems, and real-time applications for OS/2 and Windows NT. You can reach him on BIX as "smastrianni," on the Internet at smastrianni@bix.com, or on CompuServe at 71501,1652.

"You asked for a powerful and affordable tool to develop client/server applications. That's why I developed System Architect 3.0."

JAN POPKIN, CHIEF SCIENTIST
POPKIN SOFTWARE & SYSTEMS, INC.

Developers and project teams looking for a CASE-based tool for client/server application development will find the answer in System Architect™ 3.0. This latest version of the CASE price/performance leader includes all the features of expensive tools for a fraction of the cost.

To quote CASE Trends Magazine: "Popkin Software and Systems have delivered on their promises, by offering inexpensive, easy-to-use products that deliver results."



System Architect 3.0.

SA 3.0 simplifies the development of client/server applications by supporting multiple methodologies including Information Engineering, Gane & Sarson, Yourdon, IDEF, OOA&D, SSADM IV, Shlaer/Mellor, and Ward & Mellor. It also features an integrated data repository you can customize. And it runs under MS Windows® or IBM's OS/2 PM®.

Flexibility And Functionality.

The ideal combination of flexibility and functionality has made SA the undisputed price/performance leader. As the needs of developers have changed, so has the scope of SA's features and options:


SA Screen Painter: Allows repository-based development of GUI screens and menus or character-based screens.

SA Object-Oriented Version: Supports Booch '91 and Coad/Yourdon.

SA Reverse Data Engineer: Reverse engineers SQL databases, including SQL Server, SYBASE, DB2, Informix, and Oracle.

SA Schema Generator: Generates DDL and SQL triggers from entity models for Oracle, Informix, Ingres, PROGRESS, Paradox, dBASE III, DB2, SQL Server, SYBASE, and other SQL and 4GL databases.

SA Project Documentation Facility: Enables the automatic generation of deliverables with desktop publishing quality from SA Encyclopedia.



System Architect 3.0 covers your development lifecycle with a complete range of features and options.

Put Your Project Team In A Class Of Its Own.

System Architect 3.0 makes your project team more productive because it lets your users really work together. It does this with a range of capabilities including:

Network Version – Allows multiple team members to work concurrently on a project while sharing the SA Repository by locking diagram and data dictionary records.

Network Security – Allows Project Managers to uniquely identify and classify personnel with appropriate levels of authorization.

Access Control – Allows team members to check-out, check-in, or freeze encyclopedia objects with defined authorization.


Version Control – Allows project encyclopedias, and their related files, to be saved and stored with appropriate version-identifying data. (Available in version 3.1)

Choose Your Development Environment.

System Architect 3.0 allows you to seamlessly interface with your choice of client/server application development environments:

SA/PowerBuilder Link. Allows the exchange of design information between SA and PowerBuilder for the development of more robust client/server applications.

SA/SQL Windows Link. Works with Gupta's SQL Windows.



▲ *Paint GUI screens from data in repository.*

Learn More About System Architect 3.0.

Call us at 1-800-REAL-CASE, ext. 138. Or fax us at 1-212-571-3436. Ask how you can qualify for a free 30-day evaluation copy.


SYSTEM ARCHITECT™

Popkin Software & Systems, Inc., 11 Park Place, NY, NY 10007-2801
Tel: (212) 571-3434 Fax: (212) 571-3436
Worldwide Sales: Italy 39-49-8700366; Denmark 45-45-823200;
Switzerland 41-61-6922666; Germany 49-6151-82077;
Sweden 46-8-626-8100; Benelux 31-3406-65530;
England 44-926-881186; Australia 61-02-346499
Elsewhere 212-571-3434

© 1993 Popkin Software & Systems Inc. The System Architect logo is a trademark of Popkin Software & Systems, Inc. All other brand and product names are trademarks or registered trademarks of their respective holders.

Circle 317 on Inquiry Card.

Superior In E



Every Nanao monitor undergoes intense scrutiny and testing to ensure maximum performance and product reliability. Our quality control processes and technical standards are among the most rigorous in the industry.

Our new line of Ecological Design™ Monitors incorporates advanced energy-saving features including PowerManager, which cuts power as much as 93% when the monitor is not in use. (After Dark screen saver software free with each monitor.)




Nanao was the first monitor company to join in partnership with the EPA Energy Star Program. Our commitment to bring technical innovation to today's environment ranges from eliminating CFCs in our manufacturing process to using recyclable packaging and paper products.

Nanao's FLEXSCAN family of monitors meets safety specifications for radiation emissions established by the Swedish MPR-II guidelines as well as those of TCO, the Swedish Confederation of Professional Employees. Nanao was the first monitor manufacturer to achieve FCC Class B approval for our 80kHz frequency monitors.

Nanao FLEXSCAN technology is compatible with all of today's popular graphics cards, offering a viewing environment ranging from enlarged graphics to multimedia.



High quality PCB boards are assembled, adjusted and inspected at Nanao's special chip-mounting factory. All PCB boards are built using sophisticated surface-mount technology.



Model	Size	Dot Pitch	Scan Frequency	Recommended Resolution
T660*i*	20"	0.30mm	H:30-82kHz V:55-90Hz	1280x1024
T560*i*	17"	0.25mm	H:30-82kHz V:55-90Hz	1280x1024
F760*i*-W	21"	0.31mm	H:30-78kHz V:55-90Hz	1280x1024
F560*i*-W	17"	0.26mm	H:30-82kHz V:55-90Hz	1280x1024
F550*i*-W	17"	0.28mm	H:27-65kHz V:55-90Hz	1024x768
F340*i*-W	15"	0.28mm	H:27-61.5kHz V:55-90Hz	1024x768


Nanao T-Series and F-Series monitors have captured every major award.

very Detail.




A heritage of precision craftsmanship and attention to detail has been designed into Nanao's family of display monitors.

Our high resolution CRTs deliver a complete range of color displays with photographic quality and brilliant color images to sophisticated applications like CAD, DTP and multimedia. TRINITRON® CRT models offer greater precision and intricate detail, while Nanao's Invar Shadow Mask Flat Screen CRT models provide a wide display area and lower distortion image. Both CRTs feature our unique built-in Dynamic Beam Spot Control System that ensures maximum brightness and sharp focus.



To reduce glare, eliminate static electricity, and improve the focus level on the display area, Nanao has developed two anti-reflective innovations: ErgoCoat,™ a protective coating for all F-series monitors, and ErgoPanel,™ a sturdy panel that covers the surface of our T-series monitors.



Our user-friendly front control panel incorporates ergonomic design and ease-of-use as well as a variety of powerful options for customizing images.



At Nanao, details make all the difference in creating our family of professional display monitors. From the product design and manufacturing that takes place in our factory to the end user's working environment, Nanao pays attention to every detail. In engineering. Assembly. Product testing. Quality control. Shipping. Customer support. From the very first days of the company, we set out to be an innovator in monitor technology. And, in a few short years, we have achieved that goal. Today, Nanao has the lowest repair rate in the monitor industry, the highest product reliability, and a fast-growing number of enthusiastic customers. So if you're looking for a superior monitor, start with the details. We do.



NANAO®

NANAO USA CORPORATION
23535 Telo Avenue, Torrance, CA 90505
(310) 325-5202 Fax: (310) 530-1679

1-800-800-5202

Superior in every detail is a registered trademark of Nanao Corporation. All product names are trademarks of their respective companies. © 1993 Nanao USA Corporation. The Energy Star emblem does not represent EPA endorsement of any product or service.

Circle 312 on Inquiry Card (RESELLERS: 313).



ACTIVE COLOR. 486DX2 50MHz POWER. WINDOWS IN 15 SECONDS. HEY, WHAT ARE YOU WAITING FOR?

If you've been waiting for an active matrix color notebook with true desktop power, your wait is over. Thanks to the new TravelMate™ 4000E WinDX2™/50 Active Matrix Color notebook from Texas Instruments.

50MHz DX2 processor with coprocessor provides desktop performance in a notebook.



With 256 brilliant, simultaneous colors and a 50MHz 486DX2 processor, this powerhouse doesn't just whisper color, it screams it.

And yet the TravelMate 4000E weighs a mere 6.2 pounds, including battery. This convenient size and weight gives you more performance* than the leading 486 notebooks. And the industry's first 4mm, full-travel keyboard gives you the feel of a desktop.

Of the leading active matrix color notebook manufacturers, only TI offers the desktop performance of a 50MHz DX2 processor.

Active Color Notebook	*Weight (lbs.)*	*486 Processor*	*Speed*	*Coprocessor*
TravelMate 4000E	**6.2**	**DX2**	**50MHz**	**Yes**
Toshiba T4600C	6.9	SL	33MHz	Yes
Compaq LTE Lite 4/33c	6.5	SL	33MHz	Yes
IBM ThinkPad 720C	7.6	SLC2	50MHz	No

Thanks to built-in Windows 3.1 and useful TI utilities, you can power up to Windows in just 15 seconds. And the TravelMate 4000E is Windows NT-compatible. With 4MB of main memory, expandable to 20MB, you're ready for today's and tomorrow's software.

If you work on the go, you'll also go for the rugged 200MB hard disk drive, the high-speed video bus and 1MB of video RAM, as well as the full range of connectivity options – snap-on modules for Ethernet®LANs, SCSI-compatible devices and an internal 14,400 bps V.32 bis modem with 9,600 bps send/receive fax capability.

For more information about the only 486 notebook family that won five Editor's Choice awards in PC Magazine's August issue, call *1-800-527-3500*.



intel inside

EXTENDING YOUR REACH WITH INNOVATION™

TEXAS INSTRUMENTS

*Based on industry standard application performance speed tests. TravelMate, WinDX2 and "Extending Your Reach With Innovation" are trademarks of Texas Instruments. Ethernet is a registered trademark of Xerox Corp. The Intel Inside logo is a trademark of Intel Corp. ©1993 TI.

Circle 332 on Inquiry Card.

Top Software for Windows & OS/2

A compendium of top programs and tools for Windows and OS/2 users—word processors, databases, spreadsheets, programming tools, graphics packages, communications software, and utilities

COMPILED BY ANNE LENT

The number of programs for Windows users has grown to the point that you could lay them all end to end and probably span several time zones. Well, that's a bit of a stretch, but the fact is, the number of Windows applications is in the thousands. The number of OS/2 applications is nothing to laugh at, either—a directory published by IBM lists more than 1400 software packages that run under OS/2. Some of them are vertically inclined—programs for computing fluid dynamics, for example, or managing a fleet of trucks. The bottom line is this: There's a Windows or OS/2 program for doing just about anything you'd want to do with a computer. (That's not the case with Windows NT—yet. Applications for that 32-bit operating system are mostly still in the announcement stage.) This guide will point you to some of the best applications for Windows and OS/2. Whether you're looking for a word processor, database, spreadsheet, programming tool, graphics package, presentation program, or utility, you'll find the best choices covered here.

WORD PROCESSING

Ami Pro 3.0 for Windows and OS/2

Ami Pro 3.0 features Fast Format for automated text formatting, drag and drop editing, and SmartClick for access to settings and controls. Also included are document and style-sheet viewers and a Clean Screen feature that lets you maximize your workspace by removing elements such as the title bar, menus, scroll bars, and SmartIcons.



The word processor includes a macro language, a spelling checker, a thesaurus, footnote and endnote support, automatic indexing, a four-level undo command, and a tables facility. You can create tables of contents that are up to nine levels deep. Ami Pro 3.0 supports OLE and all major Windows-supported networks, according to Lotus.

$495
Lotus Development Corp., Atlanta, GA; (404) 391-0011; fax: (404) 698-7653
Circle 1320 on Inquiry Card.

CA-Textor for Windows and OS/2

Computer Associates calls CA-Textor a professional word processing tool. The interface uses pull-down menus, pop-up dialog boxes, and a user-configurable toolbar. Word processing features include user-defined dictionaries, a spelling checker, a thesaurus, WYSIWYG text editing, standard and draft mode, a multiple document interface, embedded graphics, a table editor, and a calculator. CA-Textor also offers a full document history that lists a file's author, last version date, time, and version number.

According to Computer Associates, the program can import CGM, TIFF, WFF, WPG, and BMP files and can import and export WordPerfect, Word, RTF, and ASCII files. CA-Textor supports DDE and PostScript printing.

$195
Computer Associates International, Inc., Islandia, NY; (516) 342-5224
Circle 1321 on Inquiry Card.

DeScribe 4.0 for OS/2

DeScribe, the first word processor written for OS/2, is a native 32-bit application. With the ability to multitask and multi-



thread, DeScribe can perform several tasks simultaneously so that you can continue working in an application while another operation is under way. To run DeScribe 4.0 you need OS/2 2.0 or 2.1.

$495
DeScribe, Inc., Sacramento, CA; (916) 646-1111; fax: (916) 923-3447
Circle 1322 on Inquiry Card.

Q&A Write

Symantec's Q&A Write 3.0 for Windows lets you create documents and mail merge them with database formats such as Paradox and dBase. The program uses 1.7 MB of hard disk space, making it useful for portables, Symantec says. Q&A Write also provides automatic, transparent file conversion from Word and WordPerfect.

The package has a sort-and-retrieve function for creating targeted mailings. It lets you select entries from a merge database based on various criteria. Q&A Write offers fax and mail support for products such as cc:Mail and Microsoft Mail. The program supports file sharing over networks and OLE and DDE links.

$69.95
Symantec Corp., Cupertino, CA; (408) 253-9600
Circle 1323 on Inquiry Card.

Word for Windows 6.0

Microsoft says that when developing the new Word 6.0 for Windows, the company focused on "core" word processing tasks such as entering text, manipulating text, and formatting text. Word 6.0 for Windows offers new, automatic features that perform some of the common word processing tasks for you, Microsoft reports. Also added are features such as Wizards (on-line assistants) and on-the-fly spelling and grammar checking. As in its predecessor, version 6.0 features a customizable toolbar, drag-and-drop ability, a file finder, a table maker, and a multilingual spelling checker.

Price not available at press time.
Microsoft Corp., Redmond, WA; (206) 882-8080; fax: (206) 883-8101
Circle 1324 on Inquiry Card.

WordPerfect 5.2 for Windows and OS/2

Both these versions of WordPerfect 5.2 provide tools that are designed to speed up word processing tasks: the Button Bar, a group of buttons that access major functions and macros, and QuickMenu, which lets you switch among and make changes to buttons. The Ruler lets you change tables, fonts, and zoom percentages, along with margins and column borders; it also lets you create columns and tables by dragging the mouse.

WordPerfect 5.2 for Windows and for



OS/2 are both file-compatible with WordPerfect 5.1 for DOS. The program supports drag-and-drop text editing, OLE, DDE, MAPI, and VIM. The product ships with the Grammatik 5 grammar checker and Adobe Type Manager.

$495
WordPerfect Corp., Orem, UT; (801) 225-5000; fax: (801) 222-5077
Circle 1325 on Inquiry Card.

XyWrite for Windows

XyWrite for DOS, favored by writers and editors, is now available in a Windows version. The Technology Group is calling it the only Windows word processor with a command line. It offers customization options, an intuitive interface, and straightforward word processing, according to The Technology Group.

Features include Named Log and Resume, which lets you create multiple notebooks to hold different work projects; Auto Replace, which lets you create a glossary of shorthand notation and expand personal abbreviations as you type them; a Styles capability that helps you maintain uniform formatting over long projects; and a library of buttons that you can use to initiate common commands.


$495
The Technology Group, Baltimore, MD; (410) 576-2040; fax: (410) 576-1968
Circle 1326 on Inquiry Card.

DATABASES

Access 1.1

Microsoft's Access is a relational database designed to offer transparent access to data as well as provide a full development environment, according to the company. Using Form Wizards, Report Wizards, and Graph Wizards, you can build forms, reports, and graphs. You can also create your own custom Wizards. To make the product easy to use, Microsoft included Cue Cards, which offer task-sensitive instructions on screen that include self-running demonstrations on how to complete tasks.

Access 1.1 supports Oracle, Sybase, and SQL Server database servers as well as NetWare, LAN Manager, Vines, 3+Open, IBM LAN Server, and NetBIOS network operating systems. Programming features include a procedural language, access to DLLs, data-entry forms, user-defined functions, page and file locking, event processing, and object-oriented features. File



formats that you can import and export include ASCII, dBase, Lotus 1-2-3, Paradox, and Excel. The maximum number of fields per record is 255, with no limit on the number of records per table. Access requires Windows 3.0 or higher with at least 4 MB of RAM.

$495
Microsoft Corp., Redmond, WA; (206) 882-8080; fax: (206) 883-8101
Circle 1327 on Inquiry Card.

Approach 2.0 for Windows


Approach, recently acquired by Lotus, is a relational database that lets you link up to 10 databases at a time. You can also mix data from multiple file formats on a single report, form, form letter, or mailing label.

Approach uses PowerKey technology, which gives you access to any dBase, Paradox, FoxPro, Oracle SQL, SQL Server, or DB2 file. You update, analyze, and report on the data in its native format, with no filters or importing involved. Approach offers OLE and TrueType support, drag-and-drop capability, "sounds like" searches, record and field locking ability, event processing, conditional branching,

At last, new software provides Windows™ users all the advantages of DOS...

"How to get the flexibility, speed, and power of DOS while using Windows."

If you like DOS commands, but work in Windows anyway, then you need new **Landmark DOS for Windows.** Landmark DOS for Windows is a fully functioning, scalable window that operates virtually all the DOS commands right from within Windows.



No more switching from Windows to the DOS shell!

With **Landmark DOS for Windows** you can instantly access virtually all DOS commands right IN Windows. No more switching to the DOS shell prompt. DOS command access is quick as a mouse click (or alt-tab). You'll really appreciate the time saving, speed, and ease of use.

Run DOS internal commands from Windows!

Now you can run DOS internal commands like DIR, pipes, and redirects. **Landmark DOS for Windows** makes writing power BATCH files a breeze. And, **Landmark DOS for Windows** includes 23 new commands like GETINI and SETINI for command line .INI file editing.

Eliminate memory overload.

The DOS shell requires 256K of RAM and doesn't even know Windows is running! **Landmark DOS for Windows** is a true Windows program whose memory size and location is entirely controlled by Windows. You'll get all the benefits of DOS (and more) without suffering the 'out of memory' message.

Run DOS and Windows apps from the command line.

With **Landmark DOS for Windows** you get the best of both worlds - DOS power and flexibility and Windows graphics and features. You can run either DOS or Windows applications right from the command line. You can even use your mouse to click on the application name or associated file to launch the program. And, for real power BATCH files, you can launch both DOS and Windows applications in any sequence right from within Windows.

Perform superior multitasking safely.

Since **Landmark DOS for Windows** is a true Windows application, it doesn't depend on the risky time-slice multitasking of DOS in Windows 386 enhanced mode. The result is much smoother and safer multitasking.

Increase operating speed and save time.

With the flexibility of DOS commands available right in Windows you'll dramatically increase your operating speed and slash wasted time waiting and switching between the DOS shell and Windows. Time is money, **Landmark DOS for Windows** makes you much more productive!

Dozens of new DOS commands!

- **DATECOPY:** Perform quick and easy daily backups by today's date.
- **FF:** Find File quickly locates any file or group of files by name.
- **TS:** Search files for specific text when you forget the file name.
- **CDD:** Change the drive and directory in one command.
- **TOUCH:** Resets the DOS date/time on all files described to the current date and time (works great before DATECOPY for flexible backups).
- **MOVE:** Move subdirectory and contents to another directory.
- **DELDIR:** Delete an entire subdirectory and its contents in one command.
- **NUKE:** Delete and overwrite any file for security (cannot be un-deleted).
- **GETINI:** Reports any .INI files that match input variable.
- **SETINI:** FAST command line editing of your .INI.
- **And much, much more.**

Order Today!

ONLY $49

- **90 Day Performance Guarantee**
- **Toll-Free Technical Support**
- **NEW HOURS EST:**
  Mon - Thur: 8AM - 9PM
  Fri: 8AM - 6PM
  Sat: 10AM - 3PM

TO ORDER, OR FOR THE DEALER NEAREST YOU,

CALL (800) 683-6696 TODAY!

FAX: (813) 443-6603
Int'l (813) 443-1331

LANDMARK
RESEARCH INTERNATIONAL CORPORATION
703 Grand Central Street • Clearwater, FL 34616

Copyright © 1993 Landmark Research International Corp. All Rights Reserved. Windows is a trademark of Microsoft Corp. Other names are trademarks of their associated owners.

Circle 328 on Inquiry Card (RESELLERS: 329).

the ability to perform SQL queries, and more. The database also supports database servers and networks. Approach 2.0 requires at least 2 MB of RAM. The maximum number of fields per record is 256, with no limit on the number of records per table.

$399
Lotus Development Corp., Cambridge, MA; (617) 577-8500
Circle 1328 on Inquiry Card.

askSam for Windows

According to askSam Systems, askSam for Windows is a free-form database that is easy to use. Using the Windows Clipboard, you can copy information from other applications into askSam. Import formats include ASCII, WordPerfect, dBase, and RTF. Search capability includes Boolean, date, numeric, hypertext, proximity, and full text. The program also supports OLE and TrueType.

The following predefined templates come with askSam: address, calendar, clippings, E-mail, notes, questionnaire, phone directory, to-do list, and more.


The database supports an unlimited number of fields per record. It also supports sequential number generation and variable-length fields. It does not support database servers or networks. To run askSam you need at least Windows 3.1 and 4 MB of RAM.

$395
askSam Systems, Perry, FL; (904) 584-6590
Circle 1329 on Inquiry Card.

FileMaker Pro 2.1

FileMaker Pro 2.1 for Windows lets PC and Mac users share multiuser database applications with a single menu selection across LANs. FileMaker Pro 2.1 supports NetBIOS API and Novell's MacIPX. It also is compatible with NetWare, Banyan Vines, LANtastic, and other NetBIOS networks. It supports QuickTime for Windows, so you can add full-motion video, animation, and digital sound to your databases. It also supports DDE, Windows for Workgroups, and MAPI.

Features included in FileMaker Pro 2.1 are predesigned business templates for use in invoicing, inventory management, lead tracking, contact management, project



tracking, mailing lists, and more. ScriptMaker lets you streamline repetitive tasks with mouse-driven scripts. Intelligent Field Formatting lets you use radio buttons, check boxes, and pop-up lists. The Auto Indexing feature lets you select and retrieve information based on any defined criteria without specifying key fields. You can have an unlimited number of fields per record and records per table. Graphics tools let you create and place boxes, lines, and other graphics anywhere in a report.

$399
Claris Corp., Santa Clara, CA; (408) 727-8227
Circle 1330 on Inquiry Card.

Forest & Trees

Trinzic, formerly Channel Computing, calls Forest & Trees a client/server data-analysis and reporting tool. It lets you collect, combine, monitor, and analyze information from a variety of sources such as spreadsheets, databases, mainframes, and Lotus Notes. Forest & Trees uses an ANSI-SQL-compatible query engine. It



can import data from Lotus 1-2-3, Excel, dBase, Notes, and several database servers, including Oracle, NetWare SQL, Sybase, and Gupta SQLbase.

Forest & Trees lets you monitor data sources automatically through scheduled queries, preset alarm conditions, and alarm triggers. Alarm triggers can execute query calculation, report or graph printouts, E-mail, and formula calculations based on changes in your data.

According to Trinzic, a WYSIWYG report writer lets you create reports with an object-oriented layout tool. The program can collect up to 100,000 data points per view, with date and time of calculation and values. Forest & Trees can communicate with other Windows programs as a DDE server. To run Forest & Trees, you need Windows 3.0 or higher and at least 2 MB of RAM.

$695, standard edition; $790, client/server edition
Trinzic Corp., Portsmouth, NH; (603) 427-0444
Circle 1331 on Inquiry Card.

FoxPro 2.5 for Windows

With FoxPro 2.5, Microsoft extended the query optimization of its Rushmore technology, making it, according to Microsoft, up to three times faster than FoxPro 2.0. By combining Rushmore's query optimizer with relational query by example, you can retrieve data from multiple databases without coding.


FoxPro 2.5 supports Oracle, Sybase, SQL Server database servers, and NetWare, LAN Manager, Vines, 3+Open, IBM LAN Server, and NetBIOS network operating systems. Programming features include a procedural language, access to DLLs, data-entry forms, user-defined functions, record and field locking, and event processing. DDE, OLE client, and TrueType are supported. FoxPro 2.5 imports ASCII, dBase, Lotus 1-2-3, Paradox, and Excel files. The maximum number of fields per record is 256, with up to 2 billion per table. The program also supports the ability to query by example, generate sequential numbers, and perform relational links between tables.



Paradox for Windows 1.0

Paradox for Windows has a new data-access engine, the Borland InterBase Engine, which provides transparent access to Paradox, dBase, and SQL formats, according to Borland. Forms, reports, table

Quatech, your communication source for RS-232, 422 and 485 adapters.



Quatech manufactures a complete line of communication adapters for PC/XT/AT®, Micro Channel® and compatible buses to meet asynchronous and synchronous, serial and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE488.

Software support for SCO Unix®, Windows®, Xenix®, OS/2® and DOS.

Data Acquisition and Industrial I/O products manufactured by Quatech are also available. Call for a free Data Acquisition and Communication Handbook today.

Communication adapters featuring: selectable/shareable interrupts, 16550 availability (baud rates up to 256K on standard asynchronous adapters) and address configurable as any COM port. Multiport adapters feature 2, 4, and 8 ports with independent serial interfaces. Most adapters provide AT interrupts (IRQ 2-7, 10-12, 14, 15).

Technical support for our products are available free of charge.

800-553-1170

FAX: 216-434-1409

BBS: 216-434-2481

QUATECH

662 Wolf Ledges Parkway, Akron, Ohio 44311 U.S.A. (216) 434-3154. International: Australia/Interworld Electronics 03-563-5011, Canada (Western)/Interworld VCR 604-984-4171 (Toronto office 416-513-7027), England/Diamond Point International 634-722-390, Finland/Lab Hitech OY 358-0-804-2522, France/Elexo 33-1-69302880, Germany/Jupiter Electronic Systems 06181/75041, Israel/RCM Ltd. 972-03-5447885, Italy/N.C.S. Computer Italia 0331/770-016, Netherlands/ACAL Auriema 040-502602, Korea/Sam Boo Enterprise Co. 82-2-538-4001, Spain SANTA Barbara SA 343-4188116, Singapore Bliss Services Pte Ltd (65) 338-1300, South Africa Eagle Electronics 27 21 234943, Switzerland Amiro Tech. Engin. 37-2311-18. IBM PC-XT/AT, OS/2 and MicroChannel are registered trademarks of IBM Corp. All other trademarks are of their respective companies.

Made in U.S.A.

Circle 318 on Inquiry Card.

viewers, queries, and other graphical components are included with Paradox for Windows—components that are part of Borland's Object Component Architecture, or BOCA.


Paradox for Windows includes a set of data integrity rules that you can create in a visual manner. The data-integrity rules are stored within the tables, so all forms, reports, table views, queries, and applications abide by the rules. In addition, any application that uses the Borland InterBase Engine also abides by the data-integrity rules. Other features of Paradox for Windows include secondary indexes, domain integrity, linked cursors, and network support.

Paradox for Windows 1.0 supports DDE and can serve as an OLE client. The database supports up to 255 fields per record and up to 2 billion records per table. To run Paradox you need Windows 3.1 or higher and at least 4 MB of RAM.

$795
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1333 on Inquiry Card.

R:Base 4.5 for DOS, Windows, and OS/2

R:Base is a relational database for DOS, Windows, and OS/2 with an interactive debugger. It has ANSI Level-2 SQL built in, along with a menu-driven interface. Microrim reports that improvements in version 4.5 include better speed and performance as a result of a new data indexing system, a smarter query optimizer, and other enhancements.



With R:Base 4.5 you can do full-text data indexes, multicolumn indexes, index-only retrieval, and like-predicate indexes. Security features are also increased with version 4.5 because now you can specify your own data integrity constraints in the SQL create table command.

The R:Base LAN Pack supports up to five additional users on any NetBIOS-compatible network. An R:Base SQL Engine for Windows and DOS is also included, along with numerous utilities.

$795
Microrim, Bellevue, WA; (206) 649-9500; fax: (206) 746-9350
Circle 1334 on Inquiry Card.

Superbase 2.0

Superbase 2.0 relational database for Windows has new visual development tools, including an icon-driven query-by-example interface, a report generator, and a report designer. An Icon Bar lets you switch between open files, indexes, and views, including an editable spreadsheet-style table view. The SuperBasic Language is similar to Microsoft's Visual Basic, according to Software Publishing, and it comes with a debugger.

Version 2.0 supports OLE (client), DDE, and DLL. The database supports several database servers—Oracle, Sybase, XDB, SQL Server, and more. It also supports NetWare, Microsoft LAN Manager, Vines, and 3+Open network operating systems. File formats imported include ASCII, dBase, Lotus 1-2-3, Paradox, and Excel. The number of files per record is limited only by memory, and you can have up to 1 billion records per table. Superbase 2.0 offers data-integrity checking.

$795
Software Publishing Corp., Santa Clara, CA; (408) 988-7518
Circle 1335 on Inquiry Card.

buttonFile

Buttonware's buttonFile is a flat-file database that lets you store names, company names, phone numbers, and contacts on over a dozen predefined card decks. You can customize the card decks, and you can print the data on over 100 predefined forms. The database can import and export from ASCII, dBase, WordPerfect, and from other ButtonWare products.

Other features include password protection and encryption, auto-dial of any phone number on a card, and the ability to sort data in any order (up to three levels). To run buttonFile you need 1 MB of RAM.

$89.95
ButtonWare, Bellevue, WA; (206) 454-0479
Circle 1336 on Inquiry Card.

Acumate for OS/2

Kenan Technologies' multidimensional database for OS/2 has the ability to integrate data from multiple sources with its dynamic SQL links to relational databases. According to the company, Acumate combines the power of a decision support system with the ease of use of an executive information system.

With client/server capabilities added to Acumate, you have the ability to tap into relational databases; the open API lets Acumate feed data to clients on the other end. The database also includes built-in business modeling and statistical and forecasting tools.

Acumate supports a variety of server platforms; these include OS/2, Windows NT, DEC VMS, and Ultrix. Acumate also supports several client platforms, including Lotus Improv, Excel, DECwindows, X Window/Motif, and OS/2 Presentation Manager.

Licenses begin at $4500.
Kenan Technologies, Cambridge, MA; (617) 225-2224; fax: (617) 225-2220
Circle 1337 on Inquiry Card.

Ontos 2.2

Ontos 2.2 is a distributed object database management system for OS/2 that lets you develop applications for use in areas such as CAD, telecommunications, network management, multimedia, and financial modeling.

Ontos comes with Ontos DB, a data dictionary, which includes the database schema stored in the database as objects. The schema is accessible to all applications and tools that interact with the database. Developers can create, access, and modify the database schema at run time, enabling the construction of schema-driven tools such as GUI generators. Ontos DB also offers concurrency control options including pessimistic, optimistic, and time-based models.

Ontos DB provides three storage managers within the single database system. The storage managers are implemented as object classes, so each class is optimized for a different set of performance and functionality trade-offs.

According to Ontos, Ontos DB uses a distributed client/server model, supporting multiple clients attached to a server and multiple servers managing physical

Can ANYONE Make a 15-inch Monitor That's More Affordable Yet Outperforms The fabulous MAG MX15F?

NO WAY?

What's new, Costs Less, And Is Better Than The Award-Winning MAG MX17F?

A DREAM?

New and Improved

- MPR II
- Pincushion Control
- 16 Preset & 8 User Modes
- New Price!

PC MAGAZINE EDITORS' CHOICE

March 1993
MX 15F

W A Y !



New and Improved

- MPR II
- Pincushion Control
- Tilt Control
- 16 Preset & 8 User Modes
- New Price!

PC MAGAZINE EDITORS' CHOICE

July 1992
MX 17F



A Dream Machine!

See us at COMDEX/Fall
Booth S2544

Introducing the new and improved MX series. Once again, MAG InnoVision pushes the state-of-the-art in high-performance 15-inch and 17-inch color monitors. ■ Low electro-magnetic and static emissions that meet the Swedish MPR II guidelines are now standard. ■ We've increased the programmable timings to 16 Preset and 8 User to support new high-refresh video modes. ■ We've added pincushion and tilt* controls for distortion-free displays. ■ Best of all, we've made them more affordable. ■ Ask your dealer for a demonstration of the new MX15F and MX17F monitors. Or call us for more information at 800-827-3998, 714-751-2008 (in CA), FAX: 714-751-5522.

© 1993, MAG InnoVision, Inc. All rights reserved. MAG InnoVision and its logo are trademarks of MAG InnoVision. All other brand and product names are trademarks or registered trademarks of their respective owners. *MX17F only.

MAG InnoVision, Inc.
2801 South Yale Street
Santa Ana, CA 92704

MAG INNOVISION

Circle 346 on Inquiry Card (RESELLERS: 347).

databases. Ontos 2.2 runs on OS/2 as well as Unix workstations.

Call company for prices.
Ontos, Inc., Burlington, MA; (617) 272-7110; fax: (617) 272-8101
Circle 1338 on Inquiry Card.

SPREADSHEETS

CA-Compete 5.0 for Windows and OS/2

CA-Compete 5.0 is a multidimensional modeling, data-analysis, and reporting tool for Windows and OS/2. New features in version 5.0 include integrated charting; a configurable toolbar and model bar; multiple open models, views, and sheets; user-defined styles; advanced linking; and print preview with zoom.

The spreadsheets created with CA-Compete can be linked using sheet/model, model/sheet, model/model, and sheet/sheet interdocument linking. Analysis tools include forecast, allocate, curve building, audit trail, goal seek, and data table. You can construct, manipulate, and present multidimensional models along with linked two-dimensional spreadsheets and integrated charts. You can explore the relationships among up to 12 dimensions of your data and the impact that change in one can have in the others. You can also drag and drop a column label to transpose the rows and columns.


You can access over 150 database, date/time, financial, informational, logical, lookup, mathematical, statistical, string, and trigonometric functions. The program also lets you define your models using natural language. CA-Compete supports DDE and DLL. It also will work with other data formats, including CA-SuperCalc, Lotus 1-2-3, Excel, Xbase, and ASCII.

$495
Computer Associates International, Inc., Islandia, NY; (516) 342-5224
Circle 1339 on Inquiry Card.

Excel

Microsoft says that by using the auto-format and drag-and-drop capabilities in the newest versions of Excel, you can create a basic worksheet in 60 seconds. In addition to analytical tools, chart and reporting tools, and technology that lets you run macros from Lotus 1-2-3 unmodified, Excel 4.0 has Wizards, which are on-line assistants that walk you through complex tasks. Shortcut menus pop up with context-sensitive and most-used commands. Task-oriented toolbars offer one-click access to the most frequently used commands.

A Scenario Manager lets you create and save multiple what-if scenarios in a single file and then create a separate summary report of them. Workbooks let you manipulate and store groups of files. And the Analysis ToolPak adds 140 functions, including complex number support and securities calculations and 20 new procedures.



With the brand-new Excel 5.0, Microsoft has added Improv-like data modeling, 3-D worksheets, OLE 2.0 capabilities (client and server), and Visual Basic, Applications.

$495
Microsoft Corp., Redmond, WA; (206) 936-3227, fax: (206) 936-7329
Circle 1340 on Inquiry Card.

Improv for Windows 2.1

Lotus says Improv 2.1 simplifies complex analytical tasks by letting users change the perspective views of their data. With the ability to examine data in a variety of ways and use English-language formulas, Improv is suited for users who need to arrange data into different layouts, reuse and maintain spreadsheets, and extend an analysis to incorporate new data or factors.

The latest version of Improv offers network-ready installation, external data access capabilities, and compatibility with the WK4 file format for the new 1-2-3 release 4. The new Improv also works with Lotus Notes.


Familiar spreadsheet components such as cells and formulas, what-if analysis, and business graphics are all elements of Improv. Dynamic views give you control over the arrangement of categories of data along the rows, columns, and pages. You can use the mouse to drag and drop categories, and you can display, analyze, and manipulate up to 12 categories of data within a worksheet all at one time, according to Lotus.

Improv for Windows offers English-language explanations of the spreadsheet logic. Chart types include 3-D bar, stack, line, bar pie, scatter, and bar graphs. Data and graphs are dynamically linked, so any changes you make in a worksheet are reflected in the associated graph. InfoBox is a feature that lets you change the look of a spreadsheet. It's a flowing, modeless panel that lets you set the style of any object or chart.

$495
Lotus Development Corp., Cambridge, MA; (617) 577-8500
Circle 1341 on Inquiry Card.

Lotus 1-2-3 Release 4 for Windows and 1-2-3 for OS/2 Release 2.0

Lotus says this new version of Lotus 1-2-3 offers a simplified, context-sensitive interface. Menus are shown according to the task at hand. The program has a version manager that tracks changes in spreadsheets shared among workgroups. It also includes a data-query tool. Other features include "One-Step Charting," customizable fill-by-example, worksheet tabs, and in-cell editing.



The new cell engine results in improved recalculation performance, according to Lotus. Release 4 for Windows includes more than 250 macro commands. You can create on-sheet buttons to run macro programs and to build custom applications with prebuilt dialog boxes. For access to databases, release 4 ships with the most common database drivers, including dBase, Paradox, SQL Server, and OS/2 Data Manager. Release 4 supports OLE, DDE, ODBC (Open Database Connectivity),

ONLY $349... (OR LESS)

Introducing DesignCAD for Windows

CAD Power With Windows Simplicity

IT'S NEW!
Meet DesignCAD for Windows, the powerful-but-affordable Computer-Aided Design package from the makers of the award-winning CAD software, DesignCAD.

DESIGNCAD EXCLUSIVES!
Finally, a CAD package that has a customizable toolbox, instant change editing boxes and a price that won't drain your budget. Now anyone can create their own professional quality CAD drawing thanks to the simplicity of DesignCAD's Graphical User Interface. Anything from backyard storage buildings to a NASA engineer's plans for a new space station, it's all within your grasp.

DESIGNCAD SAVES YOU TIME!
DesignCAD for Windows contains features such as full clipboard support for cutting and pasting graphic elements, multi-tasking for editing multiple DesignCAD drawings on the same screen and TrueType font support.


IT'S EASY!
With DesignCAD's short learning curve you can start designing immediately. Perfect for home, office or leisure. Your only limit is your imagination!

DesignCAD's Intelligent cursor changes to inform you of your editing options as you move across the screen.

"Hot Toolbox" allows you to create your own toolbox with your choice of tools for increased speed.

Regional zoom windows allow you to edit detailed areas of a drawing without having to zoom the whole drawing.

Instant-change edit box allows you to edit any attribute of an object with point-and-click simplicity.



Best Buy — PC MAGAZINE EDITORS' CHOICE — BUYERS ASSURANCE SEAL

"Proving that a CAD package can let you draw a bank building without emptying your bank account."
—Byte Magazine




To receive your FREE Demo disk or simply to upgrade, call, write or fax

Phone (918)825-7555
Fax (918)825-6359

American Small Business Computers
One American Way,
Pryor, OK 74361

Circle 283 on Inquiry Card.



V.I.P., in this case, stands for *Value In Performance.* And our new Pentium-based P5-60 system is definitely our biggest V.I.P.

When you put this system in your office, you'll know you've arrived. Feel the exquisite luxury of 64-bit processing power as you work on the P5-60. With its superscalar architecture, the Pentium moves instructions and data twice as fast as a 486.

Our V.I.P. P5-60 also incorporates the ultimate in leading edge technology, including the new, faster PCI local bus and the sophisticated ATI Ultra XLR video system for first-class video performance. Another perk comes from true 24-bit color support. To top it off, this machine is loaded with deluxe features, including a double-speed CD-ROM drive. All of this performance for under $4,000. *Now that's a big V.I.P.!*

In its standard configuration, even the most demanding PC users will be impressed with the P5-60. For added economy, try our P5-60 Best Buy configuration.

Give us a call today and ask for the big V.I.P., the system that gives you Pentium performance at a 486 price. When it comes to value in performance, Gateway 2000 is positively top drawer!



P5-60

- Intel 60MHz **Pentium**™ Processor
- 16MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 528MB 12ms IDE Hard Drive
- PCI ATI™ Ultra XLR 2MB Graphics
- 17" Color CrystalScan® 1776FS
- New 300W Tower Case
- 4 ISA, 2 PCI & 1 PCI/ISA Slots
- 124-Key AnyKey® Keyboard
- Mouse, MS-DOS,® Windows™
- Choice of Application Software

$3995

P5-60 Best Buy

- Intel 60MHz **Pentium** Processor
- 8MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 424MB 13ms IDE Hard Drive
- PCI ATI Ultra XLR 2MB Graphics
- 14" Color CrystalScan 1024NI
- New 300W Tower Case
- 4 ISA, 2 PCI & 1 PCI/ISA Slots
- 124-Key AnyKey Keyboard
- Mouse, MS-DOS, Windows
- MS Works for Windows 2.0

$2995

GATEWAY2000

"You've got a friend in the business."®

8 0 0 - 8 4 6 - 2 0 5 8

610 Gateway Drive • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • Fax 605-232-2023

©1993 Gateway 2000, Inc. AnyKey, CrystalScan, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 is a trademark of Gateway 2000, Inc. The Intel Inside Logo, Intel and Pentium are trademarks or registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. Prices and configurations are subject to change without notice. Prices do not include shipping.

VIM, and MAPI.


Lotus 1-2-3 for OS/2 Release 2.0 offers customizable, context-sensitive Smart Icons, menus, and dialog boxes to build spreadsheet applications that use scroll bars, radio buttons, and check boxes. It performs adjust-to-page printing to resize worksheets and offers you the ability to select "collections" of noncontiguous cell ranges. There's also a C-language interface. Version 2.0 adds Solver and Back-Solver technology to perform optimization analysis, presentation-quality output, database management, and Datalens data access technology.

$495
Lotus Development Corp., Cambridge, MA; (617) 577-8500
Circle 1342 on Inquiry Card.

Quattro Pro for Windows

Borland's Quattro Pro for Windows has two technologies that Borland describes as unique: Spreadsheet Notebooks and Object Inspector menus. Spreadsheet Notebooks are based on the tabbed paper notebook and let you organize spreadsheet data and improve the way you build and manage spreadsheets. Object Inspector menus let you right-click on an object to display a list of options that can be changed for that object.

Other features include a SpeedBar, which provides point-and-click access to



certain features, presentation graphics, access to external databases, and visual application-building tools. SpeedFill determines what information should be placed into a range of cells, based on information you provide.

Quattro Pro for Windows uses Borland's Object Component Architecture, or BOCA, to connect users to dBase and Paradox files. The program also offers query-by-example tools. Other files supported include Quattro Pro for DOS, Excel 3.0 and 4.0, and Lotus 1-2-3. Graphics files supported include BMP, EPS, CGM, PCX, GIF, and TIF.


$495
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1343 on Inquiry Card.

COMMUNICATIONS

BeyondMail 2.0

Release 2.0 of BeyondMail includes NetWare Global MHS support, shrink-wrapped tools for developing work-flow applications, and cross-platform capabilities.

With NetWare Global MHS support, NetWare users can now use BeyondMail 2.0, and it can be synchronized with NetWare 4.0 NDS. It also provides full-name support for users on MHS 1.5. Beyond



will release Macintosh and Unix versions of BeyondMail later this year, the company reports, and release 2.0 will deliver rules, forms, and work-flow compatibility across all those platforms. Also included with BeyondMail 2.0 is Watermark Software's Explorer Edition, an OLE-based document-imaging program that enables you to embed image thumbnails into messages that recipients can view and annotate.

BeyondMail 2.0 supports OLE and DDE. Database formats supported include dBase, Paradox, FoxPro, Oracle, and Sybase.

$995 for a 10-user license
Beyond, Inc., Cambridge, MA; (617) 621-0095; fax: (617) 621-0096
Circle 1033 on Inquiry Card.

Carbon Copy for Windows 2.0

Remote support and access are the primary uses of Carbon Copy for Windows. Version 2.0 supports networks, letting users connected to a NetWare LAN access data and applications on a remote PC or another PC on the network.

Other features of Carbon Copy for Windows 2.0 include drag-and-drop capability, an event log, a file detail option that lets users display filenames only or a combination of names, dates, times, and file attributes. Roving Callback is another new feature, and it lets users specify the number they're calling from. Security is preset on the host PC, preventing unauthorized access and enabling Carbon Copy to call back users at the number they are dialing from. According to Microcom, the Virtual Desktop feature adds ease of use. It enhances the Remote Control utility when two PCs with different screen resolutions communicate. Virtual Desktop displays a scaled-down version of the host screen in a foreground frame, and the guest user can click on a portion of the frame to view the desired area of the host screen. DOS applications can run full screen or in a window. To use the program, you need an IBM AT-compatible modem.

$199 for a two-user license
Microcom, Inc., Norwood, MA; (617) 551-1000; fax: (617) 551-1021
Circle 1034 on Inquiry Card.

cc:Mail 2.0 for Windows and OS/2 Workplace Shell

Version 2.0 of cc:Mail for Windows features a redesigned user interface and new rules and search capabilities. Message handling is automated with the rules in cc:Mail, and as a result, you can instruct the mail system to perform tasks if certain events occur. The rules are dialog driven with pick



lists. The new search capability gives you additional mail management functions.

Other new features include viewers for many spreadsheet applications, the ability to find and replace text, a spelling check-

Know everything that everyone on CompuServe knows.

Join CompuServe now, and you'll have access to all of our online, interactive hardware and software support forums. And we offer more forums than any other online service.

For more information about CompuServe, just mail this card, or call 1 800 848-8199.

Name _____

Company (If Applicable) _____

Address _____

City, State, Zip _____

Telephone (____) _____



CompuServe®

Byte/Nov.



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 407 COLUMBUS, OHIO

POSTAGE WILL BE PAID BY ADDRESSEE

CompuServe®

NEW MEMBER DEPARTMENT
PO BOX 20961
COLUMBUS OH 43220-9988





CompuServe does Windows.

Introducing a whole new way to look at CompuServe: CompuServe Information Manager for Windows (WinCIM[SM]). It's a fully integrated Windows application, and lets you take advantage of Windows when you're on CompuServe. It'll make your session faster, more efficient, easier, and a lot more fun.



With the help of icons and pull-down menus, you'll find your CompuServe time is almost effortless. Cruise the forums, browse through your messages, download files — it's all about as simple as clicking a mouse button.

And with WinCIM you can do more offline, too. That means everything from writing letters to reading the answers to your hardware and software questions can be done much more economically.

So take a look for yourself. If you're already a CompuServe member, just type GO WINCIM. If you aren't, call us for more information at 1 800 848-8199. Either way, you'll soon see why the best view is the one from CompuServe Information Manager for Windows.

CompuServe®

The information service you won't outgrow.™

Windows is a trademark of Microsoft Corporation.

Circle 290 on Inquiry Card.

er, folders for storing messages, and the ability to compress attached files with a user-selectable compression algorithm. In addition, cc:Mail supports DDE and OLE as well as VIM.

Lotus cc:Mail for OS/2 Workplace Shell allows for message processing in the background through OS/2's multithreading and preemptive multitasking capabilities, letting you send and receive mail from other applications. Features such as inboxes, message folders, BBSes, and directories are presented as individual desktop objects. Users can gather E-mail messages together with other items associated with a project by "shadowing" objects in the cc:Mail folder any number of times.

Other features of cc:Mail for OS/2 Workplace Shell include the ability to view faxes and attach graphics and audio files to a message, a draft folder for storing messages in progress, a trash folder for retrieving deleted messages, and the ability to do Boolean searches for filtering messages.

$495
Lotus Development Corp., Cambridge, MA; (617) 577-8500
Circle 1035 on Inquiry Card.



Circle 305 on Inquiry Card.

Co/Session 6.01 for Windows

With Co/Session you can operate a remote PC over phone lines, letting you run programs, access data, print reports, and transfer files from one system to the other. Co/Session allows two PC users to work together on the same program because of its dual-screen, dual-keyboard capability. Co/Session's "Intelligent Graphics" technology is responsible for moving the Windows screen information across the phone lines.


According to Triton, Co/Session allows background file transfers, command-line file transfers, and point-and-shoot file transfers. Security features include multiple passwords, dial back, and data encryption. The program supports all IPX and NetBIOS PC Networks, including Novell, Banyan, 3Com, LANtastic, AT&T StarLAN, and IBM Token Ring. To run Co/Session you need to have 5 KB to 75 KB of RAM on the host and 123 KB of RAM on the guest.

Other features include keyboard chat, a billing log, session recording, on-line configuration changes, and the ability to toggle between voice and data connections while still connected.

$195
Triton Technologies, Inc., Iselin, NJ; (908) 855-9440
Circle 1036 on Inquiry Card.

Crosstalk for Windows

The Windows version of this veteran communications program offers terminal emulations and file transfer protocols, including ZMODEM. It also supports DDE and features a macro ability that lets you assign multistep activities to special on-screen objects on the QuickPad. You can perform regularly executed tasks via icons in the QuickBar, and you can mark text on-screen for copying to other applica-





Microsoft demanded an innovative backup utility for Windows NT. That's why they turned to Conner Software. Now you can protect your data with a full-featured version of that same software: Backup Exec for Windows NT. It's easy to use because it matches the NT interface exactly. Its simple installation program will have you up and running in no time. You can set it to automatically backup, even when nobody's around. Our disk grooming feature will allow you to move inactive files to tape, freeing up valuable disk space. And if you know how to use File Manager, you'll know how to use Backup Exec. Plus, it uses the Microsoft Tape Format (MTF), which enables you to exchange tapes with any NT user or system. If you don't want to take chances with your data, it's important to protect it with Backup Exec. To order Backup Exec for Windows NT, or any of Conner's other software products, call 1-800-4NT-BKUP.

MICROSOFT WINDOWS NT COMPATIBLE

CONNER
The Storage Answer

Circle 388 on Inquiry Card (RESELLERS: 389).

tions. The script language is based on CASL and lets you create scripts that include dialog boxes for repetitive tasks.

$195
Digital Communications Associates, Inc., Alpharetta, GA; (404) 442-4000
Circle 1037 on Inquiry Card.

Da Vinci eMail 2.5 for Windows

Da Vinci eMail is an MHS-based application that is optimized for Novell NetWare and works on any file-sharing network, Da Vinci Systems says. When run with NetWare, Da Vinci eMail ties into NetWare's security functions and directories. It provides native support for Novell's SMF (Simple Message Format) stan-



dard and NetWare Global Messaging. It also requires no gateway. With MHS or NGM, you can connect to almost any host-based or LAN E-mail system in the world, Da Vinci claims.

Da Vinci eMail includes file folders, attachment viewers, a spelling checker, support for DDE, and support for sound. Functions such as adding and deleting users have been made into one-step operations. With version 2.5, eMail supports NGM's new SMF-71 transport standard, which Da Vinci says increases the interoperability between other front-end E-mail systems that don't have MHS. Version 2.5 is also integrated with NetWare 4.0, which lets you tie in with 4.0's NetWare Directory service to synchronize user names over the network. Also provided with version 2.5 of eMail are two names-synchronization solutions: Address Book Synchronization and Names Services. Both run as MHS gateways on dedicated workstations.

$499
Da Vinci Systems Corp., Raleigh, NC; (919) 881-4320
Circle 1038 on Inquiry Card.

FaxWorks Pro 3.0 and FaxWorks OS/2

FaxWorks Pro for Windows and for OS/2 is a faxing program that has drawing and annotating tools, a cover-sheet maker that uses a fill-in-the-blanks approach, and Calera's OCR technology. AutoInstall detects hardware setup, COM ports, phone line, and baud setting. FaxTracker lets you archive, find, log, and index faxes. There's also a Fax Log with a viewer that lets you scroll through logged faxes to locate a specific one. FaxWorks OS/2 lets you fax directly from any OS/2, DOS, or Windows applications. You can also send, receive, and print faxes in the background. Like FaxWorks Pro 3.0 for Windows, the OS/2 version lets you customize cover sheets, scan images, and mark up and edit faxes on-screen.

FaxWorks Pro 3.0, $129.99; OS/2, $149
SofNet, Inc., Atlanta, GA; (404) 984-8088; fax: (404) 984-9956
Circle 1039 on Inquiry Card.

HyperAccess/5 3.0 for OS/2

Version 3.0 of HyperAccess/5 is easier to use, offers faster file transfers, sports enhanced virus protection, and has more powerful scripting, according to Hilgraeve. It also supports more than 200 modems and devices. HyperAccess/5 has the ability to learn log-on procedures and automatically log on for you to CompuServe, MCI Mail, GEnie, and BIX. The program lets you control an external PC or have that external PC control yours. PC-to-PC sessions can be automated.

File transfer protocols supported include YMODEM, XMODEM, ZMODEM, and ASCII. HyperAccess/5 can also detect viruses within compressed ZIP files, Hilgraeve says, and has the ability to decompress ZIP files on the fly as you download. The editor has a spelling checker, search-and-replace functions, and split-window capability.

$199
Hilgraeve, Monroe, MI; (313) 243-0576; fax: (313) 243-0645
Circle 1040 on Inquiry Card.

Mail 3.2

Mail 3.2 has additions to the Microsoft Mail server and DOS-based clients, along with support for MAPI. The new mail server includes a global address list, letting you address mail to any user on the mail network without knowing the server or gateway location of the recipient. Fault-tolerant directory synchronization keeps the system's address lists up to date.

The Windows client is redesigned with support for OLE, message finders that let you filter incoming or existing messages by certain criteria, the ability to send messages while working in other applications, custom forms and commands, intelligent file attachments that recipients can double-click to launch an application, and spelling checking. The Mail client software is designed to work with any E-mail server using a modular, transport-independent architecture. Also available are gateways to extend Mail 3.2 to synchronize directories across messaging backbones such as X.400 or IBM SNA.

$695 per server
Microsoft Corp., Redmond, WA; (206) 882-8080
Circle 1041 on Inquiry Card.

pcAnywhere 1.0 for Windows

Symantec's pcAnywhere lets you access and control a host computer from a remote system. A quick-connect feature lets you connect to the remote system quickly, according to Symantec. Drag-and-drop capability is supported, so you have the ability to transfer files from the host in one step by dragging a file from one menu window to another.



Terminal emulations include ANSI, DEC, IBM, and Data General. File transfer protocols include ASCII, XMODEM, YMODEM, and Kermit. The program also features data compression and error correction along with a script editor and language that lets you automate remote and general communications. Security features

The only Windows™ statistics package you'll ever need.

PC MAGAZINE EDITORS' CHOICE
May 11, 1993
Systat5.0/Windows

NEW
SYSTAT® for WINDOWS

#1 for DOS and Windows

Rated "the best general-purpose statistics program" for the PC by *Software Digest*®, SYSTAT for DOS is now joined by SYSTAT for Windows. This addition to the SYSTAT family takes full advantage of Windows, with pull-down menus, dialog boxes, sizable windows, and the ease of use you expect in a Windows package.

SYSTAT for Windows runs in standard and 386 enhanced modes and can take advantage of Windowsadvanced memory management. No matter how large or complex your analysis is, you can use SYSTAT.

SYSTAT delivers a balance of power and simplicity. It lets you analyze and manipulate data with a comprehensive range of advanced statistical procedures, and present your results with stunning graphics.

Just point and click

SYSTAT is a full-fledged Windows application. Just point and click. SYSTAT's QuickStat™ buttons give you simple, single-click shortcuts to common statistical analyses.

More statistics, from the basic to the most sophisticated

A full range of univariate and multivariate statistics–from *t* tests to multidimensional scaling. With a few clicks you can turn most statistics into graphs and perform:

- multiway crosstabs with log linear modeling
- nonparametric statistics
- principal components and factor analysis
- cluster analysis
- time series
- nonlinear estimation
- correlation matrices
- means, effect, and dummy models
- post hoc tests

SYSTAT offers the most advanced multivariate general linear model available for Windows.

The most graphics

No other statistical or graphics package can produce all the scientific and technical graphs that SYSTAT can–nor surpass its ease of use. Graphics capabilities include:

- histograms
- single, multiple, stacked, and range bar graphs
- single and grouped box plots
- stem-and-leaf diagrams
- pie charts
- scatterplot matrices
- 3-D data and function plots
- contour plots
- control charts
- maps with geographic projections
- Chernoff faces
- complete color spectrum
- log and power scales
- confidence intervals and ellipses
- linear, quadratic, step, spline, polynomial, LOWESS, exponential, and log smoothing

A compatible family of products


Whichever you choose–SYSTAT for Windows, SYSTAT for DOS or both–you'll enjoy the most powerful statistics and scientific graphics software available for the PC.


For more information, special offers for current users, and demo disks, call:


708-864-5670


For Windows circle 330,
For IBM/DOS circle 331.













For more information call or write: **SYSTAT, Inc.**, 1800 Sherman Avenue, Evanston, Illinois 60201-3793. Tel: 708.864.5670, Fax: 708.492.3567

SYSTAT®

Australia: Hearne Marketing 61.3.8661766, **BeNeLux:** Oasis 31.3402.66336, **Denmark:** Agrolab 45.64.406575, **France:** Deltasoft 33.76.418508, **Germany:** STATCON 49.55.4272075, **Italy:** PiSoft39.587.213640, **Japan:** HuLinks 81.33.5902311, **New Zealand:** Hoare & Assoc. 64.78.562675, **Poland:** COMPANION 48.12.360791, **Spain:** AddLink 34.3.4157268, **Switzerland:** F & P 41. 31. 3125151, **SYSTAT UK:** 44.81.4620093

© 1992 SYSTAT®, Inc. *Software Digest Ratings Report/B.5*, May, 1991. Software Digest is a registered trademark of NSTL, Inc.

include password protection, screen blanking, keyboard locking, remote callback, and notification during access.

$199
Symantec Corp., Cupertino, CA; (408) 253-9600; fax: (408) 252-4694
Circle 1042 on Inquiry Card.


Procomm Plus for Windows 1.0

The Windows version of this popular package provides 34 terminal emulations and 10 error-correcting file transfer protocols, including ZMODEM. There's also an automated dialing directory, a scripting language, support for DDE, a graphics dialog-box editor, keyboard remapping, and a GIF utility for viewing graphics files as you download them.

$179
Datastorm Technologies, Columbia, MO; (314) 443-3282; fax: (314) 875-0595
Circle 1043 on Inquiry Card.

Remotely Possible/LAN 1.0 and Dial 2.1b for Windows and Windows NT

Remotely Possible/LAN for Windows lets you control another PC on your Novell, IPX, NetBIOS, or Windows for Workgroups networks. It offers you remote control, file transfer, and chat capabilities. Remotely Possible/Dial 2.1b also lets you operate a remote Windows PC. It offers remote control, file transfer, and chat. A version of both products was recently announced for Windows NT.




The Remotely Possible products provide full video translation and support for Super VGA displays with 24-bit true-color operation, according to Avalan. Version 2.1b of Dial has a video-panning feature as well. This lets you see the entire host screen even if it's running at a higher resolution than the viewer. By moving the cursor, you can see information outside the viewing area.

Security features include optional logins with multilevel password and user IDs, modem dialback, multiple access levels, and a Windows icon that shows the name of a remote user when connected.

$199 for host and viewer for LAN and Dial; $499 for NT version
Avalan Technology, Holliston, MA; (508) 429-6482; fax: (508) 429-3179
Circle 1044 on Inquiry Card.

Rumba for Windows and OS/2

Rumba brings IBM mainframe applications to your PC desktop. The Windows and OS/2 versions look and operate the

VideoSound™
The comp so
Features
Sound module
Stereo 8/16 bit, up to 44Khz sound sampling
Midi Synthesizer
Mixer with separate stereo
- volume and equalizer control
Sound Blaster Pro™ and
- Sound Blaster 16 ASP™
- compatible
Line In and Out, Mic and
- CD connectors
CD-Rom controller
- (SCSI optional)
Video Module
Hardware real time JPEG CODEC
1/4 screen - 30 fp/s - 24 bit colour
Full screen optional
Video for Windows™ compatible
Optional Video capture and compression
(NTSC/PAL/S-Video)
CD-Rom Drive (optional)
Second generation drive
325 kb/s - Transfer rate (Double speed)
Kodak Photo CD™, compatible
Software
Software worth of over $1000, bundled free
Amazing graphic and photographic editing, and enhancement software
Best screen capture and graphic format conversion software
Wonderful presentation and Multimedia Authoring software
Fabulouse Voice and Midi editing and enhancement software
Voice recognition and text to voice conversion utilities
Shareware (CD), fractals and many more
Customized Bundles
Additional (optional) best known software, educational and entertainment titles-at a fraction of their list prices



See us at Comdex
South Annex Pavilion
Booth A-1569
COMPUMEDIA LTD.
3, Menorat Hamaor St.,
Tel-Aviv 67448, ISRAEL
Fax. 972-3-6952557
Distributors Required
Circle 387 on Inquiry Card.



COMDEX
Booth S4066

Leading the way in display technologies, CTX provides you with the total monitor solutions.

Climb aboard.

MODEL	5468A	1451	1461	1561	1560	1760LR
CRT/Dot Pitch	14"/0.28 mm	14"/0.28 mm	14"/0.28 mm	15"/0.28 mm	15"/0.28 mm	17"/0.28 mm
Scan Frequency	H: 30-38 KHz V: 50-90 Hz	H: 30-50 KHz V: 50-90 Hz	H: 30-60 KHz V: 50-90 Hz	H: 30-60 KHz V: 50-90 Hz	H: 30-60 KHz V: 50-90Hz	H: 30-65 KHz V: 50-90 Hz
Max. Resolution	1024x768/87Hz	1024x768/60Hz	1024x768/72Hz	1024x768/72Hz	1024x768/72Hz	1280x1024/60Hz
Digital Control	--	--	--	--	Yes	Yes
Full Screen	--	Yes	Yes	Yes	Yes	Yes
Low Radiation	5468LR	1451LR	1461LR	1561LR	1560LR	Yes

ISO 9000

Certified Quality

Competitive Pricing

1-800-888-2012
BBS (909) 594-8973

Considering a monitor? See your CTX dealer today.

CTX
Monitor Specialists

CTX INTERNATIONAL
20530 Earlgate Street
Walnut, CA 91789
909/595-6146
Fax 909/595-6293

CTX SOUTH
6090-F Northbelt Pkwy
Norcross, GA 30071
404/729-8909
Fax 404/729-8805

CTX EAST
146 Division Place
Hackensack, NJ 07601
201/646-0707
Fax 201/646-1998

CTX MIDWEST
500 Park Blvd., Ste. 425
Itasca, IL 60143
708/285-0202
Fax 708/285-0212

CTX OEM
1225 E. Crosby Rd., A21
Carrollton, TX 75006
214/416-9610
Fax 214/245-7447

© Copyright 1993. CTX International, Inc. All rights reserved. All brand or product names are trade marks or registered trademarks of their respective owners.

Circle 293 on Inquiry Card (RESELLERS: 294).

same, according to Wall Data. The Windows version lets you work with the mainframe applications as if you were working in Windows, and the OS/2 version is fully integrated with IBM OS/2 Presentation Manager, Wall Data says.

You can start as many mainframe sessions as your PC memory or interface will allow. Then you can change display colors, customize keyboards, copy and paste information between PC and mainframe applications, print host documents on local printers, and more.

Wall Data says that Rumba supports all major networks, gateways, and communications interfaces. To run Rumba for the Mainframe under Windows, you need Windows 3.0 or higher, and you need OS/2 2.0 or higher for the OS/2 version.

$495
Wall Data, Redmond, WA; (206) 883-4777
Circle 1045 on Inquiry Card.

Smartcom for Windows 1.0

Smartcom for Windows is a communications program from Hayes Microcomputer Products that has macro capability, a scripting language, an editor, DDE support, and more. The macro capability, called Smart Buttons, lets you keep common commands and scripts available at the click of a button. You can import Windows icons to create Smart Buttons, or you can choose from the bundled icons.



The Scope scripting language lets you automate tasks and create interface-driven scripts.

The package lets you start communications sessions by clicking the mouse or dragging and dropping communications documents onto the program's icon. File transfer protocols supported include XMODEM, YMODEM, and ZMODEM. Smartcom for Windows also supports background communications and file transfers. With additional copies of the program, you can run multiple communications sessions simultaneously. Smartcom for Windows is compatible with NetBIOS networks.

$149
Hayes Microcomputer Products, Inc., Norcross, GA; (404) 840-9200; fax: (404) 441-1213
Circle 1046 on Inquiry Card.

Terminal Plus with FAXit

FutureSoft Engineering's Terminal Plus with FAXit is communications and fax software that offers fax functions, multimedia extensions, file transfer protocols, terminal emulations, and preconfigured settings for more than 80 modems. Using Terminal Plus with FAXit, you can send faxes from any Windows application and view or read faxes without printing. The multimedia extension lets you attach voice and sound cues to different communications events.

$195
FutureSoft Engineering, Houston, TX; (713) 496-9400; fax: (713) 496-1090
Circle 1047 on Inquiry Card.

WinBeep

This PC-to-beeper communications software lets you send written messages to people with alphanumeric pagers. The size of the message is determined by the receiving pager, or paging device, which can be as much as 6000 characters, or about three pages of information. To use WinBeep, you click on a name display, type your message, and click on Send. Your modem transmits the message by pager transmission networks to the pager, and the recipient is audibly or visually alerted.

WinBeep is DDE-aware, so you can beeper-enable Windows applications. You can also trigger WinBeep to send messages from within the applications at prescheduled times or in response to certain PC events.

WinFax Pro 3.0

The WinFax line of fax software lets you send faxes directly from Windows and receive faxes directly onto your hard drive. WinFax Pro 3.0 adds annotation, OCR, fax document management, an advanced phone book, a cover-page designer, image processing, and scanner support. WinFax Pro also includes a TSR program that enables you to receive faxes while you're working in DOS.

With the annotation and drawing tools, you can mark up faxes with text, or you can use the object-based drawing tools to add lines, circles, squares, boxes, ellipses, and freehand sketches. You can also import graphics into 3.0 and merge annotations onto the fax image itself. With OCR capability, you can convert faxes into an editable format for word processors and spreadsheets. WinFax Pro uses AnyFax, OCR technology developed by Caere. The cover-page designer lets you choose from a library of covers or create your own.

$129
Delrina Corp., San Jose, CA; (800) 268-6082
Circle 1049 on Inquiry Card.

GRAPHICS


CA-Cricket Image for Windows

CA-Cricket Image lets you manipulate, convert, and compress images, as well as prepare color separations. With user-definable controls and interactive color reduction, you can control the levels and response curves of the individual colors. If it's too sharp, a picture can be softened, and if it's too blurry, it can be sharpened. Noise generated in the scanning process can also be removed, according to Computer Associates. Special effects you can apply to an image include oil painting (which makes a photo appear as if it were brush-stroked), colorized embossing, posterizing, and combined effects. File translations include TGA, PIX, WIN, BPX, BMP, TIF, PCX, GIF, CVP, and JPG.

NEW!

THE EASIEST TO USE WINDOWS SPREADSHEET


Quattro Pro 5.0 delivers workgroup productivity today



easy to learn. And Spreadsheet Notebooks make it easy to use. There are even built-in Experts™ that do tasks—like building graphs and managing scenarios—for you, *automatically!* Plus there's more analytical power here than in Excel, 1-2-3, and Improv combined. And the graphics . . . you have to see them to believe them! Get the new Quattro Pro 5.0 for Windows Workgroup Edition today.

Share information effortlessly

If you've ever wanted to share your spreadsheet information with other workers or automatically receive the most up-to-date information from someone else's spreadsheet, new Quattro® Pro 5.0 for Windows Workgroup Edition is for you. Quattro Pro's new Workgroup Desktop™ makes sharing information with coworkers as easy as passing a piece of paper, only a lot faster! Best of all, you can use your existing LAN, WAN, or electronic mail carrier without upgrading your LAN software or buying a separate workgroup product.* And with built-in support for SQL-based servers, you can view, query, and share more information than ever before.



Update everyone in your group at the touch of a button. Let the ***Workgroup Desktop*** *distribute your results automatically.*

The world's easiest Windows spreadsheet

Whether you're working alone on your spreadsheet or sharing data with a workgroup, only Quattro Pro puts everything you want under one roof. Complete on-line help and interactive tutors make Quattro Pro for Windows

New Workgroup Edition



Limited-time Offer!

$99.95† *Upgrade price for Lotus 1-2-3 and Excel users*

$495 *Suggested retail price for new users*

90-day, Money-back Guarantee

See your dealer today or call 1-800-336-6464, ext. 6153

In Canada, call 1-800-461-3327.

Borland

Power made easy

Circle 286 on Inquiry Card (RESELLERS: 287).

Copyright © 1993 Borland International, Inc. Quattro Pro for Windows and Spreadsheet Notebooks have patents pending. Offer good in the United States and Canada only. All prices in U.S. dollars. Dealer prices may vary. *Supported communication transports: Novell Message Handling Service (MHS and NGM); MCI Mail; cc:Mail (vendor-independent messaging); Windows for Workgroups, MS-Mail, and other MAPI-compliant messaging services; Local Area Network (LAN) systems, such as Novell NetWare, Banyan, IBM* LAN Server, MS-LAN Manager, AT&T StarGROUP, and other peer-to-peer networks. †$79.95 Upgrade offer for existing Quattro Pro users with $20 rebate coupon enclosed in Special Upgrade box, BI 5451


CA-Cricket Paint for Windows

CA-Cricket Paint gives you the tools to draw lines or shapes, print text, paint textures, airbrush shadows, copy an image, or blur a region. You can use Undo with a brush or airbrush. You can paint with color; with linear, radial, or two-way color gradients; or with clones from another or the same image. You can also output to any Windows raster device in color, gray scale, black and white, PostScript, or non-PostScript, according to Computer Associates. The program works on 24-bit color or 8-bit gray-scale images.

$595
Computer Associates International, Inc., Islandia, NY; (516) 342-5224, (800) 225-5224; fax: (516) 342-5329
Circle 1051 on Inquiry Card.

CorelDraw 4.0

The latest version of this all-in-one graphics kit from Corel incorporates seven modules: Draw, Photo-Paint, Chart, Show,



Move, Trace, and Mosaic. Move is the newest module and lets you create 2-D animations with sounds.

Version 4 of CorelDraw also offers libraries of clip art, animation, and sounds, as well as 750 fonts in TrueType and Type 1 formats. The collection includes more than 18,000 images and more than 125 animations.

The product imports and exports 22 graphics formats, including JPEG, Kodak Photo CD, and Micrografx DRW files.

Fifteen additional filters are provided for importing text from word processors and spreadsheets. CorelDraw supports OLE and all major networks, including Novell NetWare, NetWare Light, and LANtastic.

$595
Corel Corp., Ottawa, Ontario, Canada; (613) 728-8200; fax: (613) 728-9790

Designer 4.0 for Windows

The newest Windows version of this illustration program includes 3-D drawing, editing to 1 micron, a streamlined interface with interactive tool ribbon and hint line, and color-separation capabilities (spot and process color).

Designer 4.0's text-handling features include the ability to edit transformed text and the ability to flow text in and around irregular shapes. The program comes with a clip-art library of more than 13,000 images. And it imports and exports most major graphics files as well as offering support for the TWAIN scanner standard.

Links you anywhere, anytime!

New! PCMCIA KeepInTouch™ modem

Send/receive data and faxes at 14,400 bps from your PCMCIA portable computer via the cellular or standard telephone networks. Why tie yourself to a desk!

With AT&T's exclusive Enhanced Throughput Cellular (ETC™) protocol* and Optical Line Interface* (OLI™), you get:

- Fastest speeds possible
- Increased connectivity and productivity
- Reduced cellular and line charges



Plus, the KeepInTouch Card lets you easily download modem enhancements to protect your investment. It uses a software-defined architecture similar to that of our COMSPHERE® 3800 Modems that won these awards:

Competitively priced! Visit Computer City, Elek-Tek, and Fry's. Or for the name of the dealer nearest you, or to order direct, call us at **1 800 554-4996 ext. 96911.**

Visit us at Comdex, Room #LN102

AT&T

Circle reader service #353 **Outside US or Canada circle #354**

* Pat. Pending KeepInTouch, KeepInTouch Card, ETC, and OLI are trademarks of AT&T. © AT&T 1993

Why 2,000,000 people trust us with their savings.

Your data and your time.

What could be more valuable?

And what could be more useful than a software package that saves both?

With more than 2,000,000 copies sold so far, Fastback Plus is used by more people than any other backup software.

And not one copy has ever been returned for failure to restore data.

Fact is, you – or the people who work with you – can destroy up to 50% of the information on a tape and still restore every last byte, error-free. Whether you're using Fastback Plus for DOS, for Windows, for OS/2 or for Macintosh.

And if it weren't for our UNIX version, the smallest corrupted sector could bring your backups, your restores and perhaps your career to a screeching halt.

Of course, even the most reliable backup software can't be relied upon at all if it isn't being *used.*

Which explains why all five Fastbacks let you schedule automated, unattended backups.

And why all five are so easy, so accessible and so intuitive, complete with multiple user levels.

Our Windows and OS/2 versions let you customize the interface.

While the interface for our new DOS version is customized already.

Based on input from 2,000 people and developed with the hands-on assistance of 40 users brought to our offices during a month of exhaustive usability testing, it packs a wish list of the brand new and the tried-and-true. From one-screen file selection to peer-to-peer backup.

Whichever Fastback – or Fastbacks – you specify, you'll be assured of the most efficient backups possible.

That's because all five versions deliver the ideal combination of speed *and* compression. Our latest Windows version, for example, achieves compression rates of up to 85% while backing up to QIC tape at over 10MBs per minute.


Clearly, we didn't call it Fastback for nothing.

Speaking of calling, if you'd like a copy – or a thousand copies – in your hands tomorrow, pick up the phone today.


Dial 800-926-4289 Ext. 77.

And thanks a million.

Circle 345 on Inquiry Card.



FIFTH GENERATION SYSTEMS, INC



NO MORE EXCUSES.



NOW THERE'S A 16-BIT SOUND BLASTER FOR EVERY APPLICATION AND BUDGET...AND NO MORE EXCUSES FOR OWNING ANYTHING LESS.

Every day, more people buy Sound Blasters than any other PC audio card. Except for a few of you, who keep putting off that all-important Sound Blaster™ decision. You know who you are. Well, our new line will make you a true believer.

SOUND BLASTER 16 BASIC: MORE VALUE.

For instance, some of you told us you were looking for 16-bit performance, but an 8-bit price.

So our new Sound Blaster 16 Basic offers the

U.S. inquiries: Creative Labs 1-800-998-5227 or 1-408-428-6600. International inquiries: CreativeTechnology Ltd., Singapore. TEL 65-773-0233 FAX 65-773-0353.
Sound Blaster, Creative VoiceAssist, Wave Blaster and the Sound Blaster and Creative logos are trademarks of Creative Technology Ltd.

same great hardware as our premium models. But in a $199.95* no-frills package that's perfect for the first-time 16-bit user.

SOUND BLASTER 16 MCD: MORE CD-ROM OPTIONS.

Perhaps you'd bought another manufacturer's CD-ROM drive. Probably an oversight, we know, but that's no longer an excuse to deny yourself the finest in PC audio.



Creative VoiceAssist™ software and microphone provides voice-activated Windows control for Sound Blaster 16 MultiCD and SCSI-2 packages.

Just plug in a Sound Blaster 16 MCD. Its multi-CD format is 100% compatible with best-selling drives from Sony, Mitsumi and Panasonic.

The MCD can even run two different drives at the same time. Which only makes sense, considering our $249.95* price will save you enough money to buy the second one.

SOUND BLASTER 16 SCSI-2: MORE SCSI COMPATIBILITY.

Maybe you were waiting for a full-featured SCSI interface. Well, wait no longer.

As the name implies, our Sound Blaster 16 SCSI-2 meets the new, more comprehensive generation 2 SCSI standards. Others don't.

And our card runs the complete battery of SCSI peripherals, not just CD-ROM. Best of all, it includes one of the most comprehensive software bundles in the business and does it for a remarkable $279.95.*

TRUE "PLUG & PLAY" UPGRADABILITY.

Speaking of things other cards can't do, our unique scalable platform lets you add advanced options as you need them.



Boost CPU efficiency by up to 65% with an Advanced Signal Processing upgrade.

So once you stop making excuses and get your Sound Blaster 16, upgrading to Wave Blaster™ Sampled Wave Synthesis (courtesy of the MIDI wizards at E-mu) or our own Advanced Signal Processing option (a Creative Labs exclusive) is literally as easy as adding a daughter board or plugging in a chip.



Upgrade MIDI applications and soundtracks to Sampled Wave Synthesis with a Wave Blaster daughter board.

JUST WHEN YOU THOUGHT YOU'D HEARD EVERYTHING...

Along comes Sound Blaster 16. The no-more-excuses sound card. Exactly what you'd expect from Creative Labs, developers of the industry standard 16-bit audio platform.

For more information and the name of your nearest Creative Labs dealer, call 1-800-998-5227.

Format	16-bit St		
Advanced Signal Processing Upgradability	Yes		
Wave Blaster Upgradability	Yes		
CD-ROM Compatibility	Panasonic	Creative Labs/ Panasonic	Any SCSI or SCSI-2
Bundled Hardware		Microphone	Microphone
Bundled Software	Monologue for Windows Creative WaveStudio Creative Soundo'LE Creative Talking Scheduler Creative Mosaic	Software Toolworks Multimedia Encycl. PC Animate Plus Monologue for Windows Creative WaveStudio Creative Soundo'LE Creative Talking Scheduler Creative Mosaic Creative VoiceAssist	Software Toolworks Multimedia Encycl. PC Animate Plus Monologue for Windows Creative WaveStudio Creative Soundo'LE Creative Talking Scheduler Creative Mosaic Creative VoiceAssist
Suggested Retail	$199.95	$249.95	$279.95
W/Advanced Signal Processing Upgrade	Not applicable	$299.95	$329.95

Sound BLASTER™ CREATIVE™
CREATIVE LABS, INC.

All other trademarks are the property of their respective holders. © Copyright 1993 Creative Technology Ltd. All rights reserved.
*SRP. Note: Sound Blaster 16 MCD works with Sony CDU31A and CD31A-003; Mitsumi CRMC-LU005s, -FX001 and -FX001D; and Panasonic CDR-523 and -563.

The product's target audience includes technical illustrators, graphic artists, and professional designers. Designer 4.0 supports OLE.

Draw 3.0 for Windows and Draw for OS/2

Draw is an entry-level drawing product available for Windows and OS/2. The new Windows version includes OLE support plus 32 resident TrueType fonts. The OLE support lets you link or embed a drawing in a document created with a word processing or desktop publishing program. A TrueType convert-to-curve feature lets you convert fonts to curves for editing. You can type in text, convert it to curves, and treat text characters as line art.

$149.95
Micrografx, Inc., Richardson, TX; (214) 234-6018; fax: (214) 234-2410
Circle 1054 on Inquiry Card.

Illustrator 4.0

Adobe Illustrator for Windows is a professional illustration program. Release 4.0 includes Adobe Type Manager, 40 Adobe Type 1 scalable fonts, the Adobe TypeAlign type-manipulation program, color-separation software, and a selection of patterns, textures, symbols, and borders. Adobe says that users of Illustrator for Windows can exchange files with users of Illustrator for the Mac and Next with full compatibility.

Using Illustrator, you can sketch freehand, trace over scans, or enter object dimensions for automatic creation. You can also add and select points on curves, lines, and objects.

Text-handling features enable you to place text on a line or curve, even within an object. You can position text in a defined block of any shape, according to Adobe, and link it to other text blocks or wrap it around any object. Illustrator supports 16- and 24-bit color and lets you select from more than 16.7 million colors on-screen.

New features in Adobe Illustrator for Windows 4.0 include editing in preview mode, on-screen text entry and manipulation, better control over artwork with marquee zoom, a new graphing tool, enhanced



color features, and context-sensitive help.

Registered Adobe Illustrator for Windows customers can upgrade to version 4.0 for $99 and receive a free copy of Adobe Streamline 3.0 for Windows.

$695
Adobe Systems, Inc., Mountain View, CA; (415) 961-4400
Circle 1056 on Inquiry Card.

ImageWizard

ImageWizard 1.0 is an object-oriented image-editing program for Windows. It gives you tools for manipulating photographs, Photo CD images, clip art, and bit-mapped pictures.

The program lets you create and layer multiple independent objects. Object effects include trim, untrim, blend, rotate, size, distort, auto-antialias, tint, vary transparency, recolor, flip, posterize, stamp, knit, and clone. Brush effects include object textures, stamp, stamp recolor, shuffle, smudge, blur, sharpen, gray scale, and posterize. ImageWizard supports the TWAIN scanner standard and OLE. It also supports all the major graphics formats.

$199
ImageWare Software, Inc., San Diego, CA; (619) 457-8600; fax: (619) 457-8290
Circle 1057 on Inquiry Card.

Picture Publisher 4.0

Micrografx calls Picture Publisher the desktop darkroom for Windows. The program is geared toward sophisticated computer users who aren't necessarily graphics professionals. The new version of the image editor includes Object Layers, which allows you to edit and move objects that you've pasted in. FastBits is another new feature, and it lets you quickly open just the section of the picture you want to work on rather than loading the whole image into memory.

The ImageBrowser feature provides thumbnails of images that users can open and save. Further enhancements include searches based on keywords and filenames.

Other features of Picture Publisher include masking ability, editing and retouching tools, special effects and filters, and a range of output capabilities. Version 4.0 also has some Painter-like tools, such as crayons, oil paints, and markers. Picture Publisher is OLE 1.0–aware and supports the TWAIN scanner standard and Kodak Photo CD. It lets you import and export all the major file formats.

$595
Micrografx, Inc., Richardson, TX; (214) 234-6018; fax: (214) 234-2410
Circle 1058 on Inquiry Card.

PhotoStyler 1.1

PhotoStyler is a full-color image-processing program for Windows. It lets you scan, enhance, compose, retouch, and print 24-bit color, gray-scale, and black-and-white images. It supports raw-image data for-



mats and the JPEG standard for image compression and expansion. This version also offers numerous interface and performance improvements, including optimized memory management and faster image handling, as well as TIFF LZW (Lempel-Ziv-Welch) compression and decompression, according to Aldus. Other file formats supported include EPS, GIF, PCX, TIFF, TGA, and BMP. The open architecture of PhotoStyler lets you plug in import and export capabilities as you need them, Aldus says. To run PhotoStyler 1.1, you need a high-resolution graphics card.

$795
Aldus Corp., Seattle, WA; (206) 622-5500
Circle 1059 on Inquiry Card.


WHY Is Brutus*, the King of Monitors, So Impressed by the 15" SCEPTRE?

Among the finest 15-inch High Resolution Color Monitors you can get, the Microprocessor based Low Radiation (MPR II compliant) **SCEPTRE CC-615L** offers:

1024 x 768 VESA 72Hz Flicker-free
Multi-scan 30-60 KHz
INVAR Shadow Mask Tube, FS II Flat Screen
31 Memory Settings
(5 Factory Preset, 26 User Adjustable)
Anti-static Screen
Universal Power 90-260 VAC 50/60Hz Auto-sensing
Advanced Dynamic Focusing
Manual and Auto-Degaussing
Front Access Push-button User Controls

*PLUS: Energy Saving Option (**CC-615G**), SCEPTRE's Two Year Limited Warranty, and many more.*

In addition, SCEPTRE's impressive full line of Micro-processor based monitors includes **CE-6N, CC-6N** (14-inch) and **CL-617/617L** (17-inch). For more information, contact SCEPTRE or its distributors today.



***Brutus**: Monitor Lizard, an endangered species, recently seen in the film "The Freshman" with Marlon Brando and Matthew Broderick

COMDEX/Fall '93

SEE US AT SANDS BOOTH #S4440

SCEPTRE®

SCEPTRE TECHNOLOGIES, INC. 714-993-9193 FAX 714-993-2997

DISTRIBUTED BY

Tech Data® CORPORATION

1-800-237-8931

© 1993 Copyright SCEPTRE Technologies, Inc. All Rights Reserved. All product and brand names are trade marks or registered trademarks of their original owners.

Circle 357 on Inquiry Card (RESELLERS: 358).


CA-Cricket Graph for Windows

CA-Cricket Graph is a charting application package geared toward scientists, engineers, and business people who need to create graphs and charts for reports, presentations, technical documents, or data analysis. You can import and graph data from files in ASCII, SYLK, DIF, WKS, WK1, WK2, or Windows Clipboard formats. You can manage up to 40 columns by 2700 rows of data directly in the program, rearrange data, or generate new data by using mathematical operators or trigonometric transforms.

Cricket Graph for Windows will let you generate a variety of chart types, including scatter, line, stacked bar, pie, column, area, double Y axes, and polar.

$129
Computer Associates International, Inc., Islandia, NY; (516) 342-5224; fax: (516) 342-5329
Circle 1161 on Inquiry Card.

CAN THE MOST POWERFUL AND RELIABLE MATH SOFTWARE REALLY BE THE EASIEST TO USE?



Engineers and scientists who use Macsyma consistently describe it as more powerful and more reliable than any other mathematics software. Reviewers agree that Macsyma's on-line help system is the best in the field. IEEE Spectrum calls Macsyma "a national treasure" and says:

"Users with heavy mathematics needs should insist on Macsyma."

And, the most recent PC Macsyma runs fully three times as fast as earlier ones on PC Magazine's 1992 benchmark tests.

Call 1-800-macsyma for a free demo disk today.

Macsyma®

A quarter century of software development is hard to beat.
$349*

* For PC version in U.S.A. and Canada. Academic and quantity discounts are available.
Macsyma is a registered trademark of Macsyma Inc.


Macsyma Inc.
20 Academy Street
Arlington MA 02174-6436 / U.S.A.

tel: 617-646-4550
fax: 617-646-3161

1-800-macsyma
1-800-622-7962

Visio 2.0

Visio is a drawing program for people who aren't graphics specialists. In fact, the package was developed specifically for computer users who can't draw or don't have the time to learn one of the sophisti-



cated illustration programs. The package takes a drag-and-drop approach to drawing, using ready-made stencils of more than 300 different shapes. These stencils include flow diagrams, business models, engineering schematics, organization charts, facility plans, and network layouts. To draw with them, you click on the shapes, drag them to the drawing area, and then drop them into place. You can then manipulate or create any kind of drawing or diagram, according to Shapeware.

There are tools for drawing all the basic elements you'd need to create a diagram or simple illustration: lines, arcs, rectangles, and ellipses. With its "gesture-recognition" technology, the pencil tool knows from the way you move the mouse whether you want a straight line or a curve.

Other features in Visio include text tools, the ability to automatically connect shapes, conversion from 2-D to 1-D, floating-point precision, global editing, and rotation of objects.

Version 2.0 includes OLE 2.0 object and container support, drag-and-drop capability across applications, and OLE automation. Also added in 2.0 are control handles, an alternative toolbar, multiple stencil views, and pop-up menus.

$299
Shapeware Corp., Seattle, WA; (206) 467-6723; fax: (206) 467-7227
Circle 1162 on Inquiry Card.

Circle 355 on Inquiry Card.

ASCEND®

For a Free 60-Day Evaluation Copy of Ascend Call 1-800-877-1814.

The Complete Personal Information and Contact Management System

ASCEND is the award-winning, Windows-based PIM (Personal Information Manager) based on the popular time management techniques of Franklin Quest Co. Franklin is the world's leading time-management training firm. In addition to ASCEND being a PIM, it's also a contact manager and group scheduler!

ASCEND can print on either blank paper or Franklin Day Planner pages — allowing you to take with you everywhere your task lists, appointment schedules, contact information, address and phone listings, goals, and so on. ASCEND is available either with or without a Franklin Day Planner. ASCEND is also now available for Macintosh!

Computer Reseller News 1991

1991 BYTE USER'S CHOICE AWARD

BYTE AWARD OF MERIT

BUYER'S ASSURANCE SEAL INFO WORLD


"I've become addicted to Ascend, which has changed my life for the better."
Jerry Pournelle, Byte

"Ascend is... awesome."
Jim Seymour, PC Week

"Though PackRat comes close, it is Ascend that will satisfy PC users..."
M. Keith Thompson, PC Magazine

New Version 4.0 with Contact Management OLE, DDE, Pen Windows Support, and much more.

ASCEND is available at Eggheads, Computer City Supercenters, and other fine stores.



Franklin Quest

2550 South Decker Lake Blvd.
Salt Lake City, UT 84119
1-800-877-1814 • (801) 975-9992
FAX (801) 975-9995

Circle 361 on Inquiry Card.

PRESENTATION GRAPHICS

CA-Cricket Presents for Windows

With CA-Cricket Presents, you can create a presentation with display-quality graphics, speaker's notes, and audience handouts. The Abstract Outline Processor is a planning tool that helps you turn your ideas into a presentation structure. The templates let you use preselected fonts, colors, and background elements. Auto Presents takes information from an outline and creates a presentation for you. Video Presents is a utility that lets you use your monitor like a slide projector so that you can display your presentation.

Text capabilities include a ruler-based editor that lets you manipulate justification, tabs, kerning and leading, and style. A 100,000-word spelling checker is included. Graph types include scatter, line, area, pie, column, bar, stacked column, and stacked bar charts. You can import TIFF, PCX, Windows metafile, CGM, GIFF, GMF, and EPSF formats.

$199
Computer Associates International, Inc., Islandia, NY; (516) 342-5224
Circle 1163 on Inquiry Card.

Charisma 2.1

Charisma, from Micrografx, is a business graphics program that combines charting, drawing, and presentation capabilities. The package comes with 44 predefined chart types, including technical types, such as linear and exponential. Charisma will let you create additional charts and save them as templates. All the major graphics and data file formats are supported for import and export.

Drawing tools include square, rectangle, circle, a variety of lines, Bézier curve editing, arrowheads, and more, as well as a collection of 2200 clip-art symbols. For presentations, more than 32 templates are included, along with color style sheets. Charisma runs on all Windows-supported networks.


$495
Micrografx, Inc., Richardson, TX; (214) 234-1769; fax: (214) 234-2410
Circle 1164 on Inquiry Card.

Compel 1.0

Compel combines text and graphics capabilities with audio, video, and animation. With Compel, you can create on-screen presentations, slides, overheads, or printouts. You can also create interactive on-screen presentations. And the program's MAPI support lets you send interactive multimedia presentations through Microsoft Mail.

Hyperlinking allows for audience interaction and the ability to navigate through a presentation in customized ways. Users can click on a "hot word" or bullet to instantly provide supporting information in response to questions or comments, or they can skip ahead if they like.

The TwinClick control panel pops up




when both mouse buttons are pressed; buttons on the panel let presenters move to any place in the presentation. An Autobuild feature simplifies the creation of a series of slides, according to Asymetrix, and automatically creates links between slides.

Compel supports MCI-compatible multimedia devices under Windows. Built-in sound recorder and animation capabilities are also included. More than 100 MB of multimedia clips come with the Compel package.

$295
Asymetrix Corp., Bellevue, WA; (206) 462-0501; fax: (206) 455-3071
Circle 1165 on Inquiry Card.

Freelance Graphics for Windows Release 2.1

Lotus's Freelance Graphics for Windows helps you build business presentations with QuickStart, an animated on-line tutorial that guides you step by step through the creation process. SmartMaster presentation pages and page layouts let you fill in the blanks to complete a presentation. Release 2.1 comes with 12 new SmartMaster designs, bringing the total to 65.



Release 2.1 supports the new WK4 file format created by Lotus 1-2-3 for Windows release 4 in the data import viewer. The program integrates with Lotus Notes in order to create and use the presentation libraries in a Notes environment. Another addition in the latest release is the OLE Screen Show, which lets you specify that presentations embedded as OLE objects automatically play as screen shows when launched. Also included with Freelance Graphics are a PowerPoint 2.0 file import filter, an encapsulated PostScript export filter, and support for the OS/2 metafile for importing and exporting.

$495
Lotus Development Corp., Cambridge, MA; (617) 577-8500
Circle 1166 on Inquiry Card.

Harvard Graphics for Windows 2.0


Harvard Graphics for Windows offers three views for creating a presentation: the Slide Sorter, the Outliner, and the Slide Editor. The presentation is stored in one file to simplify presentation editing and organization, according to Software Publishing. Changes in one working view are automatically reflected in the other views of the presentation. You can move between views by clicking on an icon or by selecting the new view from the pull-down menu.

With the Slide Sorter, the presentation is displayed in a collection of slide miniatures, so you can make global modifica-



RAIDION

FAULT-TOLERANT DISK ARRAYS



RAIDION LT and LS Series disk array subsystems are designed for use with either Novell NetWare 3.11/4.0 or IBM OS/2.

MIRROR. RAIDION can be configured with 2 modules to provide mirrored fault tolerance up to 3 GB.

RAID 5. Adding one module to a mirrored array and installing RAIDWARE™ doubles the user capacity by converting the mirrored array to RAID 5. Under Novell NetWare, RAIDION can be expanded to 32 modules per single array with a capacity of 93 GB. Under OS/2, the maximum configuration is 28 modules.

Module Number	Capacity Per Module	Drive Form Factor
LM 560	557 MB	LT 3.5-inch
LM 1050	1,050 MB	LT 3.5-inch
RM 2100	2,100 MB	LS 5.25-inch
RM 3020	3,020 MB	LS 5.25-inch

Other add-on Module capacities available.

RELIABLE. RAIDION can be configured with an on-line spare option that activates automatically upon a drive failure, ensuring continued fault-tolerant operation without human intervention. Hot-Swap and Hot Replacement features allow RAIDION to be serviced while your network remains in operation.

ECONOMICAL. An LT Series three module 2 GB array is just $7,545. An LS Series Raid 5 array with a capacity of 6 GB lists for just $16,980. That's less than $3.00 per MB. It's no wonder Byte Magazine said: "RAIDION's *low price alone makes it worth considering.*" August, 1992.

AWARD WINNING. In a benchmark comparison of disk arrays, Corporate Computing said: "*Raidion was our overall winner with an impressive combination of high performance, low cost, and unparalleled expandability.*" May, 1993.



1992 ENNE Network World and NetWorld

LAN TIMES READERS CHOICE 1993

yes NetWare Tested and Approved

For the name of your authorized RAIDION *distributor and a free brochure call* 1-800-395-3748.

MICROPOLIS®

All logos and names are the property of their respective owners.

Circle 310 on Inquiry Card.

tions to your presentation. The text-based Outliner lets you organize your ideas and presentations, and it can help you create text or bullet slides. The Slide Editor gives you a graphical view of an individual slide for detailed drawing, editing, and review of data charts. Chart Gallery includes 88 chart and slide layouts. There are drawing and editing tools. Graphics-style sheets provide a collection of templates that specify the charting options, color palette, background design, and type font and size.

$395
Software Publishing Corp., Santa Clara, CA; (408) 986-8000
Circle 1055 on Inquiry Card.

PowerPoint 3.0

Microsoft's PowerPoint provides word processing, graphing, outlining, and drawing tools that enable you to produce 35mm slides, overheads, speaker's notes, audience handouts, or electronic slide shows. The Slide Master lets you control the look and format of your presentation. A shape tool helps you create diagrams. A freeform tool lets you draw figures that combine polygon and freehand drawing. The slide sorter lets you view miniatures of your slides and also lets you copy and paste between presentations.

You can create 2-D and 3-D graphs, including area, bar, line, column, pie, scatter, and combination charts. You can choose from 84 graphing styles. Data can be imported from Excel, Lotus 1-2-3, and ASCII files. Also included is MCI support for sound and AVI video. PowerPoint supports OLE.

$495
Microsoft Corp., Redmond WA; (800) 426-9400, (206) 882-8080
Circle 1167 on Inquiry Card.

WordPerfect Presentations 2.0 for Windows

WordPerfect Presentations provides drawing tools and multimedia capabilities that



let you build presentations under Windows. It comes with templates, clip art, and other functions for creating bullet, organization, text, and chart slides. Features include a data-entry tool, an outliner for bulleted lists and text, a spreadsheet tool for charts, and a spelling checker. Charting ability includes line, surface, organizational, area, high-low, pie, and bar charts. 3-D effects are also possible. You can import Lotus 1-2-3, Excel, Quattro Pro, or ASCII files. You can create speaker notes and handouts and use the slide sorter to get a thumbnail view of your presentations.

Introducing SST
A New Standard in Multimedia Software
that will make your presentations soar!



suggested retail price $149.95

Now you can develop any **sales presentation**, **school report**, or even a **family scrapbook** using the power of multimedia. With **SST**, you can produce dynamic presentations complete with scrolling text, sound, narration, graphs, pictures, video–even interactive capabilities. **SST** works like a slide carousel and a VCR player with point & click and drag & drop controls. Plus it utilizes **two revolutionary operating techniques** that no longer require you to learn complicated script languages or deal with time-based editing systems. In fact, it's so easy to use, you'll create a multimedia presentation in less than 60 minutes. **GUARANTEED.**

Get into the multimedia action with SST.
For the distributor nearest you, or to order, call **(612) 531-0603**

SUPER SHOW & TELL SST

AskMe Multimedia Center
7100 Northland Circle•Suite 401
Minneapolis, MN 55428
FAX (612) 531-0645

MPC Multimedia PC
Microsoft Windows Compatible

Come see us in the Multimedia Pavillion at Comdex.

Now Shipping....

NDP OS/2 2.1 Developer's Pack

$595 Includes:
- 32-bit Globally Optimized Code
- 32-bit Graphics and API Access
- IBM Toolkit and Workframe
- Integrated Development Environment
- 1500 pages of documentation
- Your Choice of Compiler:

NDP C/C++, NDP Fortran-77 or NDP Pascal

Call for our White Papers on OS/2, i860 Parallel Processing on PCs, Fortran 90 and our port of LAPACK to the 486 and i860.

Microway®

Research Park, Kingston, MA 02364 USA (508) 746-7341
U.K., 081-541-5466 USA FAX (508) 746-4678

 Circle 363 on Inquiry Card.

The best sound is not in the cards.

PORT·ABLE Sound PLUS™



Perk up your presentations. Make training more effective. And, put some guts into your gaming pastimes. Anytime. Anywhere. In fact, if you are not a card carrying member of the computer set, you have to hear PORT·ABLE Sound Plus from DSP Solutions. You know, those real smart people who make simple sound solutions.

PORT·ABLE Sound Plus is the first portable external sound peripheral to deliver 16 Bit CD quality music with stereo audio capabilities. And, since you just plug into your IBM PC or compatible, desktop or laptop parallel port, you do not need an engineering degree or even a screwdriver.

When you compare PORT·ABLE Sound Plus to any other external sound peripherals, you will see why anything else is just noise. PORT·ABLE Sound Plus is based on advanced Digital Signal Processing technology, so you will enjoy the greatest compression capability with the highest quality sounds. Here is something else that will be music to your ears. PORT·ABLE Sound Plus comes complete with everything you need including a high fidelity speaker and built-in microphone. There is an "Audio-in" for a CD or tape player and a "Line-out" for external powered stereo speakers. Even a built-in smart parallel port pass through so you can keep printing.



Whether you take your work across the hall or across the country, with PORT·ABLE Sound Plus, you have all the cards you need to play right in your hip pocket. The hinged design lets you flip up the unit if you are short on desk space or lap space. And, the power will always be with you whether you use rechargeable or non-rechargeable AA batteries. PORT·ABLE Sound Plus also comes equipped with an AC/DC power converter.

As a bonus, you will get all the software you need to communicate. Like Lotus Sound™ an OLE server for Windows 3.1. WinReader for Windows 3.1, a handy text-to-speech utility. DSP Solution's DOSTalk and DOSReader text-to-speech applications. Show & Tell For Kids™ for Windows – an easy to use MultiMedia Authoring program. It is also Sound Blaster and AdLib compatible.

Why compromise on quality, portability, compatibility or affordability? When all the cards are on the table, PORT·ABLE Sound Plus from DSP Solutions is your ace in the hole. Suggested retail is only $198.95.



To order or obtain more information about PORT·ABLE Sound Plus, write or call DSP Solutions, or, contact your local dealer.

Sales Office: 550 Main Street, Suite J, Placerville, California 95667. Telephone: (916) 621-1787. Fax (916) 621-2093.

IBM Business Partner


DSP™ SOLUTIONS

Microsoft® Windows™ Compatible

- Sound Blaster Compatible
- 16 Bit CD Audio
- Advanced DSP Technology

PORT·ABLE Sound Plus is a trademark of DSP Solutions, Inc. All other product names are trademarks or registered trademarks of their respective owners.

Circle 359 on Inquiry Card (RESELLERS: 360).



The multimedia support lets you attach WAV files. WordPerfect Presentations comes with 100 MIDI files.

$495
WordPerfect Corp., Orem, UT; (801) 225-5000, (800) 321-4566
Circle 1168 on Inquiry Card.

DEVELOPMENT TOOLS

CA-dbFast 2.0

CA-dbFast is a stand-alone dBase-compatible application development system for Windows. The Visual Designer allows you to take advantage of object-oriented design and other Windows features. You can run dBase III Plus applications concurrently with your new CA-dBFast applications, according to Computer Associates.

CA-dBFast includes extensions to dBase that allow applications to use Windows resources, fonts, pull-down menus, bit maps, sizable Windows, and more. CA-dBFast also has multiuser capabilities, so you can share data on your network.

An interactive debugger supports source-level single-stepping and breakpoints. Extensible code templates let you standardize your programming efforts. And an object relationship manager maintains the relationships between project components.


$550
Computer Associates, Inc., Islandia, NY; (516) 342-5224; fax: (516) 342-5329
Circle 1169 on Inquiry Card.

CA-Realizer 2.0 for Windows and OS/2

CA-Realizer 2.0 lets you create multiplatform applications for Windows and OS/2, and you can port applications to Windows NT. The BASIC language in this package lets you create families within families with dynamic record-like collections of variables that can be expanded at run time with new elements at any level, Computer Associates says. You can create and manipulate multidimensional arrays with up to 30 dimensions and expand them dynamically in any dimension. CA-Realizer's debugger lets you place breakpoints at procedures, functions, and program lines. You can also display the contents of an array in the variable list box.

The new release of CA-Realizer for Windows and OS/2 lets you launch FormDev directly from the CA-Realizer Run menu. You can also create complete projects and edit multiple forms at the same time and cut and paste one or more objects between forms. You can align objects to adjustable grids with auto snapping and alignment, and you can resize and move objects as they appear. You can also generate CA-Realizer BASIC code from FormDev, edit it, and then reimport the file with its changes intact. And you can generate database query and entry forms automatically from any Xbase file, Computer Associates reports.

The package provides a range of chart types. The program's forms capability in-




cludes support for PCX and metafiles along with Windows bit maps. OLE objects are also supported. You can import and export Xbase database files.

$247
Computer Associates International, Inc., Islandia, NY; (516) 342-5224; fax: (516) 342-5329
Circle 1170 on Inquiry Card.

Borland C++ for Windows and OS/2

Borland C++ 3.1 is designed as a complete development system for professional programmers. Borland C++ & Application Frameworks 3.1 incorporates all of Borland C++ 3.1, including the Object Windows and Turbo Vision application frameworks, the run-time library source code, and the Windows API reference manual. Other features include an optimizing Windows-hosted development environment, new global optimizations for C++ and 386 code generations, a new utility called winSpector for determining the causes of UAEs, and integrated resource compilation.



Like Borland C++ 3.1, Borland C++ for OS/2 has a GUI-based integrated development environment, global optimization, support for C++ 3.0, object-oriented debugging, precompiled headers, the ability to transfer to user-defined programs and tools, and smart project management. In addition, it lets you create OS/2 executable files, libraries, and DLLs, as well as text-mode programs and Presentation Manager applications.

Borland C++ 3.1, $495; Borland C++ & Application Frameworks 3.1, $749; Borland C++ for OS/2, $495
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1171 on Inquiry Card.

Turbo Tools for Windows

Turbo C++ for Windows 3.1 is designed for entry-level C and C++ users. It includes the tools you need for creating Windows applications but doesn't include the professional tool set, the optimizing compiler, or the library source code.

Turbo Pascal for Windows 1.5 lets users take advantage of the features in Windows 3.1, such as OLE, common dialog boxes, drag-and-drop, and TrueType fonts. New features in Turbo Pascal for Windows 1.5 include a Resource Workshop, which is a graphical design tool; Speedbar; and Turbo Debugger for Windows 3.1 with Super VGA support.


$149.95
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1172 on Inquiry Card.


ObjectVision 2.0 for OS/2


ObjectVision 2.0 for OS/2 allows programmers and nonprogrammers to create business applications for Windows and OS/2 2.0. ObjectVision includes provisions


STATISTICA/w

Windows, DOS, Macintosh










STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows ■ Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multiway tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant 2D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price **$995**.




Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price **$495**.

STATISTICA/DOS™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price **$795**.

Quick STATISTICA/DOS™ (for DOS) A subset of STATISTICA/DOS statistics and graphics ■ Price **$295**.

Domestic sh/h $10 per product; 14-day money back guarantee.

Circle 327 on Inquiry Card.



STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price **$695**.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price **$395**.

StatSoft™

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: Statsoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310; **StatSoft UK** (London, UK), ph: 0462/482822, fax: 0462/482855; **StatSoft Pacific** (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; **StatSoft Canada-CCO** (Ontario), ph: 416-849-0737, fax: 416-849-0918. Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: MAB Julsing, 071-230410; France: Version US (1) 40590913; Sweden: AkademiData 018-240035; Hungary: Dagent Kft 186-5782; Belgium: TEXMA 10 61 16 28; South Africa: Osiris 12 663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600; Japan (DOS and Windows): Design Technologies, Inc., 03-3667-1110.

StatSoft, STATISTICA/W, Quick STATISTICA/W, STATISTICA/Mac, Quick STATISTICA/Mac, STATISTICA/DOS, Quick STATISTICA/DOS, and Scrollsheet are trademarks of StatSoft, Inc.

for three aspects of application creation: application interface, business rules or application logic, and connection to databases and other applications. Features designed to take advantage of OS/2 2.0 include full 32-bit implementation, multithreading, integrated support of the OS/2 Database Manager through IBM's optional extended services capability, and an interface to the REXX programming language.

$249.95
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1173 on Inquiry Card.

Borland Pascal with Objects 7.0

This package is designed for professional DOS and Windows programmers, and it enables them to create applications for three platforms: DOS, DOS Protected Mode Interface, and Windows. Borland Pascal with Objects 7.0 features technology that lets programmers share code libraries between DOS and Windows. The development language also features DPMI Application Creation, DOS DLLs, DOS and Windows Object Browsers, and six new compiler optimizations, including 386 32-bit math operations.

$495
Borland International, Inc., Scotts Valley, CA; (408) 438-8400
Circle 1174 on Inquiry Card.

FORTRAN PowerStation 1.0

Microsoft's FORTRAN PowerStation 1.0 is an implementation of FORTRAN that lets developers create 32-bit protected-mode DOS applications. The product comes with Visual Workbench, a Windows integrated development environment that lets developers move seamlessly between the compiler, editor, and debugger.

In addition to creating 32-bit protected-mode executable files and libraries, FORTRAN PowerStation provides support for 32-bit graphics in VGA, Super VGA, and VESA formats. The compiler is a 32-bit executable file, so it handles programs up to 4 GB. FORTRAN PowerStation comes with a set of global optimizations, including optimizations for expressions, sorts, peepholes, and dead-loop removal.

FORTRAN PowerStation is compatible with ANSI FORTRAN 77 and includes VAX and IBM extensions. The package also comes with a 387 emulator. Microsoft recently announced a version of the FORTRAN compiler for NT that will let developers create 32-bit applications for NT and DOS.

$495
Microsoft Corp., Redmond, WA; (206) 882-8080; fax: (206) 936-7329
Circle 1175 on Inquiry Card.

HOOPS

With HOOPS you can build interactive graphics applications that combine imagery with instantaneous response.

HOOPS provides a single interface to all major platforms. It's a 3-D graphics


Copia International Ltd
AccSys Libraries
MICROSOFT WINDOWS
AccSys for dBASE
Supports Clipper/FoxPro & Paradox 4.0
AccSys for Paradox
■ Support Memo, MDX and NDX Index Files
■ Twice the Speed & Half the Size of Engine
■ Windows (DLL) and VisualBasic Support
■ QuickBasic, VisualBasic & Windows (DLL) Support
■ Chosen by Microsoft® for Access
Both libraries are multi-platformed, have C source available, and offer full network support.
TECH INFO VIA FAX: 708/924-3030 DOC. NO. 889822
Copia International Ltd.
Wheaton, Illinois 60187 708/682-8898

fractal image compression
Adding images to your Windows applications? Avoid storage problems with fractal image compression, the technology that inspired PC Magazine to declare "The advantages of fractal compression are unmatched."
This technology is now available to Windows 3.x developers in **POEM ColorBox III**, which provides DLLs for:
• Ultra-high compression;
• Resolution independent images;
• Background compression; and
• FTC-III coprocessor support
For database, multimedia, archiving or other applications, **ColorBox III** is comprehensive, easy-to-use and at $995, suprisingly affordable.
Call today for more information. Learn why **ColorBox III** can solve your image storage problems.
Iterated Systems, Inc.
5550-A Peachtree Pkwy.,Suite 650
Norcross, GA 30092
Tel: 1-800-4FRACTL • Fax: (404) 840-0806

Circle 151 on Inquiry Card (RESELLERS: 152).

If It Were A Baseball Player, It Would Hit Home Runs, Toss No-Hitters, Steal Bases, And Sign For Under $200.

Okay, it hasn't happened in baseball. But in the computer world, there's a major league player in the communications game that can pretty much do it all. Introducing CommWorks™ for Windows™ by Traveling Software. The first complete communications package that gives you more flexibility than ever to do business away from the office. For starters, there's **LapLink® V,** the number one selling file transfer program. You can make unattended, regularly scheduled file transfers at anytime, from any place. And for local file transfers, use the included serial cable. CommWorks also allows you to send and receive a **Fax** from your PC quickly, easily and privately. CommWorks also features **Remote Access,** which brings remote files and printers directly to your PC wherever you are. And with the online program, you can tap into MCI Mail,® CompuServe,® or other **Online Services** at the click of a button. What's more, the CommWorks Control Center puts all these communications tools at your fingertips. See your local dealer or call Traveling Software direct for $50 off the introductory SRP of $199.95. And get the one who can do it all. Without the overblown salary.



Introductory Offer
Call for $50 off
(800) 472-4735

Introductory offer good through Dec. 31, 1993 and valid only when purchased direct from Traveling Software. SRP $229.95. Introductory SRP good through Dec. 31, 1993. © 1993 Traveling Software, Inc. 18702 North Creek Parkway, Bothell, WA 98011, (206) 483-8088. CommWorks is a trademark and LapLink is a registered trademark of Traveling Software. Other products are trademarks or registered trademarks of their respective companies.

Circle 333 on Inquiry Card (RESELLERS: 334).

API that is source code–compatible with workstations and PCs. The scalable device interface adjusts for your hardware's specific functionality.

HOOPS incorporates a graphics database that has built-in links to connect graphical and nongraphical data. It also has an intelligent rendering engine that can generate pictures on a variety of display and hard-copy devices. An integrated input event manager captures and processes input events generated by a mouse, keyboard, or other device. Graphics tools and techniques let you perform Gouraud and Phong shading of complex solid objects and apply material properties including transparency and reflectivity.

HOOPS is compatible with X Window System and PEX. Data can be stored or exchanged with other applications by using the HOOPS Metafile Format.

$5000 for a single-developer license
Ithaca Software, Alameda, CA; (510) 523-5900; fax: (510) 523-2880
Circle 1176 on Inquiry Card.

Informix-HyperScript Tools

Informix-HyperScript Tools is a multiplatform visual programming environment that lets you create graphical applications for Windows, Unix, and Macintosh. HyperScript Tools also includes an extended version of Informix's HyperScript language, along with additional modules.

HyperScript Tools provides high-level programming aides, including screen and menu painters, a spreadsheet, SQL support, and a graphical debugger. Hyper-



Script Tools also has analysis and presentation capabilities, visual programming tools, a project manager, a debugger, and a scripting language.

$2495; $400 for run-time versions
Informix Software, Inc., Menlo Park CA; (415) 926-6300
Circle 1177 on Inquiry Card.

Mirrors

Micrografx Mirrors, a toolkit for porting Windows applications to OS/2, is a 32-bit DLL that emulates Windows under OS/2. When an application running under OS/2 calls a Windows function, Mirrors intercepts the call and implements it using functions within the OS/2 system DLL. Mirrors transforms the data that is returned by OS/2 and passes it back in a form Windows applications understand.

Some of the key functions of Mirrors are support for 16-bit applications; automated conversion of bit maps, icons, and help files; debug and nondebug versions of the Mirrors DLL; DOS3CALL interrupt support; and DOS and OS/2 host-independent file I/O libraries.

$495
Micrografx, Inc., Richardson, TX; (214) 234-6018; fax: (214) 234-2410
Circle 1178 on Inquiry Card.

Toolbook Multimedia Resource Kit

Asymetrix says its Toolbook Multimedia Resource Kit simplifies the creation of multimedia applications. If you are building an application with motion video, you



can paste the prebuilt VCR-like control panel into your application to provide play, pause, stop, fast forward, and rewind functions—without doing any programming. The Resource Kit supports DLLs and lets you link to and control any multimedia hardware and software that has a Windows DLL library.

An OpenScript function supports all the Microsoft high-level application programming interfaces and timer services. There's also a library of more than 85 prescripted multimedia objects, called widgets. And there's a facility that lets you play MacroMind Director or Autodesk Animator animation and palettized images in child and pop-up Windows. The kit includes graphics filters for importing DRW, EPS, TIFF, BMP, and DIB files. It also supports 256-color bit maps.

To run the Resource Kit you need ToolBook for Windows, Microsoft Multimedia Windows, and 2 MB of RAM.

$300
Asymetrix, Bellevue WA; (206) 637-1500; fax: (206) 454-0672
Circle 1179 on Inquiry Card.

Visual Basic 3.0

The Microsoft Access 1.1 database engine is integrated into Visual Basic 3.0, providing venues to Access, FoxPro, dBase, Paradox, and other client/server databases available through ODBC (Open Database Connectivity). The engine also has a query capability that parses SQL, the ability to perform distributed joins, updatable queries, query optimization, and international collating orders.

The Programmatic Layer of Visual Basic 3.0 is a suite of objects that drives the database engine and lets you define a query, field, index, or table and gives you access to data stored in a table, as well as the ability to execute a query, manipulate the results, and update the database. The Visual Layer of Visual Basic 3.0 offers data-aware controls that you can link to a query.

For designing reports, Visual Basic 3.0 Professional Edition includes Crystal Reports 2.0, which uses a custom control to simplify embedding reports in applications.

Visual Basic 3.0 has tools that help you create and manipulate data as well as distribute applications. New controls help you create hierarchical list boxes, to issue queries and navigate through the results, and more.

Unlike the Professional Edition, the Standard Edition lacks full ODBC support, a few drivers, the programmatic access layer, Crystal Reports, some data-aware controls, and the on-line Windows 3.1 API reference and the Custom Control Development Kit.

$199, Standard Edition; $395, Professional Edition
Microsoft Corp., Redmond, WA; (206) 882-8080; fax: (206) 936-7329
Circle 1180 on Inquiry Card.

Visual C++ 32-bit Edition

This Windows NT–hosted and integrated 32-bit development environment for C and

The New Generation Monitors

ViewSonic's New Generation is everything high performance monitors should be . . . and more.

The ViewSonic 15, 17, 20 and 21 produce remarkably crisp, sharp screen images with enhanced vibrant colors. Some advanced innovations include ergonomically designed drop-down digital control panels, special screen coatings, the ViewMatch™ color control system, and resolutions up to 1600 x 1280 non-interlaced.

The biggest surprise of all is the price—much less than you'd expect to pay for such astounding quality.

Call ViewSonic at **800-888-8583** for information on our award-winning monitors.

Welcome to the New Generation.

FEATURE SUMMARY

	ViewSonic 15	ViewSonic 17	ViewSonic 20	ViewSonic 21
Screen Size	15"	17"	20"	21"
Dot Pitch (mm)	0.28	0.27	0.28	0.25
Horizontal Frequency (KHz)	30-64	30-82	30-82	30-82
1600 x 1280 Non-Interlaced		■	■	■
Maximum Refresh Rate (Hz) at 1280 x 1024 NI	60	76	76	76
Flat Square Screen	■	■		■
ViewMatch™ Color Control	■*	■	■	■
Low Radiation (MPRII)	■	■	■	■
Suggested List	$549	$1,299	$2,099	$2,399



ViewSonic®

20480 Business Pkwy Walnut, CA 91789
Tel. (909) 869-7976 Fax (909) 869-7958

ViewSonic 21 screen image by SPATIEL TECHNOLOGY INC., Boulder, CO. Created with **ACIS**® Geometric Modeler and rendered with Visualization Husk.

*Color temperature select 9300°K or 6550°K only.

All products and brand names are registered trademarks of their respective companies.

Circle 335 on Inquiry Card (RESELLERS: 336).

Circle 362 on Inquiry Card.

E-mail That Works...!


More than just a leading multi-platform *e-mail* system, FirstClass features *electronic conferencing* and *remote access*—all in the same package.

E-mail

Conferencing

Remote Access

Use FirstClass for internal mail, workgroup communication, and even as a public access tech support solution. All simultaneously from *the same non-dedicated server!*



(Windows screens shown. Macintosh screens similar. ASCII interface also available.)

FirstClass™

- Built-in support for both Macintosh® and Windows machines on the same network (or via modem) *without* costly file servers
- Handles up to 250 users simultaneously per server, 20 of which may be via modem
- Simple network or modem connectivity to other FirstClass servers or other mail systems
- Remote or local administration with the same client all others use
- Messages with multiple fonts, styles, colors & unlimited file attachments
- Simultaneous multiple file transfers
- Background searching
- Gateways to other mail systems or the Internet with full Usenet newsgroup sending & receiving
- Fax gateway for individual or broadcast faxing and more!

FREE DEMO PACKAGE AVAILABLE UPON REQUEST

SoftArc Inc.
Global-Area Communications

805 Middlefield Road, Unit 102, Scarborough, Ontario, CANADA
M1V2T9 Fax: (416) 754-1856 Internet: sales@saolgate.softarc.com
FirstClass: (416) 609-2250

PHONE: (416) 299-4723

C++ developers will be the first PC-based development system with all software and documentation distributed on CD-ROM, according to Microsoft. The on-line documentation contains more than 8000 pages of information, including references to the Win32 SDK, C, and C++.

Visual C++ 32-bit Edition comes with Foundation Class Library 2.0. According to Microsoft, this library offers the building blocks that encapsulate thousands of lines of reusable, robust, and optimized C++ code for Windows-based applications.

AppWizard lets you create a skeleton application that supports these building blocks, and ClassWizard lets you connect user-interface elements and application code.

AppStudio lets you create, edit, and browse application resources. And Visual Workbench gives you an integrated editor, debugger, browser, and profiler. Also included is Spy++, an analysis tool that gives you information on threads, processes, and windows in Win32-based applications.

To run Visual C++ 32-bit Edition you need at least 16 MB of RAM, 80 MB of hard disk space for a full installation, a VGA or higher display, and a CD-ROM drive supported by NT.

$599

Microsoft Corp., Redmond WA; (206) 882-8080; fax: (206) 936-7329

Circle 1181 on Inquiry Card.

Watcom C/C++[32]

This is a professional, multiplatform, 32-bit optimizing C and C++ development system for extended DOS, Novell NLM, OS/2 2.0, Windows NT, and Win32s. The development package implements instruction scheduling to deliver better performance on 486 and Pentium processors, according to Watcom.

The compiler can create a single, high-performance executable file that runs on 386, 486, and Pentium processors. It supports a range of 32-bit Intel 80x86 host and target platforms. The package comes with a debugger, C and C++ compilers, a profiler, a royalty-free DOS extender with 32 MB of VMM support, licensed components of the Microsoft Windows 3.1 SDK, OS/2 2.1 Toolkit, and NetWare 4.0 SDK, and more.

To run C/C++[32] you need DOS 3.3 or higher, OS/2 2.0, or Windows NT and 3 MB of available RAM.

$599

Watcom, Waterloo, Ontario, Canada; (519) 886-3700; fax: (519) 747-4971

Circle 1182 on Inquiry Card.

Watcom FORTRAN 77[32]

FORTRAN 77[32] is a multiplatform 32-bit optimizing FORTRAN development system for extended DOS, Novell NLM, OS/2 2.0, Windows NT, 32-bit Windows 3.0, and AutoCAD ADS. To port code from other platforms, FORTRAN 77[32] has VAX, FORTRAN 90, Microsoft, and IBM VS language extensions.

The product supports the full FORTRAN 77 ANSI standard, and it is compatible with IBM's SAA FORTRAN language definition. It includes a compiler, a linker, a debugger, a profiler, a royalty-free DOS extender with 32 MB of VMM support, and licensed components of the Microsoft 3.1 SDK, OS/2 2.1 Toolkit, and NetWare 4.0 SDK.

To run FORTRAN 77[32] you need DOS 3.3 or higher, OS/2 2.0 or higher, or Windows NT and at least 3 MB of available RAM.

$599

Watcom, Waterloo, Ontario, Canada; (519) 886-3700; fax: (519) 747-4971

Circle 1183 on Inquiry Card.

Watcom SQL for Windows

Watcom SQL for Windows is a client/server DBMS that includes a stand-alone single-user SQL database server. It lets you



develop and deploy single-user applications and develop applications for use with the Watcom SQL Network Server Edition.

Watcom SQL supports the Microsoft Open Database Connectivity; this enables you to use a range of front-end tools and



FREE PASSPORT TRAX™ MIDI Recording Studio with the purchase of MusicTime.™ For a limited time only.

With MusicTime™ Your Sound Card Plays More Than Games.

Create Songs on Your Sound Card with MusicTime.

Whatever your musical ability, MusicTime will inspire you to create your own breathy love songs, foot-tapping jazz or head-slammin' rock 'n' roll. With MusicTime and either a sound card or a MIDI instrument, you can compose, edit, play back and print sheet music on your PC.


Bring Your Music to Life.

Use your mouse to click musical notes and symbols onto a staff sheet. If you've got a Miracle™ or MIDI keyboard, MusicTime will record and transcribe your live performance into music notation in real time—right before your eyes!

Easy to Play Back, Edit and Print.

Play back instantly through your sound card or MIDI gear. Editing is easy with MusicTime's cut, copy and paste commands. Automatically transpose notes into any key. Add guitar chords. Write beautiful lyrics. Print out publishing-quality sheet music.





MusicTime couldn't be easier to use.

Windows, Mac and MIDI Compatible.

MusicTime is available for PC's with Windows™ or the Macintosh® and is compatible with The Miracle Keyboard, Sound Blaster Pro® Media Vision Pro Audio Spectrum™ and Thunder Board,™ AdLib Gold™ and most popular PC sound cards.

For your copy of MusicTime, call Passport or visit your nearest computer or music store. If you're tired of just playing games with your sound card, get MusicTime and turn your beeps and blasts into be-bop and hip-hop.



MICROSOFT® WINDOWS™ COMPATIBLE



PASSPORT®

Passport Designs, Inc. • 100 Stone Pine Rd. • Half Moon Bay, CA 94019 USA • Phone: (415) 726-0280 • Fax: (415) 726-2254

Passport MusicTime is a trademark of Passport Designs, Inc. All other products and brands are trademarks or registered trademarks of their respective holders.

Circle 315 on Inquiry Card.

applications. The database also includes ANSI and IBM SAA standard embedded SQL support for C/C++ application development with Watcom, Microsoft, and Borland compilers.

The package comes with both 16- and 32-bit versions of the database server, interactive SQL, embedded SQL/C preprocessor, and SQL libraries.

(519) 886-3700; fax: (5
Circle 1184 on Inquiry Card.

Watcom VX.REXX

Watcom calls VX.REXX a visual solution builder for OS/2. It's a development environment for creating applications that make use of OS/2 2.0 and the Presentation Manager interface. It combines a project management facility, a visual designer, and an interactive source-level debugger.

With the visual designer you can create Presentation Manager interface objects, customize their properties, and attach REXX procedures to the objects. You can build and debug your application without leaving the development environment. Then you can package your application as an EXE file or PM macro for royalty-free distribution.

$29
(519) 886-3700; fax: (
Circle 1185 on Inquiry Car

DESKTOP PUBLISHING

FrameMaker 4

FrameMaker is aimed primarily at professionals who need to produce long, complex documents—books, manuals, business plans, and financial reports with numbered sections, sophisticated page layouts, tables, cross-references, footnotes, indexes, and lengthy tables of contents. As you might guess from the name, the program takes a frame-centric approach to laying out pages. The latest version for Windows includes more than 100 new features that make it more accessible and easier to use for creating demanding documents, according to Frame Technology. Leading the list of enhancements is a new user interface and features such as the ability to compare documents, better graphics handling, a thesaurus, functions for preparing color separations, and complete rotation of text and graphics. System administrators can customize the menus.

As in earlier editions, Version 4 lets you create conditional text and create formats for complex mathematical equations. Also included is a utility that lets you distribute documents across a network or on CD-ROM.

FrameMaker 4 is also available for Sun and Hewlett-Packard Unix workstations and for the Macintosh. FrameMaker 4 shares files transparently across these platforms with no file conversion.

$795
Frame Technology Corp., San Jose, CA; (408) 433-3311; fax: (408) 433-1928
Circle 1186 on Inquiry Card.

PageMaker 5.0

The latest version of PageMaker features advances in precision and control of text, integration with other software, and a wider range of printed communications that it can produce. With version 5.0, functions are identical under the Windows and Macintosh operating systems.

PageMaker 5.0 is able to rotate and skew text and graphics in 0.01-degree increments, along with horizontal and vertical reflection of objects. You can also edit the rotated text and crop rotated graphics directly in page layout view. Version 5.0 produces process-color separations of complete pages including text and graphics, as well as imported CMYK TIFF, DCS, and EPS images. Pantone color is also supported.

PageMaker now comes with Aldus Additions technology, which lets you tailor your desktop publishing operations to specific needs. More than 20 Aldus Additions come with 5.0, including Expert Kerning.

$895
Aldus Corp., Seattle, WA; (206) 622-5500
Circle 1187 on Inquiry Card.

PagePlus 2.0 for Windows

PagePlus 2.0 offers full-color publishing capabilities, text frames, styles and templates, and more. It allows automatic flowing of text, kerning, importing of pictures, and irregular text wrapping. It also offers drawing tools, rulers and guides, multiple levels of zooming, a table editor, and provision for color separations.

Three Publishing Packs are available as add-ons, including TypePlus 2.0 for text effects, ArtPack, a collection of over 500 color images, and FontPack, with over 100 TrueType typefaces.

$59.95
Serif, Inc., Nashua, NH; (603) 889-8650; fax: (603) 889-1127
Circle 1188 on Inquiry Card.

Microsoft Publisher 2.0

Version 2.0 of Microsoft Publisher includes Cue Cards, enhanced PageWizards, Quick Demos, a Layout Checker, and Print Troubleshooter. There are also 35 document templates and a text-effects feature called Word Art that can be used with TrueType fonts. Among the improved type features are kerning, tracking, auto-hyphenation, and justification capabilities. Microsoft Publisher 2.0 supports OLE, TWAIN scanners, and Kodak Photo CD.

$199
Microsoft Corp., Redmond WA; (206) 882-8080; fax: (206) 936-7329
Circle 1189 on Inquiry Card.


QuarkXPress 3.2 for Windows


The newest version of QuarkXPress for Windows comes with color-related features, such as the EfiColor XTension from Electronics for Imaging. The EfiColor XTension lets you separate imported continuous-tone color images from within QuarkXPress and ensures consistent color matching across an array of display and output devices, including offset presses, EFI says. The XTension includes information about the capabilities and limitations of each device and will alert you if a color cannot be displayed or printed by a device.

Quark claims that version 3.2 runs substantially faster than 3.1. There are more than 20 new features, including Collect for Output, which allows you to save a document and related graphics in one file for shipping to a service bureau. (The files that are needed to print the document are



Develop Cross-Platform GUI Applications in a Single Stroke.





Master the art of multi-platform GUIs.

XVT Software is the leading choice of world-class developers for one reason: It is the simplest, quickest path to building quality applications that port to every GUI without compromises in look-and-feel or performance. Plus, it's easier to learn and use than native toolkits, so your time and effort goes into your application, not your GUIs.

XVT gives you simultaneous original GUIs.

Because XVT uses native GUI objects, your application is indistinguishable from one written directly to the native toolkit. Through our layered architecture, you achieve equivalent cross-platform functionality appropriate to each GUI, without the overhead and inflexibility of proprietary emulation-based systems.

XVT puts complete C/C++ solutions at your fingertips.

The XVT Solutions for C and C++ each include an Interactive Design Tool and the XVT Portability Toolkit.

Our Design tools let you use your mouse to design and lay out your GUI, using native and custom controls, then test it on all your target platforms before generating and compiling your code.

When combined with in-depth consulting, training and support, plus a wide range of Partners products, XVT forms the most comprehensive and advanced solution for developing completely portable GUI applications.

Developers judge XVT to be a masterpiece.

XVT is the base document for the IEEE's GUI standardization effort. Our thousands of customers include internal and commercial developers like: Alcoa, Amoco, AT&T, Avis, Ford, General Motors, Grammatik/Reference Software, Kodak, Lockheed, NCR, NEC, NIST, Novell, Rockwell, Siemens, Sony, Southwestern Bell, Tandem, Uniplex, Unisys, US Army and US West.

Call now for a free XVT Technical Overview and Demo.

Ask about XVT training in FL, NY, WA, TX, NJ, and more.

NEW! XVT-PowerObjects

XVT SOFTWARE INC

The portable GUI development solution.

1-800-678-7988

XVT Software Inc. 4900 Pearl East Cir. Boulder, CO 80301
(303) 443-4223 FAX (303) 443-0969
For European inquiries, contact: Precision Software GmbH
Phone: 49 0 61 03/37 94 0 Fax: 49 0 61 03/36 95 5

XVT, XVT-Design, XVT-Design++ and XVT Portability Toolkit are trademarks of XVT Software Inc. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 338 on Inquiry Card (RESELLERS: 339).

automatically saved with them.) The program also offers an auto backup function, the ability to save a page in EPS format, a word processor, and a drag-and-drop editing feature.

With version 3.2 you can save in the following graphics formats: PC and Mac Color, PC and Mac B&W, PC and Mac DCS, and PC and Mac DCS 2.0.

$895
Quark, Inc., Denver, CO; (303) 894-8888; fax: (303) 894-3394
Circle 1190 on Inquiry Card.

PERSONAL INFORMATION MANAGERS

Arcadia Workplace Companion for OS/2

The Arcadia Workplace Companion is designed for the OS/2 2.1 32-bit Workplace Shell environment and uses pop-up menus, notebook controls, and drag-and-drop techniques. The program includes a calendar




and clock module from which you can launch a visual appointment book for scheduling, a telephone and address book, a priority-based to-do list, and a notepad. The clock/calendar provides customizable alarms. The launching pad of the clock/calendar module is used to activate other modules of the program.

$149.95
Arcadia Technologies, Inc., Arcadia, CA; (818) 446-6945; fax: (818) 447-4212
Circle 1191 on Inquiry Card.

Ascend 4.0

Franklin Quest, producer of this product, is a time-management training company that put its concepts on disk so you can manage your time directly on computer or print out day-planner pages. Ascend is both a



personal information manager and a contact manager for Windows. It lets you print tasks, appointments, calendars, values and goals, phone and address lists, and contact information. The package can dial phone numbers for you.

Ascend is compatible with Novell, LAN Manager, and other networks. You can share calendars and other data with other Ascend users on a network. You can also use a groupware feature to find available time slots for group appointments and schedule them with or without confirmation. Ascend features password protection for security.

Version 4.0 supports OLE and DDE. It also has a monthly view and weekly view, a summary report, and an enhanced values and goals module. In addition, Ascend 4.0 supports pen computing with features such as gesture recognition, freehand drawing, and push buttons.

$199
Franklin Quest Co., Salt Lake City, UT; (801) 975-9992; fax: (801) 975-9995
Circle 1192 on Inquiry Card.

CalendarMaker for Windows

CalendarMaker, as its name implies, is an application that creates calendars. You can print them and use them as stand-alone calendars, or you can use them in other documents. You can create three types of calendars and choose type styles, views, and more. The program can produce calendars for past or future years.

$69.95
CE Software, Inc., West Des Moines, IA; (515) 224-1995; fax: (515) 224-4534
Circle 1193 on Inquiry Card.

Commence 2.0

Commence 2.0 includes calendar, contact management, and task management features in addition to the ability to share databases, views, categories, and connections over networks. Commence 2.0 has a database synchronization feature for PCs not connected to a network.

Commence uses agent technology that gives you a way of defining triggers and actions to automate routine tasks. A trigger defines the event that will cause the agent to operate, and the actions determine what task Commence will perform. There are time, data, and manually activated triggers.

The new version employs a distributed database architecture, letting you disconnect from the network and retain a local copy of the database to use at home or on the road. When you connect to the network, changes made while you were disconnected are automatically updated and synchronized. Sync Link, the technology that performs the synchronization, provides a compressed file export utility that handles incremental changes.

Commence 2.0 comes with two predefined databases. Each allows you to save data in up to 300 categories, each capable of storing up to 16,000 items. The categories consist of named fields that you can add, edit, or delete. Security features include four levels of password protection for the LAN-based version, and scrambling and password protection for the stand-alone version.

$395, stand-alone, client, or server editions; network 3-packs, $695
Jensen-Jones, Inc., Red Bank, NJ; (908) 530-4666; fax: (908) 530-9827
Circle 1194 on Inquiry Card.

OnTime 1.5

The new version of OnTime for Windows includes import and export support for several palmtops, as well as support for WinBeep wireless communication software that transmits messages to alphanumeric pagers. A feature called RSVP lets users who originate meeting requests require recipients to respond with a "yes," "no," or "pending." A reminder icon stays at the bottom of the recipient's calendar screens until he or she responds. Originators of the meeting can get a list of attendees and a grid that indicates each person's response.

Also added to version 1.5 is MHS support, giving users the option of having meeting requests sent via E-mail (using

Microsoft + Phar Lap = The Future of 32-Bit DOS!





FREE! TNT Lite In Visual C++ 32-Bit Edition!

IT'S HERE!

NT power under 32-bit DOS!

Microsoft Visual C++ and Phar Lap TNT bring the never-before-available power of Windows NT to 32-bit DOS! Phar Lap's new TNT DOS-Extender lets you break the 640K DOS barrier, build multi-megabyte DOS applications and take advantage of powerful NT features. Implement threads, DLLs and multitasking with your familiar Microsoft development tools — under DOS! It's never been so easy to create the most powerful, full-featured DOS programs ever.

TNT DOS-Extender is the new standard in 32-bit DOS. The DOS power you've been waiting for is finally here!

Try it out... FREE!



If you have the Microsoft Visual C++ 32-Bit Edition tools, you've already got a free trial-size version of TNT DOS-Extender. TNT DOS-Extender Lite is automatically installed with your Visual C++ 32-Bit Edition software. You can use TNT DOS-Extender Lite to build versatile 32-bit programs that can access up to two megabytes of memory and run under DOS, Windows 3.1, or Windows NT. It's the easiest introduction you'll find to the power of TNT.

The next-generation DOS extender.

TNT DOS-Extender is the only DOS extender to support the Win32 API, allowing your native Windows NT character-based programs to run under DOS with no changes. Programs can access all available memory — up to four gigabytes — and run with 32-bit speed and power.

But that's not all. TNT DOS-Extender also supports powerful NT features such as dynamic link libraries (DLLs) and threads, enabling developers to build modular, responsive multi-megabyte applications. And all this power is delivered with the high standards of technical excellence you've come to expect from Phar Lap, the industry leader in DOS extender technology.

Already a standard.

TNT DOS-Extender is the tool chosen by Microsoft to develop their own 32-bit tools. TNT DOS-Extender was used to build both the 16-bit and 32-bit versions of Microsoft Visual C++, Microsoft MASM 6.1 and Microsoft FORTRAN PowerStation.

32-bit CodeView, too!

TNT DOS-Extender includes a 32-bit version of the familiar Microsoft CodeView debugger. So you can use industry standard Microsoft tools, including CodeView, to develop software for the operating system of the future - that your DOS customers can use today!

TNT DOS-Extender SDK is the latest release of Phar Lap's award-winning 386|DOS-Extender SDK. You can also use TNT DOS-Extender with a wide variety of 32-bit compilers (including Visual C++ 32-Bit Edition) to build Extended-DOS programs with no NT system required. In addition, TNT DOS-Extender is compatible with all 32-bit tools supported by 386|DOS-Extender. An add-on run-time kit is available for developers who want to distribute TNT DOS-Extender applications to customers.

So if you've been wondering what the future holds for DOS developers, don't wait.... bring cutting-edge technology to your DOS applications today with TNT DOS-Extender!

NT Power Under DOS Lets You:

- Utilize NT features such as multitasking, DLLs and threads
- Build multi-megabyte 32-bit DOS programs
- Break the 640K DOS barrier – with your familiar Microsoft tools
- Build one application that runs under both Windows NT and DOS
- Save RAM! Run a 4 MB DOS system, not a 20 MB NT system
- Use industry-leading, high-quality Phar Lap and Microsoft tools

Phar Lap Software, Inc.

60 Aberdeen Avenue, Cambridge, MA 02138 617-661-1510 FAX 617-876-2972

386|DOS-Extender and TNT DOS-Extender are trademarks and Phar Lap is a registered trademark of Phar Lap Software, Inc. Visual C++, Win32, Windows and Windows NT are trademarks and CodeView and Microsoft are registered trademarks of Microsoft Corporation. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 118 on Inquiry Card.

Beyond Mail, DaVinci eMail, cc:Mail, or Microsoft Mail).

OnTime for Networks now installs from either the DOS or the Windows environment. A new report generator documents items such as user lists, different users' access rights, and notification messages. In addition, you can purchase activation keys that use codes to unlock additional users. For security, you can password-protect the setup or move it to a private directory.

To work with your palmtop, OnTime automatically configures and maintains the desktop-to-palmtop communication settings, according to Campbell Services. OnTime works with the Hewlett-Packard 95LX series, the Sharp Wizard, the Psion Series 3, the Casio Boss series, and Casio models R10 and R20. OnTime will soon offer support for the HP 100LX.

$129.95, single-user version; $356, network version for three users
Campbell Services, Inc., Southfield, MI; (313) 559-5955
Circle 1195 on Inquiry Card.

PackRat 5.0

The new version of PackRat 5.0 includes customizable workspaces; customizable form fields, which you can change to reflect the kind of information you need; and SmartStart, which gives you a starter set of folder workspaces geared toward professions such as MIS management, law, and sales. The E-mail compatibility supports



systems that conform to MAPI and VIM standards. A new macro language lets you automate operations and create links with other applications. Hot Links let you get status reports from other applications via DDE while working in PackRat.

$395
Polaris Software, San Diego, CA; (619) 592-7400; fax: (619) 592-7430
Circle 1196 on Inquiry Card.

ACCOUNTING

ACCPAC Simply Accounting for Windows and OS/2

ACCPAC Simply Accounting for Windows and OS/2 is an entry-level accounting program that is part of the ACCPAC family of accounting software from Computer Associates. The package provides general ledger, accounts receivable/payable, payroll, inventory, and project costing modules. The package can handle up to 5000 ledger accounts and 32,000 customers, vendors, employees, inventory items, jobs, and projects.

Version 2.0 includes the ability to enter cash purchases or cash sales as singular transactions rather than through multiple journals. It also includes flexible transaction handling and enhanced forms handling, with multiple form sizes for invoices, checks, and statements.

The program comes with a primer that walks you through basic accounting principles and a tutorial with sample data. It also features automatic transaction posting and pop-up customer, vendor, employee, job, account, and inventory lists. The package supports both accrual and cash-basis accounting and provides month- and year-end closings. You can link ACCPAC Simply Accounting data with your word processor and spreadsheet documents that support DDE.

$199
Computer Associates International, Inc., Islandia, NY; (516) 342-5224; fax: (516) 342-5329
Circle 1197 on Inquiry Card.

Kiplinger's CA-Simply Money

Computer Associates combines financial advice from the publishers of *Kiplinger's*, the personal finance magazine, with point, click, drag, and drop features. You can get advice on mortgages, refinancing, investments, payroll for household help, college tuition, retirement, taxes, and general debt. Kiplinger's CA-Simply Money offers advice from *Kiplinger's* on every move and transaction you make.

Kiplinger's CA-Simply Money lets you set up separate, visible income sources such as paycheck, dividends, and business income. You can generate reports by pressing a button, customize and save more than 50 report types and dozens of graphs, print checks, and pay your bills electronically though Prodigy's BillPay USA.

$69.99
Computer Associates International, Inc., Islandia, NY; (516) 342-5224; fax: (516) 342-5329
Circle 1198 on Inquiry Card.


Money 2.0

Microsoft Money 2.0 is based on a checkbook-style design and includes tax, budget, and loan analysis capabilities. The charting feature allows you to view trends in your income and expense categories, compare budget versus actual spending, see pie charts of asset allocations, and more. Transaction Coaches are like having a personal trainer for your finances, according to Microsoft. A calculator lets you convert foreign and local currencies. A loan calculator is also included, along with an automatic budgeting feature.

$69.95
Microsoft Corp., Redmond, WA; (206) 882-8080; fax: (206) 936-7329
Circle 1199 on Inquiry Card.

MoneyCounts for Windows

MoneyCounts for Windows, from Parsons Technology, uses a checkbook analogy for its screens to manage cash, checking, credit cards, and savings. Designed for home or small business use, the program handles an unlimited number of transac-



tions and accounts for organizing daily finances and tax documents.

Some features are the ability to create multiple sets of books, the ability to choose single- or double-entry accounting, support for nonprofit and for-profit organizations, and more. An on-line facsimile of the 1040 tax form is included, as well as an address book that enables you to build a


HEADS, IT'S REAL. TAILS, IT'S FAKE.

It's your choice. A little more than 50 percent of all business software in use today is pirated.

You might save a few bucks on it—but when phony software doesn't work, forget calling for product support. When it infects *your* computer with a deadly virus, it'll be your work that gets lost. The documentation is nonexistent or inadequate, so that won't help. And, of course, there will never be any product upgrades.

Selling or copying software without authorization is against the law, with severe criminal and civil penalties including imprisonment of up to five years, fines of up to $250,000, or both. If you suspect the sale or use of pirated software, call the BSA Anti-Piracy hotline:

(800) 688-BSA1 (2721)



BSA Business Software Alliance


© 1993 Business Software Alliance. All rights reserved.

database of names, addresses, and phone numbers you can merge with your transactions for generating checks. The package exports data to the tax package Personal Tax Edge and the spreadsheet ProCalc 3D from Parsons Technology.

$49
Parsons Technology, Hiawatha, IA; (319) 395-9626; fax: (319) 393-1002
Circle 1200 on Inquiry Card.

Peachtree Accounting for Windows Release 2

Peachtree Software calls this package "accounting for the beginner" and simplifies



it with graphics guides, a setup checklist, and on-line tutorials. A "Friendly Accountant" walks you through setup and installation, and there are Smart Guides that explain data fields.

Peachtree Accounting provides general ledger, accounts receivable, accounts payable, payroll, inventory, job/project tracking, financial report writer, forms design, bank reconciliation, and import/export modules.

According to Peachtree, the Manager's Series assists small businesses in making decisions. The software offers interpretations and graphical overviews of your cash flow, collections, and payment status. Peachtree Accounting supports OLE and DDE, and the new version uses MDI, giving you the ability to display multiple reports at once.

$169
Peachtree Software, Norcross, GA; (404) 564-5700
Circle 1201 on Inquiry Card.

QuickBooks 1.0 for Windows

Intuit's QuickBooks provides invoicing and sales, accounts receivable, bill paying and accounts payable, checking accounts, reports, graphs, project and job tracking, payroll, and inventory modules.

Reimbursable expense tracking lets you automatically bill customers for expenses. QuickFill is a feature that eliminates repetitive data entry by filling in information from your business lists as well as recalling previous transactions. The QuickZoom feature enables to you zero in and see the information behind the numbers in your reports.


The package comes with preset reports. You can create instant reports using the new QuickReports feature, according to Intuit. Graphs give you a graphical view of the results and financial status of your business. Qcards provide instruction on all features of QuickBooks.

$159.95
Intuit, Menlo Park, CA; (415) 322-0573
Circle 1202 on Inquiry Card.

SCIENTIFIC & ENGINEERING

AutoCAD Release 12

Autodesk says it developed the Windows version of AutoCAD to make it easier for people to use CAD tools for the first time. Features of the Windows AutoCAD include a new graphical interface, accelerator keys, enhanced Clipboard support, support for multiple sessions, OLE support, and drag-and-drop functions.



You can start drawing and editing by clicking on an icon button. The new feature set includes the ability to do 2-D and 3-D design, links to several databases, and the Advanced Modeling Extension, which is an optional module for solid modeling, integrated color rendering, network licensing, and printing and plotting.


To run AutoCAD release 12 for Windows you need Windows 3.1 or higher, 8 MB of RAM, and a math coprocessor.

$3750
Autodesk, Inc., Sausalito, CA; (415) 332-2344; fax: (415) 331-8093
Circle 1203 on Inquiry Card.

AutoSketch

AutoSketch for Windows is an illustration tool designed for people doing technical illustration, architectural drafting, and engineering drawings. The program features SketchTools, a combination of custom toolboxes, icons, and macros that automate command sequences.

Drawing tools include a set of measurement tools and associative dimensioning ability, which updates dimensions automatically when you change a distance or angle. You can display drawings in dec-



imal units accurate to six places, or in feet or inches.

AutoSketch for Windows supports the DXF file format, which enables you to import and export drawings from CAD programs. The package also supports OLE and DDE.

CADvance 6.0 for Windows

CADvance is a CAD program that features TrueType font support and editing, including paragraph text, dimensions, guilding grids, attribute text, and more. A new paper space environment feature lets you work in the actual size of the final printed or plotted output. CADvance supports OLE.

An improved attribute database interface includes the automatic generation of relational database files and index files. A

properties selection dialog box lets you select objects in a drawing by any combination of drawing location, color, layer, object type, attribute key, and other characteristics. The new version of CADvance supports Microsoft's ODBC standard for SQL queries.


$1995
Isicad, Anaheim, CA; (714) 533-8910; fax: (714) 533-8642
Circle 1205 on Inquiry Card.

Drafix Windows CAD

This package, from Foresight Resources, aims to simplify computer-aided design and drawing. With it you can move, copy, rotate, mirror, extrude, change text fonts or size, move dimension text and extension lines, move the endpoints of a line, and more.

Editing is done at the CAD Edit Bar or by using the Selection Modifier that lets you pick a combination of entities by almost any characteristic.

The package has drawing features, as-



sociate dimensioning ability, a library of over 400 symbols, a background redraw feature, and more. You can import or export CAD drawings in AutoCAD DXF or IGES format, and you can read and write files in the HPGL and Windows Metafile formats for compatibility with Micrografx or Corel files.

$495
Foresight Resources Corp., Kansas City, MO; (816) 891-1040
Circle 1206 on Inquiry Card.

Mathcad 4.0

The latest version of this engineer's tool features SmartMath, a rules-based processor that MathSoft says makes numeric and symbolic calculations faster and more accurate. SmartMath provides an intelligent interface between the user's problem and Mathcad's numerical and symbolic capabilities. SmartMath reviews your input and executes a strategy for solving the problem by writing a new set of equations in a pop-up window. It also delivers the results to the Mathcad document. SmartMath comes with Symbolic/Numerical Optimization and Live Symbolics modules. Other SmartMath add-ons will be available in the future, according to MathSoft.

Mathcad 4.0 runs under Windows 3.1 as a 32-bit application. According to MathSoft, it runs twice as fast as the previous version and lets you manipulate a virtually unlimited amount of data arrays simultaneously.

Version 4.0 supports OLE as both client and server so you can transfer data and graphics between Mathcad and other OLE-aware applications.

$495
MathSoft, Inc., Cambridge, MA; (617) 577-1017; fax: (617) 577-8829
Circle 1207 on Inquiry Card.

Mathematica 2.2 for Windows

Mathematica handles numeric, symbolic, and graphical computations and has a built-in programming language. You can use it as a numeric and symbolic calculator, a visualization system, a programming language, a modeling and data analysis environment, a knowledge representation system, or a control language.

Mathematica 2.2 for Windows contains new front-end features that enhance interactive document capabilities, according to Wolfram Research. The new version can recognize sparse linear systems. Equation solving has also been improved, Wolfram says, and interval arithmetic capabilities have been added. The program's symbolic capabilities include more sophisticated treatment of singularities in definite integrals, according to Wolfram Research. It can also generate symbolic solutions to systems of nonlinear ordinary differential equations, additional Ricatti equations, and first-order partial differential equations.

$595
Wolfram Research, Inc., Champaign, IL; (217) 398-0700; fax: (217) 398-0747
Circle 1208 on Inquiry Card.

Systat for Windows

Systat for Windows is a general-purpose statistical program that lets you analyze and manipulate data with a comprehensive range of statistical procedures. Quickstat buttons give you single-click shortcuts to common statistical analyses. You can view output on-screen and then cut, copy, or paste it to other Windows programs.


Graphics tools, such as the lasso, let you select a subset of data, exclude outlying points, and then create a graph of just the subset. You can assign different plot symbols to differentiate subsets. You can also rotate plots to view data from different perspectives.

Advanced procedures include the ability to perform multivariate analysis of variance and nonlinear regression. Systat for Windows also offers a range of cluster analysis methods, factor analyses, multidimensional scaling, nonparametric statistics, and canonical correlations.

$895
Systat, Inc., Evanston, IL; (708) 864-5670; fax: (708) 492-3567
Circle 1209 on Inquiry Card.

TurboCAD for Windows

TurboCAD is a CAD package designed for novice and professional users, according to International Microcomputer Software. With TurboCAD you have access to all draw, edit, and snap functions by clicking on icons. Other features include MDI, automatic double-line drawing,



spline and Bézier curves, unlimited pan and zoom, 500 symbols with 19 libraries, a choice of icons, and support for DXF, HPGL, and ASCII file formats.

$149.95
International Microcomputer Software, Inc., San Rafael, CA; (415) 454-7101
Circle 1210 on Inquiry Card.

Vellum 3D for Windows

Vellum 3D is a professional design and drafting package with the patented Geometric Inference Engine at the heart of the new Windows version. This enables the new Drafting Assistant, which automates geometric alignments.

With Vellum 3D, you create a 3-D model. Then, with a single mouse click, four associate views (isometric, front, right, and top) are created automatically. An on-screen trackball lets you visualize designs from any point in space, and changes in any aspect of the design in any view are updated automatically in other views. Vellum 3D for Windows includes NURBS and advanced parametric capability. Ashlar offers the same functions across PC and Mac platforms.

To run Vellum 3D for Windows you need Windows 3.1 and 5 MB of RAM.

$2995
Ashlar, Inc., Sunnyvale, CA; (408) 746-1800; fax: (408) 746-0749
Circle 1211 on Inquiry Card.

WaveTest VIP

WaveTest VIP is a test program software tool that lets you add GPIB, VXIbux, MXIbus, or RS-232 instrument control and data acquisition to any Windows-based test development program. It also provides interactive instrument simulation.

WaveTest VIP can be used in C, C++, Turbo Pascal, or Visual Basic programming environments or with application environments such as Excel, SuperBase IV, and Lotus 1-2-3. Under these environments, when you need to add instrument control and data acquisition, you select the instrument from WaveTest VIP and choose its function from the graphics instrument control panel.

WaveTest VIP comes with a library of over 250 drivers for instruments from more than 30 vendors and includes a utility that helps you create new instrument drivers for any GPIB, VXIbus, or RS-232 instrument. Drivers handle set-up, read delays, data-string parsing, and SRQ interrupts. A panel editor lets you develop user interfaces, data display panels, and reports. Also provided is an active bus traced for program editing and debugging.

$695
Wavetek Corp., San Diego, CA; (619) 279-2200; fax: (619) 565-7942
Circle 1212 on Inquiry Card.

UTILITIES


Cursorific Professional 3.0

Designed for use with notebook computers, Cursorific Professional solves the hard-to-see cursor problem, Aapex Software says. You can set different cursor images for stationary and moving cursors, and you can animate the cursor as well. You get over 60 animated cursors and 400 cursor images. A cursor image editor lets you draw your own cursors or use import options to pull one in from your paint program. The Big DOS Cursor is a utility that turns the blinking underbar into a full-size blinking block for DOS applications.

$49
Aapex Software Corp., Sparks, NV; (702) 324-4580; fax: (702) 324-4578
Circle 1213 on Inquiry Card.

FMTools

FMTools is a Windows File Manager replacement. It adds new features and functions that make File Manager easier to use and more flexible, according to Micro-



Help. You can add a new menu item to the File Manager menu and up to 12 selections under that menu. If your application lets you use filenames as command-line parameters, you can tell FMTools to use the filenames you've selected in File Manager. If you need to know how much space a group of files or directories takes on your hard disk, you can use FMTools' Get Info box. FMTools also has a file browser that lists the contents of any ZIP file. You can use FMTools as a program launcher, as well. Just drag any file from the Windows 3.1 File Manager window and drop it on the button bar.

$79
MicroHelp, Inc., Marietta, GA; (401) 516-0899; fax: (404) 516-1099
Circle 1214 on Inquiry Card.

Golden Retriever 2.0b

Golden Retriever organizes any file by project or subject into on-screen file drawers and folders. It allows you to use filenames up to 256 characters long. When you open a file folder in a drawer and double-click on the name of a document, Golden Retriever launches the applications used to create that document and opens the file.


Version 2.0b has new commands that intercept file save and open operations in other Windows applications, so you can work in any Windows program, creating and saving multiple documents without exiting to Golden Retriever. Also added is a version control field, which creates an audit trail of document revisions.

$99
Above Software, Inc., Irvine, CA; (714) 851-2283; fax: (714) 851-2285
Circle 1215 on Inquiry Card.

Norton Desktop 2.2 for Windows

Norton Desktop for Windows is a file and program manager replacement and more. Version 2.2 is DOS 6–compatible and offers data recovery for DOS 6 compressed drives. It also includes an antivirus utility that Symantec says detects more than 1500 viruses. A backup utility supports Colorado Memory Systems and Iomega tape systems. Additional utilities include three calculators, a text editor, and the Batch Runner Technical Reference.

The utility supports all major network operating systems, according to Symantec. The optional Network Menuing



Add-In Boards • Communications/Networking • Data Acquisition

COMMUNICATIONS & I/O SPECIALISTS



*1,2,4 & 8 PORT RS-232/422/485
*CURRENT LOOP
*RS-530 & V.35 INTERFACE
*HIGH SPEED SYNC/ASYNC
*DIGITAL & RELAY I/O
*MICROCHANNEL™
*LAPTOP ADD-ONS
*EXCELLENT TECHNICAL SUPPORT
*CALL FOR FREE CATALOG

SEALEVEL SYSTEMS INC.
PO BOX 830
LIBERTY, SC 29657
803-843-4343

SEALEVEL COMMUNICATIONS & I/O

Circle 368 on Inquiry Card.

Connect to UNIX/VAX with EM320 for Windows



Quality VT320 Terminal Emulation Software
for Microsoft Windows

- True 132 column display
- Double high/wide characters
- Scroll memory, cut and paste
- Automatic window sizing
- LAT, INT14 or TCP/IP support
- Kermit, Xmodem file transfer
- Modem dialer/Phone book
- Extensive command language
- DDE support
- *Version 2.0 now shipping*

Call 303 447-9251
Fax 303 447-1406


Diversified Computer Systems, Inc.

Available Nov. '93 — VT340 for Windows!

Circle 366 on Inquiry Card.

INTELLIGENT DATA ACQUISITION


Now you can run high speed data acquisition under Windows™. A Data Acquisition Processor™ with on-board intelligence* handles the critical part of an application: the tasks that run in real time. The DAP can be controlled from any Windows language or application that can make DLL calls. The one shown here is written in Visual Basic™ and uses only seven DLL functions. *i486



MICROSTAR LABORATORIES™

Phone: (206) 453-2345
or fax: (206) 453-3199

Graphics • Windows



Publication Quality Scientific Graphics GraphiC

New!! Version 7.0
Available for DOS, OS/2, Windows and Windows NT

- Four times higher resolution
- 248 colors for all elements
- Log plots to any base
- 3-D surfaces shaded to level contours
- Printer output limited only by size of output medium (DOS)
- New — patch plots, bar and whisker plots, staircase plots
- PostScript Level 2 support


GraphiC is a C-library that allows you to create every sort of scientific and engineering plot. No special knowledge is required to program in GUI environments.

Scientific Endeavors Corporation
508 N. Kentucky St., Kingston, TN 37763
(800) 998-1571 FAX: (615) 376-1571

Graphic is licensed for personal use only. Reasonable license terms are available.

Circle 367 on Inquiry Card.

ORIGIN™



- TECHNICAL GRAPHICS
- DATA ANALYSIS
- DATA ACQUISITION

ORIGIN is your *complete* laboratory data management solution, providing unrivaled flexibility, publication-quality technical graphing, and sophisticated data analysis capabilities in a Windows environment.

Using ORIGIN's new Data Acquisition and User Interface Modules, you can also build and control sophisticated data acquisition systems from within your plotting software!

Call 1-800-969-7720

MicroCal Software, Inc.
One Roundhouse Plaza, Northampton, MA 01060
Tel: 413-586-2013 • Fax: 413-585-0126

Circle 370 on Inquiry Card.

TCP/IP
Windows Developer's Kit
• Binary TCP/IP Transport
• PDS for DOS
• Windows Sockets API

Pacific Softworks

Development Components

winsock.dll is a dynamic link library (DLL) which allows windows applications to dynamically bind for TCP/IP services. The winsock.h, .lib, .def files are also provided for the C/C++ developer.

/build contains the source and executables for Windows Sockets finger client. This is useful for testing winsock, configuring the build environment, and as an example of both message-based and synchronous Windows Sockets programming.

winsock.HLP provides on line help for Windows Sockets version 1.1.

For More Information Call
1 (800) 541-9508
(805) 484-2128 • Fax (805) 484-3929

Circle 369 on Inquiry Card.

Administration Pack gives you Windows menuing across a client/server network.

$179; Network Menuing Administration Pack, $295 per server
Symantec Corp., Cupertino, CA; (408) 253-9600; fax: (408) 253-4092
Circle 1216 on Inquiry Card.

PC Tools for Windows

PC Tools for Windows comes with 14 modules. MultiDesk organizes your work and provides simpler file access, according to Central Point. It lets you install several virtual desktops, each with all the applications and files related to a specific task. File Manager has 80 file viewers, which let you display text and graphics files in their native format without loading the host application. SmartFind is a text search utility. WinShield provides a Windows-based disk repair tool. Optimizer optimizes your hard drive from within Windows. System Consultant analyzes and offers more than 400 reports on hardware and software aspects of your system. It also makes more than 50 recommendations to help you achieve peak efficiency out of your setup. PC Tools also includes the PKZip file compression and decompression utility.

$179.95
Central Point Software, Inc., Beaverton, OR; (503) 690-8090; fax: (503) 690-8083
Circle 1218 on Inquiry Card.

UnInstaller

MicroHelp's UnInstaller cleans up Windows by removing an application and the bits and pieces left behind (e.g., references in WIN.INI, changes to SYSTEM .INI, application INI files, and data files with extensions listed in WIN.INI.) UnInstaller uses what MicroHelp calls Smart Decoy Technology, which lets you remove applications from a network's server and workstations. When a system administrator uninstalls a program, UnInstaller leaves a decoy copy of itself on the server, so when users try to run the application, it offers to clean up their application, too.

$79
MicroHelp, Inc., Marietta, GA; (401) 516-0899; fax: (404) 516-1099
Circle 1219 on Inquiry Card.

More Windows 3.0

More Windows replaces your standard Windows EGA or VGA driver with its own, which fools Windows into seeing a larger number of pixels, creating a working screen of up to 1024 by 1024 pixels. When you're working in Windows applications on a small screen, you can bump the edge of the Window with your mouse and the screen area will grow. More Windows screen drivers use the display card's memory; they don't use the computer's RAM.

$99
Aristosoft, Inc., Pleasanton, CA; (510) 426-5355; fax: (510) 426-6703
Circle 1217 on Inquiry Card.

All Bernoulli® products up to

50%OFF

Product	Old SRP	NewSRP	Product	Old SRP	NewSRP
150MB Insider Drive and Disk	$1099	$599	Single 150MB Disk (In 5-Pack)	$159	$109
150MB Transportable Drive and Disk	$1225	$699	Single 105MB Disk	$169	$99
90MB Insider Drive and Disk	$799	$499	Single 90MB Disk (In 5-Pack)	N/A	$99
90MB Transportable Drive and Disk	$949	$599	Single 65MB Disk	$129	$59
			Single 35MB Disk	$79	$39



Iomega's just been tagged the new low price leader for removable storage. We've cut prices permanently on the most reliable storage devices around—including the high-performance MultiDisk™ 150 Drive*. See your dealer or call 1-800-695-4028.

IOMEGA®

*The Bernoulli MultiDisk 150 Drive can use 150, 105, 90, 65 and 35MB disks interchangeably. ©1993 Iomega Corp. The Iomega Logo and Bernoulli are registered trademarks and Multi Disk is a trademark of Iomega Corp.

Circle 304 on Inquiry Card.

NEW VERSION! Twice As Many Charts. More Stats. Better Connectivity

Real Stats. Real Easy.


SPSS 6.0 for Windows gives you stats, graphs and reports your spreadsheet or database can't.

Learn fast, work fast

"Stumbling blocks to statistical analysis are eliminated with SPSS for Windows. You don't have to be a programmer to use it and you don't have to be a statistician to understand it." – Richard O'Reilly, Los Angeles Times The 100% Windows interface makes doing analysis simple. Context-sensitive help and an online glossary of statistical terms are just a click away.

Complete data management and editing

"A breakthrough in data capacity and ease of use... impressive." – Alan Fridlund, InfoWorld. There's no limit to the number of variables you can analyze. Access enterprise data with dialog-box interfaces to Oracle® and SQL Server.™ Read data directly from Excel,® Lotus,® .dbf and SAS® transport files. Share data and results through DDE, OLE and ODBC.



Automatic statistical graphics

"A complete set of graphics and charting capabilities." – Marc Ferranti, PC Week. Create statistical, business, time-series and SQC charts automatically as part of your analysis or directly from your data. Over 60 chart types in all.

In-depth statistics

"For more statistical analysis tools than you'll get from a spreadsheet such as Excel, without the steep learning curve, SPSS for Windows is a great buy." – Michael Burgard, PC/Computing Widely used analytical tools such as crosstabs, correlations, curve-fitting and regression are in the Base module. Optional modules with unrivaled advanced statistics are available. You won't outgrow of this package.

To answer your really tough questions, you have to go beyond spreadsheets and databases. You need a package designed for real statistical analysis, reporting and charting. One that's powerful, easy-to-use and gives you built-in access to enterprise data. You need the latest version of SPSS for Windows, winner of *PC Magazine's* Editors' Choice Award – the "Real Stats. Real Easy." combination that delivers real value.

Break out of the spreadsheet cell with SPSS for Windows. Do more than simple percentages and sums – find relationships, see patterns and trends, determine significance and use the past to predict the future. Complete data management frees you to subset, sample, slice and dice your data however you want. Whether you need to analyze surveys, dig into databases, improve quality, conduct research studies, forecast sales or prepare reports, SPSS for Windows makes it easy.

Learn fast, work fast. Prepare for your analysis quickly with SPSS' full-featured Data Editor. Get data from a variety of sources through new ODBC support. Choose from a broad range of statistical routines that produce full-color business, statistical, time-series and quality charts automatically – some 60 charts in all! Put together standard reports quickly and create great presentations with a powerful, flexible report writer. Share data and results with other applications using DDE and OLE. For the most complete analytical solution, you can choose from nine specialized, optional modules. And you can use new features and programming tools to link other products directly into SPSS for Windows.

SPSS for Windows – when you need more statistics than a spreadsheet or database can offer.

MICROSOFT® WINDOWS™ COMPATIBLE

PC MAGAZINE EDITORS' CHOICE
May 11, 1993
SPSS 5.0/Windows

Order now and get a great value for only $695. American Express, Discover, MasterCard and Visa accepted. Try SPSS 6.0 for Windows with our unconditional 60-day money-back guarantee.

Call (800) 543-5835

or Fax (312) 329-3668

SPSS
Real Stats. Real Easy.

Chicago • Washington, DC • Chertsey, UK • Gorinchem, The Netherlands • Munich • New Delhi • Singapore • Stockholm • Sydney • Tokyo • And Distributors Worldwide

Circle 326 on Inquiry Card.

Windows NT. The difference between us and other computer companies is we have the world's most powerful PC to run it on.

It's called the DECpc™ AXP 150.™ And it runs over 300 native 32-bit Windows NT applications with greater power and speed than any other personal computer in the world. Applications from Microsoft,™ Powersoft,™ Micro Focus,™ Parametric Technology™ and hundreds of others. With new programs arriving daily. Of course, you may not need 150MHz and up to four billion times the addressing space you have now. That's why we also bring you Windows NT on affordable Intel™ 486s and high performance Pentium™ PCs.



64-bit AXP,™ the world's fastest microprocessor.



The DECpc AXP 150.
Now shipping with the Alpha AXP ™ version of Windows NT.

Support: We offer Windows NT training, service and support in more locations than any other computer company. Call Digital to find out why we're the ideal choice to help you seamlessly integrate Windows NT, while preserving the hardware, software and networking you already have. You want the most powerful client/server operating system. Why not get the most powerful PC to run it on? Call today 1.800.210.8322, code BLD, for your free "Windows NT from Digital" resource kit or for more information on Digital PCs running Windows NT.

MICROSOFT WINDOWS NT

PUTTING IMAGINATION TO WORK

imagine that. digital™

All products referenced herein are trademarks of their respective companies. Products are sold pursuant to Digital's standard terms and conditions. ©1993 Digital Equipment Corporation

Circle 379 on Inquiry Card.



THE ONLY THING MISSING FROM OUR CHILI RECIPE IS YOU.

ANNOUNCING MICROGRAFX FIFTH ANNUAL CHILI FOR CHILDREN COOK-OFF

It's not often you can combine, music, fun and quite possibly the most outlandish chili recipes anywhere to accomplish something so worthwhile. Your company has the opportunity to become an official sponsor for the Micrografx Fifth Annual Chili For Children Cook-Off, benefitting the National Center For Missing & Exploited Children.

Chili For Children is one of the most popular and highly visible events at Comdex. The evening features outstanding musical entertainment and visual demonstrations by today's leading-edge technological innovators. Past corporate participants have included IBM, Intel, Microsoft, Lotus, Hewlett Packard and many more, all coming together to raise donations for an outstanding cause. The National Center For Missing & Exploited Children handles tens of thousands of cases each year and has helped reunite many missing children with their families.

Corporate sponsorships range from $30,000 to as little as $500, and sponsorship entitles you to a variety of premiums ranging from tickets, to chili cooking booths, to T-shirts. It all takes place November 16, 1993 from 6 to 11 p.m. at the Thomas & Mack Center (UNLV), Las Vegas, Nevada during Comdex Fall 1993. To find out how your company can get involved or if you want individual tickets, call TicketMasters at 1-800-848-4615. It's sure to give everyone involved a very warm feeling inside

MICROGRAFX CHILI FOR CHILDREN

BENEFITTING THE NATIONAL CENTER FOR MISSING & EXPLOITED CHILDREN


ZD Ziff-Davis Publishing · Intuit · IDG COMMUNICATIONS · Lotus · McGraw Hill · Microsoft · KENFIL · intel

State of the Art

THE POWER OF GRAPHICS

The growing sophistication of computer graphics for GUIs, videoconferencing, and 3-D is made possible by some very advanced technologies

JOHN BRYAN AND BOB RYAN



In the history of computer graphics, time is divided into two eras—pre-Mac and post-Mac. Before the introduction of the Apple Macintosh in January, 1984, graphics were an expensive luxury for most desktop computer users; something you bought only if your application demanded it.

The Macintosh changed all that. It showed how you could use computer graphics to create an abstract environment that was accessible—indeed easy—for mere mortals to manipulate. In the case of the Macintosh, of course, the environment abstracted is your personal computer. The windows, menus, and icons that populate Macintosh, Windows, NextStep, Motif, and other GUI-based desktop computers are readily understood abstractions of programs and files that exist as bits on your computer's hard drive and in your computer's memory.

Today, computer graphics are bringing the power of abstraction to bear on many problems beyond the operation of your personal computer. Research scientists use sophisticated graphics to visualize both the small and the large. The former is best represented by the use of computer graphics in molecular modeling. (The days when a Watson and Crick would have to rely on hand-built metal models to test their theories are gone forever.) The latter recently made headlines when scientists used computer graphics to discover that the Andromeda Galaxy (M31) has a double nucleus, a finding that theoretical astrophysicists may take a while explaining.

Computer graphics are having an enormous impact beyond GUIs and the rarefied worlds of molecular biology and theoretical physics. They are used to simulate environments as diverse as the core of a nuclear reactor, the cockpit of a high-performance fighter, the interior of your next house, or the inhabitants of a Jurassic-era grassland. Increasingly, they are also being used as a substitute for air and ground transportation by bringing people together via videoconferencing rather than in person. The technologies behind graphics advances—from faster GUIs to the creation of realistic 3-D simulations—range from new data pathways on desktop machines to multigigaFLOP dedicated processors on Unix workstations. Fortunately, they all have one goal: to make ever-more powerful computer-generated abstractions that make our jobs and lives a little easier.

Taking the Fast Path

For desktop computer users, the most important advance in computer graphics has been local-bus video. Local bus describes a fast pathway between a processor and a peripheral such as a video card, especially when coupled with the new breed of video adapters that accelerate GUI operations in hardware (see "Inside Windows Accelerators" on page 229).

The first local-bus implementations were developed to service graphics data. They were also proprietary; your system came with whatever local-bus graphics capabilities that manufacturers (e.g., Dell) put on the motherboard. By 1991, however, the industry came to realize the importance of adopting a standard for local buses that would let you both upgrade your graphics and let other peripherals such as drive controllers take advantage of the speed of the local-bus interconnect. Of course, instead of adopting a single standard, the industry has adopted two.

The VESA standard local bus, published by the Video Electronics Standards Association, is an adaptation of the 486's own bus structure. It is the most popular local-bus choice of PC-compatible computer makers. Intel's PCI (Peripheral Component Interconnect) local bus also supports high-speed graphics applications, along with other types of direct CPU-to-peripheral operations.

Both the original VESA and PCI specifications described 32-bit buses (see "Fast Transit," October 1992 BYTE), but both have raised the ante to coincide with the introduction of the next generation of processors with 64-bit processors, which include the Intel Pentium, the DEC Alpha, and the Mips R4000. As these processors are destined to run today's graphics-intensive operating systems, superior graphics performance is going to be essential.

At a resolution of 640 by 480 pixels and 24-bit color, a single screen goes through over 7 million bits per iteration. This is obviously well beyond the capabilities of either the ISA or EISA bus, and, indeed, it starts to strain the 32-bit bus implementations. But both the 64-bit VESA and PCI 2.0 offer theoretical performance of up to 250 MBps, sufficient bandwidth for just about anything in the foreseeable future.

The VESA-64 specification is the second generation of local bus to come from the 170 voting members of VESA. With the 64-bit implementation, VL-Bus now stands ready for the next generation of Intel processors. Perhaps the only limiting factor on VL-Bus is that it is really ready only for Pentium, as opposed to other processor options that are encroaching on the previously "Intel-only" PC market.

Because the original VL-Bus design closely followed the 486's own bus design, it was a relatively easy design specification to integrate into the PC. VL-Bus is a true local bus, directly connected to the processor. This offers both advantages and disadvantages.

The two most significant advantages are that first, because VL-Bus is directly connected, transfers are not subject to a great deal of address-decoding and bus-timing overhead. Applications that generally use several small transfers, rather than extended bursts, tend to perform better on

The Power of Graphics

Advanced graphics add new dimensions for desktop systems.....206

Three Ways to 3-D


The technology of 3-D is out of this world.....215

Inside Windows Accelerators


Getting your GUI to dance is a complex matter.....229







ILLUSTRATIONS: DIGITAL ART© 1993



Computer graphics *let you see what usually can't be seen. Sophisticated modeling programs and interactive 3-D graphics give us the best view we will ever have of Tyrannosaurus rex and other out-of-reach phenomena such as subatomic particles and quasars. (Courtesy of Silicon Graphics, Inc.)*

VL-Bus than on PCI.

Second, the mechanical specification of VL-Bus calls for an in-line bus connector. This means that cards can be produced that take advantage of both the local bus and the slower system I/O bus. This results in lower overall system costs, because more functions can be integrated onto a single expansion card.

The obvious disadvantage is that to run VL-Bus in non-Intel-compatible systems, it must be bridged, which negates the advantages. Nonetheless, you can use VL-Bus with an R4000 or an Alpha, but no one seems to be jumping at the possibility. Another disadvantage is that the 486 local bus was never designed to drive a lot of devices, so the number of slots available to VL-Bus will always be small, without a bridge in place.

Unlike VL-Bus, PCI was designed to be relatively independent of processor type and, in fact, will be integrated into the second generation of DEC Alpha chips, due sometime in the fourth quarter of this year. (Considering the availability of the first generation of Alpha processors, expect the second generation later rather than sooner.) PCI is a mezzanine bus, rather than a true local bus, and it has to be bridged to any processor, including Intel's own.

Because of translation issues, the bridge takes its toll in performance, but in burst transfers, PCI can deliver approximately the same throughput as VL-Bus. The dividend a bridged bus provides is independence for (and from) the CPU. With PCI, the CPU (or multiple CPUs) can be working in the background as PCI bus masters use the PCI bus for their own purposes.

Both VESA-64 and PCI 2.0 use multiplexed address and data lines to transmit 64 data bits. VESA-64 is still an in-line connector with respect to the I/O bus, while PCI's connector is positioned parallel to the I/O connectors. The result is that PCI boards will not be able to take advantage of standard I/O functions concurrently with local-bus activities, which means higher overall system costs.

One primary advantage of PCI is its automatic configuration feature. With VL-Bus, add-in cards are transparent to the operating system and software, unless the software is looking for a specific function, which can result in incompatibilities. With PCI, in a similar fashion to EISA, the system looks at the bus and identifies the cards installed, transparently with respect to the user. This allows for optimization by the system and increased performance in certain functions.

These features come at a cost, however. Implementing PCI in the first place is more expensive than VL-Bus, and expansion cards will also probably cost somewhat more. Between the cost, design, complexity, and adaptability issues, it looks as though the low-to-medium range of system vendors will adopt VL-Bus, while PCI will probably dominate the medium-to-high range of platforms.

Real-World Images

Technologies such as local-bus video are useful for much more than GUI acceleration. In conjunction with new classes of video hardware, they are bringing real-world graphics, in the form of still images and motion video, to the desktop.

One of the linchpin technologies that is making digital manipulation of real-world images viable for desktop machines is digital signal processing. In many cases, a DSP (digital signal processor) is better suited than general-purpose processors to the types of operations that graphics images demand. Specifically, DSPs are designed to accelerate the multiply/add operations that are the heart of many image-processing operations.

Major firms such as Intel, Microsoft, Texas Instruments, IBM, Compaq, and Dell are in the process of migrating DSP technology to desktop computers. Apple is already shipping its new Mac AV series with their built-in DSPs. Applications running on a Mac AV can use the DSP to process video and other types of real-world information.

One company active in bringing DSPs to the desktop is Analog Devices. As part of its Signal Computing initiative, Analog Devices has developed SCOPE, the Signal Computing Operating Environment. In essence, SCOPE provides an API and a hardware abstraction layer, or HAL, that allows applications developers to get at the power of a DSP without having to deal with its internal complexity. The API offers a standard interface that programmers can use to call the services of hardware, without regard for the actual hardware type. HAL provides access to the actual signal-processing hardware, which powers the application.

Because the DSP is a secondary processor, SCOPE includes HALs for both the CPU and the DSP to enable program developers to take advantage of both processors. The focus of SCOPE is the adoption of an open standard of development for applications. SCOPE supports both the Microsoft and OSI (Open Systems Interconnection) communications models so that standard Windows appli-

DSP vs. CPU

DSPs are specialized processors, while CPUs are more general. You wouldn't want to run Word for Windows on DSPs, but for image manipulation, they are ideal.

DSP	CPU
• accumulator-based architecture	• register-based architecture
• programmer-accessible caches	• transparent caches
• dual data buses	• single data bus
• optimized for multiply	• general-purpose instruction set
• accumulate operations	

cations can take advantage of the power of programmable DSPs.

Giga Operations uses SCOPE for its low-cost, parallel DSP board for desktop computer systems. Giga Operations' G-200 and G-800 boards use Analog Devices' 2105 DSPs, together with 1 MB of DRAM and a Xilinx PGA (Programmable Gate Array) in a single surface-mount module called Scalable Intelligent Image Module, or SIIMOD. Giga Operations is targeting the image-processing market. With the programmable SIIMODs, the G-200 can deliver a performance of up to 200 MIPS for video-effects applications—10 to 30 times the performance available from other conventional accelerators in dedicated systems—and at significantly lower costs. As a bonus, because of the programmable nature of DSPs, in general, and of SIIMODs, in particular, the G-200 and G-800 are adaptable to a wide variety of applications other than image processing.

The Codec Question

Perhaps the fastest-moving area of computer graphics today is full-motion video. From interactive CD-ROMs to videoconferencing, full-motion video promises to be one of the most important data types of the 1990s.

At TV resolutions and frame rates, full-motion video requires an enormous amount of storage and transmission bandwidth—far beyond the capabilities of present or near-future storage and communications technologies. Because of the demands it places on a system, video data must be compressed before you can use it as a data type on a computer system or a network.

The job of compression falls to the video codec. Video codecs use several different technologies to remove redundancy from video signals to make the individual frames more digestible and then to reconstruct the frames for playback. Thus, they are pivotal in bringing full-motion video to the desktop. The problem isn't that good codecs don't exist, but that too many do.

Take, for example, Microsoft's Video for Windows, which incorporates three different codecs that can either be implemented in hardware or software. Video for Windows is also extensible so that you can add still other codecs to your system.

The reason several codecs exist is that different video applications have various resolution and frame-rate requirements. Some applications just need SIF (Source Input Format) resolutions (360 by 240 pixels) while others require broadcast-quality CCIR 601, the 720- by 480-pixel digital studio standard. Often, the codec used depends on the capabilities of the hardware system.




Perhaps the most important role *for computer graphics is in modeling the mundane. Real-time 3-D animations are being used to investigate subjects as diverse as traffic congestion and architectural visualization. (Courtesy of Sun Microsystems Computer Corp.)*

For example, interactive CD-ROM applications are limited by the 1.5-Mbps data transfer rate of CD-ROM players. To provide full-motion video from such devices, you must sacrifice frame rate or resolution, or both. Companies like Philips and 3DO adopted the codec standard MPEG 1 for CD-ROM playback. MPEG 1 provides SIF resolution at CD-ROM playback rates.

MPEG 2 is designed to handle applications (e.g., video on CD) that need higher-quality playback. MPEG 2 supports CCIR 601 resolutions, but it requires transmission rates above 4 Mbps, as opposed to the 1 to 3 Mbps that MPEG 1 requires. It also requires a lot more processing time to encode the source video signal.

Some codecs can adapt to different environments. For example, Intel's Indeo runs on 386 and compatible platforms. Indeo is adaptive in the sense that the software recognizes the basic capabilities of the underlying hardware, which may be a simple 386 or Intel's 750 video coprocessor, and adjusts the playback to the size, definition, and frame rate to which the hardware is best suited.

continued




VL-Bus *requires a simple bridge to the processor bus, allowing it to run synchronously with the processor. PCI has a complicated bridge and runs asynchronously.*

C-Cube Marries Video and RISC

C-Cube Microsystems plans to bring silicon to bear to all types of full-motion video applications through its VCA (VideoRISC Compression Architecture). The core of VCA is the VideoRISC compression processor, which can handle many different compression algorithms.

The VideoRISC processor contains 1.2 million transistors on a 225-square-millimeter die. It consists of a number of functional units including a five-stage processing pipeline optimized for real-time video applications, a DSP unit for performing functions such as DCT (Discrete Cosine Transform), and a motion estimator that can perform up to 2 billion operations per second. These operations help determine differences in one frame from the previous or following frames.



The functional units *of the VideoRISC processor are designed to perform the types of computations required by compression and decompression algorithms.*

In addition to being programmable, which allows the VideoRISC processor to handle different codec standards, such as JPEG, MPEG 1 and 2, and H.261, it is also scalable. For example, you can use eight processors in parallel to encode NTSC video signals in real time, using the MPEG 2 codec. Two processors will suffice to encode using MPEG 1 in real time. In the future, C-Cube plans to produce both high-quality and low-cost versions for videoconferencing markets using H.261.

Videoconferencing

A bigger challenge than full-motion video from a CD-ROM is videoconferencing. The added complexity comes from the fact that video signals used in videoconferencing must be encoded in real time; you don't have the luxury of encoding them off-line for later playback.

Also, because videoconferencing is a communications technology, standards become critical. Videoconferencing requires protocols for establishing and maintaining a connection, as well as agreement on the codec to be used at each end of the connection.

The most widespread videoconferencing standards are promulgated by the CCITT. The codec standard is designated H.261 (also known as Px64). The H.261 codec supports two resolutions, the 352- by 288-pixel CIF (Common Intermediate Format) resolution and 176- by 144-pixel QCIF (Quarter CIF). Other CCITT standards define the protocols for setting up and maintaining a videoconference connection.

Many companies are also promoting their own codecs for videoconferencing (e.g., Captain Crunch from Media Vision and Cinpac from SuperMac Technology). Other companies are developing general-purpose hardware capable of handling different codecs. Some of these hardware solutions are based on DSPs, while others are more tightly focused on compression and decompression (see the text box "C-Cube Marries Video and RISC"). AT&T Microelectronics, for example, is bringing to market the AVP-1000 Video Codec chip set, which will handle many important digital video codecs, including MPEG and H.261. The AVP-1000 is not fully programmable, but it does provide a higher degree of flexibility than a single-purpose, hard-wired processor.

Tomorrow's Graphics

At their most sophisticated, computer graphics can pull entire worlds out of the ether or at least out of a database of polygon descriptions. In the past, sophisticated, real-time 3-D graphics was the province of supercomputers. Today, you find it in high-end workstations from companies such as Silicon Graphics (see "Three Ways to 3-D" on page 215). The trend here is clear.

In the future, real-time 3-D and videoconferencing capabilities will be available at a reasonable price to anyone who needs them. Your desktop computer will become your primary means of communication, as well as an invaluable tool for exploring a class of what-if possibilities beyond the ken of today's spreadsheets. Computer graphics technology will provide you with unparalleled access to complex data, objects, and entire systems. ■

John Bryan is a freelance writer and consultant. You can reach him on BIX c/o "editors" or on the Internet at editors@bix.com. Bob Ryan is a BYTE technical editor. You can reach him on BIX as "bryan" or on the Internet at b.ryan@bix.com.

POOR OLD MOUSE.



Come and see us at COMDEX, Las Vegas (Nov 15-19, 93) – South Annex Pavilion, Booth A 1930 – and bring your old mouse too!



Most of the time all mice are nice and fine for pointing around. But when it comes to inputting graphics or logos into any application or any CAD package, they are hopeless. They just can't – and so you can't. No way.
Problem? Yes and no. It depends – you may shrug your shoulders and say "Well, I'll never do CAD and I just never want to input any sketches, logos, or photos into my computer anyway." Or – you feel that isn't good enough after all the money you have invested and all the nice things you know you could do today with your own graphics once they were in the computer.

PROBLEM SOLVED.

Here comes the mouse that lets you input all your graphics as well. How?: That's what they all want to know, but we're not telling. Its a new invention. It's a universal combination of a true mouse and an independent manual drawing board that becomes a precision full-featured digitizer tablet once you just place the mouse onto the board. It's all in one or all separate as required. Simply unplug your poor old mouse, plug in our mouse and have the real all purpose input device to your PC always at hand. At a price poor mice can afford too.



ARISTO

ARISTO College Board \ digital

ARISTO Graphic Systems
A Division of KOH-I-NOOR Inc.
100 North Street, P.O. Box 68,
Bloomsbury, NJ 08804-0068
Tel: (800) 631 - 7646
Fax: (908) 479 - 1513

Europe:
ARISTO Graphic Systeme GmbH & Co. KG.
Schnackenburgallee 41
D - 22525 Hamburg (Germany)
Tel: (040) 853 97-221
Fax: (040) 850 04 25

ALL IN ONE.

Mouse, Digitizer Tablet, Drawing Board

Circle 165 on Inquiry Card (RESELLERS: 166).

digital interactive media presentation package. Digital Media Clip Library, Soundscheme and Prosonus sound library, IRIS Explorer™ visualization application, IRIS Inventor™ 3-D Viewer, IRIS Insight™ documenta-
tion Viewer and complete on-line manuals, Getting Started Guide), Hot Mix Application Trial CD (trial copies of Insignia SoftPC 3.1 DOS/Windows emulator and Quorum software application adaptor for Macintosh MSWord™ and MSExcel™), ability to read Kodak Photo CD, and IRIX™ 5.1 &



ANY PORT IN

Stereoscopic glasses for an even more virtually realistic 3D look.
STEREOVIEW

Get the best graphics on the planet with up to 19", 1280 x 1024 monitors.
MONITOR

Roomy enough for two cards. ATM, FDDI, and/or video out. Print to video.
GIO EXPANDABILITY

Pipe in video from VHS, Laserdisc, etc.
COMPOSITE VIDEO IN


Higher quality? You got it. Including Hi-8. The system also supports PAL.
S-VIDEO IN

Zoom ideas around your office, building, or campus at high-speed.
ETHERNET AUI

The way this puppy reacts to a Silicon Graphics mouse is startling.
MOUSE

MAC-compatible. Talk to anything from modems to midi to your digitizer.
DUAL SERIAL

Don't forget printing and all that. Indy didn't.
PARALLEL



HEADPHONES
Slip 'em on and play to your department's content.

MICROPHONE
Add a voice-note to your model or drawing.

ANALOG STEREO IN
Jazz up presentations with music, effects, & audio samples.

ANALOG STEREO OUT
Amplify your creations. Your design review will blow them away.

DIGITAL STEREO IN/OUT
Record and playback CD-quality sound. Sweet.

INDYCAM™ PORT
For the digital IndyCam color video camera. Meet face-to-face without using your feet. Or send video-mail.


ISDN
Two 64Kbit channels. Network with the factory down the block or a continent away.

ETHERNET 10BASE-T
A twisted-pair connection to share, deliver, or just play with ideas.

KEYBOARD
The 101-Keyboard is PS2™ compatible, just like the mouse.


SCSI-II
External disk and tape drives, CD-ROM, scanners, Photo CD™, printers, plotters, you name it!

Motif™ 1.2. © 1993 Silicon Graphics, Inc. Indigo is a registered trademark, and Indy is a trademark of Silicon Graphics. All other trademarks, registered and unregistered, are properties of their respective holders.



Introducing INDY™ from Silicon Graphics.

Welcome to Indy, the world processor. The newest Indigo®. The most affordable. And the first computer with its own digital color camera. The intuitive user interface is a pleasure zone. Capture, create, communicate, and collaborate with the power of a 100MHz MIPS® R4000® 64-bit RISC processor. Now you can show the whole world exactly what you're thinking. Want one? Call 1-800-431-4331 Department B22 for the cool brochure.




INDY

*Starting under $5000.**

SiliconGraphics®
Computer Systems

* **The $4995 Indy workstation** includes all the features above, plus: 16MB of RAM (expandable to 256MB); digital IndyCam™ color camera; microphone; 3 juggling balls; 8-bit graphics w/ Virtual-24 support; 15"– 1024 x 768-color non-interlaced monitor; external volume controls; 2 GIO32 high-performance expansion slots; space for 2 hard disk drives (accepts 20MB 3.5" floptical drive that reads/writes Macintosh®, IBM® and UNIX® diskettes); 1 Out-Of-Box-Experience; IndiZone Games CD; Display Postscript®, IndigoMagic™ User Environment (IndigoMagic Desktop, Sound Editor and Filer, Moviemaker and Movieplayer, Video Capture Tools, ImageWorks™ image processing tools, IRIS Showcase™



Don't Jump to a Graphic Conclusion

If you're about to take the plunge on a new graphics accelerator, get one that won't limit your future. ATI's GRAPHICS ULTRA+ and GRAPHICS ULTRA PRO give you no-regrets performance with all of today's applications. And they're perfectly poised for the leap forward into 32-bit operating systems and multimedia applications.

See Us At COMDEX/Fall'93 Booth # L1114


Get the Jump on the Latest Technology

Don't let inadequate technology give you or your PC a nervous breakdown. Our *mach32* Accelerator Chip and 2.0MB of standard memory accelerate graphics to heights that others can't match. And ATI's newest accelerators are multimedia-ready, with hardware-assisted scaling of motion video images under Windows for full screen playback.

accelerated by mach32 ATI TECHNOLOGIES INC.

indeo™ INTEL VIDEO TECHNOLOGY

MULTIMEDIA ACCELERATION



Software Safety Net

Software driver support shouldn't have to be a giant leap of faith... but without it, an accelerator is just an expensive VGA card. ATI gives you the best driver selection with the full security of 8514/A-compatible acceleration, plus up-to-the-minute ATI drivers for all major applications, including 32-bit environments, like OS/2 2.1 and Windows NT.[1]

Don't Fall Behind


ATI helps you stay on the leading edge, without going over the brink financially. Our new upgrade plan[2] lets you move up to the latest hardware... at a fraction of the regular price.

GRAPHICS ULTRA+



- True color at 800x600 and 65,000 colors at 1024x768
- Non-interlaced 1280x1024 in 256 colors
- Flicker-free Windows, up to 76Hz refresh rate
- 2.0MB memory
- Fast DOS and graphics performance
- Enhances and accelerates Video for Windows
- **$299.00**[3]

GRAPHICS ULTRA PRO adds



- VRAM for better performance at higher refresh and greater colors
- Non-interlaced 1280x1024 graphics at 74Hz refresh
- ISA[4], or VL-BUS **$499.00**[3]
- EISA or Micro Channel **$549.00**[3]

So look before you leap. Drop in to your local ATI dealer and let our counselors help you avoid a graphic mistake.

GRAPHICS ACCELERATORS • MULTIMEDIA • COMMUNICATIONS

MICROSOFT WINDOWS COMPATIBLE · PC MAGAZINE EDITORS' CHOICE · PC MAGAZINE EDITORS' CHOICE · PCComputing MVP 92 WINNER · FAX info (416) 882-2600 press 2

ATI TECHNOLOGIES INC. Perfecting the PC

ATI TECHNOLOGIES INC.
33 Commerce Valley Drive East
Thornhill, Ontario
Canada L3T 7N6
Telephone: (905) 882-2600
Facsimile: (905) 882-2620
User Support: (905) 882-2626
BBS: (905) 764-9404


Copyright © ATI Technologies Inc., 1993. ATI, GRAPHICS ULTRA+, GRAPHICS ULTRA PRO and *mach32* are registered trademarks of ATI Technologies Inc. All other company and/or product names are trademarks and/or registered trademarks of their respective manufacturers. Features and specifications are subject to change without notice. Products may not be exactly as shown. [1]32-bit OS/2 2.1 drivers will be available in September 1993; 16-bit OS/2 2.1 drivers currently included. ATI drivers included in Windows NT package. [2]Tradeup plan to latest ATI products; call or fax for further information. [3]Suggested US retail prices, dealers may sell for less. [4]Mouse included with ISA versions only.

Circle 67 on Inquiry Card.

State of the Art

THREE WAYS TO 3-D

All types of computer simulations from data analysis to virtual reality require 3-D graphics-rendering hardware that can create complex images in real time



Like most computer-related technologies that capture the imagination of the general public, virtual reality has been hyped to the point of overkill. Nevertheless, the usefulness and economy of a technology that lets you explore the dynamics of an object or system built from polygon descriptions rather than from plastic and steel are beyond question. Once you understand the complexity of the many pieces that make up a virtual-reality system, you can better separate the hype from the reality of this interesting technology.

A flight simulator is the best-known example of such a system, where what you see on your screen changes in response to how you manipulate the controls of your virtual aircraft. The more the visual image created by the simulation resembles what you would see from the cockpit of a real aircraft, the better the simulation will succeed in conveying the experience of flying an airplane—without the risk of you crashing a multimillion-dollar machine, which would have nasty consequences for both you and the aircraft.

Behind the Scenes

The representation of virtual worlds—whether they reflect the fantastic or the mundane—presents great challenges to the designers of virtual-reality systems. By far the most common method used to represent such a world is as a collection of objects. These objects are programmed to react in a realistic way to the inputs you supply the system. To complete the feedback needed for a successful simulation, however, the system must also be able to visually represent the state of these objects in real time.

Thus, the heart of any virtual-reality system, or any computer-based simulation, is the graphics hardware that creates the images you view when you use the system. A successful system can create images so compelling that you will be hard

pressed to distinguish the real from the virtual.

Consider the work that a graphics subsystem has to do to animate 3-D objects. Working from a database that describes the objects, their position in a coordinate space, and their color and texture properties, the graphics subsystem has to create a bit-map representation of the objects, based on the position and orientation of the observer in the scene and the position, color, and intensity of any sources of illumination. For most general-purpose desktop machines, you measure the time it takes to render one frame of such an animation in hours. This is why real-time 3-D animation remains the realm of specialized hardware graphics engines.

Working with 3-D

The following articles describe 3-D graphics engines from Hewlett-Packard, Sun Microsystems, and Silicon Graphics, Inc. These subsystems represent three ways of tackling the problem of generating a visual representation of an object database. They vary because users require different capabilities and have different price sensitivities. In addition, they represent three different philosophies of creating 3-D images.

HP's 3-D graphics concentrates dedicated hardware on the most processing-intensive part of the pipeline used to create the images. By leaving front-end calculations to the system CPU, the HP graphics subsystem scales in performance as you move to better-performing CPUs.

On the other hand, the Sun and SGI systems use dedicated hardware for all aspects of the pipeline. Despite this, the Sun ZX graphics subsystems and the SGI RealityEngine² differ markedly in design and cost, as well as in the markets they address. Sun ZX graphics subsystems are far less expensive than the RealityEngine², thus giving more people access to 3-D graphics.

The SGI RealityEngine² is a masterpiece of hardware engineering. Like all masterpieces, it is expensive. It is designed for those people who need the best available 3-D graphics performance, regardless of cost.

Like all aspects of computing, graphics rendering is getting better, faster, and less expensive all the time. However, from the descriptions that follow, you'll find that it still takes a lot of technology to create the images of virtual worlds. ■

—Bob Ryan

HP Takes a Dual Approach

HP's graphics technology takes advantage of the ever-increasing power of the PA-RISC architecture. Here's how it works.

NORTON EWART AND LARRY THAYER

The job of a 3-D graphics subsystem is to convert a database describing a physical object into a representation of that object on the screen. This is a compute-intensive task that is rich in floating-point math and features large data sets. A designer's challenge is to implement a subsystem that performs at interactive speeds, all the while staying within a typical user's budget for 3-D graphics hardware.

The special-purpose processor the designer uses to deliver this performance is called a *graphics pipeline*. Among different graphics subsystems, the principal differences lie in the designer's implementation of this pipeline.

The Pipeline Process


Your application both creates the database representing the physical object and provides an interface for interacting with the data. When you call for a 3-D view of the data, with lighted and shaded surfaces, the pipeline goes into action. It uses polygonal primitives (e.g., triangles and quadrilaterals) to represent the geometric form of the data in the application database. In general, processing demand increases as you move from left to right along the pipeline. This fact is important when assessing the trade-offs involved in the various implementations.

We refer to the first stage of a graphics pipeline as the *geometry and color end* of the graphics pipeline, this stage is where the primitives representing the physical model are calculated. The types of operations that occur here include rotation and scaling. Once the physical structure has been calculated, the colors are applied, using calculations for diffuse lighting and specular highlighting.

Following the geometry and color calculation stage comes the *rasterization* stage. During rasterization, the polygons are mapped to the pixels on the screen. Rasterization is often called the *back end* of the graphics pipeline. This compute-intensive process consists of three major steps.

Stepping Out

The first step in rasterization is polygon decomposition and edge setup. Here, a polygon's vertices, which are determined during the geometry calculation, are used



The HP graphics philosophy *is embodied in this HP/Apollo Series 700 Model 735 workstation. The PA-RISC CPU handles geometry calculations, while the graphics subsystem performs rasterization.*

to calculate the slopes of the polygon's edges. Following this comes edge intersection and span setup. Here, the system determines the intersection of the polygon's edges with physical pixel rows from the vertex and edge slope data. Also calculated in this step is the length of the horizontal pixel rows that span (or fill) the polygon.

The final stage is *pixel generation*. Here, the graphics subsystem uses the Z-buffer data to determine the colors of the individual pixels that make up the display. Using shading calculations, it also determines how color will vary across the horizontal spans of the polygon.

The amount of data that must be manipulated increases dramatically at each step in the graphics pipeline. For example, because several spans per pair of polygon edges typically need to be calculated, the number of calculations involved in edge intersection and span setup is greater than that for the total process up to that point, including geometry calculation and edge setup. Similarly, there are typically several pixels per span, so the computational requirements of pixel generation are even greater. Because of this, the most cost-effective way to apply dedicated compute-power in a graphics-subsystem design is in the back end, where the complex rasterization process occurs.

You get the highest graphics performance when you implement the entire pipeline in hardware.


Depending on your cost and performance goals, a range of possible pipeline implementations exists, from doing it all in software to doing it all in hardware. The lowest-cost and lowest-performing option is the software-only pipeline.

If the pipeline is implemented in software, then the CPU performs the graphics calculations along with the normal calculations involved in running your application. In addition to requiring many compute cycles, the amount of data that needs to be sent between the CPU and the graphics subsystem is very large. This implementation is typically acceptable only on fast CPUs with high I/O bandwidths or with small data sets.


Oftentimes, the architecture of the CPU can make a software-only pipeline an acceptable alternative. For example, Hewlett-Packard includes instructions in the PA-RISC architecture to facilitate the rapid movement of blocks of data from main memory to the frame buffer, resulting in acceptable 3-D modeling performance for many users even on nonaccelerated products such as the HP/Apollo Series 700 Models 715 or 735 with 8-bit plane color graphics all-hardware pipeline.

You get the highest graphics performance when you implement the entire pipeline, from geometry calculation to rasterization, in hardware. All-hardware implementations completely off-load the CPU and use custom, dedicated, high-performance processors to perform all computations in the graphics pipeline. Most graphics subsystems on the market today use this technique, including the DEC PGXT Turbo, the IBM Gt4x, the Silicon Graphics Elan and Extreme systems, and the Sun Microsystems GT.

Although it provides the best performance, this implementation has several drawbacks: It is



You have three choices *in designing a graphics subsystem: perform both halves of the pipeline in hardware or software or perform geometry in software and rasterization in hardware. Hewlett-Packard believes the combination of software and hardware is the most cost-effective.*



As you move from left to right *in the graphics pipeline, the operations become more and more compute-intensive. Geometry and color calculation is normally considered the "front end" of the pipeline, while rasterization is the "back end."*

the most expensive option—typically out of the price range of average users. In fact, it is not uncommon for a graphics subsystem using this approach to cost more than the CPU it connects to. Moreover, performance is forever stuck at the level that the dedicated hardware pipeline provides, and it doesn't scale up with advancing CPU performance.

Solomon's Choice

Between the all-software and all-hardware solutions lies the combination of software and hardware. As was mentioned earlier, the computational demands of 3-D graphics increases toward the back end of the pipeline, where rasterization occurs. A graphics subsystem that includes hardware acceleration for the rasterization process significantly reduces the demand on the CPU, as well as the amount of data that must be sent from the CPU to the graphics board. HP uses a hardware/software implementation in its CRX-24Z and CRX-48Z graphics subsystems, available on the HP/Apollo Series 700 Models 715 and 735. The CRX-24Z uses a single-path rasterization engine based on custom VLSI running at 40 MHz. The CRX-48Z provides a dual-path approach running at a faster 62.5-MHz rate, delivering up to eight times the graphics performance of the CRX-24Z in some benchmarks.

Because rasterization is a well-defined and repetitive calculation, it can be implemented with reasonably low-cost hardware. Manufacturers can deliver high-performance graphics subsystems at a low cost by matching the amount of rasterization acceleration to the geometry-handling capabilities of the CPU.

A secondary benefit results from having the CPU process the geometry calculations: Graphics performance scales with increasing CPU performance. This is a valuable side effect in the current environment of exponentially increasing CPU performance.

In summary, the high performance of RISC CPUs has enabled HP designers to combine them with a rasterization engine to get high performance at a reasonable price. And HP's implementation of the pipeline assures that graphics performance will continue to grow as CPU performance grows. ■

Norton Ewart is a product manager for graphics workstations at Hewlett-Packard, and Larry Thayer is an engineer/scientist there. You can reach them on BIX c/o "editors."


SUN BREAKS THE BOTTLENECKS

Sun Microsystems uses an all-hardware graphics engine that combines performance with economy

BILL FLEMING

The new Sun Microsystems SparcStation ZX 3-D graphics subsystem is designed to provide advanced graphics rendering for 3-D applications while reducing component and manufacturing costs. These days, few secrets are left when it comes to high-end graphics performance: Bringing affordable 3-D computing to a volume market lies in overcoming bottlenecks in graphics processing and leveraging component technologies via the highest possible level of integration.

The key to building the Sun ZX graphics subsystem lay in pinpointing which portions of the graphics pipeline are scalable (and, therefore, less prone to bottlenecks), and which are not. Developers began by working backward from the limitation of memory bandwidth that VRAM (video RAM) imposes. They based design choices on the idea that by breaking down complex geometry at the beginning state of graphics rendering, you could more effectively define and control the processing burden imposed on the individual FPUs. They got greater performance by providing scalable processing to rendering operations such as edge walking and span interpolation. Finally, they used the timing constraints associated with the cross-connection of multiple drawing processors accessing common VRAM to define the optimum number of drawing processors.



An important feature of the Sun SparcStation ZX graphics architecture *used to render the photo is its ability to perform dynamic tessellation of NURBS (nonuniform rational B-splines) curves and surfaces. NURBS are concise, yet powerful, representations of simple and complex geometries. From a high-level mathematical description, the graphics system tessellates curved geometry into lines (in the case of curves) or triangles (in the case of surfaces).*

The Sun ZX uses a double-wide SBus form factor consisting of two boards, stacked vertically to double the available area. In the space allocated for two SBus cards (approximately 5 by 9 inches), the graphics processor offers 96-bit planes of DRAM/VRAM, associated SRAM (static RAM), a RAMDAC, and four types of custom ASICs (application-specific ICs). The ASICs substantially reduce the requirement for discrete chips and eliminate glue logic. Higher integration also provides additional size and power reduction.

The Sun ZX is optimized to accelerate the geometry-oriented XGL foundation graphics library, which includes 2-D and 3-D graphics primitive functions to support a wide variety of graphics-based applications. XGL is the foundation interface on which most industry-standard and third-party graphics APIs are built, including OpenGL, PHIGS, HOOPS, PEXLIB, and others.

Inside the ZX

The main elements of the Sun ZX are the command ASIC, four floating-point processors, five drawing processors, and the frame buffer that

When protecting your software against piracy and unauthorized use, make sure that your protection system has all the following qualities:

A GOOD HARDWARE KEY



Hardware-based software protection systems are now the standard worldwide. However, not all keys are the same. A good key should have all the following features:

✔ Compatibility and transparency. The key should work without any problem on your customers' computers. The user should be able to forget the key after connecting it.



✔ Unbreakable electronics. A customized ASIC (Application Specific Integrated Circuit) component should be integrated in the key. This prevents reverse engineering and makes cracking virtually impossible.

✔ A unique and inaccessible software developer's code burnt into the ASIC. (This code should not be held in the key's memory, where it can be read and altered.)

✔ A Read/Write Memory inside the key should be available on demand. The memory should be writable in the field, on any PC, without any special programming equipment.

✔ Very low power consumption, enabling the key to work even under the worst power conditions, on PCs and laptops, with or without a printer.

POWERFUL SOFTWARE

✔ A Linkable Protection Module with which calls can be made to the key from any point in the protected program.

✔ An "Envelope" installation program. Such programs enhance security while making it possible to protect a software even without its source code.

✔ Sophisticated antidebugging and encryption mechanisms.

SEE US AT COMDEX/Fall '93 S-1653

HASP® - The Professional Software Protection System

THE SMALLEST 42 1mm ASIC BASED KEY



HASP® OFFERS YOU ALL THESE FEATURES AND MORE:

HASP was designed by a team of computer experts, professional cryptologists, and electrical engineers. As a result, HASP keys are supported by what is probably the best software in the market, and the HASP system has worked on every computer it has been tried on. In addition to all the features mentioned above, HASP provides:

✔ A Full Authorization System for protecting dozens of programs using only one key.

✔ A Pattern Code Security System (PCS) enabling parallel processing of multiple calls by the Linkable Protection Module.

✔ A Virus Detection option that can be incorporated in the protected program to check whether it has been infected by a virus.

✔ Several HASP keys can be connected one behind the other. Small physical size ensures maximum convenience for your customers.

NETHASP- THE ULTIMATE SOFTWARE PROTECTION FOR NETWORKS

✔ Only one NetHASP key is needed to run a protected program from many stations in a network. NetHASP provides full support for protecting DOS and WINDOWS software under network environments, including Novell dedicated & non-dedicated servers, Lan Manager, Lantastic, Banyan, DLink, and NET-BIOS based LANs.

WHAT OTHERS ARE SAYING ABOUT US:

In all the products we tested, except the HASP, we could see through the encrypting and questioning procedures... and crack them.

CT Magazine (Germany)

MemoHASP: ...of all the protection devices tested is without any doubt, the one which combines the best features.

PCompatible (Spain)

Trying to crack a program... that was protected utilizing all of HASP's features - is like searching for the Holy Grail.

Micro Systems (France)

PC dongles... come with varying claims as to their transparency. The majority suffer from problems when a printer is connected... the DESkey and HASP-3 are not affected...

Program Now (Britain)

Of all keys tested, HASP is the most ambitious one... the quality of HASP manufacturing seems excellent.

PC Compatible (France)

OPERATING ENVIRONMENTS

PC: DOS, WINDOWS, WINDOWS-NT, OS/2, SCO UNIX, SCO XENIX, INTERACTIVE UNIX, AIX, AUTOCAD, DOS EXTENDERS, LANS
MAC (ADB port): System 6.0.5 and up
NEC (Serial Port): DOS, WINDOWS

AND THE BOTTOM LINE:

We offer some of the most competitive prices in the market. There are no hidden costs! Since 1984, HASP has enabled thousands of software producers in more than 40 countries, including several Fortune 500 companies, to protect their software.

Please call us for our HASP evaluation package.

ALADDIN SOFTWARE SECURITY INC.

North America:
200 Broadhollow Rd., Suite #207
Melville, NY 11747, USA
Tel: **800-223 4277**
516-424 5100
Fax: 516-424 8300

International Office:
ALADDIN KNOWLEDGE SYSTEMS LTD.
15 Beit Oved St., Tel-Aviv, Israel
P.O.Box: 11141 Tel-Aviv 61110
Tel: 972-3-5375795
Fax: 972-3-5375796

France:
ALADDIN FRANCE S.A.
Tel: 33-1 40 85 98 85
Fax: 33-1 41 21 90 56

© Aladdin Knowledge Systems Ltd. 1985-1993

member of opa

yes it runs with NetWare Developer tested

■ **Australia** Conlab Pty. Ltd., 3 8985685 ■ **Belgium** Akkermans bvba, 3 2338826 ■ **CZECH** ATLAS Ltd., 2 766085 ■ **Chile** Micrologica S.A., 562 222 1388 ■ **Denmark** SC Metric a/s, 42 804200 ■ **Germany** CSS GmbH, 201 7498640 ■ **Greece** Unibrain SA, 1 6856320 ■ **Holland** Akkermans BV, 45 241444 ■ **Italy** Partner Data S.r.l., 2 33101709 ■ **Japan** Athena, 3 58 213284 ■ **Korea** Dae-A Engineering, 2 848 4481 ■ **New Zealand** Training , 4 5666014 ■ **Poland** Systherm 61 475065 ■ **Portugal** Futurmatica Lda., 1 4116269 ■ **South Africa** D Le Roux, 11 886 4704 ■ **Spain** PC Hardware, 3 4493193 ■ **Switzerland** Opag AG, 61 7112245 ■ **Taiwan** Teco Ltd., 2-555 9676 ■ **Turkey** Mikrobeta Ltd., 4-4677504

Circle 65 on Inquiry Card.

IF THIS IS HOW YOU



Datapro on CD-ROM

Now you gain virtually instant access to Datapro's product and technology services from your own PC, with Datapro on CD-ROM.

Menu-driven software makes it simple to browse through the table of contents or search by keywords and subject to get fast answers to all your technology questions. And you can simultaneously view multiple reports and cut and paste between applications to custom-tailor analyses. Available in both Windows and DOS.

KEEP PACE WITH THE NEWEST INFORMATION TECHNOLOGIES, YOU NEED PROFESSIONAL HELP

PRESENTING THE FULL LINE OF DATAPRO INFORMATION SERVICES

Downsizing. Wireless. Client-server computing. Multimedia. ATM. Strategic planning and sound business decisions depend upon keeping up with the latest information technologies.

But you probably need a supercomputer to sort through all the publications that end up on your desk. Sure, consultants can help, as long as you're willing to pay as you go.

Isn't it time you turned to Datapro information services?

For over two decades Datapro's unmatched information services have helped users, buyers, and managers of information technology plan effectively. And Datapro has been there every step of the way—from mainframes and dumb terminals, through the PC revolution, to the rise of intemetworks.

Today, with its staff of over 400 specialists and more than 100 expert analysts, Datapro has the resources to address virtually every critical issue in computing and communications.

An essential resource for anyone who must evaluate, implement, or manage technology.

Whether you want a quick overview or are looking to build a complete library of research materials, Datapro's comprehensive information technology services can help you make decisions quickly. Charts, tables, and graphs make it a snap to compare product features, functions, and prices. And once your system is up and running, Datapro is there to help you manage and maintain it.

That's why IT professionals use Datapro to stay up to date. Sales and marketing professionals count on us to help them track trends. And vendors turn to Datapro to size up the competition.

Datapro's line of comprehensive information services can meet all your needs.

With Datapro's complete line of information services, you're always in the know no matter what your concerns.

Product and Technology Services

● *First Looks.* Keep tabs on major developments in information technology until a complete report is available.

● *User Ratings.* Get beyond the hype and find out which vendors can really deliver on their promises.

● *Technology Concepts.* Stay ahead of the game when it comes to vendor strategies and other vital issues.

● *Market Overviews.* Discover the market's promising vendors and products.

● *Comparison Columns.* The effortless way to make side-by-side appraisals.

● *Competitive Outlooks.* Put products and underlying technology in perspective.

● *Product Reports.* An in-depth look at specs, features and functions, pricing, interoperability, and other issues.

● *Management Reports.* Practical advice from professionals that takes the mystery out of managing information technology.

Business Services

Datapro Online. Tap into three online databases from the office, at home, or even on the road.

Reprints. A cost-efficient way to deliver your product message and verify product features and benefits.

Feature Reports. Cull just what you need from Datapro's database of information services and put a sharp focus on strategic business decisions.

Custom Publishing. Package the latest product information in a convenient, single source tailored to keep sales personnel one step ahead of the competition.

Consulting Services

Help Desk. A telephone inquiry service to help you make the best use of your Datapro information service.

Assist On Demand. Pay only for the information you need about a specific product, vendor, or technology.

Surveys. Determine the strengths and limitations of your products—and your competitors'—from actual users.

On-Call Consulting. Fast answers to most inquiries within minutes—via phone, fax, or electronic mail.

Educational Services

On-Site Seminars. Custom-tailor a curriculum in any aspect of information technology right where you do business.

Computer-Based Training. Get a grounding in the fundamentals or master advanced topics right on your own PC.

Teleconsulting. Let a conference call between students and instructors address implementation issues that come up in later stages of a project.

International Services

● *Datapro International.* Get up-to-the-minute industry analyses and in-depth evaluations into the hands of professionals whose responsibilities extend beyond the U.S.

Market Research Services

Northern Business Information. A Datapro subsidiary, Northern Business Information is the world's foremost strategic telecom research company.

Send for a free demo disk today.

DATAPRO

Datapro USA, 600 Delran Parkway, Delran, New Jersey USA 08075. Tel: 800-328-2776. Fax: 609-764-2812

Datapro International, McGraw-Hill House Shoppenhangers Road, Maidenhead, Berkshire, England SL6 2QL. Tel: +44 (0) 628 773277. Fax: +44 (0) 628 773628

Please send me more information on the following Datapro services:

Product & Technology Services
- ☐ Computer Systems
- ☐ Communications
- ☐ Free Demo Disk

Business Services
- ☐ Datapro Online
- ☐ Reprints and Feature Reports
- ☐ Custom Publishing

Consulting Services
- ☐ Help Desk
- ☐ Assist On Demand
- ☐ Surveys
- ☐ On-Call Consulting

Other Services
- ☐ Educational Services
- ☐ Datapro International
- ☐ Northern Business Information

☐ I'm interested in learning more about Datapro on CD-ROM ●

Name ..... Title .....

Organization ..... Telephone .....

Address .....

City ..... State ..... Zip .....

● Available on CD-ROM.

Circle 386 on Inquiry Card.


holds the image bit map. Together, these form the graphics pipeline of the Sun ZX.

First in the chain is the ZXCommand ASIC, which converts application-generated chained vertex data into a number of isolated drawing primitives. The incoming vertex data, which exists in a variety of numeric formats, contains position data, vertex and facet, normal and color information, edge highlight flags, and chaining information. Normal and color information are represented as 32-bit floating-point numbers. The command processor converts this data into isolated triangle and line commands—all with floating-point arguments—before sending it to the floating-point ASICs.

The next section of the pipeline is the floating-point transform. It consists of four custom ZXFloat ASICs, each with its own SRAM. Each ZXFloat is a specialized floating-point processor that is optimized for low-level graphics operations that scale linearly in performance. The SRAM contains microcode used by the ZXFloat chip to perform its specialized operations.

The ZXCommand ASIC accesses each ZXFloat chip to determine if the chip is busy or available. If a ZXFloat is available, the ZXCommand chip sends it a graphics primitive via its accelerator port. The ZXFloat processes the primitive and signals the ZXCommand chip when it has completed processing. The ZXCommand chip then arranges for the result to be sent from the ZXFloat chip to the render section of the pipeline.

The ZXFloat chip converts individual dot, vector, and triangle data from 3-D model coordinates to 3-D world coordinates and then to 3-D device coordinates represented by frame-buffer pixel locations and Z-buffer values. It performs lighting calculations that result in three floating-point values (i.e., RGB) for each vertex. These values are a function of the color and surface properties of the triangle, the color of the lights, and the angle that the light hits the surface. In addition, ZXFloat performs window clipping on the rendered image.



Sun Microsystems implements the SparcStation ZX pipeline *using ASICs, which cut down on the chip count and add flexibility to the design. One ASIC acts as the command processor, while the four that make up the floating-point transform perform geometry calculations and the five in the rendering section write to the bit map. A final ASIC handles output to the monitor.*

Rendering an Image

The render section of the Sun ZX graphics pipeline consists of five ZXDraw ASICs. Each controls one-fifth of the frame-buffer memory, which is organized into a five-by-one interleave factor. Each ZXDraw processor operates independently; together they can render up to the maximum VRAM bandwidth.

The ZXDraw ASIC has two internal data paths for rendering: accelerated and direct. The accelerated geometry path contains drawing hardware for 3-D images, while the direct path allows access to the frame buffer for windowing systems and applications that do not need to pass through the transformation pipeline.

For 3-D accelerated operations, ZXDraw converts the dot, vector, or triangle parameters calculated by the ZXFloats into pixel operations for the frame buffer. For the vertices, ZXDraw receives various values, such as the slopes of the sides of a triangle, and the corresponding increments for the RGB values. ZXDraw fills in all the intermediate pixels that the vertices outline. ZXDraw is also responsible for raster operations, vector antialiasing, alpha transparency, and Z-buffer algorithms.

The ZXDraw processors operate on the bit map held in the the Sun ZX frame buffer, which consists of 1280 by 1024 pixels by 96-bit planes. The memory planes are organized as 48-bit image planes, a 24-bit plane Z-buffer, eight overlay planes, 10 window ID planes, and six fast-clear planes.

The 48-bit image planes hold a color value for each pixel to be displayed. The system uses one of two color models: 24-bit RGB true color or 8-bit indexed color. The color model is selected on a per-pixel basis by the window ID planes. In the 24-bit true-color model, two separate 24-bit planes are dedicated to displaying the 16.7-million-color gamut. Each 24-bit plane is divided evenly into 8-bit planes each for the three primary colors: red, green, and blue. The two frame buffers are referred to as buffer A and buffer B. As the system displays the image in buffer A, the next stage in the image's transition is being drawn in buffer B. When the contents of buffer B are complete, the display is switched from buffer A to buffer B.

The 24-bit Z-buffer stores the depth value for the last pixel written at a given location into the image buffer. Z-buffering enables the system to make visible the portions of an object that are nearer to the viewer and hide the portions that other portions of the object should conceal. This process is called *hidden surface removal*, and a ZXDraw ASIC performs it. The process tests to determine which faces are in front and removes those surfaces that should be hidden.

continued



Verbatim® tapes, optical and floppy disks. Your best defense against data loss.

Circle 140 on Inquiry Card (RESELLERS: 141).

The eight overlay planes on the Sun ZX serve as an additional 8-bit indexed color frame buffer. The overlay data can be transparent or solid. Overlay planes provide nondestructive annotation of underlying 8- or 24-bit images. They enable an image (e.g., a mail tool) to be temporarily superimposed over another image without affecting the image underneath; it need not be redrawn when the overlay image is removed.

The six fast-clear planes implement the fast-clear function for three selected double-buffered image windows or for six single-buffered windows. Each fast-clear plane pair can be assigned to clear one double-buffered window at optimized hardware speed. Before the beginning of a new frame, the appropriate fast-clear plane is cleared to all zeros, using a special high-speed clear mode, indicating that the values stored in the image and Z-buffer planes are invalid for a specified window.

Video Output

The last stage of the graphics pipeline is the video-output section, which consists of the ZXCross ASIC and a RAMDAC. The ZXCross ASIC contains the window ID lookup tables and the color lookup tables, along with the programmable video-timing generation and hardware-cursor generation logic. The window ID lookup tables define the window's display properties, such as the color mode, double-buffering, and so on. The color lookup tables are, in essence, color maps, which contain a selection of colors for a particular application. Color lookup tables are used primarily in 8-bit indexed mode.

The ZXCross ASIC performs output pixel multiplexing (buffer and channel selection, pseudocolor lookup, and gamma correction, as required). The system supports many monitor resolutions, ranging from NTSC at 640 by 480 pixels to 1280 by 1024 pixels noninterlaced. The ZX system can also output stereo images that require the use of stereo glasses.

Sun Microsystems believes that the SparcStation ZX graphics subsystem will usher in an era of affordable high-performance 3-D graphics. Perhaps then, high-end graphics systems can finally achieve high volumes, helping users solve many computing problems. ■

Bill Fleming is a senior product manager at Sun Microsystems (Mountain View, CA). You can reach him on BIX c/o "editors."

DAMN THE TORPEDOES!

Silicon Graphics takes an immediate approach to imaging with its full-speed-ahead RealityEngine²

DOUGLAS VOORHIES

Silicon Graphics, Inc. is focused on graphics technology. All its workstations, from $5000 personal machines to million-dollar multiprocessing supercomputers, can display dynamic 3-D color images. While the emphasis at the low end is on price and performance, the emphasis at the high end is on raw performance and superior image quality.

Achieving smooth motion (30 to 60 frames per second) while using sophisticated rendering techniques is far more demanding than the more modest rates common in the marketplace. It requires powerful hardware acceleration; in some high-end configurations, the graphics hardware exceeds the cost and complexity of the rest of the system. And it requires that the system and interface be designed from the start to accommodate such accelerators.

Graphics for a Dynamic World

SGI emphasizes its *immediate-mode* approach to the graphics hardware/software interface. To minimize system bandwidth, most systems send a description of the surfaces to be rendered to the graphics subsystem, which redraws them frame by frame as the viewpoint changes. This technique is called *retained-mode* graphics. On the other hand, with immediate mode, the surface description is sent repeatedly, every frame, without retaining the previous surface description in the graphics subsystem. This has the obvious cost of repeatedly sending data that may change infrequently; however, it has two profound and subtle advantages.

First, immediate mode allows applications that display changing information to run as efficiently as those with mostly static information. Immediate mode invites rather than punishes dynamic applications. Second, retained information in a graphics subsystem is essentially a "second database" that duplicates data structures inside the application. When that data changes, the retained data must be edited synchronously. It's a bit like keeping a document in a laser printer and sending editing commands to the printer rather than simply sending the final version in its entirety. Because immediate mode doesn't need to synchronize an application's data structures with data stored in the graphics subsystem, it is far easier to program. Of course, for those of you with static scenes, SGI's OpenGL—a programming interface and library for 3-D graphics applications—supports retained graphics as well.

SGI also goes far beyond displaying static scenes by enriching its workstations with digital media. Adding 3-D graphics to a multimedia presentation can create a crisp and dazzling impression, and video I/O lets you use live images to decorate 3-D surfaces or use them as backgrounds to 3-D scenes. In addition, you can harness the power of the rendering hardware to perform real-time image manipulation on a video stream.

Silicon Reality

The system that best exemplifies immediate-mode graphics is the RealityEngine². It differs fundamentally from other graphics devices because its primary rendering method combines antialiasing and texture mapping. The result is on-screen images that look uncannily real, with rich surfaces and without jagged edges.

Antialiasing is the process of eliminating the interference between high-frequency edges in the image and the grid of pixels

In Business. Everywhere.



PHILOS PORTABLES
PopUptrackball™.
Slotin™ power supply.
Removable HDU.
MPC business audio.



For more information call
Olivetti Direct
1-800-633-9909
In Canada call:
1-800-387-9660, Ext.220

Today, keeping up with the market means grabbing every opportunity on the run. That's why, whatever you do, wherever you do it, the ideal portable PC for your job is in the Olivetti Philos Portables.

They talk like you: MPC business audio means it's easy to add vocal notes to documents, or send voice mail messages. And you can communicate with the other side of the world by fax, modem or network using the PCMCIA type III slot.

They think like you: up to 32 Mb RAM and up to 240 Mb HDU that is removable for your security, all propelled by the powerful 486SL or 386SL microchip. What's more, it can think in vivid color.

They're smart like you: the PopUptrackball™ provides a simple and immediate interface with ready to run Windows 3.1. The pre-installed Lotus Organizer is always on time, and the User Manual is always on line.

They move like you: less than 6.5 lbs. and 8½" x 11" of stylish design you can take everywhere, for up to nine hours of hard work. Plus, it fits neatly into your briefcase together with its unique Slotin™ AC mains adapter. Back in the office, just hook into the optional Quick Desk ™ and in seconds you're in touch with your office peripherals.

Even the most complex corporate organizations are rediscovering the power of individuals. With the Philos Portables, you can give your company the best of individual productivity, from the economical Philos 11 to the super-productive Philos 44. Anywhere you want it.

Windows 3.1 is a registered trademark of Microsoft Corp. Lotus Organizer is a registered trademark of the Lotus Development Corp.

olivetti


that compose the screen. Just as CDs sample sound at a high 44-kHz rate, antialiased rendering samples the colors and shades at several places inside each pixel to ensure that the fine details and abrupt edges are represented as faithfully as the pixel grid allows. The effects of antialiasing are most evident in the elimination of jagged edges.

Texture mapping adds a level of indirection to 3-D graphics, analogous to pointers and subscripts in conventional programming. Instead of varying colors smoothly across a surface, which produces a chalky appearance, the graphics system paints an image stored in an alternative memory array on the surface. This image can give the surface the appearance of brick, gravel, or fabric, as well as the reflection of gloss or metal. The surface seems real because the texture is often created photographically. Texture mapping warps the texture photograph onto the surface, squeezing it if the surface is viewed obliquely or shrinking it if the surface is far away. The result is a major improvement in visual realism, although the math required, which is based on projective geometry, is arduous and compute-intensive.

Many other workstations, including earlier models from SGI, can do texture mapping or antialiasing, but always with a dramatic speed penalty. The RealityEngine^2 invests enough hardware and microcode to do both at full speed.

Effects of Texture Mapping

Without



With



Surfaces without texture *(top) appear dull and chalky. Although the illumination and occlusion of hidden parts gives a clear 3-D effect, the surfaces appear artificial. Mapping a photographic texture onto the surfaces makes the scene come to life (bottom). The floor looks like wood, and the flowers seem real. Shadows tie each object to its position above the floor.*


The Design of Reality

Architecturally, the RealityEngine^2 is fashioned as a short pipeline, with most of the stages being richly parallel. Over a succession of generations, the pipelines in SGI 3-D renderers have gotten shorter and shorter, with the important stages getting wider and wider. Pipelines run at the speed of their slowest stage, whereas independent parallel processors are not so limited.

The first stage of the RealityEngine^2's pipeline starts with the command processor, a complex-state machine that parses the incoming drawing primitives, rearranging them as necessary, and divides them up into 12 parallel streams for the next stage. Small commands may be assembled into larger commands, and extremely large commands (e.g., draw a long strip of triangles) may be broken up.

In addition, the command processor manages the drawing state for the second stage in the pipeline, the 12 geometry engines. Infrequent state changes, such as a new transformation matrix, are broadcast to the 12 geometry engines. More common changes, such as a new vertex color, are bundled only with the commands they affect. The result is a reduction in the data flowing to each geometry engine, with each engine being given reasonable units of work.


The 12 geometry engines work independently and in parallel on the data generated by the command processor, performing floating-point math to prepare each primitive polygon for rasterization. Each engine consists of an Intel 860XP RISC processor, a formatting and control



Accessing a Unix application from your PC no longer means you have to leave the world of Microsoft Windows. That's because NCD has brought its leading X server technology to your PC.

It's called PC-Xware, and it's a Windows application. So it allows you to access both graphical X and character-based Unix applications in the same way you currently access, say, Excel. Or Word. And since the complexity of Unix is masked behind Windows icons, displaying a Unix application on your PC requires nothing more than a point and a click.

What's more, only PC-Xware integrates fast X access with the tools needed to get Windows and Unix not just working together, but complementing one another.




For beyond its powerful PC X server and VT320 emulation, it has a 100% Windows-based TCP/IP stack, plus NCD's XRemote serial protocol.

Which means your PC can access all your hosts and all your applications without the need for extra software. And if you're also after Unix files, PC-Xware even has integrated file transfer and NFS options.

If all this sounds like something you could get friendly with, call NCD today at 1-800-793-7638 and ask for PC-Xware.

Network Computing Devices, Inc. NCD

All registered and unregistered trademarks mentioned above are the sole property of their respective owners.



With the processing bandwidth *of a supercomputer, the RealityEngine² uses parallelism to achieve real-time texture mapping and antialiasing of 3-D images.*

chip, and 2 MB of memory. Together they provide 1.2 GFLOPS of processing bandwidth, the raw calculation power of a supercomputer.

This power is necessary to handle the projective-geometry calculations to transform each graphics primitive (e.g., a triangle or a quadrilateral) onto its screen position and to determine what color each vertex should be, based on the primitive's material, position, and orientation relative to light sources. The geometry engines also set up the iterative calculations performed by the final stage in the pipeline. The engines work in parallel, taking tasks from the command processor in round-robin order. Because bit-map pixels can be looped back through the command processor, the power of the geometry engines can also be used for image processing. For example, a five-by-five convolution of a 1024- by 1024-pixel image takes less than 66 milliseconds.

Creating the Bit Map

The final stage in the pipeline consists of 20 pixel generators, which compute the color and other parameters for each pixel. Each pixel generator has a copy of the 16-MB texture memory (320 MB total). This 20-way replication allows the RealityEngine² to generate 1 pixel every 2.5 nanoseconds.

The pixel generators step from pixel to pixel, interpolating the color, screen X/Y/Z, distance to the surface, 2-D or 3-D texture address, and other parameters. They also read the texture memory and compute a fog density based on the surface distance. For pixels that the drawn primitive only partly covers, the pixel generators create a mask describing that coverage and adjust the color to reflect the centroid of the overlap.

Texture access is a key role for the pixel generators. Because warping the texture onto a surface involves zooming it up or down by noninteger amounts, the texture pixels must be sampled carefully to avoid texture aliasing.

When viewing a surface in perspective, the texture-index computation involves an onerous division at every screen pixel. Four texture pixels are averaged for *bilinear* sampling, eight are used for *trilinear* sampling, and 16 are needed for *bicubic* sampling. This image warping and resampling power can be harnessed for 2-D image processing, allowing full-screen image zooms and rotates and warps at 60 Hz. Achieving texture access at the 2.5-ns-per-pixel rate was probably the single greatest technical challenge in the RealityEngine².

Once the pixels are generated, the Image Engines write them into the bit map. For each relevant subsample of each pixel, the Image Engines determine which surface is in front of the others. The Image Engines then combine the subsamples to produce the pixel color. Storing all the image information—including multiple buffers with 12 bits each of RGB and alpha (i.e., transparency) values, as well as the screen Z coordinates for every subsample—requires up to 1024 bits per pixel. To achieve the 2.5-ns-per-pixel bandwidth, the Image Engines are a parallel array of 320 image processors, each controlling 512 KB of bit-map memory.

The Image Engines also read the pixels in blocks and send them to the video circuitry. After a table lookup, the pixels form the video signal sent to the monitor. At 160 MB, the bit map is large enough and has sufficient access bandwidth to support multiple independent monitors or even HDTV. An extra roving NTSC channel makes it easy to videotape an application running in a window.

The focus on graphics that gives rise to such extreme architectures accounts for SGI's success in applications where graphics performance and visual image quality are paramount. As the performance of computers skyrockets, interacting with them in new ways becomes not only possible but essential. From CAD to molecular modeling to visual simulation and movie production, 3-D graphics is getting less and less arcane and more and more mainstream.

The visceral experience of immersing yourself in a rich visual application is something new. Once you experience it, you never want to go back. ■

Douglas Voorhies works in corporate R&D at Silicon Graphics, Inc. You can reach him on BIX c/o "editors" or on the Internet at voorhies@sgi.com.



There was a time you couldn't expect onsite service if your site was as remote as this.

Jay Pancost
IBM Customer Engineer



To IBM Customer Engineer Jay Pancost, going the extra mile often means exactly that. His service calls take him to homes and offices from the Grand Canyon to the Hopi and Navajo reservations. "When you buy a PC," he says, "the company that made it should be there for you when you need them. I like the idea of a job where people are always glad to see me, even if they're sometimes surprised I would go so far off the beaten path." Wherever you may be, there are more than 10,000 IBM service representatives like Jay Pancost, in over 1,600 locations nationwide, at your service. Right where you want them.

If you've ever bought computers "direct," we want you to know one important thing.

IBM PC Direct

We're putting the personal in personal computing.

This time, it can be different.



This time it's

L-R: Alice Robinson, Gregg McGhee, Jeff Herman and Beverly Whitman, Custom Build Technicians, IBM Personal Computer Company



425SX/Si

Prices may be even lower! Call us today for the latest quote.

- Newest entry-level member of the ValuePoint family
- Compact size: 14.2" W x 4.8" H x 16.5" D
- VESA Local Bus Video
- 3 slots and 3 bays
- Choice of IBM Keyboard (Basic‡‡ or Enhanced)
- A great, low-cost network client
- IBM HelpWare service and support

ValuePoint SpaceSaver

- Compact size: 14.2" W x 4.8" H x 16.5" D
- 3 slots (includes 1 VESA Local Bus slot) and 3 bays
- Also available in medialess (no drives) configuration to function as an economical LAN client workstation

ValuePoint Desktop

- Plenty of room to grow: 5 slots (includes 1 VESA Local Bus slot), 5 bays
- A super combination of speed, power, upgradability and expandability

ValuePoint Mini-Tower

- Convenient, compact Mini-Tower processor case measures 9.5" W x 16.8" H x 16.9" D
- Enormous room for growth: 8 slots (includes 1 VESA Local Bus slot), 6 bays
- Perfect format for high-powered computing (CAD/CAM, graphics, multimedia, etc.) or as a low-cost network server



425SX/S

433DX/D

466DX2/T

IBM PC Direct

We're putting the personal in personal computing.



IBM

If you don't see it here, call us. We'll custom build a system just for you.

It's a personal commitment from Alice, Gregg, Jeff, Beverly and their associates at the IBM Personal Computer Company. Thousands of IBM people – many working around the clock – to keep you personally delighted with everything we do for you.

It starts – but doesn't end – with our hot-selling IBM ValuePoint™ PCs. Take a closer look at the systems shown here. Super PCs. Super prices. But if you don't see the system you want, call us. We'll build your PCs to your specifications – and your budget. We'll even preinstall selected software.

Remember, ValuePoint is backed by IBM HelpWare®, including our 30-day moneyback guarantee. No qualms. No quibbles. No questions asked.[1] And for one year with free around-the-clock telephone assistance and fast onsite service (even in the most remote locations!) from more than 10,000 IBM service representatives in over 1,600 locations nationwide.[2]

Call us today. And discover how we're putting the personal in personal computing.

All ValuePoint SpaceSaver, Desktop and Mini-Tower systems listed below feature:††

- Intel® i486™ processors
- SVGA VESA Local Bus Video
- Upgradability via Intel OverDrive™ technology all the way up to Pentium™ [3]
- 101-key IBM Enhanced Keyboard and IBM Mouse
- Zero Insertion Force (ZIF) socket for fast, easy processor upgrades
- A 32-bit VESA Local Bus slot for local bus speed on SCSI drives and other peripherals
- IBM HelpWare

			ValuePoint	
Processor	i486SX/25MHz	i486SX/25 MHz	i486SX/25 MHz	i486DX/33 MHz
Hard Drive/Memory	120MB/4MB	120MB/4MB	120MB/4MB	340MB/4MB
Drive(s)	3.5"	3.5"	3.5"	3.5"
Monitor	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI
Operating System	IBM DOS & WINDOWS™	IBM DOS & WINDOWS	IBM DOS & WINDOWS	IBM DOS & WINDOWS
Price* / IBM Credit Lease**	**$1,539** / $56 per month	**$1,649** / $60 per month	**$1,709** / $62 per month	**$2,489** / $90 per month
Features	**425SX/Si**	**433SX/S**	**433DX/D**	**466DX2/T**
Processor	i486SX/25 MHz	i486SX/33 MHz	i486DX/33 MHz	i486DX2/66 MHz
Hard Drive/Memory	212MB/4MB	120MB/4MB	120MB/4MB	527MB/4MB
Drive(s)	3.5"	3.5"	3.5"	3.5"
Monitor	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI	IBM 15V 15" SVGA FS NI
Operating System	IBM DOS & WINDOWS	IBM DOS & WINDOWS	IBM DOS & WINDOWS	IBM DOS & WINDOWS
Price* / IBM Credit Lease**	**$1,699** / $61 per month	**$1,789** / $65 per month	**$2,059** / $75 per month	**$3,399** / $123 per month
Features	**433DX/Si**	**433DX/S**	**466DX2/D**	**466DX2/T**
Processor	i486DX/33 MHz	i486DX/33 MHz	i486DX2/66 MHz	i486DX2/66 MHz
Hard Drive/Memory	212MB/4MB	245MB/8MB	245MB/4MB	527MB/8MB
Drive(s)	3.5"	3.5"	3.5"	3.5"
Monitor	IBM 14V 14" SVGA NI	IBM 14V 14" SVGA NI	IBM 15V 15" SVGA FS NI	IBM 15V 15" SVGA FS NI
Operating System	IBM DOS & WINDOWS	OS/2®	IBM DOS & WINDOWS	OS/2
Price* / IBM Credit Lease**	**$2,049** / $74 per month	**$2,359** / $85 per month	**$2,729** / $98 per month	**$3,589** / $129 per month

ValuePoint Si systems do not include all features listed above chart. Please refer to product details listed at left, or call for more information. ValuePoint Si prices listed reflect IBM Basic Keyboard only. IBM Enhanced Keyboard available at additional cost.

Call 1 800 IBM-2YOU

refer to: GJE

1 800 426-2968
8am-midnight M-F, EST
8am-7pm Sat., EST

Purchase order is available for qualifying customers.

IBM®

Angela Hardy
PC Consultant
IBM PC Direct



It's as simple as calling Angela Hardy, or any one of our other PC consultants. ValuePoint PCs, ThinkPad® notebooks, peripherals, printers, monitors, add-ons, the most popular software and more (IBM and non-IBM) are all yours – at prices you'll find personally pleasing – when you call 1 800 IBM-2YOU. You'll speak to a PC consultant who'll either answer any question you have, or get you in touch fast with an expert who can. If you don't see it here, it's in our free catalog. And if it's not in the catalog, we can probably get it for you anyway. Either way...call!

This time you can have it all.

Save space inside your multimedia PC!

The Mwave™ Windsurfer™ Communications Adapter is the complete small business/home office solution! It's a data/fax modem, a telephone answering machine, a CD-quality sound system and MIDI synthesizer...all in one! Included are a V.32 Data Modem, 9600bps Fax/Modem, IBM PhoneFX™ for Windows, Mwave MIDI synthesizer with MIDI port, Trio DataFAX LITE for Windows...and more.

Mwave Windsurfer Communications Adapter (92F4057) $349

Improve your communications and connectivity!

Whether you need to communicate with outside customers, satellite offices or the person next door, we offer a range of options for keeping you connected.

Boca Research™ 14.4/14.4 Data/Fax Modem, including FaxWorks™ (MM28202) $175

10Base-T ISA Ethernet® Adapter (60G0605). . . . $125

10Base2 ISA Ethernet Adapter (60G0615). $139

IBM Token-Ring 16/4 AT Bus Adapter (25F7367) $490

prices

IBM PC Direct has the popular software you want, at prices you'll love. Remember, if you don't see it here, or in our catalogs, call us. Chances are we can get it for you fast!

WinFax™ Pro (MM13632). $79

STACKER® (MM29205). $95

Quicken™ for Windows 2.0 (MM45870) $45

WordPerfect® for Windows 5.2
3.5" (MM77919). $305
5.25" (MM80915). $305

Boost your processing performance.

Here's a super way to boost system performance without buying a new system. Our 256KB L2 Write Back Cache Memory Kit, Video Memory Upgrade Kits and Intel OverDrive Processor make it easy to upgrade your ValuePoint system. And we now o fer L2 Cache Memory Kits for the ValuePoint Si. too!

256KB L2 Write Back Cache Memory Kit (60G1626) $249

256KB L2 Write Thru Cache Memory Kit (60G1625) $229

128KB L2 Write Thru Cache Memory Kit (60G1624) $119

1 MB Video Memory Upgrade Kit (60G1623). . . . $89

New! 256KB L2 Cache Memory Kit (73G3129). . . $60

New! 128KB L2 Cache Memory Kit (73G3128). . . $90

New! 512KB Video Memory Upgrade Kit (73G3127) $42

New! 1MB Video Memory Upgrade Kit (73G3134). $119

Intel OverDrive Processor 486DX25 (MM99983). $469

There are more options than ever for upgrading your current system. Replace your hard drive to keep up with tomorrow's demands, or add an additional diskette drive for increased flexibility...the choice is yours!

IBM 5.25" Internal, 1.2MB diskette drive (32G3947) $99

340MB AT IDE Hard Drive (32G4495) $719

527MB AT IDE Hard Drive (32G4496) $1079

The easy, affordable way to go to a speedy CD-ROM.

The ISA Internal CD-ROM has a fast 300KB/SEC maximum data transfer rate – double the speed of most CD-ROM drives! You can load your operating system and applications software from a typical 600MB CD-ROM disk. You save precious hard drive space and load onto your ISA system faster. It's priced to move fast too!

IBM ISA Internal CD-ROM Drive (32G2961) . . . $315

FREE!

The IBM PC Direct™ Source Book. ValuePoint, ThinkPad, peripherals, add-ons, popular software...it's all here and it's all yours for the asking. Call 1 800 IBM-2YOU today!



*IBM prices only. The offerings, prices and products are subject to change or withdrawal without prior notice. Products you acquire may not be counted under any existing Volume Purchase Agreement. The same offerings and products may be available through IBM Authorized Remarketers. Remarketer prices may vary. Shipping and handling charges are extra. **IBM Credit Lease prices are quoted for 36-month terms. Lease rates quoted are good through 11/30/93 after which time rates are subject to change without notice. Lease available to qualified commercial customers only. 1. Copies of warranty and 30-day moneyback guarantee information available through IBM and IBM Authorized Dealers. Please call 1 800 426-2968 for details regarding IBM's moneyback guarantee and limited warranty. 2. At no additional charge during warranty period. Onsite service available Monday-Friday 8am-5pm in your time zone. APPLIES TO IBM DIRECT SALES ONLY. 3. Upgradable with Intel's future OverDrive processor based on Pentium technology. IBM, HelpCenter, HelpWare, ThinkPad and OS/2 are registered trademarks and ValuePoint, Mwave, PhoneFX and WindSurfer are trademarks of International Business Machines Corporation. PC Direct is a trademark of ZiffComunications Company and is used by IBM under license. All other brands or product names are registered trademarks, trademarks or service marks of their respective holders.

©1993 International Business Machines Corporation.

Call 1 800 IBM-2YOU
refer to: GJE
1 800 426-2968
8am-midnight M-F, EST
8am-7pm Sat., EST
Purchase order is available for qualifying customers.


IBM PC Direct

We're putting the personal in personal computing.

INSIDE WINDOWS ACCELERATORS

GUI accelerators increase system performance by relieving the CPU of some basic graphics manipulation tasks. Here's how they do it.

PETER WAYNER



DIGITAL ART © 1993

When PCs ran DOS only, they provided adequate video performance using video cards tuned for either graphics or text output. Today, Microsoft Windows is placing great strains on PC hardware because it forces a machine to employ graphics for all output—text as well as icons and windows. This load can bog down even the fastest 486.

Fortunately, a class of video adapters has emerged that can directly handle many of the screen manipulation chores that the CPU formerly performed. These GUI accelerators are essential if you want a fast graphical interface.

The additional demands of a graphical interface like Microsoft Windows are daunting. Every time you open a window, the system must draw its contents on the screen. The same thing happens when you pull down a menu. Whenever you open a window with a resolution of 200 by 200 pixels, your system must manipulate over 40,000 pixels. If you move the window, your system must change up to 80,000 pixels to reflect the new position.

The old text-style displays (CGA), on the other hand, consisted of a 25-row by 80-column matrix. The video hardware converted ASCII characters directly into pixels. Drawing an *A* was as simple as writing a 65 (the ASCII code for *A*) into the right memory location. Changing an entire screen or drawing a window required no more than 2000 operations where the CPU wrote a value to memory.

Using the older-style display technology, your Windows machine would have to be at least 40 times faster than your text-based DOS machine to generate the same apparent level of performance. This estimate is conservative, too, because I am only comparing the act of moving a 200-by 200-pixel window in a Windows environment to completely redrawing the screen from an old CGA card. This means, of course, that you can't use the older-style

Circle 171 on Inquiry Card (RESELLERS: 172).

TeleCon XIII

THE WORLD'S LARGEST & MOST COMPREHENSIVE CONFERENCE & TRADE SHOW ON VIDEOCONFERENCING, BUSINESS TELEVISION, & DISTANCE LEARNING

A whole new WORLD

A WHOLE NEW WORLD OF DIGITAL TELEVISION, MULTIMEDIA, DESKTOP VIDEO COMMUNICATIONS & DISTANCE LEARNING



Video conferencing on a Computer Screen

520 (10' x 10') Exhibit Booths including a Showcase of Desktop Video Conferencing

NOVEMBER 8, 9 & 10, 1993
SAN JOSE CONVENTION CENTER
SAN JOSE, CALIFORNIA

Produced by APPLIED BUSINESS TELECOMMUNICATIONS

Call 800-829-3400
or 405-743-0320

display technology if you want decent Windows performance.

To compensate, Windows accelerator boards are designed to make communication between the CPU and the video hardware and between the video hardware and the monitor as fast as possible. A graphics accelerator chip set provides additional intelligence to bundle a long sequence of similar operations into one powerful screen-drawing command.

GUI ACCELERATOR FUNCTIONS

- FRAME BUFFER
- BITBLT
- HARDWARE CURSOR
- LINE DRAWING
- CIRCLE DRAWING
- POLYGON FILL

Most of the design excitement is in the laboratories of the chip manufacturers. The board and computer manufacturers often have little flexibility in the architecture after they decide which chip set to purchase. The die has already been cast, literally.

Board-Level Basics

The basic architecture of video boards is simple. The information flows from the CPU into a special section of memory that holds the description of the screen image. Then, about 70 times a second, the board must convert the screen image into the analog signal that drives the screen.

The first part of the path, the conduit between the main CPU and the video hardware, must be as fast as possible. Unfortunately, the original design specified that the main system expansion bus for the PC run at only 8 MHz, even if the processor ran at 50 MHz or higher. For this reason, most serious designs bypass the expansion bus and include a high-speed local bus that runs at the same rate as the processor.

Speeding up the information flow from the processor to the video hardware and local RAM-based image of the screen is a simple solution. If the data moves faster, then screen changes will be that much faster. But switching from the 8-MHz standard bus to a 50-MHz VL-Bus works six times faster. This is nice, but it is only the beginning of the acceleration story.

VRAM	DRAM
• more expensive • two read/write ports • no conflicts between drawing and refresh	• less expensive • one read/write port • possible conflicts between drawing and refresh

Adding Intelligence


The most common solution to speeding up GUI functions is to pack additional intelligence into the video hardware. Standard graphics adapters simply maintain the image of the screen in RAM (i.e., the frame buffer) and depend on the CPU to update each pixel. This is not very efficient because a number of Windows commands consist of telling the video hardware to perform a repetitive operation on large areas of the screen. It is common, for instance, to paint a background pattern over a large portion of the screen at start-up. The CPU could do this pixel by pixel, or it could simply ship over a small clip of the pattern and ask the video hardware to repeat it everywhere. The latest chips now have the intelligence to generate complicated patterns on the screen with only a few commands from the CPU.

Many of these embedded intelligence features are standard on almost all chip sets designed to do Windows acceleration. The most common is a hardware-based block move solution known as BitBlt (pronounced "Bit Blit") that moves large blocks of pixels around. The BitBlt takes a source rectangle and a destination rectangle and then copies all the bits from one to the other.

This approach speeds up graphics performance for two reasons. First, the connection between the video controller chip doing the copying and the RAM holding the screen is much faster than even the local bus. The Tseng Lab W32i chip, for example, can maintain this connection at 162 Mbps. Second, the width of the path between this RAM and the controller can be many bits wide, allowing all this data to transfer at once. The Western Digital WD-35, for instance, has a 64-bit-wide path.

The BitBlt operation is used in two important ways. First, when you move a window, the system copies the old image from one location to another. You do not have to redraw the window contents object by object. This approach is even more useful when you pull down a menu or open a small dialog box on top of other images. Then a covered image is copied into unused video-board memory. When the menu or dialog box selection is completed, the system restores the old image by

Relax! When you demand guaranteed no-break network protection, BEST delivers!



You've made a considerable investment in your network...in dollars, effort and data. You want the peace of mind that comes with knowing your investment is being protected by the BEST in the UPS industry. Rest easy...it's not just our name that's BEST.

The BEST Product Quality

Our quality performance and reliability consistently outpace the competition, unit after unit.

The BEST Technolog

Our engineers are on the leading edge of power protection innovation. Our successes have been acclaimed for superior design and performance.

The BEST Customer Service

Only BEST offers 24 hour, 365 day a year free phone support and a lifetime surge suppression warranty that covers both our circuitry and the protected equipment. You can rest assured, because we guarantee: **No Dissatisfied Customers.**

BEST On The All-Important Ratio Of Price to Performance

We continue to be the best-cost manufacturer.



- *Genuine "no-break" power systems.*
- *Five comprehensive levels of protection available.*
- *Intelligent and interactive systems.*
- *Suitable for any network application.*
- *24-hour service and support for life.*
- *FREE system warranty up to two years.*
- *On-site servicing available.*
- *Leasing options available.*
- *See what we mean by the BEST? For the full story, and for real peace of mind, this is the BEST number you can call,*

(800)-356-5794.
Ext. 4721

800-356-5794
Ext. 4721

Advanced On-Line Uninterruptible Power


BEST
Peace of Mind

Best Power Technology Incorporated
Telephone: (608) 565-7200 Ext. 4721 · Fax: (608) 565-2221 · P.O.Box 280 Necedah, WI 54646

Circle 68 on Inquiry Card.

Circle 160 on Inquiry Card (RESELLERS: 161).

LEADTOOLS®
adds complete imaging to your apps!
Read
Write • Print
Dither • Display
Process • Convert
TGA GIF BMP EPS*
DIB TIF PCX WMF*
PLUS
COMPRESSION
CCITT G3 & 4, JPEG, LZW
& LEAD CMP
Fastest, tightest in the industry offering half the file size with better image quality than JPEG
(Now in CorelDRAW!)
LEADTOOLS kits feature over 75 routines, each with example code. And paste code from 2 free demo apps! Kits available from DOS to NT, including add-ons for Clipper, FoxPro & Visual Basic. Call now for full info & demo disk.
1-800-637-4699
LEAD Technologies, Inc.
8701 Mallard Creek Rd. • Charlotte, NC 28262
(V) 704-549-5532 • (F) 704-548-8161
BY-1



The second port on the VRAM *allows the data to flow to the display device at the same time that new drawing information arrives from the GUI acceleration hardware.*

copying back this rectangle.

BitBlt operations can also draw text on the screen. Many video boards have built-in font caching, and they store images of the individual characters in unused memory on the video board. When it comes time to draw an *e*, there is no need for the processor to send an image of the *e* to the video board. It simply tells it to copy a rectangle containing this image onto the screen in the right place.


Another important solution is a hardware-implemented cursor or mouse pointer. The pointer image is almost always visible and often in motion on the screen. Obviously, you could use BitBlt to implement the movement of the mouse pointer, but this is not very efficient. Most video chip sets maintain the pointer image as a small bit mask (32 by 32 bits or 64 by 64 bits) that is kept in unused memory. They also keep track of the *x,y* coordinates of the pointer. When the system constructs the screen image, it automatically draws the pointer in the place designated by the coordinates. This is much faster, because the system can move the mouse by simply changing the coordinates. There is no need to copy the cursor on and off.

Many extra features make performance better but are not as generally useful or used as BitBlt and hardware-pointer support. These extra features have commands that let the graphics subsystem fill a polygon with a color or pattern and perform hardware-assisted line and circle drawing.

Memory Matters

Building a fast, intelligent video controller speeds up the system by reducing the traffic over the bus. This approach has been so successful that the bus is rarely the bottleneck for most applications. Today, the most important bottleneck in a PC graphics system is the bandwidth in and out of the memory on the video card.

The demands on video memory are high. If you are running Windows at a resolution of 1280 by 1024 pixels with 8 bits of color per pixel, then your machine must send 1.3 MB of data from the video memory to the screen 72 times each second. This 92 MBps of bandwidth is necessary simply to keep the screen running: Any additional drawing operations require extra bandwidth. This is why companies try to maximize the bandwidth between the video controller and the memory.




The screen image must flow *back through the accelerator hardware before it is sent to memory, causing conflicts with screen-drawing information.*

...y Not Keep Them All In One Place?

Getting PCs to co-exist with diverse computing standards means keeping a lot of balls in the air.

As the pioneer in developing X Servers for Microsoft Windows™, VisionWare™ understands how to unite Windows, X™, NT™, networks, UNIX™ and VMS™ to bring all your computing standards together at the PC desktop.

XVision 5 sets a whole new standard for PC X Servers as a smart, environment-aware server. XVision 5 *automatically* detects underlying network transports, *automatically* optimizes graphics speed to any PC hardware configuration, *automatically* aliases fonts and *automatically* eases the installation process.



Not stopping there, XVision also features transport-independent file transfer, local terminal emulation and an object-oriented, *drag & drop desktop integrating DOS/X/Windows.*

XVision 5 ties it all together. Instead of another ball to keep in the air, XVision provides a *real* solution that finally frees you from the whole juggling act.

XVision 5
The Smart PC X Server from VisionWare.

VISIONWARE

US Headquarters
1020 Marsh Road, Suite #220 • Menlo Park, CA 94025
1-800-949-8474 • Tel: (415) 325-2113 • FAX: (415) 325-8710

Corporate Headquarters
57 Cardigan Lane • Leeds LS4 2LE • United Kingdom
Tel: +44 532 788858 • FAX: +44 532 304676

All Trademarks are the property of their respective companies.

Circle 377 on Inquiry Card: Call me, I'm interested

Circle 378 on Inquiry Card: Send Literature

One major problem is that VRAM chips are more expensive—often 1.7 to 2 times more—than comparable DRAMs. For that reason, cost-conscious designers have found that by changing the way the system accesses the chips, they get almost the same performance out of DRAMs that they get out of VRAMs.

One solution that Tseng Labs took with its W32i was to divide the DRAMs into two different blocks (i.e., interleaving), putting the odd addresses in one half and the even in the other. Now the video-control chip could ask for two blocks of information at once, as long as one request was for an odd address and one was for an even address. This is almost always the case when large blocks of image are being copied. Tseng Labs claims to have measured bandwidth in excess of 160 MBps.

How is this better than a VRAM solution? The hottest VRAM solutions often have almost 90 MBps of bandwidth available through each of the ports. The problem is that the bandwidth is not flexible. A 90-MBps bandwidth must go toward updating the screen, and 90 MBps is available for new drawing and BitBlt commands. The 160 MBps of the Tseng Labs chip can be split as needed. If you're running Windows in a lower resolution (e.g., 1024 by

The VRAM solution could ... this, because only 90 MBps can be dev... ed to screen refresh.

Video architects have also explored other solutions to double the width of the data path between the main controller chip and the memory. Western Digital and Cirrus Logic both use 64-bit-wide buses for their latest chips (the WD-35 and the Cirrus Alpine). This is easier in one sense than interleaving, because there is no need for complex timing algorithms to govern accessing the two different sections of memory. It is more expensive, though, because the chip package and the internal buses must be twice as big. These wide buses offer about 180 MBps of bandwidth.

Fattening the bus by doubling the size or interleaving is much easier to do with DRAM than with VRAM because of the practical limitations on the number of pins that a chip can have and the number of traces that can be drawn on a circuit board. VRAMs already have twice as many pins as DRAMs because they have two ports. More pins mean more circuit board traces and more complex manufacturing standards that raise the price. Weitek still chose to use interleaved VRAMs in its Power 9100 line and found it was able to maintain a phenomenal 200 MBps.

in/fl... poses. First, it buffe... chip can accept further instructions from the main processor while it is working. If the video processor is in the middle of a BitBlit operation, the main processor can continue to off-load drawing instructions without waiting. The second effect is to allow larger instruction-word sizes. The Cirrus Logic CLGD5434, for instance, joins every pair of 32-bit blocks that arrives into one 64-bit instruction. Other processors do the same thing when they buffer the 16-bit input from the VL-Bus.

All chips also buffer the data between the video controller and the memory. The Chips & Technologies Wingine DGX offers a buffer that acts like a cache. When the screen is being refreshed, it can read the information from this buffer and not spend the additional time required to access the video memory.

The construction of the image for refreshing the screen is handled by both the main processor chip and the RAMDAC that converts the digital bits into an analog RGB signal accepted by monitors. When a screen is working in 8-bit mode, the screen can have only 256 total colors

A built-in spreadsheet that's compatible with Lotus® 1-2-3,® includes sophisticated financial and statistical functions, 3-D graphs and print preview.

The familiar windows-type graphical interface makes the Series 3a incredibly easy to use.

The RS232 Serial Interface and PSION link software let you seamlessly exchange data and files with your Mac® or PC – and support modems, plus a full range of printers including PostScript.®

Password protection and data encryption for total security wherever you go.

New! VOICE RECORDING with a Digital Audio System – built-in microphone and speaker let you record information for replay later, or record your own wake-up calls and reminders!

More power! Up to 512K built-in RAM and 1Meg ROM. Unlimited memory expansion with two Solid State Disk memory card drives. Cards are available in Flash or RAM formats from 128K to 2Meg.



Built-in word processor, compatible with Microsoft® Word, includes full Print Page Preview to view the layout of your entire document.

Fast, flexible database for any data storage need with DTMF auto-dialing.

Large screen with CGA-level resolution and full letter-size page width, plus 12 font/size combinations and zoom function in all applications.

World times and a calculator that remembers your previous calculations. Plus a built-in programming language for the enthusiast.

The most advanced Agenda and Time Management System that compare with the biggest and best desktop software.

Remarkably, the PSION Series 3a runs for months of normal use on two standard AA batteries.

Additional plug-in software applications available, including financial, banking, spell checker, dictionaries, games and more.

THE NEW PSION SERIES 3a WITH DIGITAL VOICE TECHNOLOGY. AN IDEA SO FRESH IT TALKS BACK TO YOU.



Now, PSION adds voice recording and playback to its already advanced computer functionality in the new PSION Series 3a. So you can pocket the power of a 16-bit, multi-tasking operating system, a full palette of built-in, integrated applications and digital audio, too. And you can take it all with you at a price worth talking about – units start as low as $399. Call **1-800-54-PSION** for the dealer location nearest you.

PSION, THE INNOVATION LEADERS IN PALMTOP COMPUTERS.

PSION

©1993, PSION, Inc. All rights reserved. PSION and the PSION logo are registered trademarks of PSION, PLC. We acknowledge registered trademarks as property of their owners.

NOW AVAILABLE AT: Best Buy • Burdines • Century 21 • City Cellular • Comp USA • Fry's Electronics • Good Guys • Harvard Coop Harvey Electronics • Impulse Stores • J&R Computer World • LA Tronics • Laptop Superstore • Lechmere • Sears Brand Central (select locations) Shutterbug • Silo • Tams • The Sharper Image • The Wiz • Tops and many independents.

Circle 123 on Inquiry Card.

available, because only 8 bits of information are stored for each pixel. The RAMDAC keeps a color lookup table that matches each of these 256 values to a 24-bit full RGB color definition. When an 8-bit image is being displayed, it will automatically replace the 8-bit values with the correct 24-bit RGB values.

Most companies implement the RAMDAC on a separate chip because there is not enough space on the main chip for all the functions. The Cirrus Logic and Sierra architecture teams, on the other hand, chose to squeeze it on the main chip to save costs. Although this decision may have hampered some functionality, it let them produce a good, low-cost solution. Extra chips add to total board costs, because they take up more board space, require extra circuit traces, and make assembly more difficult.

This trend will no doubt continue as price consciousness drives the market. A designer could use the extra silicon real estate for more functionality or more integration. The hardware cursor, hardware BitBlt, and some simple line-drawing routines make up most of the load on a Windows machine. Why keep adding other seldom-used functions when the software doesn't use them?

In the future, you may see general-purpose processors used more as graphics engines as the software begins to make increased demands on the graphics architecture. Some members of the Silicon Graphics Indigo line, for instance, use a Mips R4000 for its main processor and another R4000 for the graphics processor, because the chip offers very good floating-point arithmetic performance that is useful in rendering good 3-D effects. Many graphics accelerators will take this processor approach as the demand for good graphics increases.

The Multimedia Future

Video accelerators for multimedia are beginning to appear. The challenges of placing full-motion video on the screen are different from those of Windows. In many cases, the Windows operations involve moving blocks of bits from one part of the screen to another. Much of the drawing is accomplished with well-known shapes that can either be done with primitives (line or rectangle fill) or cached bit maps (fonts).

On the other hand, video is a never-ending flow of bits, and it is rarely the same from frame to frame. For this reason, chip architects are looking at new extensions of the local bus that run directly to the hard drive, CD-ROM drive, or wherever the data is kept. The Oak Technology 107, for example, has a separate 8-bit video port that accepts a signal, performs all the necessary conversions, and sends it directly to the main display memory. Now the video signal is part of the image.

The next generation of video chips will maintain several features that will take this stream of data and perform basic manipulations on it. The Western Digital WD-35, for instance, will offer a *stretch blit* operation that will stretch a small image to fit any rectangle on the screen. It will also clip the image on the fly to fit into a smaller rectangle. This makes it possible for the software creator to place moving images anywhere on the screen. These features are certain to become common in this generation of chips.

You will continue to see an expanding low end where manufacturers compete to offer the most features at a rock-bottom price. These chips will be popular because most people buy their PCs based solely on price. This part of the market should continue to be the most exciting, because analysis of Windows software shows that extra graphics features do not substantially affect performance that most users need.

The middle-range chip sets will expand by providing multimedia capabilities. It may be at least two or three years before the market grows through this period and reaches a point where most new PCs come with high-quality, high-speed multimedia interfaces. When that happens, the market should turn toward the high-quality, 3-D graphics offered by high-end workstation companies such as Silicon Graphics. When we reach that point, the well-rendered, high-end graphics—like those used to make the movie *Jurassic Park*—will finally arrive on the desktop. ■

Peter Wayner is a BYTE consulting editor based in Baltimore, Maryland, who consults frequently on graphics problems. He can be reached on BIX as "pwayner" or on the Internet at pwayner@bix.com or pcw@access.digex.com.

ROMDISK™

SOLID STATE Disk Emulators and PCMCIA Products

See us at COMDEX Booth #4183

Board Level Disk Emulators
- Capacities from 180K to 14MB
- Flash, EPROM and battery-backed SRAM technologies
- Dual Drive and Hard Drive emulation support
- High performance and low cost models available
- 8 and 16 Bit ISA Bus support

PCMCIA Carddrives and Host Adapters
- 100% PCMCIA 2.0 compliant
- Software support for all types of memory and I/O Cards
- Can be used in desktop and embedded PC environments
- Internal and external floppy drive adapters and boards
- Memory cards & Controller ICs

3½" and 5¼" Disk Drive Models
- Flash IDE Drives with capacities from 2.5 to 40MB
- DRAM Based high performance SCSI drives with capacities from 16MB to 256MB

Features and Applications
- Autoboot capability, all drives. Support for all popular operating sytems
- **Applications:** Embedded Systems, Diskless PCs, High Performance PCs, LANs, Medical, CAD/CAM, POS, Industrial Control, etc.

CURTIS, INC.

For PCMCIA Products circle 81, OTHER Products circle 82 on Inquiry Card.


Industry Leader in Disk Emulation Products 418 W. County Rd. D • St. Paul, MN 55112 612/631-9512 • FAX 612/631-9508


The only statistics package you'll ever need.

NEW
SYSTAT® 6.0 for DOS
More Statistics, Extended Memory


"The best general-purpose statistics program"* just got better


For 10 years, SYSTAT, Inc. has been producing accurate, comprehensive statistics and graphics software. SYSTAT 6.0 for DOS, the latest version of the highly-rated SYSTAT package, brings you new dimensions of power and functionality. More than 20 statistics modules have been added to the basic package, without using more disk space than the previous version. And SYSTAT for DOS now supports extended memory, allowing you to analyze larger and more complex problems than ever before. Depending on your computer's available memory, you can analyze thousands of variables and unlimited cases.











From basic to advanced statistics

SYSTAT provides a full range of statistical analyses: ■ frequencies ■ *t* tests ■ multiway cross-tabs ■ nonparametric statistics ■ correlations ■ linear, multiple, and stepwise regressions ■ ANOVA ■ ANCOVA ■ repeated measures ■ factor analysis ■ cluster analysis ■ multidimensional scaling ■ Box-Jenkins ARIMA models ■ Fourier analysis ■ principal components analysis ■ means models ■ post-hoc tests ■ time series ■ nonlinear modeling.

SYSTAT 6.0 for DOS offers even more statistical tools: ■ quality control ■ design of experiments ■ survival analysis ■ sampling ■ logistic regression ■ probit analysis ■ matrix algebra ■ two stage least squares ■ canonical and set correlation ■ reliability analysis ■ linear programming ■ signal detection ■ expected mean squares, and more. For market researchers, new SYSTAT for DOS provides: ■ complex stub-and-banner tables with multi-response data ■ conjoint and correspondence analyses ■ tree classification ■ perceptual mapping.

You can't beat SYSTAT's graphs

PC Magazine says: "SYSTAT has the most complete set of graph types of any PC-based program." And no other package can do them as easily. SYSTAT's graphs include: ■ bar charts ■ box plots ■ density plots ■ function plots ■ pie charts ■ Chernoff faces ■ probability plots ■ quantile plots ■ stem-and-leaf plots ■ 2-D and 3-D scatterplots ■ maps with geographic projections ■ contour plots. SYSTAT 6.0 for DOS also provides Shewhart, Pareto, and CUSUM charts for quality control.

SYSTAT for Windows & Macintosh

SYSTAT (version 5) is also available for Windows™ and Macintosh®. And SYSTAT's data and command files are compatible across platforms.

PC MAGAZINE EDITORS' CHOICE

"SYSTAT (for Windows) – with its superb graphics, high-quality statistical algorithms, and reasonable price – is an excellent choice." PC Magazine


Also available – FASTAT

If you need powerful statistics software but don't need the broad range of features offered in SYSTAT, choose FASTAT, available for DOS and Macintosh.

For more information and a demo disk, call:

708-864-5670

For Windows circle 134,
For IBM/DOS circle 135.




Building SQL Front Ends

New versions of tools from Borland, Gupta, KnowledgeWare, and PowerSoft for building Windows database clients

RICK GREHAN

Shared databases are the lifeblood of modern corporations. Windows is the platform of choice among PC users. So Windows clients sharing an information repository maintained by a SQL database manager is an appealing model, and one that seems like a natural next step for companies seeking to automate their businesses. But I'll bet if you took a survey among programmers, asking them to name the applications that are the nastiest to build, you'd find Windows programs and SQL database client applications right at the top. Combine the two into a request for a Windows client for a SQL database server (or worse, a group of SQL database servers), and you are asking for trouble—at least if that programmer is armed only with a C compiler and Windows SDK (Software Development Kit).

As usual, the right set of tools can make all the difference. The packages that I cover in this review—KnowledgeWare's ObjectView 2.1, Borland's ObjectVision Pro 2.0, PowerSoft's PowerBuilder 3.0, and Gupta's SQLWindows 4.0—all exist to reduce the trauma of building a Windows-based database application. Each provides a set of common interface elements (e.g., data-entry fields and check boxes) and a way of binding these elements to code that can communicate with a variety of database managers through SQL.



▶ PowerBuilder's database painter provides a graphical view of database tables. Key fields are identified by an attached key icon. Foreign-key connections (such as between the department and employee tables) are shown by a connecting line.

▶ A program in ObjectVision is actually a flowchart (known as a *tree*). Here, a value tree attached to the shipping field determines the shipping charge based on the state.

▶ ObjectView's editor and compiler work in concert. The form under design appears in the upper window. The source code for handling events received by the connect button appears in the lower window. Note the floating tool palettes in the upper window; the smaller is a custom control.

▶ SQLWindows' outliner (upper window) and design window (lower window) track one another through the development process. Selecting an object in the form window synchronizes the outliner to the object's definition (highlighted in the upper window). SQLWindows also includes a floating tool palette (to the right of the design window).

Common Tools

These four packages allow developers to build applications using more mouse than keyboard. In a sense, they are like specialized, souped-up resource toolkits. When you want to design a form, the front-end package opens a blank window and presents you with a smorgasbord of objects—entry fields, push buttons, check boxes, combo boxes, and so on—that you can place anywhere within the window. Click on a menu entry to select a push button; click over the form to deposit the push button; click on the push button to alter its properties.

Since your finished application must ultimately adjoin a database, front-end ap-

plications builders also include specialized objects for such work. One example is a data-entry field that must be connected to the back-end database and can carry along format and validation rules. Each of these packages also provides (in one form or another) a table object that allows manipulation of rows from a database table. The table is usually arranged in grid fashion, with column names across the top. In most cases, you can equip the tables with scroll bars. Most systems allow the user to manipulate the table's contents directly; the changes are automatically reflected in the back-end database.

Ultimately, some code has to get written somewhere—every menu you build graphically still needs a collection of methods to handle its events. But a good toolkit will make you write only as much code as is absolutely necessary. This is most true for generating SQL statements. PowerBuilder, especially, does a good job of building SQL SELECT statements automatically, loading them up with field names selected from database-table pick lists.

Although the front end works hard to shield user and developer alike from the actual database engine, that engine is an important consideration. Even now, the list of potential back ends is long, and providing support for a variety of database engines is not easy. The trend seems to be turning with the growing acceptance of Microsoft's ODBC (Open Database Connectivity) as a common access layer for database back ends. However, among these packages, only ObjectView and PowerBuilder support ODBC; the others (primarily for performance considerations, according to their developers) write directly to each back-end database they support.

ObjectView 2.1

- **Development language uses an easy-to-master BASIC-like syntax.**
- **Graphics engine provides a variety of business graphics styles.**
- **Supports numerous back-end databases.**
- **Includes no support for version control.**
- **Includes only a rudimentary object-repository system.**

ObjectView is indeed an object-oriented system. The topmost object in the ObjectView hierarchy is the *form*, which is more or less synonymous with *application*. A form consists of one or more panels (where a panel is a view of a result set from a database) and includes data-entry and display fields.

When you build an application in ObjectView, you wind your way through three separate programs: ObjectView's editor, the data modeler, and the compiler. Typically, you open a blank form in the editor and then move directly to the data modeler to select which tables will contribute data to or receive data from the form.

Once you've selected the database fields that will appear in the form, the data modeler automatically loads entry fields into the form (thus creating a panel) and returns you to the editor. The entry fields are loaded vertically in the form from top to bottom; you design the application's final layout by simply picking up each field and putting it where it belongs.

At any time in the editor, you can also add push buttons, check boxes, text, and even bit maps. Clicking the right mouse button while an object is selected will summon a pop-up menu that lets you alter that object's attributes, such as color and typeface. If the selected object can be manipulated by the user, this pop-up menu also leads you to a dialog box, where you indicate not only the events that the object responds to but also the method that manages that object's behavior. Some methods are built into ObjectView; for example, an EXIT push button might simply issue the CLOSE event, which will terminate the application.

For less trivial objects, you would enter SCRIPT for the method name. You must then slip out of the editor and slide into the compiler to compose the method code in ObjectScript, ObjectView's BASIC-like programming language. Programming in ObjectView is close to pure point-and-click, thanks to the hand-holding provided by the ObjectView compiler's editing menus and dialog boxes.

You build the subroutine body by more clicks in more pop-up dialog boxes. In most cases, ObjectView provides you with pick lists of appropriate ObjectScript functions. If you select a function from the pick list, a comment window appears that not only tells you what the function does, but also displays the command syntax in a special editing box. This syntax box actually acts as a template: You can overwrite the dummy arguments that appear in the function description and then cut and paste the result into your program.

ObjectView's ability to handle master-detail forms (such as might appear in an order-entry application) is particularly good. The data modeler uses a drag-and-drop paradigm to manage table joins. Within the data modeler, you select the tables that will participate in the application from a combo box. Child windows open for each table. To indicate the join, you grab the field from the first table's window, drag it to the window of the second table, and drop it over the join field. ObjectView signals the link by drawing a line between the appropriate tables. You can modify the details of the link to define a one-to-one, one-to-many, or many-to-one link.

ObjectView's table object manipulates multiple database rows. In an application, a table appears as a grid of rows and columns, its contents typically filled with the results of rows drawn from a database table. However, ObjectView also offers a special superset of the table object: the spreadsheet object. This object provides a remarkable amount of spreadsheet functionality. Users can edit cells and add formulas much as with any other spreadsheet.

ObjectView's graphics server object can produce up to 14 different graphs and charts. Along with the standard graphs (e.g., pie, 3-D pie, and bar), the graphics server can produce more esoteric graphs: polar graphs and Gantt charts, for example.

Back-End Support

ObjectView supports a stunning array of back-end database packages. Most of this connectivity is available thanks to the Q+E Libraries (available from Q+E Software) and Microsoft's ODBC. This results in a hodgepodge of access and concurrency mechanisms. Earlier versions of ObjectView provided more manifest connectivity to dBase files, so ObjectScript still retains functions explicitly to manipulate such databases; for example, you can lock individual records or entire files. Besides dBase, ObjectView also provides Btrieve-specific functions. You can lock or unlock individual Btrieve records, and Btrieve supports transaction control, accessible through ObjectScript calls.

ObjectView still has plenty of SQL connectivity, however. In fact, while manipulating dBase or Btrieve files, an ObjectView application can be carrying on operations with up to eight simultaneous SQL connections. ObjectView even provides a number of Oracle-specific commands, including the binding mechanism for associating ObjectScript variables with placeholder variables that you can insert directly into SQL statements. Most important, the SQL functions provide direct access to commit/rollback functions.

Like SQLWindows and PowerBuilder, ObjectView lets you construct classes and

COMPARING SQL CLIENT DEVELOPMENT SYSTEMS

A blow-by-blow comparison of features for front-end builders can boil down to a comparison of concurrency mechanisms, back-end support, and price. But keep in mind that the quality of the development environment, where SQLWindows and PowerBuilder excel, can't be easily captured in a tabular comparison. (● = yes; ○ = no.)

	OBJECTVIEW 2.1	OBJECTVISION PRO 2.0	POWERBUILDER 3.0	SQLWINDOWS 4.0
Database support				
BTrieve	●	●	○	○
DB2	●	○	●	[1]
dBase	●	●	○	○
Gupta SQLBase	●	○	●	●
Informix	●	○	●	[1]
Ingres	●	○	○	●
NetWare SQL	●	○	○	●
ODBC	●	○	●	○
Oracle	●	○	●	[1]
Paradox	●	●	○	○
Q+E Libraries	●	○	○	○
SQL Server	●	● (via DLL)	●	[1]
Teradata (NCR 3600)	●	○	○	○
Quadbase SQL	●	○	○	○
XDB	●	○	●	○
Watcom SQL	●	○	●	○
ASCII	●	●	○	○
Development languages				
Custom language	○	●	○	●
C/C++	○	●	○	○
BASIC	● [2]	○	● [2]	○
Data types				
Fixed-length character	●	●	○	○
Variable-length character	●	●	●	●
Integer	●	○	●	Number
Floating-point	●	●	●	Number
Date	●	[3]	●	[3]
Time	[4]	[3]	●	[3]
Binary object	●	○ (dBase III memo fields)	○	●
Security/concurrency				
Explicit row locking	● (dBase)	○	[5]	[6]
Explicit table locking	● (dBase)	○	[5]	○
Automatic locking	● (dBase)	○	[5]	●
Transaction rollbacks	●	[7]	●	●
System requirements				
Memory (MB)	8	2	4	8
Disk space (MB)	40	10	12	12
Miscellaneous				
Ad hoc SQL queries	●	○	●	●
Debugger	●	○	●	●
Object repository	○ [8]	○	●	●
User-generated DLL support	●	●	●	●
Graphics generation	●	○	●	●
OLE support	●	●	●	●
Price	$2799 [9]	$495	Single back end: $3595 With ODBC: $3195	Corporate: $3495 Standard: $1995

[1] Requires an additional router package.
[2] Similar to BASIC but includes nonstandard features.
[3] Single time/date data type.
[4] Time data handled as strings.
[5] Through ODBC only; subject to ODBC driver.
[6] Isolation levels.
[7] ObjectVision does support SQL connectivity through a DLL.
[8] Rudimentary object-storage tools but no version control.
[9] Development system only; distributing run times requires additional licenses.

instantiate objects based on those classes (e.g., a data-entry field). But SQLWindows and PowerBuilder also let you create *object repositories*—databases that can hold bits and pieces of an application such as push buttons, entry fields, panels, and entire forms. The closest ObjectView comes to any kind of repository is the mini-album and object manager applications.

The mini-album holds clip-art-type graphics (Windows-compatible bit maps or vector images). The object manager is a similar kind of clipboard-style holding tank. You can, for example, copy button and field objects out of your application and place them in the object manager for later use. The object manager will remember not only the image of the object (e.g., color and font) but also other attributes (e.g., methods).

New in version 2.1 is an improved interface to C and C++ (the documentation gives examples for interfacing to Microsoft C/C++ 7.0, Quick C, Visual C++ for Windows, and Borland C/C++ 3.1). All in all, ObjectView is a capable package. The only thing really missing is a good object repository with version control capabilities. Engineers at KnowledgeWare informed me that this was on the way; I'll be watching.

ObjectVision Pro 2.0

- **Bundled with Turbo C++ and ObjectWindows.**
- **Programming is graphical.**
- **Has limited concurrency controls.**
- **SQL connectivity is not well integrated; SQL access is through a DLL.**
- **Least expensive package; targeted at less experienced developers.**

ObjectVision is a graphical tool for constructing applications, which are collections of forms. In ObjectVision, *form* is really just another word for *data-entry screen.* You can populate forms with the usual array of user-interface objects: entry fields, push buttons, tables, and bit maps.

If there's an overriding principle behind ObjectVision, it's the notion of *goal-directed* or *guided* completion. Simply put, this means that an applications designer does not have to explicitly specify the execution path through a form. All forms in an application reside on the *form stack*, a kind of internal data structure that isn't much more than a list of form names. The topmost form in the form stack is referred to as the *goal* form. It is ObjectVision's ultimate aim to fill all unfilled fields in that form.

As an ObjectVision application executes, guiding the user from one entry field to the next and encountering fields that depend on values from other forms, ObjectVision calls up the forms on which each field depends. This nesting goes arbitrarily deep into the form stack, and ObjectVision keeps track of the nesting path. The application is considered complete when all entry fields on the goal form are filled.

Of course, you can override ObjectView's guided completion by attaching code to a form's data-entry fields and other user-input objects. Here's where ObjectView diverges from the pack; programming in ObjectView is more an act of drawing than of writing.

Rather than type in lines of source code, you construct *trees*, a specialized form of flowchart. There are two kinds of trees in ObjectVision: event trees and value trees. Event trees specify how an object responds to a particular event (e.g., what happens when you click on a button); value trees define what actions are taken when a value is placed in a field. As an example, a value tree attached to a subtotal field could examine the subtotal amount and determine whether to apply a discount to the entire total.

Connections between fields in ObjectVision programs and data in databases occur via links. A link defines how data flows into or out of an ObjectView application. Thus, a link might also connect an ObjectView application to another application via DDE. Currently, ObjectView supports links to five external sources: dBase, Paradox, Btrieve, ASCII, and DDE. The SQL connection takes place through a DLL.

The act of building links sends you through a series of dialog boxes. When you're done, you've assigned connections between fields in the database and fields in the form. In the process, you identify which fields are read from the database and which fields are written. You can also have ObjectVision build database navigation buttons for you automatically—creating all the necessary support code—and deposit those buttons into your form.

Although links are easy to define, their static nature makes for some limitations. Specifically, when you build a link, you have to define the path to the database files. This path definition stays in the final application, which means that the target system must have an identical directory structure to the development system. The only workaround is to define logical drives using the DOS ASSIGN command.

Split Access

ObjectVision's commands for accessing SQL databases are separate from those commands that access Paradox, Btrieve, dBase, and ASCII files. ObjectVision's SQL awareness comes via a DLL that your application must load and register (i.e., build structures that "teach" ObjectVision how to call entry points in the DLL).

On the one hand, this means that Paradox databases, for example, are accessed directly as Paradox databases, not through an additional layer that makes Paradox files look like a SQL database. The absence of the additional layer certainly results in higher throughput. However, it makes it difficult to create back-end-independent packages in ObjectView, since database functions being called are either SQL-type functions or non-SQL-type functions. Furthermore, you can't create links between SQL tables and ObjectVision fields using the dialog boxes provided in ObjectVision (as described above). Instead, you have to hand-code the links using the `@SQLOPEN()` function.

ObjectVision's concurrency mechanisms are rudimentary. The only concurrency ObjectVision understands is the *dirty read*. It works like this: Whenever your application requests a record from the database, the ObjectVision engine takes a snapshot of the record before handing it to the application. After the user has made modifications and the application issues a write request, ObjectVision checks its snapshot with the copy of the record in the file. If ObjectVision finds any differences—indicating that another user has modified the record behind your back—it asks whether the write request should be aborted. ObjectVision supports no record locking (even though those capabilities are within Paradox, dBase, and Btrieve) and, even worse, provides no commit/rollback capabilities. (If you use SQL within ObjectView, you can issue any commit and rollback commands that are provided by the SQL engine you are attached to.)

There's plenty of room for improvement in ObjectVision. The version I tested incorporated a version of the Paradox engine that was not up to date. Borland rightly points out that ObjectVision is targeted toward entry-level developers who may not have the skills for managing large or complex databases. Users requiring a more industrial-strength database applications builder from Borland will likely opt for Paradox for Windows, which should include SQL connectivity by the time you read this.

PowerBuilder 3.0

- **Development language is like BASIC.**
- **Development environment provides good isolation from SQL.**
- **Object repository system is not as well developed as SQLWindows'.**
- **Watcom SQL is bundled with the package.**
- **PowerBuilder applications can also include dynamically generated business graphics and charts.**

As I write this article, PowerSoft's PowerBuilder has just undergone a major face-lift, moving up from version 2.0 to 3.0. I worked with both releases but concentrated on 3.0 (unfortunately, 3.0 documentation was still at the presses).

Because of an effort to drive home the graphical nature of the PowerBuilder environment, every program in the suite is a painter: There's the application painter, the window painter, the menu painter, and even a database painter. Each is a separate object-building application within the PowerBuilder suite. For example, you open the structure painter to build frequently used data structures for later entry into modules that you create in PowerScript (PowerBuilder's BASIC-like application language). These data structures have a format similar to C's `struct` or Pascal's record data structures.

Like ObjectView, PowerBuilder is compatible with a surprising number of database back ends. In addition, PowerBuilder arrives bundled with the capable Watcom SQL engine (to which it talks via ODBC). Included are Watcom's database tools, which can handle rudimentary SQL database creation and maintenance activities, as well as provide an interactive SQL screen for ad hoc queries.

PowerBuilder's standard control is the PowerBar, a row of icon-bedecked push buttons that provide instant access to PowerBuilder's various painters. The PowerBar is customizable: You can add new icons (PowerBuilder provides 80) and attach applications to each. A single click can transfer you to your favorite editor. If you don't like the PowerBar approach, you can revert to the PowerPanel, which displays as a child window populated with regular Windows icons.

Constructing a PowerBuilder application typically begins at the database painter, where you create and manipulate database tables. The database painter represents foreign key connections graphically, much in the way ObjectView displays joins in

its data modeler. A line connects the corresponding fields. From the database painter, you can also store validation rules and display styles in the database.

Next is the application painter, which builds the root entity from which all other objects in the application spring. Although the application object has no visible counterpart in the final executable file, it holds guiding scripts that determine how the windows in the application interconnect.

As you might expect, the window painter is PowerBuilder's editor for building windows and populating them with interface objects such as push buttons, check boxes, and (among others) PowerBuilder's most powerful interface object, the datawindow. The datawindow is PowerBuilder's answer to ObjectView's panel and SQLWindows' QuestWindow; it is the means by which data moves between the application and the database.

A datawindow has a great deal of flexibility, thanks largely to its eight presentation styles. Tabular presentation style displays rows in columns in the familiar grid fashion; free-form style lets you position database fields haphazardly (if you choose) within the window. Other styles include grid (tabular style with lines), labels (for printing labels), and even group (which lets you arrange fields for subtotals). Finally, the graph presentation style connects the datawindow to PowerBuilder's graphing capabilities and allows the application to display data in one of over a dozen graph styles (both 2-D and 3-D).

As usual, there's code behind the window. As with many of the other packages, whenever you click the right mouse button over a datawindow object, a floating menu appears. Topmost in that window is the selection script. Click on that, and you're taken to a window from which you can select all the source code for the methods associated with that datawindow. Each event that a datawindow might accept (e.g., a click within the window or an item changed) can trigger a different script. Select the event, and the window displays the code that will be triggered in response to that event. Of course, you can attach a script to any kind of object that might respond to an external action.

PowerBuilder's debugger is full-fledged. You can deposit breakpoints in selected scripts. Then, when you execute the application, the debugger halts the application at the appropriate point and opens a debugger window. From there, you can open a watch window to keep an eye on global or local variables.

Library Painter

PowerBuilder has an object repository, called the *library painter*, that can hold various application objects: datawindows, menus, functions, even whole applications. The library database, which can reside either locally or on a network, maintains a checkout/check-in facility. If you check out an entry for modification, no one else can check out (and therefore modify) that entry until you check it back in again.

Upon first opening the library painter, you'd swear you were in the Windows file manager. You see a tree diagram of subdirectories represented as folders; double-clicking on a folder expands that branch of the tree. The library manager takes this metaphor all the way into libraries: If you double-click on a library icon, it opens to reveal that library's contents. Each object has its own icon. Furthermore, you can see modification dates and times, as well as one-line comments that can be attached to each object. All this fits seamlessly within the graphical display structure you've become used to in the program manager.

Within the library painter, you can search a library (or a portion thereof) for a specific string. The results of the search will be displayed in an annotated pick list. Click on an entry of the pick list (which, again, could be any kind of object), and PowerBuilder sends you directly to the proper painter for the object.

PowerBuilder works hard at doing your programming for you. It's rapidly acquiring as much back-end capability as ObjectView (3.0 adds ODBC). PowerBuilder is in hot competition with SQLWindows, and it will be interesting to watch the rivalry as version 3.0 moves to completion.

SQLWindows 4.0

- **Provides extensive team-programming and project-control tools.**
- **SQLBase back end is tightly coupled with the front end.**
- **Object-oriented programming constructs allow reuse and inheritance.**
- **SQLWindows Application Language is difficult to master.**
- **Quest development tool allows rapid creation of database objects within a form.**

Gupta SQLWindows is the most robust development package. It's available in two editions: the standard edition ($1995) and the corporate edition ($3495). The corporate edition has a host of tools, most notable among them being SQLWindows, TeamWindows, Quest, ReportWindows, SQLTalk, and (of course) the SQLBase server. The standard edition includes all the above except for TeamWindows and Quest. I reviewed the corporate edition.

When you launch the SQLWindows development system, you actually open two windows into the application. One, the form-design window, allows you to graphically populate the form with user-interface objects in much the same way as the other packages do. A typical procedure is choosing the push-button icon from the floating tool palette and clicking on the form, where a push button then appears.

The other window into the form is the outliner, where the text for the SAL (SQLWindows Application Language) code associated with the window resides. The two windows are tightly coupled: Place a new object in the form window, and the proper SAL code automatically appears in the outliner. Activate a menu in the form window (you're still designing, mind you), and the line corresponding to the SAL code that defines that menu entry is highlighted in the outliner.

Quest, Gupta's graphical query, editing, and reporting tool, is also closely tied to the SQLWindows development environment. This linkage takes place through the QuestWindow object. It lets you build database access panels for either querying or editing a data file. While you build your query/edit child window, Quest generates SAL code for you automatically. Once you've built the QuestWindow, you can customize its behavior by programming SQLWindows directly. You can, of course, operate Quest as a separate product, for graphically generating everything from queries to reports.

TeamWindows is SQLWindows' project management system. A project is a conglomerate of application code modules, some non-SQLWindows objects (e.g., bit maps), an application database, project standards (which can be anything from coding standard to default object names), and a project manager and staff.

In TeamWindows' administrator component, you create and maintain users and projects. This amounts to working with a specialized database. One piece of this database is the data dictionary, which carries information about the structure of databases within applications. This information is extensive and falls into three categories: SQL attributes (e.g., data type and field length), SQL Windows attributes (e.g., font and color), and user-defined attributes (e.g., free-form comments) that



Save Time, Save Money, Save Code...
Save Your Environment



RCS

REVISION CONTROL SYSTEM

A quality configuration management system can save your development environment from all kinds of disasters. Avoid costly collisions, keep a complete audit trail, and automatically rebuild your project – saving time, saving money and even saving you from potential "environmental disaster." When you're looking for a quality configuration management system, you want the best in the business.

MKS RCS (Revision Control System) is that system. Fully featured, reliable, easy to use, and a reputation for excellence make MKS RCS the best in the business.

- our Windows GUI saves valuable time – get up and running quickly
- MKS Make performs precise, uniform, repeatable builds of your project
- designed for use by teams on networks; specialized support for Novell
- unlimited branching and merging, locking, binary file support, access lists
- we believe in giving our clients the best product at the best price. Save thousands of dollars by choosing MKS!

- Platforms Supported

- DOS
- WINDOWS
- UNIX
- WINDOWS NT
- OS/2
- & MORE

MKS has a reputation for excellence – quality software, prompt support, real value. At MKS the customer always comes first. Join IBM, Lotus, Intel, DEC, Hewlett Packard... and choose MKS as your partner in innovation.

Complete satisfaction or money-back guarantee.

"MKS gave us the solution we needed across platforms"
Lotus Development Corporation

"MKS RCS has easily paid for itself with the time it has saved our engineers"
Glenn Lewis, Intel

35 King Street North,
Waterloo, Ontario
Canada N2J 2W9
Tel: (519) 884-2251
Continental
U.S.A. & Canada:
800-265-2797
Fax: (519) 884-8861
inquiry @ mks.com
CompuServe: 73260,1043

MKS
MORTICE KERN SYSTEMS INC.

Call in for your free copy of "Saving Time and Money with Configuration Management".

Australia +61 03 580 1333 Belgium +32 02 732 4020 Brazil +55 83 333 1904 Denmark +45 45 87 72 00 Finland +358 90 506 2600 France +33 1 48 77 22 44 / +33 1 39 46 16 16
Germany +49 0721 988 280 / +49 0551 507 620 Italy +39 02 4801 6053 Japan +81 03 3293 4711 Korea +82 02 561 1021 3 Netherlands +31 020 614 2463 Norway +47 22 11 09 50
Singapore +65 747 2266 Sweden +46 013 11 15 88 Switzerland +41 061 421 3201 United Kingdom +44 029 689 911 / +44 071 833 1022 / +44 036 465 4100

Circle 311 on Inquiry Card.



NOW, HAND OUT INSTANT INFO VIA FAX.

FaxFacts is the revolutionary fax-on-demand system that allows your customers and prospects to request information by simply pressing a few phone buttons. In seconds, a fax "full of facts" is sent to the caller.

- Instant information available 24 hrs. a day.
- Reduces operating costs.
- Ideal for dispersing literature, specs, pricing or customer support.
- Provides answers, while customer's interest is peaked.
- Credit card charge per fax.
- Easy to install by non-technical person.

TRY THIS DEMO:
708/924-3030
DOC. NO. 889812

Faxfacts® by Copia International Ltd.
Wheaton, Illinois 60187 708/682-8898

A MESSAGE TO OUR SUBSCRIBERS

FROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER LIST available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
Attn: Subscriber Service
P.O. Box 555, Hightstown, NJ 08520

can be attached for later referral.

TeamWindows' checkout/check-in facility provides version control for large projects involving multiple developers. To work with an application's modules, you must extract them from whatever project's library the application is a member of. This moves them into your personal workspace and tags them as being logged out; no other developer on the project can alter those modules until you check them back into the library. Users within TeamWindows are assigned access levels and promotion levels. The access-levels attribute (there are four levels) defines what a user can do within the TeamWindows environment—that is, what parts of the TeamWindows database the user is able to alter. For example, only a project administrator is allowed to create new projects.

The promotion level indicates the privileges that the user has within the TeamWindows promotion facility, which is the mechanism by which TeamWindows manages the status of project components as they pass through design phases. TeamWindows recognizes three levels in the life cycle of a program module: the development level, the testing level, and the production level. In a nutshell, a program module begins in development. From there, it moves into a testing phase. After verification, the module may be promoted into the production phase.

There are actually parallel paths in the testing phase. TeamWindows recognizes that some modules may be tested in standalone fashion, as part of a single application, while other modules may be tested in multiple applications. Hence, TeamWindows provides a shared testing phase.

SQL and SAL

SQLWindows expects only a SQL back end, so it doesn't have any of the dBase- or Btrieve-like explicit record-locking commands that you will find in ObjectView. However, SQLBase does provide a kind of implicit row locking via *isolation levels*, which can be set using the SAL function `SqlSetIsolationLevel()`. Although there are four isolation levels, the basic function of the level is to determine whether an automatic lock is placed on rows that your application accesses during a transaction. This permits you to manage the level of concurrency an application can handle. There is, of course, also the standard SQL commit/rollback mechanism for managing transactions.

As good as SQLWindows and Quest are at rapidly building forms, sooner or



PC PACKAGE



SupraFAXModem V.32bis — $149.95

Internal 14,400 bps fax and data modem for PC compatibles.

PC PACKAGE



SupraFAXModem 144LC — $179.95

14,400 bps fax and data. Full-featured PC package.

MAC PACKAGE



SupraFAXModem 144LC — $189.95

14,400 bps fax and data. Full-featured Mac package.

CALL TODAY! 1-800-727-8647

All extra value PC packages include DOS™ and Windows™ software: WinFax™, FaxTalk™, COMit™, and CompuServe Information Manager™. Mac packages come complete with FAXstf™, MicroPhone LT™, and CompuServe Information Manager™. All cables and instruction manuals included. Sorry, does not include drink or fries.

Supra Corporation

All prices are estimated retail selling price, prices may vary.

All trademarks belong to their respective companies. 7101 Supra Drive S.W. Albany, OR 97321 USA • 503-967-2410 • Fax: 503-967-2401

later you have to deal with code. SAL is a departure from typical programming languages, not only in syntax, but also in the method by which you create SAL code. Programming in SAL involves working with a *folding editor*, which is like an outline processor. The SAL code that manages an application is often referred to as the *outline*, and the window in which the outline is displayed as the *outliner*.

Recall that the outline window and the form-design window in SQLWindows run in parallel. Changes that you make in the form-design window are instantly reflected in the outliner. Similarly, if you add a new object to the outliner, it appears in the form window. Object attributes that are not specified in the outline are available via a pop-up menu that you conjure with a mouse-click over the object in the form window or over an icon that appears next to the object name in the outline.

For example, at one level of the outline you'll find an entry named *menus*. Double-click on that entry and the level below opens, revealing entries for all the menus in the application. Select one, click on it, and the next level opens, exposing information about the selected menu, including its title, its description, and a list of menu items. Of course, the menu items themselves have more information hidden at lower levels; you can access that information by clicking on the items.

This approach has a number of advantages. Most visibly, it takes top-down programming design to the extreme. You can zoom in to focus on only the portion of the program under construction, or zoom out to examine the overall flow of the program. Since the entire format is nonprocedural by nature, it fits in well with the event-driven structure of Windows programming. Finally, when you add an object to a form under construction, not only does SQLWindows automatically load the proper source into SAL, but it also attaches the necessary subheadings for that object.

SQLWindows is undeniably one of the most capable front-end development packages. Furthermore, since Gupta provides a strong back-end SQL engine (SQLBase), the pairing is more solid (i.e., if a function is there, it's really there, rather than available only if the engine sitting on the other side of ODBC supports it), and the documentation for the database administration is thus more complete.

SQLWindows is undeniably one of the most capable front-end development packages.

Straining Under Complexity

SQL front-end development packages sit at the collision point of two very complex activities: building a Windows application and building a SQL database application. Consequently, their raison d'être is an attempt to simplify both activities. Sometimes, this attempt results in bizarre overachievements—the GUI philosophy carried to near unusability, you might say.

Programming in ObjectVision (high-level programming of form mechanics; that is, not using Turbo C++ to build a DLL) amounts to building a flowchart. Personally, I don't see that this process is any easier than simply writing code. Is all the mouse-clicking really faster than typing in an IF... THEN statement?

Perhaps I suffer from my nongraphics programming roots, and perhaps ObjectVision's paradigm is something that a nonprogrammer would cotton to quickly. But in my experience, programming in ObjectVision is ultimately no faster or easier than programming in other packages.

Two more examples of the GUI straining under complexity come from ObjectVision and PowerBuilder. If you are building an ObjectVision application and you need to select an entire table, you have to click on an entry twice... slowly. A standard double-click will not work—that does something else. The slower double-click forces you to hit your mental brakes and unfortunately expands the universe of user interactions that you have to master in order to deal with the application. Meanwhile, PowerBuilder's primary user interface, the PowerBar, can sometimes stretch from near the top of the screen to the bottom. The visual effect is a long column of minuscule icons.

Making Ends Meet

Probably, neophyte applications developers will gravitate toward ObjectVision. Of course, as the demands you place on your application grow, ObjectVision's limitations will make themselves apparent. In particular, if your database either sees significant multiuser activity or is not already in one of the data file formats that ObjectVision supports directly, you should look elsewhere.

ObjectView stakes out a solid position on middle ground. It talks to just about any database you can think of, supports plenty of visual interface objects, and uses a programming language that's easy to pick up even if your only programming training has been in BASIC.

My guess is that SQLWindows and PowerBuilder will continue elbowing one another for position as the premier development platform for serious Windows SQL applications builders. Although it's difficult to make a comparison with PowerBuilder in the midst of a revision, SQLWindows enjoys a more complete and better-integrated object-repository and project-control system.

Furthermore, SQLWindows has the advantage that the front-end application builder comes from a company with a very popular database back end. On the one hand, this means it's less likely that SQLWindows will have the widespread back-end support that PowerBuilder has (via ODBC). On the other hand, it gives the developer working against Gupta's back-end database greater control over the entire system. And simply put, it's always best when your front end knows precisely what your back end is doing. ■

Borland International, Inc.
(ObjectVision Pro 2.0)
P.O. Box 660001
Scotts Valley, CA 95067
(800) 331-0877
(408) 431-1000
fax: (408) 439-9119
Circle 1077 on Inquiry Card.


Gupta Corp.
(SQLWindows 4.0)
1060 Marsh Rd.
Menlo Park, CA 94025
(800) 876-3267
(415) 321-9500
fax: (415) 321-5471
Circle 1078 on Inquiry Card.


KnowledgeWare, Inc.
(ObjectView 2.1)
3340 Peachtree Rd. NE,
Suite 1100
Atlanta, GA 30326
(404) 231-8575
fax: (404) 364-0883
Circle 1079 on Inquiry Card.

PowerSoft Corp.
(PowerBuilder 3.0)
70 Blanchard Rd.
Burlington, MA 01803
(617) 229-2200
fax: (617) 273-2540
Circle 1080 on Inquiry Card.

Rick Grehan is technical director of the BYTE Lab. He has a B.S. in physics and applied mathematics and an M.S. in mathematics/computer science. You can reach him on BIX as "rick_g."

From the company that provides extraordinary development solutions...





10:00 AM **2:00 PM**

comes extraordinary deployment solutions: limitless.

Open Interface. Do more, do it faster, and do it without run-time fees.

Neuron Data's Open Interface Elements™ - the leading GUI development tool and script language - has always met our customers' high standards for quality and functionality. But now, we've gone one step further, by allowing our users unlimited distribution capabilities, at no additional charge. As always, Open Interface allows you to develop your client/server applications on all standard windowing environments. And then instantly port to any of over 35 platforms including Microsoft Windows and NT, IBM, Apple, DEC, HP, Sun, and PC/UNIX.

From Open Interface Elements to C/S Elements™ with data access to Smart Elements™ with rules and objects, you won't find a run-time fee on any of our products. Which means that you - and corporate customers of ours like Colgate-Palmolive, J.P. Morgan, and AT&T, or ISVs and VARs like Cabletron, ESRI ARC/INFO®, and NASDAQ - can develop and distribute applications without tracking or deployment costs.




To find out more, call us at 800-876-4900, ext. 696, and we'll send you product literature, seminar information, and a strategic overview of our new Elements Architecture.

NEURON DATA

Neuron Data Open Interface Elements, C/S Elements and Smart Elements are trademarks of Neuron Data, Inc. All other copyrights are the trademarks of their respective owners. © 1993 Neuron Data, Inc.

Circle 111 on Inquiry Card.

ADVERTISING WORKS



This famous McGraw-Hill "Man in the Chair" ad first ran more than 30 years ago. Today, its insight is every bit as pertinent: advertising works. Advertising not only forges your company's image and heightens product awareness, it opens doors for the sales calls that build your business.

In the global 90's, advertising is even more important to create worldwide awareness of your company and products.

Now, McGraw-Hill's unique business publications deliver the dynamic worldwide marketplace—before, during and after your sales calls—with unparalleled impact.

BYTE

Contact:
Ron Evans, Publisher
603/924-9281
603/924-7620 Fax

Circle 385 on Inquiry Card.

Windows Under 4 Pounds

New 486-class subnotebooks from Epson and IBM offer alternatives to Intel CPUs and include the kind of features found in heavier models

DAVE ROWELL

The guiding idea behind subnotebooks has been compromise on features to shed pounds. The result is systems under 4 pounds but with external floppy drives and less processing power, smaller screens, cramped keyboards, shorter battery life, and higher prices than standard notebooks.

If Windows is your yardstick, the lack of processing power is perhaps the most significant compromise. However, several recent subnotebooks, including two from Epson America and IBM, employ 486 or 486-like processors that are fast enough for good Windows performance.

Along with the claim of 486 power, Epson's ActionNote 4000 and IBM's ThinkPad 500 both provide features more often found in heavier notebooks—4 MB of RAM, an 85-MB hard drive, and a backlit VGA screen—for just under $2000. I reviewed production units with these standard hardware configurations (except that the ThinkPad I evaluated came with an optional 170-MB Western Digital Caviar Lite hard drive).

Both Epson and IBM make acceptable subnotebooks. However, the ThinkPad comes out ahead based on both performance and usability, although it costs slightly more and has fewer bundled extras than the ActionNote.



New subnotebooks *from IBM (left) and Epson America. Both run Windows easily, but IBM's ThinkPad 500 sets new usability and performance standards for this class.*

What's in a 486?

If "486" means "Intel" to you, then the Epson and IBM subnotebooks are 486 PCs in name only. The ActionNote uses a 33-MHz Cyrix 486SLC, while the ThinkPad runs IBM's speed-doubled 25-/50-MHz 486SLC2. At comparable clock speeds, neither gives you the all-around performance of an Intel chip, and neither provides a built-in FPU. (The ActionNote can take an optional Cyrix 387SL math chip.) For comparison, I used CompUSA's 4SL/25 Subnote, which runs Intel's 25-MHz 486SL (see "The Littlest Notebooks," September BYTE).

Consider Cyrix's 486SLC chip as sort of a 386-and-a-half. It benefits from pipelined execution, a built-in 1-KB cache, and a hardware multiplier that greatly speeds up integer math operations, such as spreadsheet recalculations. With its 386SX pinout, however, the 486SLC suffers from a constricted 16-bit path to DRAM. Intel's 486 chips use an 8-KB cache and a full 32-bit external data path. Even at 33 MHz, the ActionNote's raw CPU performance, as measured by BYTE's low-level DOS tests, is less than two-thirds that of the Subnote with its 25-MHz Intel 486SL.

Not related to the Cyrix 486SLC family, IBM's 486SLC provides performance closer to that of an Intel 486 of comparable clock speed. The ThinkPad makes up the difference and a little more by using a speed-doubled version, the 486SLC2, which runs internal operations (including an 8-KB cache) at 50 MHz.


The video and hard drive subsystems also play a big part in performance. In spite of its slower CPU, the ActionNote provides decent Windows graphics performance and did better in the Windows applications tests than the Subnote—but not as well as the ThinkPad, which gave superior performance in all hardware categories. The ThinkPad pulled way ahead in all application tests except the DOS spreadsheet section, where its lack of built-in floating-point capability put it at quarter speed compared to the Intel 486SL–powered Subnote.

If chips ending in SLC aren't as fast as their Intel namesakes, they are smaller, use less power, and run cooler. Running at 50 MHz, IBM's 486SLC2 needs no heat sink or fan even though it's lodged in close quarters. The chip is a power miser to begin with and keeps even cooler by running at 3.3 V, as do most of the ThinkPad's other internal components. With power management enabled, the ThinkPad lasted just over 4½ hours in BYTE's battery test.

Cyrix's 486SLC has a similar reputation for low power consumption, but the ActionNote runs it at 5 V, and the CPU's position close beneath the machine's outer skin creates a surprisingly warm spot on the bottom of the case. Battery life was under 3 hours.

Epson ActionNote 4000

Epson's ActionNote 4000 provides a mixture of strong and weak features and so



All performance results are indexed, and higher numbers indicate better performance. Battery-life results are given in hours. For each index in the DOS Low-Level, DOS Application, and Windows Application tests, a Toshiba T2200SX notebook running DOS 5.0 and Windows 3.0 = 1. For the Windows Low-Level benchmarks only, a Compaq 386/33L running DOS 5.0 and Windows 3.1 = 1.

* For comparison; uses an Intel 25-MHz 486SL (see "The Littlest Notebooks," September BYTE).


Although the ActionNote's *33-MHz Cyrix 486SLC provided 486-class integer performance, its 16-bit external memory bus lowered its DOS Low-Level CPU score to almost half that of the 25-MHz Intel 486SL in the CompUSA Subnote (provided for comparison). Similarly, the ThinkPad's 50-MHz IBM 486SLC2 didn't provide double the CPU score of the Subnote's 25-MHz 32-bit Intel chip. Disk and graphics performance was more important than CPU speed for the application tests. The ThinkPad excelled everywhere except in floating-point math, and the ActionNote beat the Subnote in Windows testing.*

comes out an average player in the subnotebook game. Its strong points are its sharp, paper-white LCD, smooth typing action, and a hard drive that can be removed as a cartridge. The ActionNote also comes with a carrying case, which is a $79 option with the ThinkPad. The machine's weak points are its keyboard's nonstandard layout, a hard-to-use tiny trackball (like most found in subnotebooks) located to the right above the keyboard, short battery life, and an underdeveloped set of power management features.

The ActionNote's LCD screen appears to be the same 7.4-inch panel used in the ThinkPad. Although small (I measured the actual display area as 7¼ inches diagonally), the display is bright, sharp, and easy to


The World's *FASTEST* CD-ROM.

Yes it is the world's fastest... and no one else comes close!



Pioneer's DRM-604X, featuring it's exclusive *Quadraspin* technology, has jumped past double speed drives to a new transfer rate of over 600 KB/sec. That's four times the speed of standard drives and twice the transfer rate of double speed drives.

DATA TRANSFER RATE (KB/SEC)



In an independent test, Pioneer ranked number one in overall performance. The DRM-604X searched databases, retrieved files and read CD's faster than any other drive.

Highest Capacity

Not only is this drive fast, it's also the industry's only 6 disc mini-changer.

IMAGING MAGAZINE PRODUCT OF THE YEAR 1992

The DRM-604X holds 6 CD's and can change CD's in an amazing 5 seconds. If you need more than 6 CD's you can manually change magazines or daisy chain up to 7mini-changers to automatically access up to 42 discs and more than 5 million pages of data.

Best Flexibility

The DRM-604X is compatible with most operating systems and hardware platforms and has the latest features including multisession technology. Multisession makes it 100% Kodak Photo CD compatible and ready for new applications in the future.

For a fast response, call Pioneer at **1-800-LASER ON.**

*MacWorld, July 1993

Circle 121 on Inquiry Card.

Pioneer New Media Technologies, Inc.

PIONEER®

The Art of Entertainment

read under most lighting conditions, thanks to adequate backlighting and an 18-to-1 contrast ratio. You can display 800- by 600-pixel resolution on an external monitor, or display standard VGA simultaneously on LCD and monitor.

The sliders to adjust contrast and brightness don't move smoothly, but they work. (This condition characterizes other components of the ActionNote's case design, such as the battery and the hard drive latches. The machine doesn't have the overall fit and finish of, for example, a Toshiba breaking off.

The ActionNote's keyboard has a smooth, pleasant typing action. Although the keys are spaced closely together in typical subnotebook fashion, most people will be able to touch-type easily. What I don't like is the placement of the reduced right Shift key—one space further to the right and close over the cursor keys—so that I was just as likely to hit the up arrow as the Shift key.

The removable hard drive makes it feasible for the ActionNote to be shared among several people, each with his or her own drive cartridge, as well as lockup data security. Currently, the review unit's 85-MB hard drive (made by Toshiba) and a larger 120-MB drive ($220 more) are the only drive options available from Epson, and there is as yet no third-party support.

Besides a math chip, you can add memory to a maximum of 8 MB. Other expansion options are limited to what you can attach to a standard-size parallel, mouse, or serial port, or insert in the single Type II PCMCIA slot. The ActionNote comes with drivers that provide PCMCIA 2.01 Card and Socket Services. Newer cards with drivers that also meet this software standard should work; all will, eventually. Older cards that don't meet this standard may not work, because the ActionNote uses a Databook PCMCIA controller chip rather than the Intel chip that most cards with older drivers support directly. Epson sells several types of PC cards that do work in the ActionNote.

SUBNOTEBOOK FEATURES

Epson's ActionNote 4000 and IBM's ThinkPad 500 have several similarities besides small size and light weight. In addition to identical RAM, hard drive, and display configurations, both provide a small 3½-inch external floppy drive and a Type II slot that meets the latest PCMCIA 2.01 standard. The ThinkPad has the faster CPU, while the ActionNote provides for a math-chip upgrade. (Neither CPU provides built-in floating-point capability.) The lower-priced ActionNote comes with Windows 3.1 installed and a carrying case.

	EPSON ACTIONNOTE 4000	IBM THINKPAD 500
CPU		25-/50-MHz 486SLC2
RAM		
Storage		
Video		
Viewable display size (inches diagonally)	7.25	
Resolution (pixels)	800 × 600	
Size (inches; H × W × D)	1.5 × 10 × 7	
Weight (lb.; with battery)		
Expansion	PCMCIA 2.01 Type II slot;	PCMCIA 2.01 Type II
	With 120-MB drive: $2169	With 85-MB drive: $1999 With 170-MB drive: $2499

The ThinkPad's hard drive and video systems provide exceptional performance.

The 3½-inch floppy drive cable attaches to both the keyboard and parallel ports, an unusual arrangement providing a pass-through connector for the keyboard/mouse port only. In contrast to the ThinkPad's floppy drive, the ActionNote's drive has a fold-down stand that makes it easier to insert and remove floppy disks.

Compared to the ThinkPad's, the ActionNote's power management options are limited. You can set a hard drive and a total system time-out. In addition, you can press a function-key combination to enter suspend mode, though not from within Windows. And closing the lid puts you in standby mode under all conditions. Setting power options is inconvenient because you can enter setup only during the boot-up sequence. The ActionNote's nickel-cadmium battery lasted only 2¾ hours under power management.

The ActionNote provides preloaded Windows and the padded carrying case; both are optional with the ThinkPad. The carrying case has just enough space to hold the ActionNote, the external floppy drive, manuals, and an AC adapter with cables. A last plus is Epson's Extra Care Road Service, which provides overnight replacement of the unit with all shipping costs paid by Epson. You can keep your data by removing the old hard drive and installing it in the new system (if the problem isn't with the drive itself).

IBM ThinkPad 500

There's more to like and less to dislike about IBM's ThinkPad 500 than there is about Epson's ActionNote. Performance is at the top of the list. In addition to the fast speed-doubled CPU, the ThinkPad's hard drive and video systems provide exceptional performance for a system without graphics acceleration. The ThinkPad zipped ahead of the ActionNote in all the BYTE benchmarks—low-level and applications, DOS and Windows.

While the two subnotebooks appear to share the same nice monochrome display, the ThinkPad's offers a digital adjustment mechanism that's easier to use than the ActionNote's sliders. The keyboard has a great layout for a subnotebook; it closely resembles that of larger notebooks. I liked the ActionNote's typing action better, but I'd rather use the stiff-typing IBM keyboard because of its layout. The compromise that allows this relatively luxurious key layout is foreshortening of the function keys (F1 through F12) and cursor keys. Although reduced in size, the cursor keys are all there (not doubled up, as with the ActionNote), and the arrow keys have the inverted-*T* arrangement that most people prefer. Both Epson's and IBM's arrangements are necessarily compromised, but I find that the IBM arrangement slows me down less.

I also preferred the TrackPoint II, the ThinkPad's pink-rubber pointing device, over most trackballs, although a mouse is better still. The pink stick connects to a

A chain is as strong as its weakest link.

Picture your Hardlock™ key as a bike lock, and the accompanying software routines used to implement the copy protection as the chain. You can own the best lock that money can buy, but that lock is useless if the chain is weak.

Introducing **HL-Crypt**, a major breakthrough in copy protection. HL-Crypt is not just a shell or simple conditional response checker. Using our proprietary Patcher Technology, HL-Crypt encrypts and binds the application to your Hardlock™ device. HL-Crypt features many protection modules that secure the application against piracy, reverse engineering, and debugging, to name a few.

Picture HL-Crypt as an ironclad chain. The only ironclad chain in the industry today. For more information, call

1-800-562-2543



SHOWN ACTUAL SIZE

HL-Crypt

The Fortified Protection Linker for Hardlock

See us at Comdex Fall, Booth #H2222.

The only product that combines fortified software encryption with the Hardlock™ family of copy protection devices for single user and network implementation. Made in the USA.

For a distributor in Europe contact Fast Electronic GmbH, Tel: 49-89-539-800-20 Fax: 49-89-539-800-40
In Korea contact Finecom, Tel: 82-2-690-5811 Fax: 82-2-605-5729
In Brazil contact HT-MACH, Tel: 21-257-0314 Fax: 21-235-6808
In Chile contact Datasoft S.A., Tel: 562-246-7443 Fax: 562-208-0591
In Peru contact V.C.H.I., Tel: 51-14-440537 Fax: 51-14-475984
In Uruguay contact Softec, Tel: 90-50-10-92-30-08 Fax: 0598-2-92-16-18

GLENCO ENGINEERING INC.
SERVING THE SOFTWARE INDUSTRY SINCE 1979

270 Lexington Drive
Buffalo Grove, IL 60089-6930
Phone 708/808-0300
Fax 708/808-0313

For International information circle 91, For Domestic information circle 92 on Inquiry Card.

Olivetti's Quaderno Now Does Windows



When BYTE last looked at the Olivetti Quaderno (see "Ultraportable PCs: Worth the Trade-Offs?," April BYTE), we found that it filled a niche somewhere between a bulky palmtop and an underpowered subnotebook. With an 8086-compatible V30 chip running at 16 MHz, 1 MB of RAM, a 20-MB hard drive, and a reflective LCD screen, the Quaderno could run DOS, but you couldn't touch-type on the diminutive keyboard.

Quaderno's attraction was its built-in voice-recording capability: a microphone, a speaker, and digital recording software. In addition to using the Quaderno as an electronic notebook with the supplied suite of business software, you could also use it as a dictation machine, pressing "tape recorder" buttons on the outside of the case (or function keys if the top is up).

Olivetti's updated Quaderno 33 has the same appealing voice-recording functions as the original, but it has moved into the Windows environment, thanks to a hardware boost that has bulked it up a pound in weight and almost half an inch in thickness. In addition to Windows 3.1, bundled software now includes Microsoft Works and Lotus Organizer.

With a 20-MHz AMD 386SXLV CPU, 4 MB of RAM (expandable to 12 MB), and an 80-MB hard drive, the Quaderno 33 is now just fast enough to run Windows. The screen has also gained backlighting. Besides adding weight, these hardware changes have decreased battery life. In a worst-case situation with power management disabled, the Quaderno 33 lasted only an hour and a half on battery power.

The price has gone up along with the weight. While the original Quaderno now sells for $699 (down from $1195), the Quaderno 33's price is up to $1750. The Quaderno has definitely moved into subnotebook territory, but you still can't touch-type on it.

pressure transducer that senses the amount and direction of pressure you apply. The device is no more accurate than a trackball for moving the cursor long distances across the screen, but you don't have to lift your finger from it (as you sometimes do for a trackball when you need to put in an extra roll), so it's less annoying when you have to make secondary adjustments. And for small movements in a local area, the TrackPoint gives finer control than even a mouse. It also lets you keep your fingers on the home row. The "mouse buttons" are within thumb reach on the front of the case.

The ThinkPad provides a plethora of power management options, all of which are readily available at any time with a well-marked function-key combination. Enabling doze mode allows the CPU to slow down when it's not busy (e.g., between keystrokes). Suspend shuts down most subsystems in the ThinkPad but leaves the contents of memory intact so that programs pick up where you left off. Hibernation is a state where memory contents are saved to disk and the computer shuts off totally.

You can also set timers for shutting down the hard drive, the display, or the whole system, and specify whether parallel and serial ports are power managed. The ThinkPad can be aroused from suspend mode by modem, or you can set a particular wake-up time.

The lead-acid battery has no memory effect, so you can top it off as much as you like without worrying about shortening battery life. The self-charging battery can be plugged directly into the wall for charging, eliminating the need for the included AC adapter if you can charge the battery when you're not using the system. With power management pushing battery life to over 4½ hours, that's a real possibility for some users.

The ThinkPad has a standard printer port, but the video port and the floppy drive/serial port have miniature nonstandard connectors. However, IBM provides two adapter cables that create the necessary standard connectors, as well as the floppy drive connection. The parallel port supports EPP (enhanced parallel port). The sliding door that covers the external ports on the right rear of the machine won't break off or fall out, but it sometimes gets off track when closing—a minor annoyance at most.

You can expand the ThinkPad's RAM to a maximum of 12 MB. Although there is no internal modem slot, the single Type II PCMCIA slot will do. The ThinkPad is PCMCIA 2.01 compliant; this new designation covers the latest PCMCIA hardware and Card and Socket Services standards. The ThinkPad also uses an Intel PCMCIA controller chip that most older card drivers support. The system comes without a case or Windows; on the other hand, it comes equipped with Prodigy software and IBM DOS 6.10.

The Performance Choice

The Epson and IBM notebooks are comparable in size, weight, and many other features. Epson's ActionNote 4000 costs at least $50 less for a comparable configuration and comes with a case and Windows.

Nevertheless, the IBM ThinkPad 500 clearly comes out ahead. It offers better performance, longer battery life, easily accessible and superior power management, and a workable keyboard layout. ■

Dave Rowell, a technical editor for the BYTE Lab, has reviewed notebooks and other systems for 10 years. You can contact him on BIX as "drowell."

Epson America, Inc.
(ActionNote 4000)
20770 Madrona Ave.
Torrance, CA 90509
(800) 289-3776
Canada: (800) 463-7766
Latin America: (305) 265-0092
Circle 1081 on Inquiry Card.

IBM PC Co.
(ThinkPad 500)
Route 100, Building 3
Somers, NY 10589
(800) 772-2227
(914) 766-1900
Circle 1082 on Inquiry Card.

Olivetti North America
(Quaderno 33)
22425 East Appleway Ave.
Liberty Lake, WA 99019
(800) 633-9909
(509) 927-5600
fax: (509) 927-5700
Circle 1083 on Inquiry Card.

Power Up with Jameco

To Order Call 1·800·831·4242



JAMECO MOTHERBOARDS

NB95231	80486DX 50MHz Motherboard	$799.95
NB93534	80486SLC 50MHz Motherboard	499.95
NB95222	80486DX 33MHz Motherboard	549.95
NB79214	80486SX 25MHz Motherboard	299.95
NB82333	80386DX 40MHz Motherboard	279.95
NB82350	80386DX 33MHz Motherboard	249.95
NB81664	80386SX 33MHz Motherboard	129.95
NB93358	286 25MHz Motherboard	109.95
NB93340	286 20MHz Motherboard	99.95
NB84945	XT 10MHz Motherboard	69.95



RAM

DIPS

NB41371	41256-100	256KBx1	100ns	$1.75
NB41398	41256-120	256KBx1	120ns	1.59
NB42251	511000P-80	1MBx1	80ns	6.95
NB42219	511000P-10	1MBx1	100ns	6.49



Call for latest RAM pricing

SIPPS

NB41700	421000A9A-70	1MBx9	70ns	$60.95
NB41718	421000A9A-80	1MBx9	80ns	59.95
NB41697	421000A9A-10	1MBx9	100ns	58.95



SIMMS

NB41523	41256A9B-80	256KBx9	80ns	$18.95
NB41486	41256A9B-10	256KBx9	100ns	16.95
NB41689	421000A8B-80	1MBx8	80ns	54.95
NB41742	421000A9B-60	1MBx9	60ns	61.95
NB41751	421000A9B-70	1MBx9	70ns	59.95
NB41769	421000A9B-80	1MBx9	80ns	58.95



KEYBOARDS & KEYPAD

NB78271	MCK-32S	32-key keypad	$59.95
NB20431	JE2015	84-key keyboard	39.95
NB17128	FKB4700	101-key enhanced	79.95
NB17136	FK9000	130-key enhanced	99.95

JAMECO COMPUTER POWER SUPPLIES



- 8088/80286/80386 and compatible

NB19465	JE1030	150 Watt (8088)	$69.95
NB67467	JE1030A	200 Watt power supply	89.95
NB19545	JE1036	200 Watt power supply	89.95
NB19553	JE1037	200 Watt mini power supply	89.95
NB65728	JE1039A	300 Watt power supply	149.95

GRAPHIC AND MEMORY CARDS



- 8088/80286/80386 and compatible

NB93542	VG8000	VGA Hi-color card	$159.95
NB19781	JE1058S	Super VGA card	129.95
NB67459	VG7700	VGA card	59.95
NB91230	JE1050A	Monochrome Graphics	34.95
NB29313	RAMQUEST	32MB Memory card	149.95
NB19975	JE1080	(8088) Memory Card	49.95

FLOPPY DISK DRIVES



NB74392	FD505	3.5"/5.25"	Disk Drive	$149.95
NB74384	FD235J	2.88MB 3.5"	Disk Drive	129.95
NB40774	356KU	1.44MB 3.5"	Disk Drive	79.95
NB17099	FD55B	360KB 5.25"	Disk Drive	89.95
NB17101	FD55G	1.2MB 5.25"	Disk Drive	99.95
NB79396	SD540	360KB 5.25"	Disk Drive	59.95

JAMECO FLOPPY CONTROLLERS AND I/O CARDS



- 8088/80286/80386 and compatible

Multi I/D with Floppy Controller

NB19895	JE1075	8088	$69.95
NB19908	JE1076	286/386	69.95

Floppy Disk Drive Controller Cards

NB19617	JE1043	Two-drive controller	$39.95
NB19668	JE1049	Four-drive controller	49.95

Input/Output Card

NB75598	I/O card		$49.95

RS232 Card (4 ports)

NB76726	RS232 card		$59.95

RS232 Serial Cards

NB78713	JE1062	Utilizes 16450 UART	$29.95
NB67053	JE1062A	Utilizes 16550 UART	39.95

CONNER IDE HARD DRIVES



NB14058	CP3000	40MB	25 ms	$169.95
NB14066	CP30084	80MB	25 ms	229.95
NB14074	CP30104	120MB	19 ms	279.95
NB93286	CP30174E	170MB	17 ms	299.95
NB93294	CP30254	250MB	14 ms	399.95
NB93307	CP30544	545MB	10 ms	899.95

SILICON VALLEY IDE DISK DRIVE ADAPTER CARDS



NB10233	ADP20	16-bit hard drive adapter	$17.95
NB10250	ADP20F	16-bit hard/floppy drive adapter	27.95
NB10268	ADP50	8-bit hard drive adapter	59.95
NB10276	ADP60	16-bit hard drive adapter with BIOS	74.95
NB10284	ADP60F	16-bit hard/floppy drive adapter with BIOS	79.95

JAMECO CABLES



Parallel Printer Cables and Adapter

NB28695	PPC	Adapter - straight	$4.95
NB28716	PPC6	6 feet - straight	6.95
NB28708	PPC12	12 feet - straight	9.95
NB28741	PPR6	6 feet - right angle Centronics	6.95

9-Pin Serial Cable

NB31721	SAT6	9-pin serial cable	$4.95

DB25-Pin Extension Cables

NB39538	25M10M	Male to male	$9.95
NB39511	25M10F	Male to female	9.95

JAMECO PORTABLE IC TESTER



Our hand-held IC tester is an easy-to-operate, cost effective unit that includes excellent functions.

- Supports the following:
- TTL Series: 7400, 74LS00, 74F00, 74S00, 74ALS00, 74H00, 74L00, 74C00, 74HCT00, 74HC00
- CMOS Series: CD4000, CD4500
- DRAM 41 Series: 4164, 41256, 411000
- DRAM 44 Series: 4416 (41416), 4464 (41464), 44256 (414256)
- Size: 7"L x 3.625"W
- One-year warranty

NB73525 Portable IC Tester $139.95

UVP EPROM ERASER



- Erases all EPROM's
- Erases 1 chip in 15 minutes
- Erases 8 chips in 21 minutes
- Maintains constant exposure distance of 1"
- Special conductive foam liner eliminates static build-up
- Built-in safety lock to prevent UV exposure
- Complete with holding tray for 8 chips
- UV intensity: 6800 UW/CM^2
- Size: 9.0"L x 3.7"W x 2.6"H
- One-year manufacturer's warranty

NB15712 DE4 8-Chip UV-EPROM eraser $89.95

JAMECO 1 SOCKET 16K-2MB E(E)PROM PROGRAMMER



- Programs EPROM's, EEPROM's, and Flash memories
- Programs 16KB to 2MB EPROM's
- Programming speeds/algorithms: Normal, Intelligent, and Quick pulse
- Menu driven software
- File formats supported: Intel Hex, Motorola S Hex, Tektronix Hex, and Binary
- 2 & 4-way Binary file splitting programs
- 2 & 4-way Binary file shuffler programs
- Includes adapter card, software and manual
- Full screen buffer editor
- Size: 7"L x 5.5"W x 1.75"H
- One-year warranty

NB78457 E(E)PROM Programmer $199.95

Sales: 1·800·831·4242
FAX: 1·800·237·6948
International Sales: 1·415·592·8097
International FAX: 1·415·592·2503

JAMECO™
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS
1355 Shoreway Road, Belmont, CA 94002

Call for your free Jameco Catalog 1·800·637·8471





Same-Day Shipping

Priority orders before 2:00PM PST are shipped the same day.

V.I.P.#NB3

Always Prompt Courteous Service

Jameco phone staff quickly connect you with the products and services you seek.
Technical Support: 1•800•831•0084

Circle 99 on Inquiry Card.



Over 5000 Products in Stock

20 YEARS OF EXCELLENCE 1973-1993

20 Years of Full-Service

Product selections & customer service based on solid business experience.

THE JAMECO QUALITY COMMITMENT


Guaranteed Top Quality

Products tested & backed by 30-day money-back guarantee.



24-Hour Toll-Free Ordering


Shop day or night by phone or FAX.



The *Proven* 64-bit graphics standard from Matrox.

You asked for workstation-level performance from your PC. We gave you a 64-bit graphics engine. You asked for blazing speed. We gave you 60 to 70 million WinMarks* for 8-bit color and 25 million WinMarks for true 24-bit color acceleration. You asked for flexible computer and software support. We gave you support for AT, VL, MCA, PCI and Windows 3.1, NT, OS/2, AutoCAD, Microstation and X-Windows for Unix.

"...the accelerator beat our previous standard of excellence hands down."
Peter Coffee
PC Week Magazine
June 14, '93



And we give it to you with the most advanced Windows productivity enhancing features!

- **Modeswitch** on-the-fly resolution switching within Windows.
- **Virtual Desktop** up to 1600 x 1200 display area.
- **Pixel Touch** hardware pan and zoom.
- **Real-time** Gouraud shading, 2D and 3D manipulation.
- **Dynaview** interface driver for AutoCAD and dual display driver for Microstation.
- **Video View** enhances speed and color quality for VfW playbacks.
- **QCDP** simulates true color in 1600 x 1200 x 8-bit modes.

includes more advanced Windows features than

For more information on MGA bundled with Windows and CAD Power Drivers, please call:

1-800-361-1408
Tel: (514) 685-2630
Fax: (514) 685-2853

"The MGA ... offers first-class drivers and unbelievable value for money."
Martin Gordon
PC User, U.K.

Editor's Choice Awards

Win Magazine (Germany)	Personal Computer Magazine (U.K.)	Imaging Magazine (U.S.)	BYTE Magazine Best of COMDEX/Spring 93



MERISEL ICG INGRAM MICRO MATROX MGA POWER GRAPHICS The David Group matrox

©1993 All rights reserved. Matrox is a registered trademark of Matrox Electronic Systems, Ltd.; MGA is a trademarks of Matrox Electronic Systems, Ltd.; Windows is a trademark of Microsoft Corporation;
*Ziff-Davis WinMark 3.11, 486 DX 2/66, 16Mb memory, 1024 x 768 in 256 colors, 72Hz.

SEE US AT COMDEX FALL
Circle 106 on Inquiry Card.

Point-and-Click Presentations


Harvard Graphics proves its mettle as the presentations market leader against an upstart challenge from WordPerfect Presentations

MARK CLARKSON


It's always exciting to witness a fray between an established veteran and a newcomer. Software Publishing Corp.'s Harvard Graphics is the granddaddy of the presentation graphics world. In fact, SPC takes unabashed credit for having created the whole field way back in 1986. SPC's latest entry is Harvard Graphics for Windows 2.0 ($395).

WordPerfect—best known for its popular word processor—is a newcomer to the presentations arena with its contender WordPerfect Presentations for Windows 2.0 ($495). (Don't let the version number fool you; there was no version 1.0).

I pit the two packages head-to-head to see how WordPerfect's entrant stands up against the standard set by Harvard Graphics. In many ways, WordPerfect Presentations holds its own, but some serious flaws hamper its appeal.



From Harvard *Graphics, you can select a presentation style, a slide type, and a template from a single Window. A thumbnail view lets you see how your slide selections will look on-screen.*



WordPerfect *Presentations' Master Gallery delivers a wide range of prebuilt slide styles to choose from. Presentations packs in the features but also exposes some first-version instability.*

Baroque Backgrounds

Multimedia is *the* buzzword for the 1990s, and these programs simply bristle with multimedia tools: sound, music, video, special effects, bit-map and vector graphics, charts, sophisticated drawing tools, and so on. And by the way, they can display text, too.

Frankly, if you're just doing bulleted word charts to slap onto an overhead projector, you don't need either of these programs, although they would make your task easier. In fact, most of the newer, snazzier features are geared specifically toward presentations given on a PC; if you're sending the output to slides or overhead transparencies, the multimedia features don't do you any good at all.

WordPerfect Presentations tries hard to be your one-stop graphics shop. To emphasize its support of the TWAIN scanner interface, WordPerfect is bundling Logitech's ScanMan 32, a hand-held grayscale scanner, until October 31. Presentations plays sound and music (WAV, MIDI, and CD) and supports video through OLE (it's an OLE server and client). The package comes with an impressive collection of goodies, including a handful of WAV files, 100 MIDI music files, 30 ATM fonts, 1000 pieces of clip art, and 60 backgrounds ranging from vanilla to Byzantine.

WordPerfect includes a bit-map image editor, but it's not much of an improvement over the paintbrush program that comes with Windows. It has no good variable-zoom feature: You are zoomed either all the way out or all the way in. And if you're all the way in, most of the tools don't work. I found it impossible to crop images that were too big to fit on the screen all at once.


Harvard Graphics lacks TWAIN support and comes with a smaller but adequate collection of over 500 pieces of clip art. This package also integrates support for sound (MIDI, WAV, and CD) and video and supports OLE, both as a client and as a server.

Special Effects

Harvard Graphics comes with an applet (a mini-application), called F/X, for producing fancy drawings. F/X supports sophisticated path-based drawing and provides some special effects for bit maps, text, and objects. All of this is nice, but some simple capabilities (e.g., cropping or rescaling a bit map) are missing. I need to crop bit maps much more often than I need to render them as seen through frosted glass.

F/X feels like a bit of a kludge, something bolted onto the side of the product as an afterthought. I wanted to apply some of those cool text effects to my slides, but it's not that easy. In fact, you can't run the F/X program directly from Harvard Graphics; you must run it as a separate program from the program manager, or you can embed an F/X object in your presentation via OLE. On the other hand, since F/X is a stand-alone program, you can use OLE to embed F/X pictures in any OLE client—your word processor, for example. I expect to see F/X more fully integrated into the product in future versions.

Both of these programs read and write



The Harvard Graphics F/X *applet supports path-based drawing and special-effects filters, but some simple capabilities, such as cropping and rescaling, are missing.*

most popular graphics file formats (e.g., BMP, TIF, and CGM), with some surprising exceptions. Harvard Graphics can't read its own F/X files. To import pictures from F/X, you must paste them in via the Windows Clipboard. And those of you with large libraries of GIF files will be disappointed that WordPerfect doesn't support the GIF file format.

Help, Hints, and Hand-Holding

To help you use all the fancy features, both programs provide special help in the form of interactive tutorials and on-screen help. No product does a better job of guiding you through the process from start to finish than Harvard Graphics. When you fire up the program, it asks if you'll be building a new presentation or editing an existing one and offers you the chance to run the tutorial. (To my annoyance, Harvard Graphics' tutorial wouldn't run on my system in more than 256 colors.)

Version 2.0 sports an on-screen advisor—an extra window that provides tips, hints, and help relevant to your current slide. It reminds you, for example, that your title page should have few words and use mixed uppercase and lowercase letters for improved readability. It also tells you how to perform common editing chores, such as changing fonts and selecting screen colors. Once you've mastered the program, you'll probably want to turn the advisor off and recover the screen space it occupies. But if you're new to Harvard Graphics or presentations in general, it provides welcome support.

WordPerfect doesn't mother you the way Harvard Graphics does. When you start up the program, it drops you right into an empty presentation. I don't know why it should be any more annoying than being placed in a blank document in your word processor, but it is.

WordPerfect's analogue to Harvard Graphics' Advisor is Quick Cards, a collection of help screens that you can open up to guide you through operations such as building charts and editing text.

Interface Issues

The programs present similar user interfaces, based on a set of different views of your presentation: the slide sorter view, slide view, and outline view. In addition, each provides a spreadsheet-style data manager for manipulating the data behind the pretty pictures.

Both programs provide a toolbar across the left side, featuring tools for drawing, text, and so on, and an icon bar across the top of the screen, providing one-touch access to common operations, such as saving and loading files, arranging objects, and running slide shows. The programs will also check your spelling.

The data managers let you import data from Microsoft Excel or Lotus 1-2-3 files, either importing an entire spreadsheet all at once or retrieving a named region of it. This task would be much easier if the data managers would show you the source data and allow you to select the portion you wish to import. Instead, you must remember the name or the range, or you must import the whole spreadsheet and then trim it down.

I'm not happy with the defaults either program offers for a number of different graphs, especially those where the data is all of the same magnitude (say, 20 numbers all between 13 and 14). The default lines are much too thick and detract from the slide's readability. Fortunately, the look of the graphs is easy to change in both programs. Harvard Graphics provides a thumbnail picture of your graph so you can see the effects of your changes, while WordPerfect provides a split-screen view with the actual chart in the bottom.

When I last looked at Harvard Graphics (see "Presentations to Go," BYTE's *Essential Guide to Windows*, Spring 1993), it scored high for ease of use, and now SPC has made it even easier. Harvard Graphics has added a toolbar full of icons across the top of the screen for easy, one-button access to common functions. If you're unsure just what any of the icons on the toolbar do, run the mouse cursor across them; the title line across the top of the screen gives you a brief description of the buttons' functions.

Harvard Graphics is not without its annoying quirks. For example, initially, tool selections don't stick. After every operation, the tool reverts to a pointer. Hence, if you want to draw five boxes, you have to select the box tool five times. Luckily, a hard-to-find checkbox (under Default Options) fixes this.

Harvard Graphics' button bar can be customized, although not as easily as WordPerfect's bar. And Harvard Graphics for Windows includes a deinstall program to remove the application and all its accompanying files from your hard disk. Anyone who's ever sorted through the clutter of the Windows directory, trying to remember which files belong to applications that aren't even on the system anymore, will appreciate this.

The new version of Harvard Graphics also includes conferencing capability. Only one person (designated the conference leader) can advance the slide show or use on-screen chalk to highlight points in the presentation, but up to 64 viewers can access the presentation by simply logging onto the same network server as the conference leader and loading the file. The conference leader can pass control to any other conferee, who can then run the slide show and use the on-screen chalk. Audio is not supported, but you can set up a conference call so that the conferees can listen to the presentation as the slide show appears on each computer screen.

Harvard Graphics also incorporates a messaging system, so conferees can send electronic messages to each other as a presentation is delivered. No additional hardware (other than a network setup) is required.

Less Than Perfect


I especially appreciated WordPerfect's file manager. It allows you to do all those things you would like to do from a directory listing—such as move, copy, and delete files—but usually can't. WordPerfect's button bar is fully and easily customizable: You can select any item on any menu and drag that command onto the button bar.

I like the layout of the controls in the left toolbar. It's easy to toggle between filled and unfilled objects and, similarly, to select and deselect outlining. The pop-up menu on the bottom makes it simple to

In Business. Everywhere.



QUADERNO 33
Only 2.9 lb. - 386 SXLV - Windows 3.1 - Backlit screen.



For more information call
Olivetti Direct 1-800-633-9909

In Canada call:
1-800-387-9660, Ext.220

Quaderno 33 is the smallest Windows PC yet designed. With 386 SXLV speed and a backlit screen, it is ideal for your work, whatever you do and wherever you do it.

It speaks your language: MPC business audio means it's easy to add vocal notes to documents, or send voice mail messages.

It's dynamic: up to 12 Mb RAM and 60 Mb HDU, rechargeable batteries plus the speed of the 386 SXLV microchip.

It's street smart: the efficiency of a built-in trackball that provides a simple and immediate interface with ready to use Windows 3.1. The pre-installed MS-Win Works and Lotus Organizer are always on time, and the User Manual is always on line. Its total compatibility lets you work with all your favorite software packages.

It's always with you: 2.9 lb. and 8¼" x 5¾" of stylish design you can take everywhere. It fits in your coat pocket and puts in up to six hours of work. And Quaderno 33's complete connectivity can take you anywhere in the world by modem and fax (with its PCMCIA type II slot), or by network. Even the most complex corporate organizations are rediscovering the power of individuals.

With Quaderno 33, wherever you go, you can give your company the best of individual productivity.

olivetti

Windows 3.1 is a registered trademark of Microsoft Corp. Lotus Organizer is a registered trademark of the Lotus Development Corp.

Circle 84 on Inquiry Card.

For DOS And Windows!

Checking Out Hot Multimedia Products?

Check Out The 'Eyes!



ComputerEyes/RT

Video Frame Grabbers

- Easily capture high-quality images into your computer from any video camera, VCR, camcorder, or Laserdisk
- Accurate, true 24-bit color video frame grabber
- Captures both still images and motion video clips
- Excellent, easy-to-use DOS and Windows control software
- Hundreds of applications - desktop publishing, image databases, paint and presentation programs, graphic arts, Video For Windows, etc.
- ComputerEyes/RT for IBM PC - $399.95
  ComputerEyes/RT Monochrome - $299.95
  New ComputerEyes/LPT parallel port frame grabber for laptops or any PC - $399.95

New!

TelevEyes/Pro


Computer-to-TV Converter

- New, no-compromise video scan converter easily converts any computer output for display to large TV monitors, video projectors, or video tape
- Same hardware works with both Macintosh and IBM PC - all cables included
- Simultaneous computer and TV display
- Excellent for use with all large-screen monitors, video projectors, and TV's
- Full genlock allows for overlaying computer output over a live video for video titling, editing, and special effects
- New TelevEyes/Pro - only $799.95
  Low-cost TelevEyes - $299.95

See Your Dealer Or Call For More Information

Digital Vision, Inc.
270 Bridge St., Dedham, MA 02026
(617) 329-5400 (800) 346-0090

Reviews Point-and-Click Presentations



WordPerfect Presentations *comes bundled with a bit-map editor, but it's not much of an improvement over Windows Paintbrush.*

change slide types (e.g., from a title slide to an organization chart).

To edit any object on the screen, just double-click and you are taken to the chart editor program. Type in your changes and click on return. This makes sense if you're editing a large block of numeric data, but it's a *slow* way to edit simple text. A title change takes almost twice as long under WordPerfect as it does in Harvard Graphics, where you edit text directly on the slide.

The chart editor allows you to do some powerful editing. You can easily skew the chart around in three dimensions, looking at your data from above or below, right or left.

But WordPerfect Presentations has some serious problems. Often when I closed down a series of menus, I found little bits of flotsam lurking on the screen—fragments of menus and dialog boxes that were incompletely erased or, occasionally, too completely erased, leaving blank holes on the page. These artifacts weren't part of the slide—any operation that forced WordPerfect to redraw the screen took care of them—but they were pretty annoying.

The bit-map editor would also blow up when called on to edit relatively large bit maps (e.g., 640 by 480 pixels). And worst of all, WordPerfect had a habit of "eating" pieces of my slides. Three times during the review, elements disappeared from slides in my presentations. I had saved the work, but the elements were missing from the saved files as well. The files seemed fine, and not all slides were affected.

WordPerfect's technical support was unable to tell me what was causing the problem, unable to duplicate it, and, as far as I know, unable to find anything wrong with the files in which it had occurred. One customer-support representative admitted that it had happened to him once, although no one had ever been able to figure out exactly why it happened.

Needless to say, if you've spent the entire morning laboriously constructing a complicated slide for a presentation to your boss, you do not want to find that most or all of the elements in one of your slides have simply gone away. This is a serious problem.

And the Winner Is...

As a long-time user of WordPerfect, I wanted to like WordPerfect Presentations. WordPerfect packs in lots of features and more clip art, more music, more frills, and more gewgaws. It's got a bit-map editor and its own supply of fancy new fonts.

But the program just isn't solid. WordPerfect Presentations is full of little oversights, and it crashed on both of my machines many times, providing a variety of errors from general protection faults to a mysterious divide-by-zero error. Harvard Graphics, on the other hand, was solid as a rock. Even the beta version never crashed, never hung, and never, *never*, lost my data.


If WordPerfect can clean up this program, the company will have a legitimate challenge to SPC, Lotus, Microsoft, and the other leaders in the presentation graphics field. For now, however, WordPerfect Presentations does not live up to its promise. Harvard Graphics is still the champ. ■


About the Products

Harvard Graphics for Windows 2.0.....$395
Software Publishing Corp.
3165 Kifer Rd.
P.O. Box 54983
Santa Clara, CA 95056
(800) 234-2500
(408) 986-8000
Circle 1085 on Inquiry Card.

WordPerfect Presentations for Windows 2.0.....$495
WordPerfect Corp.
1555 North Technology Way
Orem, UT 84057
(800) 451-5151
fax: (801) 222-5077
Circle 1086 on Inquiry Card.


Mark Clarkson (Wichita, Kansas) is a BYTE consulting editor and a freelance writer. He reviewed presentation software for BYTE's Essential Guide to Windows *(Spring 1993). You can contact him on BIX as "mclarkson."*


Behold.


The Good Books.
BEHOLD!

The Gateway 2000 HandBook® And ColorBook Are Simply Divine!

If you're looking for the perfect portable PC for your next pilgrimage, look no further than the HandBook and ColorBook from Gateway 2000. One of these notebooks is the answer to your prayers.



The HandBook 486 is the next generation of the original HandBook, the product that was the genesis of an entirely new portable PC category dubbed "subnotebook" computers. The new product is blessed with many improvements while retaining all the things people love about the first model. With the HandBook 486, you get the smallest Windows™ PC in this world — and when using a 486DX2 processor, the HandBook is by far the most powerful PC of its size. New HandBook 486 models include SL Enhanced Intel486® CPUs and come with 4MB RAM (expandable to 20MB), 80 or 130MB hard drive, backlit VGA display, built-in pointing device, and one PCMCIA slot. All this and the HandBook 486 still weighs under three pounds, is smaller than the day planners many people carry, and starts at $1,495. Once you get your hands on a HandBook 486, you'll be a HandBook convert.



The ColorBook is the 486 color notebook that's priced the same as other companies' black-and-white models. With the ColorBook, you get bright, crisp color graphics from the dual- scan STN display. You get a small, easy-to-carry notebook. The ColorBook weighs less than 5.7 pounds and measures 11.7" x 8.5" x 1.77". It's one of the thinnest color products on the market. And, you get 486 performance. ColorBook models are based on SL Enhanced Intel486® processors, and include the virtues of a 1.44MB floppy drive, 4MB of RAM (upgradeable to 20MB), a large, fast hard drive, integrated track ball and two PCMCIA Type II card slots. All this starting at under $2,000. Heavenly!

The HandBook®

Size

The difference between a 3-pound portable and a 4-pound portable doesn't sound like very much until you lug one around for hours. Then every ounce counts! HandBook users sing the praises of the HandBook's size. It's big enough to be fully functional, but small enough to take anywhere effortlessly.

Battery

A 2.2Ah NiMH rechargeable battery comes with your HandBook. The battery lasts up to four hours with power management, about two hours without power management. You receive an AC adapter/charger that charges the battery pack separately or in the HandBook. The HandBook also has a convenient alkaline battery pack option which enables you to use over-the-counter double-A batteries, too.

Drive


The HandBook 486 includes an 80MB or 130MB hard drive for today's larger Windows programs and files. With the Interlink software utility and serial download cable provided, you can easily transfer data between the HandBook and other PCs.

Display

Looking at the HandBook's VGA display is easy on your eyes. It's the largest backlit display of any subnotebook in this world or the next, and you can use it comfortably in all lighting situations.

Suspend/Resume

Suspend/resume is one of the features HandBook users rejoice about! It allows you to stop work any time, leave all your Windows applications open, then resume instantly at exactly the same chapter and verse without losing anything or restarting the system. It's great for taking notes in meetings!



The ColorBook

Dual-Scan STN Display

Dual-scan STN color is the latest technology in portable color displays. The incredible quality of the LCD coupled with local bus video gives you truly out-of-this-world graphics. You can display up to 256 colors with the ColorBook running in VGA mode.

Battery

You can have faith that your rechargeable battery will last up to four hours with power management, over two hours without power management. You also get an AC adapter/charger capable of fast-charging the battery separately or during operation in the ColorBook.

Suspend/Resume

Gateway 2000 HandBook users like suspend/resume so much we designed it into the ColorBook as well!

Drives

The ColorBook includes a floppy drive and a high-capacity hard drive. The hard drive is removable — a handy feature for companies where notebooks are checked out to multiple users. Upgrading to a larger drive in the future is also much easier with the ColorBook's removable hard drive.

External Ports

The ColorBook has parallel, serial, PS/2 and VGA ports. You can use it with an external mouse, keyboard and monitor. The ColorBook supports simultaneous video and allows you to display your ColorBook screen on an external monitor in up to 1024 x 768 resolution.

Your Calling

Surely one of these "good books" is a match made in heaven for your needs. Give us a call. We'll be eternally grateful!



GATEWAY2000

"You've got a friend in the business."®

800-846-2010

Good Book Review

COLORBOOK 486SX-25

- Weight: Under 5.7 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- 25MHz SL Enhanced Intel® 486SX CPU
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- Removable 80MB IDE Hard Drive
- 9.4" VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II (or 1 Type III) Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2® Ports
- External VGA Port
- MS-DOS 6® and Windows™ 3.1

$1995

COLORBOOK 486SX-33

- Weight: Under 5.7 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- 33MHz SL Enhanced Intel 486SX CPU
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- Removable 170MB IDE Hard Drive
- 9.4" VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II (or 1 Type III) Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2 Ports
- External VGA Port
- MS-DOS 6 and Windows 3.1

$2395

COLORBOOK 486DX-33

- Weight: Under 5.7 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- 33MHz SL Enhanced Intel 486DX CPU
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- Removable 170MB IDE Hard Drive
- 9.4" VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II (or 1 Type III) Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2 Ports
- External VGA Port
- MS-DOS 6 and Windows 3.1

$2695

HANDBOOK® 486SX-25

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- 25MHz SL Enhanced Intel 486SX CPU
- 4MB RAM (expandable to 20MB)
- 80MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS 6, Windows 3.1, Interlink and Serial Download Cable

$1495

HANDBOOK 486DX2-40

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- 40MHz SL Enhanced Intel 486DX2 CPU
- 4MB RAM (expandable to 20MB)
- 130MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS 6, Windows 3.1, Interlink and Serial Download Cable

$1995

OPTIONS

PCMCIA Cards:

- TelePath™ fax/modem — 14,400bps send-receive fax, 14,400bps modem. **$319**
- Fax/modem — 9,600bps send-receive fax with 2,400bps modem. **$199**
- Ethernet adapter. **$189**
- Token Ring adapter. **Call**
- HandBook VGA adapter. **$229**

Batteries:

- 2.2Ah NiMH batteries. **$89** each
- HandBook alkaline battery pack. **$29**

Floppy Drive:

- HandBook 3.5" 1.44MB external floppy drive. **$99**

Cases:

- Padded, soft-sided black cases custom-designed for ColorBook or HandBook. ColorBook **$49** HandBook **$55**

Extended VIP Warranty:

- 24-hour turnaround on factory warranty service for one year. Must be purchased at point of sale. Call for details. **$100**

4MB or 16MB RAM Upgrades:

- Due to the volatility of the DRAM market, please call for pricing.

HANDBOOK COMBOS

HandBook Traveler's Packs:

- Case, extra battery, alkaline battery pack & PCMCIA 96/24 fax/modem. **$379**
- Case, extra battery, alkaline battery pack & PCMCIA TelePath fax/modem. **$499**

HandBook Presenter's Pack:

- PCMCIA VGA adapter, Asymetrix® Compel & case. **$319**

COLORBOOK COMBOS

ColorBook Traveler's Packs:

- Case, extra battery & PCMCIA 96/24 fax/modem. **$329**
- Case, extra battery & PCMCIA TelePath fax/modem. **$449**

GATEWAY2000

"You've got a friend in the business."®

intel inside

8 0 0 - 8 4 6 - 2 0 1 0

610 Gateway Drive • P.O.Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. HandBook, AnyKey, CrystalScan, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 and TelePath are trademarks of Gateway 2000, Inc. The Intel Inside Logo, Intel486 and Intel are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. Prices and configurations are subject to change without notice. Prices do not include shipping.


The Business-Card Shuffle

The Microtek Scan-in-Dex scans business cards and puts them where you can find them—in a searchable Windows database

HOWARD EGLOWSTEIN

If you collect a lot of business cards and need to keep track of the contacts, you know the problem: Either you can sift through the cards every time you need a phone number, or you can manually key the information into a database every time you get a card. Microtek's Scan-in-Dex promises to deal you a fresh hand by scanning your cards, recognizing the names and addresses, and storing the information in a searchable database. It's an idea that's been floating around the industry for a long time, but no one has been able to implement it until now.

The $399 Scan-in-Dex package is a combination of hardware and software for your 386 or better PC running Windows 3.1. The scanner is a svelte unit, weighing in at just over 1½ pounds and taking up just 6½ by 6 inches on your desk. An 8-foot cable attaches the scanner to the 8-bit interface card that slides into a free slot in your PC. The scanner gets its power from the interface card. The software installs easily and provides a simple but minimalist user interface to a lightweight database application.



Scan-in-Dex scans business-card data into a searchable Windows database. Intelligent algorithms automatically drop the information into the appropriate fields. In this case, the software could not handle the company name because of its vertical orientation on the business card.

A Tough Hand

Scanning business cards and applying OCR technology isn't a new idea. Several packages have let you place your business cards on a flatbed scanner, extract the information, and store it in a database. But most of these packages haven't worked well, due to the limitations of standard scanner and OCR products. A 300-dpi scanner teamed with OCR software is usually straining to get reasonable accuracy with 6-point text.

Most mainstream OCR software is designed to read business documents (typically printed at 10 or 12 points), printed in standard "business-like" fonts. Business cards often feature text in many colors, include some tiny text items (perhaps as small as 4-point), and use unusual fonts in creative ways to make a statement. Elements like these present a significant challenge to OCR vendors and require specially adapted OCR algorithms. Microtek's OCR software (licensed from Ocron) was designed to handle the various characters typically used on business cards, and automatic gray-scale thresholding helps differentiate colored text on colored backgrounds.

If you've tried arranging a handful of business cards neatly on a copier's glass, you've experienced the other big problem: getting the information into the computer so that the OCR software can get a look at it. Microtek's solution is elegant: The scanner is built specifically to scan business cards. It's a single-feed 400-dpi scanner, optimized for pulling a variety of business-card stocks through its mechanism. There's no power switch, and no buttons of any kind. To scan a business card, you simply place the card in the input tray.

A Diamond in the Rough

Getting my evaluation unit working took some doing. First, I tried installing the scanner interface into a typical machine for the times: a 66-MHz 486DX2 with 16 MB of memory, a CD-ROM, and a sound card. Microtek provides jumper settings for four different I/O selections, but the scanner just didn't want to run in this machine.

I then moved the card to a different PC: a 33-MHz 486 with a similar configuration but with components from different vendors. After I made sure I moved the interface card's I/O address to step around the sound card, the interface card installed fine. It could be that the sound card in the



Scan-in-Dex cannot decipher many business cards with creative layouts. It could not handle the logo at the top of the Stargate card (left) or the reverse text at the bottom of the card. The DigiBoard card (center) was doubly tough because the text was both slanted and reversed. And Scan-in-Dex was foiled by the contrast between the text and the silver background of the business card at right.

486DX2 was stepping outside its designated address range. If Microtek had provided a wider range of I/O address selections, I could have moved the card way out of reach of the sound hardware, making the issue moot.

The OCR and Windows database software comes on a single disk. The software installed without trouble, and within moments of popping in the disk, I was scanning business cards.

The Scan-in-Dex software is impressive in its simplicity. To enter the information from a card into your database, you simply drop the card face-down in the scanner and click the Scan button on the toolbar. The scanner pulls the image in and displays it in a small window on the screen. As the OCR software executes, you see the status in the business-card window. Within seconds, the name, address, phone numbers, and other information from the card appear in the proper fields on the database entry screen.

To figure out what information goes into which field, Scan-in-Dex uses clues from the data format. It keeps a small database of titles and positions. When it finds keywords such as *president* or *manager* in a line, it knows that it has found a title. Phone numbers are usually in the format *(xxx) xxx-xxxx* or something similar, and fax numbers are often preceded by *fax:* or *telefax:*. Any information that the OCR software recognizes but can't place goes into a general Notes field. You can then drag and drop data from place to place on the database form.

If the card won't fit into the scanner's 3.6- by 2.4-inch maximum limit, you simply enter the card data manually. However the data gets there, you can sort it by name or company, and display it on-screen or print it on any Windows-compatible printer. Finally, you can export the information to an ASCII file to move it to another application. You choose between comma- or tab-delimited formats. Again, simple but effective: I can't think of a database, spreadsheet, or word processor application that can't import an ASCII file. Specific formats support Act and Lotus Organizer.

Scan-in-Dex $399
(including 8-bit interface card and scanner)

Microtek Lab, Inc.
680 Knox St.
Torrance, CA 90502
(213) 321-2121
fax: (310) 538-1193
Circle 1084 on Inquiry Card.

Sample Scans

I tested the installation by scanning hundreds of cards I've collected over the years or borrowed from other editors. A typical card scans and converts in 15 to 20 seconds on a 486 machine; expect somewhat slower performance on a 386 (Microtek recommends a minimum of a 20-MHz 386DX). Scan-in-Dex successfully read in over 50 percent of these cards without major errors, including some very strange logos, light-gray text, and other elements that would make most OCR software throw in its cards.

The most common error was confusing personal names and company names (there is no accurate heuristic for determining the placement of these on a card) and incorrectly adapting to an unusual color scheme. The scanner's automatic contrast adjustment could usually pick up light-gray text on a white background. However, if there was a nearby logo or element in black, the scanner got confused and failed to find the gray text. Still, I don't think I've ever seen any standard office OCR software that could do any better.

Microtek's intended audience is the busy professional who wants a quick and easy solution for entering information from business cards. The trade-off for simplicity and ease of use is leaving out some features.

The most glaring omission is the unconfigurable database-field layout. You get fields for name, address, company, title, country, one phone number, and one fax number. Some people have multiple phone numbers or E-mail addresses; this information just gets lumped into the Notes field.

The OCR Challenge

Many of the test cards I ran through the scanner contained colored text, strange fonts, and graphical elements. The Ocron OCR software did a remarkable job of picking letters out of many of the logos, and it seldom failed to decipher the tiny 4-point text that a lot of these cards had.

To handle horizontal and vertical formats, you have to tell the software which way the card is oriented before scanning it. This proved to be annoying as I shoveled cards through the scanner for the better part of an hour, but I suspect that I'd find it less of a problem if I only had one or two cards at a time.

I would have liked to see the software handle this situation using a technique common throughout the OCR industry: If you scan a card and the entire thing looks like gibberish, go through the data again at a right angle and try recognizing it then. With images as small as a business card, this approach can't be hard, and having an automatic card-orientation mode would make the product easier to use.

The software also will not handle reverse (light on dark) text or slanted text. One card I tried was dark green and black, with slanted white text (the DigiBoard card shown above). The scanned image appeared as a mangled checkerboard (probably due to the scanner's automatic contrast adjustment), and the OCR software crashed the application with an unrecoverable error. That problem would not have bothered me—after all, the manual specifically states that the software won't do reverse or slanted text—but I hadn't saved the results of over a half-hour of scanning cards. The whole database was lost.

Scan-in-Dex isn't perfect, and it's not going to scan every business card. Microtek has a few loose ends to deal with: The box won't connect to your laptop computer yet, and having to tell the software the card format should be unnecessary. But in spite of its faults, Microtek's Scan-in-Dex is an elegant solution to a difficult problem. ■

Howard Eglowstein is a testing editor for the BYTE Lab. You can contact him on BIX as "heglowstein."

Poetic License $99.*

The True, Cross-Platform C++ Object Database.

Empower yourself to create the C++ applications you've always envisioned. For a limited time, you can get a single-user POET Personal Edition for Windows for just $99. The Personal Edition is 100% compatible with the client/server Professional Edition and supports either a Borland or Microsoft Compiler.**


POET is truly object-oriented. It saves you time because complex objects do not need to be broken up into tables. POET requires only one command to store, read, or delete them.

POET gives database functionality to C++. Your Personal Edition features include: object querying, sorting, indexing, transactions, class versioning, container classes, variable length string and BLOB types.

True heterogenous capabilities. Both the Personal Edition and the Professional Edition offer built-in portability. You can leverage your C++ programming investment across DOS, Windows, Windows NT, Novell (NLM), NeXT 486, Macintosh, OS/2 and various UNIX platforms.

The Personal Edition for Windows is only $99 now, but starting in '94 prices go up to $139. So, take some liberties with POET — order today at this one-time-only, low price.

Call 1-800-950-8845



POET Software

*$99 Offer good through 12/31/93 **Buyer specifies Borland or Microsoft compiler.
POET Software Co. 4633 Old Ironsides Dr., Suite 110, Santa Clara, CA 95054 TEL: (408) 970-4640 FAX: (408) 970-4630
POET Software International Offices: POET Software - Europe +49 (0) 40/60 99 00 Silicon River - United Kingdom +44 (0) (81) 317-7777

Circle 169 on Inquiry Card.



How Do You Know You've Got The Right Software Protection?

Your software protection strategy shouldn't be a hit or miss proposition. But with so many conflicting claims about one vendor's product being better than another, we can understand why you might want to leave it to chance.

The fact is, what really makes one protection scheme better than another is the level of security it provides. For more than a decade, we have been pioneering seamless, reliable security systems for your applications and data. Software Security's many patents are evidence of our continuing ingenuity in developing ways of protecting your intellectual property. Our latest advances in software distribution, network license control, and "metering" are worth looking at.

But that's only part of the story. We offer a wide range of developer tools including our very highly secure AEGIS System™ which requires only a few minutes to implement. In addition, we understand the importance of our relationship with our customers and are fully committed to the best developer support program in the business.

If you are serious about protecting your software, contact Software Security and ask for an evaluation kit. It contains everything you need to explore all of our outstanding protection methods. So call today and see why there's a big difference between the bull's-eye and the bull.

SOFTWARE SECURITY INC

1011 HIGH RIDGE ROAD STAMFORD, CT 06905 800-841-1316 (In CT: 203-329-8870) Fax: 203-329-7428 BBS: 203-329-7253
Software Security International Ltd., London: +44-784-430-060 Fax: +44-784-430-050
* SSI Belarus, Minsk: +(7) 0172-45-21-03 Fax: +(7) 0172-45-31-61

See us at COMDEX/Fall '93, booth # H1646

Circle 131 on Inquiry Card.


NLMerlin and AlertView

A pair of watchdogs for PC-based LANs monitor network problems and take action

MIKE HURWICZ AND DAN CARROLL

Network management usually boils down to fire fighting and handling routine tasks. Unlike most PC management utilities, Knozall's NLMerlin and Shany's AlertView are management tools that can help automate both ends of the job.

Although these products address similar gaps in the network management market, they are more complementary than competitive. AlertView's strength is monitoring and responding to problems in Windows and DOS applications. This package also detects network-related problems encountered in these applications. NLMerlin focuses on NetWare file servers and is better suited to day-to-day task automation than to handling problems. NLMerlin also offers some task automation and problem handling for DOS and Windows workstations.



AlertView's *management console, which consists of the AlertView Manager and the Event Monitor. AlertView is centered around a Windows-based control module, with agents for monitoring DOS and Windows events residing on other workstations.*

NLMerlin's *Job Queue Information screen, showing the beginning of a sample script for rebooting a workstation. NLMerlin is NetWare-centric, with the central automation module implemented as an NLM, but you can program NLMerlin through this Windows interface.*

What They Do

NLMerlin consists of four types of modules: administrative server agents implemented as NLMs (NetWare loadable modules), NLM-based server task agents, workstation task agents implemented as TSR programs, and a Windows-based administrative utility or *system console*. Only one server has to have an administrative server agent. When present, the administrative server agent is combined with a server task agent in a single NLM.

The system console, communicating with the administrative server agent by way of a direct file interface, is used for managing security and scheduling jobs. Once a job is in the queue, the administrative server agent keeps track of it and distributes it to one or more task agents. Task agents on either servers or workstations receive and carry out jobs. The administrative server agent communicates with task agents via IPX, using MCPs (Merlin control packets).

AlertView is also an agent-and-manager combination. The two functions are performed by a Windows-based administrative utility (the management console) and workstation agents implemented as TSRs. The management console is used to monitor events, schedule and initiate procedures, and gain control of workstations through the workstation agents. The agents monitor system events and report them to the management console. All modules communicate via IPX, DLC (data-link control), NetBIOS, or TCP/IP and proprietary packets.

A more detailed look at the information gathered by the two programs highlights their differences. AlertView detects and records application activities, including starting and stopping applications, file operations (e.g., open, close, access denied, and file not found), interactions with peripherals (e.g., drive not ready and serial port time-out), Windows errors (low Windows system resources), and network client errors (e.g., network device driver error, sharing violation, locking violation, send/receive error, network busy, and IPX/SPX time-out). NLMerlin can't detect a single one of these application events.

On the other hand, NLMerlin can determine the number of server volumes, current server utilization, average server utilization over the last 10 minutes, number of connections on the server, total disk space, and percentage of disk space in use on a server, as well as information specific to the NetWare bindery (e.g., the number of user, group, and server objects in the bindery). On its own, AlertView will only display the name of the primary server. (Through integration with the NMS [NetWare Management System], AlertView can get and respond to SNMP alerts, including alerts from Novell's server-based agents. But when it comes to managing servers, NMS can do as well without AlertView.)

Running Each

Installation is straightforward for both products, though a little faster for NLMerlin (with only one disk to install) than for AlertView (which has six). We had some problems learning to use AlertView. For

instance, we had trouble starting applications on remote Windows workstations. We could start Windows accessories like Notepad or Clock, but not other applications. In addition, we were unable to stop the Windows accessories. Eventually, we learned that we had to enter the full path of the executable file to start the application. To stop it, we simply had to reselect this program from a list. The documentation for these functions was not very clear, and even Shany's technical support required three calls to determine the problem. We were told that these functions are new in version 2.1.

ALERTVIEW 2.1	NLMERLIN
• Works on any network supporting Windows workstations	• Works with NetWare only
• Doesn't monitor server information	• Provides detailed NetWare server monitoring
• Starts and stops DOS and Windows applications remotely	• Can't gather specific Windows information from workstation agents
• Has Windows-based command module	• Loads and unloads NLMs automatically
• Offers optional OS/2 agents	• Has NLM command module
• DOS agents implemented as TSRs	• DOS agents implemented as TSRs
• Control program through graphical Windows program	• Provides control automation through BASIC-like scripts

We also had trouble using AlertView's remote function, which allows the management console machine to take over an agented workstation, much like NetWare's RCONSOLE. The remote function worked for DOS workstations, but it blanked the screen and locked the keyboard every time we tried to control a Windows machine. Eventually, we learned that agented machines are limited to standard VGA video. After changing to a standard VGA driver, we were able to use this function.

AlertView is better designed than NLMerlin for detecting and handling errors. First of all, AlertView is designed to monitor all application operations and errors. By selecting from a pick list, you can tell it which ones not to report on. With NLMerlin, you have to explicitly query, in the script file, for each piece of information. AlertView displays the probable cause (in addition to a description of the event, the user name, and the workstation address) and suggests a solution.

The network manager can configure AlertView to respond automatically with predefined corrective procedures for a set of problems. With NLMerlin, in contrast, the manager has to determine appropriate corrective procedures and write them into a script. NLMerlin offers no suggestions. In addition, NLMerlin lacks built-in support for editing files such as CONFIG.SYS or AUTOEXEC.BAT; this would be useful when correcting errors.

In a typical corrective procedure, AlertView might modify the AUTOEXEC.BAT file, notify the user that his or her workstation will be down, reboot the machine so that modifications will take effect, restart the application that the user was in, and, finally, notify the user that the problem has been corrected. Various common procedures are included; they may be used as is, modified, or used as examples. Procedures can also be scheduled to occur at specified times on specific dates or periodically, such as a nightly backup. AlertView can also kick off a batch file (although not an NCF [NetWare control file]) in response to a problem.

However, AlertView procedures are expressed as simple lists of commands, which can include keystroke macros. This limits their ability to take varying system conditions into account. For example, there is no support for IF ... THEN logic, FOR loops, or conditional subroutines.

NLMerlin is better designed for automating routine procedures. Its script language resembles BASIC, offering some of the power and flexibility (and complexity) of that language, including such elements as IF ... THEN logic, FOR ... TO loops, and conditional GOSUB and GOTO statements. Such capabilities are indispensable for handling the vagaries of real environments when complex tasks execute automatically. Lists of commands and keystroke macros don't offer much leeway for variation.

The Long Run

Both programs—but especially NLMerlin—leave us with some concerns about long-term and enterprise-wide strategy. Software and hardware vendors interested in NLMerlin's automation will have to explicitly support NLMerlin. Knozall doesn't appear to have the market clout to attract third-party developers. Furthermore, APIs and interfaces to distributed task management functions may eventually be standardized, perhaps under the auspices of the DMTF (Desktop Management Task Force), a group now boasting more than 200 vendor members, including Hewlett-Packard, IBM, Intel, Microsoft, Novell, and SunConnect. If no committee standard emerges, de facto standards are likely.

Contrast NLMerlin with Hermes, Microsoft's proposed centralized desktop management system. Hermes will run under Windows NT and will offer functions such as hardware and software inventory, software distribution and installation, remote diagnostics, and remote control. Hermes's software distribution function will actually distribute jobs, with or without accompanying data. While the initial intent is to do such things as copying a new printer driver to drive C or running the setup program for a new piece of software, there is no inherent limit to the jobs that could be shipped around the network.

How Hermes will define jobs is not yet clear. However, given Microsoft's dominance of the desktop software environment, that definition could become a de facto standard. Hermes will also support committee standards. To gather information about network nodes, for instance, Hermes will use MIFFs (management information format files), which are ASCII files in a format defined by the DMTF. The API for registering managed objects and interfacing to MIFFs will be the DMTF's DMI (Desktop Management Interface).

NLMerlin can perform many of the functions promised from Hermes. However, since NLMerlin is not based on any management standards, it will be harder to get third-party support.


It may still be possible for Knozall to support DMTF or other standards. Knozall says it will respond to the needs of the market by interfacing to standards as they develop, and that it anticipates no major problems in accommodating whatever standards emerge. Meanwhile, NLMerlin is here now. The same can't be said of products like Hermes. NLMerlin's scripting language closely resembles BASIC, thus making use of a well-established standard. In making a decision about NLMerlin, you should weigh immediate needs for task distribution against potential advantages of waiting for standards in this arena.

We also would have liked to see the ability to generate and receive SNMP alerts in NLMerlin. This would have made it easier to integrate NLMerlin's functions into corporate networks and ensured some level of integration with existing management applications.

Shany provides SNMP integration for AlertView through integration with the NMS. This integration enables NMS to

Meet Our MultiTalented Family

Performing All Your Multimedia Needs



AITech's family of five is ready to act for you. We can help you create high-impact presentations. Or take these presentations on the road with utmost convenience. You can develop a teleconferencing or interactive training system, or create picture records. Or just entertain yourself. Whatever you may need, we have a multimedia product that can fulfill your requirements. For either full-motion video capture or VGA output to TV or video.

With **WaveWatcher-TV**, you can view TV or video on your VGA monitor. Images or full-motion video can be captured from any TV program and used in your desktop documents or presentations.

If you require higher performance, **VideoSurge** should be considered for full-motion video capture. VideoSurge displays a real-time, 24-bit true color. Plus, three sets of stereo source inputs. Volume, bass, treble and balance control can be individually selected and controlled.

The AITech **audioSHOW** combines the ability to display your computer's output on a TV or VCR with full-featured 16-bit stereo sound capabilities. Imagine recording your VGA screen to videotape and adding a music soundtrack consisting of CD music, MIDI synthesizer orchestrations, sampled sound effects and narration. This is the power of audioSHOW!

The **ProVGA/TV Plus** enables you to convert VGA display graphics into NTSC or S-VHS video for display on TV monitors or projection systems. The converted video can be genlocked to external input for mixed video presentations. You can mix, overlay, or chroma key the VGA signal.

Taking your computer presentation on the road? Or just want to play computer games on your TV? The **ProPC/TV Plus** is an external pocket-size VGA-to-TV encoder that meets these needs. You get portability and easy installation, plus TV/VGA concurrent display.

Let us show how our talents can perform for you. For more information on the AITech multimedia product family, contact your local dealer or call us at 1-800-882-8184 or fax 1-510-226-8996.

BEST OF Taipei Computer Show BYTE

MICROSOFT® WINDOWS™ COMPATIBLE

AITech
Vision for Multimedia

Visit us at COMDEX -- South Annex, Booth A1160!

AITech International, World Headquarters, 47971 Fremont Blvd., Fremont, CA 94538, Tel 510-226-8960 FAX: 510-226-8996

© 1993, AITech International. Specifications subject to change without notice. WaveWatcher-TV, VideoSurge, audioSHOW, ProVGA/TV Plus and ProPC/TV Plus are trademarks of AITech International. All other trademarks are the property of their respective holders.

Circle 66 on Inquiry Card.

discover AlertView agents and put them on an NMS map with an icon that accesses AlertView's tools. AlertView and NMS can also receive, display, and respond to each other's alarms. Thus, NMS can receive SNMP traps and forward them to AlertView, or receive AlertView's alarms and forward them as SNMP traps.

In addition to providing this support for SNMP, AlertView is based on well-defined, stable Windows application APIs. Thus, AlertView already works with all Windows applications. It would still help if AlertView took advantage of DMTF standards where possible; if it doesn't, it may not be able to obtain some critical information.

Interestingly, Windows NT includes an event monitor that provides error-related information and suggestions similar to those provided by AlertView. We like the idea of monitoring applications through an operating-system utility as opposed to a third-party package. If Microsoft ever decides to offer a Windows event monitor and then hooks it into a central console such as Hermes, Shany could have some serious competition.

The difference between NLMerlin and AlertView in terms of a strategic direction boils down to this: Task distribution is in its infancy; anybody who invests now may have to backtrack when standards and standardized products emerge. In contrast, standards for monitoring applications are already firm. Because it focuses on application monitoring more than on task distribution, AlertView is less vulnerable to outflanking by a new standard.

Overall, we see value in both of these products. AlertView is more accessible and is easier and more fun to use. It adds significantly to your ability to manage Windows and DOS applications but not NetWare servers. NLMerlin is good at managing servers, is currently less capable in the workstation arena, and lacks the ability to monitor applications.

Both products seem to have lots of room for expansion and may serve as a basis for future capabilities. Still, NLMerlin will remain a tool for the type of user who would write DOS batch files and program in BASIC using just a text editor—in other words, a tech-weenie—while AlertView will appeal to the average network administrator who wants to know what is happening in users' applications. ■

Mike Hurwicz and Dan Carroll are writers and consultants specializing in networking and imaging. They are based in Eastsound, Washington. You can contact them through AT&T Mail as "mhurwicz" or on BIX c/o "editors."

About the Product

NLMerlin $2195
(includes one Windows-based administrative agent, two NetWare file-server agents, and 20 DOS client agents)

Knozall Systems, Inc.
375 East Elliot Road, Suite 10
Chandler, AZ 85225
(800) 333-8698
(602) 545-0006
fax: (602) 545-0008
Circle 1075 on Inquiry Card.

AlertView 2.1.....$935
(includes one Windows-based management server and 10 DOS/Windows client agents)

Shany, Inc.
1101 San Antonia Rd.
Mountain View, CA 94043
(415) 694-7410
fax: (415) 694-4728
Circle 1076 on Inquiry Card.



Get with the *PRO*gram!

CHECK✓IT PRO
ADVANCED SYSTEM INFORMATION UTILITY

PC MAGAZINE EDITORS' CHOICE
July 1993
CheckIt PRO:SysInfo

"TouchStone Software's $100 Check✓It PRO: SysInfo is the closest thing this category has to perfection."

We Couldn't Have Said It Better Ourselves...

"It made no errors reporting on either of our test systems, and it provided more detailed information on many hardware items in our test bed PCs than did the competition."

"Beyond the basics, Check✓It PRO reports on detailed drive mapping with suitable disk controllers and on the kind of UART your serial ports are using. Adding to Check✓It PRO's appeal is a set of benchmark comparisons that allows you to make sense out of the numbers that the benchmarks produce. If you get the SysInfo package and have any interest in diagnostics, you should consider the bundle of SysInfo & Tests and Tools."

"Quality of information is the key to a good reporting tool. As such, the program of choice for DOS users is TouchStone's Check✓It PRO."

— PC Magazine, July 1993

TouchStone Software Corporation
2130 Main Street, Suite 250,
Huntington Beach, CA 92648
(800) 531-0450 or (714) 969-7746
Fax (714) 960-1886

Copyright ©1993 TouchStone Software. ALL RIGHTS RESERVED. CheckIt is a registered trademark and the Quality Tested Seal is a trademark of TouchStone Software Corp. Huntington Beach, CA

Circle 138 on Inquiry Card (RESELLERS: 139).

FOR $166, WHY WOULD YOU BUY UNIX® FROM ANYONE ELSE?



UNIVEL'S™ UNIXWARE™ FROM INFORMATION FOUNDATION

UNIXWARE PERSONAL EDITION FEATURES

- UNIX SYSTEM V RELEASE 4.2 FOR INTEL PLATFORMS
- X11-BASED DESKTOP MANAGER
- WINDOWING KORN SHELL
- NOVELL NETWORK SUPPORT
- DOS / WINDOWS SUPPORT

ONLY INFORMATION FOUNDATION OFFERS THESE EXTRAS:

- **FREE** "1-800" product support
- **FREE** Click-Start™ Training
- No question money back guarantee



INFORMATION FOUNDATION'S INCREDIBLE PRICES

PERSONAL EDITION	LIST	I.F.
· CD-ROM VERSION	~~$249~~	$166!
· TAPE VERSION	~~$299~~	$199!
· DISKETTE VERSION (NEW)	~~$399~~	$266!
TCP/IP FOR UNIXWARE	~~$149~~	$99!
C2 SECURITY	~~$149~~	$99!
ADVANCED UNIX UTILITIES	~~$225~~	$150!
C DEVELOPMENT SYSTEM	~~$449~~	$299!

PLUS THE COMPLETE UNIXWARE PRODUCT LINE AND UNIX DOCUMENTATION AT UNBEATABLE PRICES!

RESELLER & VOLUME DISCOUNTS AVAILABLE!

BUY IT TODAY FROM INFORMATION FOUNDATION — THE OPEN SYSTEMS MIGRATION EXPERTS

CALL: 1-800-GET-UNIX

WHO IS INFORMATION FOUNDATION?

I.F. is in its tenth year as an internationally recognized provider of Open Systems solutions and training. Solutions for customers such as AT&T, American Airlines, UNIX International, US Army to name a few.

Information Foundation is both a USL UNIX source code licensee and a Univel Authorized OEM. We have over 75 UNIX engineers to provide you with unmached support, training and integration services to meet your most demanding Open Systems needs.

Information Foundation

THE OPEN SYSTEMS MIGRATION EXPERTS™

1200 17th Street, Suite 1900
Denver, Colorado 80202
Phone: 303/572-6486
Facsimile: 303/572-6484
E-mail: sales@if.com

IF is a registered trademark of Information Foundation. UNIX is a registered trademark of UNIX System Laboratories. UnixWare and Univel are trademarks of Univel. All registered trademarks and trademarks are the property of their respective owners.

Circle 162 on Inquiry Card (RESELLERS: 163).

HANDS-ON TESTING

176 PRINTERS FACE OFF

From high-end dye-sublimation to low-cost dot-matrix models, we select the best printers for eight important business applications

HELEN HOLZBAUR, JIM HURD, AND STEPHEN PLATT

New printers continue to hit the market at breakneck speed: Of the 176 printers tested here, 70 of them either didn't exist when we prepared our last printer report in May or have been significantly upgraded since then. What's more, five of the eight printers that received BYTE Best awards in this report only began shipping since this spring.

For printer buyers, a dynamic market is good news. Prices in the last six months have dropped dramatically: The 105 printers that remain on the market since our May report now cost an average of $500 less. The bottom line for those who need a new printer is that cutting-edge performance and print quality have never been less expensive.

Through hands-on tests of laser, dot-matrix, ink-jet, high-end color, and portable printers, this report documents the advances of the printer market. We invited vendors to submit printers for every category. Besides our memory specifications, which were necessary to make our test results comparable, our only restric-

How to use this guide

In each application category, we name a best overall printer that offers the best mix of performance and quality plus any required features relevant to the particular application. We also name the best low-cost printers for each application, as well as highest quality and best for use with Macintosh environments.

Each score represents pages-per-minute speed; higher numbers indicate faster performance.

Lexmark IBM 4039L



Competitively priced with slower printers, this 12-ppm laser really scre when you install Lexmark's software-rasterizing Windows drivers. Over s 600-dpi quality is among the best in its class. Unfortunately, its Po Script performance is lackluster. For heavy PostScript usage, pick the MicroLaser Pro 600 Turbo with the PowerStep accelerator board instead.

A composite score of text and graphics output; based on a scale of 10, with higher numbers indicating better output quality.


		BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY(MB) STAN., MAX.
BEST	LexmarkIBM4039Laser12R ▲	8.63'	3.57	5.04	8.74	12	$1999	600	4,16
RUNNER-UP	LexmarkIBM4039Laser10R ▲	7.04'	3.12	4.32	9.00	10	$1599	600	2,16
RUNNER-UP	TIMicroLaserPro600 (w/PowerStep) ▲	3.98	5.37	5.23	8.72	8	$1948	600	6,22
RUNNER-UP	XanteAccel-a-Writer8000 ▲	5.18	2.67	2.78	8.44	8	$2295	600	8,16
RUNNER-UP	HP LaserJet 4M ▲	4.85	3.21	3.95	8.78	8	$2399	600	6,32

Vendor's rating for engine or print-head speed; does not include printer processor time.

Retail price; may include optional memory to conform to our testing specifications (see "How We Tested").

PHOTOGRAPHY: STEVE BELKOWITZ ● 1993

What to Look For in a Laser Printer



tions were price related: We didn't test any network or color printers costing over $15,000, and all other models carried list prices of $10,000 or less.

Lasers continue to make inroads into the low-cost market. A dozen in this report carry list prices of approximately $1000. In response to this competition, ink-jet printers now sell for $200 to $300 after discounting. At this price point, ink-jets have entered the price domain of dot-matrix printers. What's more, new high-speed ink-jets, like the C-Tech Speedjet 300 and Texas Instruments MicroMarc, now run as fast as dot-matrix printers, which are increasingly becoming niche products for multipart forms and invoices.

Color printers are at the cutting edge of development. Eighteen of the new printers we tested were color printers, and many had impressively low prices. From the $319 LA 95-DECWriter to the Tektronix Phaser IISDX, a $10,000 dye-sublimation printer, color output has never been better or offered at so many price points.

In this report, we've divided the printers into eight categories to make it easier for you to match a printer to your needs. For PC and Mac users, we selected printers for general business, draft text, high-quality color, general-purpose color, workgroups, tabloid, CAD and desktop publishing, and travel.

NOVEMBER 1993 BYTE BEST PRINTERS

BEST

GENERAL BUSINESS
Lexmark IBM 4039Laser 12R
Posted the fastest times for PC text and graphics, along with respectable PostScript and Mac scores. **PAGE 279**

HIGH-QUALITY COLOR
General Parametrics Spectra Star GT
This $5000 thermal-wax-transfer printer uses standard paper and produces brilliant color images. **PAGE 285**

GENERAL-PURPOSE COLOR
Hewlett-Packard DeskJet 1200C/PS
The best ink-jet output for both color and monochrome text. **PAGE 289**

WORKGROUPS
Hewlett-Packard LaserJet 4SiMx
Superb quality and the fastest performance overall. **PAGE 291**

DRAFT QUALITY
C-Tech Speedjet 300
An ink-jet printer that outpaced even some lasers for speed in producing reports and forms. **PAGE 293**

LARGE FORMAT
Mannesmann Tally MT 360
The choice among dot-matrix printers for 11- by 17-inch print jobs. **PAGE 295**

CAD AND DTP
Compaq PageMarq 20
The fastest laser able to handle 11- by 17-inch paper. **PAGE 299**

PORTABLE
Lexmark IBM 4070 IJ
A 4-pound ink-jet with the fastest print speed among portables. **PAGE 301**

ILLUSTRATION: BRUCE SANDERS© 1993

THE BEST PRINTERS FOR

GENERAL BUSINESS


High-quality output makes laser printers the standard for business documents, which may range from correspondence, to proposals and reports, to standard-format desktop publishing (see the CAD and desktop publishing section for large-format laser printers). The printers we rank in this section are suitable for use by up to five people. Because of quality considerations, we considered only laser printers for this category. The lasers ranked here are rated at 12 pages per minute or less; to be considered for best in the low-cost category, a laser had to be rated at 6 ppm or less.

Although 300-dot-per-inch laser printers are appropriate for most business applications, low-priced 600-dpi laser printers such as the Lexmark IBM 4039Laser 10R ($1599) led us to recommend the high-resolution models unless you're on an especially tight budget. If so, low-cost 300-dpi printers such as the NEC Silentwriter Superscript 610 ($700) and the Hewlett-Packard LaserJet 4ML ($1279) are excellent choices.

However, if you're printing newsletters with graphics or doing any type of desktop publishing, a 600-dpi laser printer is the only way to go. Among the higher-resolution lasers, we call it a draw for overall quality among HP's LaserJet 4M, the Lexmark IBM 4039Laser series, the TI MicroLaser Pro 600, and the Apple LaserWriter Pro 630.

Brother's HL 10H also produced top-quality 600-dpi output; unfortunately, its gray-scale dithering fell short of that of the other leaders. HP's LaserJet 4 and 4P also fell down a bit on gray-scale reproduction.

ENHANCED DRIVERS



Printer performance, in pages per minute.

Within the past year, both IBM and NEC have introduced "enhanced" PCL5 languages on their printers. These languages, supersets of HP's PCL5 printer language, provide additional features for improved graphics and font-rendering performance. The languages are true supersets—the printer will still operate using a normal PCL5 driver, but using the accompanying drivers will improve their performance.

We tested the Lexmark IBM 4039Laser 16L and the NEC Silentwriter Superscript 610 using both PCL5 and enhanced drivers and compared them to a Hewlett-Packard LaserJet 4 running the driver that ships with the printer and a standard PCL5 driver. While using IBM's 4039-16L print accelerator, the 4039Laser 16L was 44 percent faster in our benchmark tests. Using straight PCL5, it averaged 6.3 ppm on our test suite, but when driven by the IBM 4039-16L print accelerator it averaged 11.3 ppm. Likewise, the NEC Superscript 610, using NEC's Superscript 610 GDI (Graphical Device Interface) language, improved from 3.45 ppm to 4.5 ppm, a 24 percent decrease in print time. The LaserJet 4's driver speeds up font and bit-map processing, but overall it lags behind the PCL5 version because of slower text and graphics performance.

The Xante Accel-a-Writer 8000 and 4000 and Samsung Finale Hi-Res all use resolution enhancement to coax higher resolution from print engines designed for 300-dpi output. In general, the quality of the Xante printers is on a par with that of the 600-dpi printers, although its text does not have the same clarity at small point sizes. Resolution enhancement is less successful with the Finale, however. Samsung claims the printer can simulate 1200 dpi, but its output quality in our tests did not even approach that of a true 1200-dpi printer. (The printer is also designed to be upgraded to a true 600-dpi resolution, but we didn't test this feature.)

The fastest printers for Windows were the ones designed to accept rasterized pages from the host computer. The Lexmark IBM 4039Laser 12R and 10R printers and the NEC Silentwriter Superscript 610 use this technique to outperform conventional PCL (Printer Control Language) and PostScript drivers shipped with Windows. Because this technique is heavily dependent on the host, the faster your computer, the faster these printers will print. (We obtained our speed scores using a 33-MHz 486DX with 8 MB of memory.)

All the 4039-series printers offer a wide range of features,

including power management, optional duplexing, an easy-to-read five-line LCD showing configurations, and flash ROM to store fonts and logos.

For graphical illustrations and desktop publishing, or for use with a Macintosh, choose the TI MicroLaser Pro 600 equipped with the optional PowerStep accelerator board ($349). This 8-ppm unit blasts through PostScript jobs faster than many 16- and 17-ppm printers. The printer's quality is comparable to that of 600-dpi printers. Unlike the PhoenixPage PostScript interpreter in the Lexmark printers, the Adobe interpreter in the MicroLaser supports Level II. However, the MicroLaser's PCL performance is below average for an 8-ppm printer, so don't purchase this printer if you primarily print PCL jobs.

For low-cost PostScript, we recommend the HP LaserJet 4ML. At $1279, it is not the cheapest printer you can buy, but its high quality and good performance make it worth the incremental cost. Its RISC processor puts it among the fastest of the 4-ppm printers; it even outperforms many 8-ppm printers. Of all the laser printers, the LaserJet 4L and 4ML are among the biggest power savers: They consume just 5 W when idle. With its "L" series, Hewlett-Packard has introduced draft mode to the laser world: The print quality is reduced, but so is toner consumption.

If you want the best combination of low cost and high performance for non-PostScript jobs, pick the NEC Silentwriter Superscript 610. The quality was only average for a 300-dpi printer, however. Thanks to resolution enhancement, both the Epson ActionLaser 1500 and the LaserJet 4L offer higher-quality text and graphics than the Silentwriter Superscript 610, but they can't match its speed.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

BYTE BEST — GENERAL BUSINESS

Need the best balance of speed and quality?

BEST OVERALL — Lexmark IBM 4039Laser 12R



NOVEMBER 1993 BYTE BEST GENERAL BUSINESS PRINTER

Competitively priced with slower printers, this 12-ppm laser really screams when you install Lexmark's software-rasterizing Windows drivers. Overall, its 600-dpi quality is among the best in its class. Unfortunately, its PostScript performance is lackluster. For heavy PostScript usage, pick the TI MicroLaser Pro 600 with the PowerStep accelerator board instead.

			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	Lexmark IBM 4039Laser 12R	▲	8.63[1]	3.57	5.04	8.74	12	$1999	600	4, 16
RUNNER-UP	Lexmark IBM 4039Laser 10R	▲	7.04[1]	3.12	4.32	9.00	10	$1599	600	2, 16
RUNNER-UP	TI MicroLaser Pro 600 (w/PowerStep)	▲	3.98	5.37	5.23	8.72	8	$1948	600	6, 22
RUNNER-UP	Xante Accel-a-Writer 8000	▲	5.18	2.67	2.78	8.44	8	$2295	600	8, 16
RUNNER-UP	HP LaserJet 4M	▲	4.85	3.21	3.95	8.78	8	$2399	600	6, 32

When price matters...

LOW COST — NEC Silentwriter Superscript 610



Thanks to a special Windows driver, this printer's Windows performance is stunning, as is its under-$700 price. A bidirectional Windows interface gives you excellent feedback on print status and settings without your having to look at the printer.

			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	NEC Silentwriter Superscript 610	▲	4.55[1]	—	—	6.67	6	$700	300	0.25, [2]
RUNNER-UP	Brother HL 6	▲	3.84	—	—	6.67	6	$895	300	0.5, 4.5
RUNNER-UP	Epson ActionLaser 1000	▲	4.51	—	—	5.11	6	$799	300	0.5, 6.5
RUNNER-UP	Okidata OL-400E	▲	3.46	—	—	6.44	4	$699	300	0.5, 4.5

Is Mac support a must?

MACINTOSH — TI MicroLaser Pro 600 (with PowerStep)



This printer combines high print quality with the fastest Mac and PostScript performance, especially its font-rendering speed.

			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	TI MicroLaser Pro (w/PowerStep)	▲	3.98	5.37	5.23	8.72	8	$1948	600	6, 22
RUNNER-UP	Lexmark IBM 4039Laser 12R	▲	8.63[1]	3.57	5.04	8.74	12	$1999	600	4, 16
RUNNER-UP	Apple LaserWriter Pro 630	▲	3.17	2.88	3.80	9.11	8	$2529	600	8, 32
RUNNER-UP	HP LaserJet 4M	▲	4.85	3.21	3.95	8.78	8	$2399	600	6, 32
RUNNER-UP	TI MicroLaser Pro 600	▲	—	2.66	3.83	8.72	8	$1599	600	6, 22

When print quality is everything...

HIGH QUALITY — TI MicroLaser Pro 600 (with PowerStep)



Although the MicroLaser Pro 600 didn't have the best quality when compared to other 600-dpi printer heavyweights (e.g., the LaserJet 4M, the Lexmark IBM 4039Laser series, and the Apple LaserWriter Pro 630), none of the others matched the MicroLaser for PostScript speed.

			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	TI MicroLaser Pro (w/PowerStep)	▲	3.98	5.37	5.23	8.72	8	$1948	600	6, 22
RUNNER-UP	Apple LaserWriter Pro 630	▲	3.17	2.88	3.80	9.11	8	$2529	600	8, 32
RUNNER-UP	Lexmark IBM 4039Laser 10R	▲	7.04[1]	3.12	4.32	9.00	10	$1599	600	2, 16

[1] Score obtained with proprietary driver.
[2] Uses computer memory for jobs requiring more memory.


How We Tested

We subjected each printer to as many as 50 different performance and output-quality tests using DOS, Windows, and Mac applications. As appropriate, we tested each printer in letter-quality and draft modes; with PostScript and PCL page-description languages; and using LocalTalk, parallel, and Ethernet connections.

Not every printer is right for every application, so we segmented printers into eight business applications. See the individual application write-ups for details about filters we chose for grouping technologies. For example, with workgroup printers, we considered only those laser printers that were rated at 15 ppm or higher.

We identified the best printers for Mac users by considering only printers that provided a LocalTalk or EtherTalk connection. You can use other printers with a Mac by using products such as Apple's DOS Companion. In fact, the Apple Portable StyleWriter is identical to the Canon BJ-10ex except that the Apple model comes bundled with a serial-to-parallel converter and Mac drivers. Overall, we think most Mac users will do better by selecting printers designed to support the Mac environment.

Our performance scores are measured in pages per minute. We generated a performance index for each printer by weighing and combining scores of the individual tests (see the text box "Our Speed Tests") as appropriate for each particular application category. For example, we judged high-quality color printers by their ability to print color images, not for their ability to print text.



Color Wheel

CATEGORIES

In deciding our best-overall recommendations, we valued performance and quality equally. To determine performance scores, we averaged each printer's speed, measured in pages per minute, in draft and high-quality modes. When a printer offered a choice of either PostScript or PCL for high-quality modes, we used the scores from the mode that produced the fastest results.

We also evaluated each printer for the features it offered and for how easy it was to set up and use the unit. The scores served as filters: We did not recommend products that were difficult to use or lacked essential features, regardless of their speed and quality. For example, the NewGen ImagerPlus 12 has excellent performance and quality, but it failed to run two of our tests. Workgroup printers that do not support automatic switching between PCL and PostScript did not receive "best" honors.


When choosing printers for highest quality, we made quality scores count for 80 percent of the overall evaluation, with the remaining 20 percent consisting of the printer's high-quality-mode speed. We noted that PostScript produced noticeably better output overall than PCL, so we used PostScript performance as a tiebreaker among printers that had very similar output quality.

For best low cost, we used price and technology filters to identify those printers that are likely to sell in the lower end of the price spectrum. For example, 4- to 6-ppm, 300-dpi printers dominate the low-cost laser market, and we considered only this class for our low-cost choices in the business category.

The winner of the low-cost category may not be the lowest-priced printer on a particular day through some particular channel; we cannot reliably predict how street prices might change from minute to minute. What our low-cost pick identifies is a printer that stands out from its peers by offering excellent value at a reasonable price. If a runner-up becomes available to you at a substantially lower cost, you can use the performance and quality measurements to make your own decisions.

PRINT QUALITY

The quality tests measured each printer's ability to draw a variety of lines, reproduce a photographic image, and print attractive, legible text in a wide range of point sizes. We also had the color printers output a page that tested the printer's ability to print different hues; it also faded the printer's primary ink colors to white and black. We looked for a color printer's ability to lay down primary colors adjacent to each other without smear-



Line Test

OUR SPEED TESTS

We measured each printer's performance using a variety of tests designed to mirror real-world applications. To run our tests, we used Windows and Mac drivers supplied by the printer vendor. Our performance scores revealed how fast each printer could produce the following:

Standard Text
This test consisted of a word processing document in one font. We sent the test to the printer using the Windows or Mac drivers. If a printer had a device font available, we used it.

Raw Text
The same word processing document as above, but we sent it directly to the printer, not through the Windows driver.

Graphics
This consisted of a line-intensive world map with filled areas taken from CorelDraw clip art.

Color Graphics
This test consisted of balloon clip art from CorelDraw.

Bit Map
A test page of rasterized text, essentially the same as fax output. This generated scores applicable to graphics applications. It also showed the speed of the communications link between printer and computer.

Fonts
This document was rich in fonts in a variety of type sizes. The test uses serif and sans-serif typefaces in regular and boldface at 30 different point sizes.

Forms
This document consisted of a simulation of preprinted forms.

There's just one choice: Insist upon a printer with genuine Adobe™ PostScript™ software inside. It's the industry standard—the only way to guarantee that your printer will work with virtually every software application and hardware environment today and tomorrow. With Adobe PostScript, you're assured the highest quality output whether you're printing from DOS, Windows™, OS/2®, Macintosh® or UNIX®, from a PC or a mainframe. And since almost every major printer manufacturer offers

THE MOST IMPORTANT CHOICE YOU'LL MAKE WHEN CHOOSING A PRINTER, ISN'T JUST THE PRINTER.

Adobe PostScript printers, it's easy to choose the brand of printer that's right for your company. Remember, the best choice is the clear choice. Make sure your next printer has genuine Adobe PostScript. Accept no substitutes. For a free guide on how to choose a printer, call 1-800-962-3623, Dept. L, Ext. 0106.



Outside the U.S.A. and Canada call your local distributor or 408-986-6555. Adobe, the Adobe logo, PostScript and the PostScript logo are trademarks of Adobe Systems Incorporated which may be registered i certain jurisdictions. Windows is a trademark of Microsoft Corporation. OS/2 is a registered trademark of International Business Machines Corporation. Macintosh is a registered trade mark of AppleComputer, Inc. UNIX is a registered trademark of UNIX System Laboratories. ©1993 Adobe Systems Incorporated. All rights reserved.

IT'S NOT JUST PRINTING,
IT'S ADOBE POSTSCRIPT PRINTING.

Adobe

ing. We also assessed the effectiveness of the printer's screening and dithering, and we looked for a minimum of random specks of ink and alignment errors, which detract from the output's appearance.

The quality tests were written in PostScript. To generate quality test pages for non-PostScript printers, we used the Freedom of Press PostScript interpreter from ColorAge. To measure print quality, we examined the output from all the printers and selected the one that best met our quality standards. Output from all the other printers was ranked in relation to the best sample.



Our testing team. Front, from left: Siva Kumar, André Whittle, Alan Joch. Back, from left: Jim Hurd, Vidya Maharaj, Helen Holzbaur, Stephen Platt, and Morgan Nec.

FEATURES AND EASE OF USE

Features and usability go hand in hand. We noted each printer's features, as well as any important capabilities a printer may have lacked. We also noted how easy it was to use each printer.

CONFIGURATIONS

We performed PC tests using Compaq Deskpro 433i systems with 200-MB hard drives and 8 MB of RAM. DOS 5.0 and Windows 3.1 were installed on each system. We performed Macintosh tests using Quadra 700 computers equipped with 8 MB of RAM and 400-MB hard drives. We used System 7.1 for all Mac testing.

All print servers, spoolers, and buffers were disabled. When soliciting printers, we requested each manufacturer's standard memory configuration for dot-matrix and ink-jet printers. Workgroup laser printers required at least 8 MB of RAM and PostScript, if available. All other lasers needed 4 MB of memory and PostScript if available.

BREAKDOWN OF TEST CATEGORIES

We sorted printers for appropriate applications by using the following definitions.

General business. Appropriate for use by one to five people who need a printer for business correspondence, proposals, reports, and limited desktop publishing. Requirements for high-quality output limited our rankings to laser printers. A printer's output quality weighed equally with its performance. Printers that were rated at 6 ppm or slower and priced at less than $900 were considered for low-cost honors.



Font Test

High-quality color. When quality matters more than price or speed. For drafts of brochures, magazine layouts, transparencies, and other four-color material. Thermal-wax-transfer, solid ink-jet, and dye-sublimation printers were ranked.

General-purpose color. Ink-jet and dot-matrix printers for color drafts, spot color, transparencies, and monochrome text. Printers that were priced at $1700 or less were considered for low-cost honors.

Workgroups. Laser printers rated at 15 to 20 ppm. Speed, quality, and connectivity were key considerations. Low-cost competitors carried prices of less than $4000.

Draft quality. Ink-jet and dot-matrix printers to serve single users whose work consists of producing draft reports, forms, and labels. Printers had to sell for $600 or less to be considered for best-low-cost status.

Large format. Dot-matrix and ink-jet printers able to use 11- by 17-inch paper. For draft-quality CAD, spreadsheets, and ledgers where low cost and speed are more important than output quality. Low-cost competitors sell for $1000 or less.

CAD and DTP. Lasers for high-quality output and 11- by 17-inch printing. Printers selling for $4000 or less were considered for low-cost honors.

Portable. Thermal, ink-jet, and dot-matrix printers that can run on batteries and are also light enough for easy travel. To be ranked for low-cost status, printers had to sell for less than $500.

OUR TEST TEAM

Jim Hurd, *Vice President of Research and Development/NSTL, wrote the printer performance tests. He has tested scores of printers during the last 10 years at NSTL.*

Helen Holzbaur, *Project Manager/NSTL, was a network manager and systems administrator at Temple University for 10 years before joining NSTL.*

Alan Joch, *Senior Editor/BYTE, coordinates the combined testing between the BYTE Lab and NSTL.*

Siva Kumar, *Technical Analyst/NSTL, specializes in hardware and network-operating-systems testing.*

Vidya Maharaj, *Consultant/NSTL, helped evaluate 120 printers for the Canadian government earlier this year. She is completing a B.S. degree in computer science from the University of Toronto.*

Morgan Nec, *Consultant/NSTL, has tested printers and systems for NSTL since 1988.*

Stephen Platt, *Manager of Unix Development/NSTL, has a doctorate in computer science/computer graphics and wrote the quality tests for this report.*

André Whittle, *Consultant/NSTL, has evaluated computer hardware for the Canadian government, including a large-scale printer test conducted last spring.*

The Lab Report is an ongoing collaborative project between BYTE Magazine and National Software Testing Laboratories (NSTL). BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.



Us. *Them.*

We'd like to compare our color prints to theirs, but we don't have all day.

When you can get photo-like output like this from a dye-sublimation printer, who wants to wait? Especially when you can use that vivid, continuous-tone color for everything from overhead transparencies to proofing your layouts before going to film.

That's why we made the new Phaser™ IIsdx the fastest Adobe™ PostScript™ Level 2 dye-sublimation printer around. Its powerful RISC CPU processes large scanned images at about the same speed as a dedicated raster printer, but with all the convenience and shareability you've come to expect from a network PostScript printer.

The Phaser IIsdx can be shared with Macs, PCs (Windows/DOS or OS/2), and workstations—simultaneously. It switches automatically from user to user using its parallel, serial, AppleTalk® or optional EtherTalk™ and TCP/IP Ethernet™ ports. And it's as simple to operate and maintain as a standard office laser printer.



Call us today for a free sample print. Our number is 800/835-6100, Department 29-J.

For faxed information, call 503/682-7450 and ask for document 1231.

Tektronix

Tektronix, TekColor and Phaser are trademarks or registered trademarks of Tektronix, Inc. PostScript is a trademark of Adobe Systems, Inc. All other marks are trademarks or registered trademarks of their respective companies.

Circle 136 on Inquiry Card.

THE BEST PRINTERS FOR HIGH-QUALITY COLOR

We tested 13 printers that excel in applications where proofs for color publications and top-quality transparencies demand the best color, no matter what the cost. These thermal-wax-transfer and dye-sublimation models are among the most precise printers for placing color pigment on a printed page. In most cases, the output from this class of high-priced printers was of near-photographic quality.

On our 10-point scale, where higher numbers indicate better quality, thermal-transfer printers received scores ranging from the Star Micronics SJ 144's 5.75 to the Tektronix Phaser III PXi's 8.29. The dye-sublimation Textronix Phaser IISDX scored a near-perfect 9.29.

Although prices for high-end color printers have dropped in relative terms over the last year, none of these printers is cheap. The "low-cost" Phaser 200e lists for $3695. To get the top-quality output of the Phaser IISDX, however, expect to pay a list price of $9995, the highest price of any printer we evaluated for this report.

In addition, none of these printers is particularly speedy, and therefore should not be considered for doing double duty in other types of printing applications. For example, the Spectra Star GT, from General Parametrics, was the fastest, with a speed of about 1 ppm in our tests. Most of the rest were in the 0.3- to 0.5-ppm range, with the slowest being the Eastman Kodak Colorease PS at 0.16 ppm (or 6 minutes per page).

Our choice for best overall in this category was a thermal-wax-transfer model, the Spectra Star GT. It was the fastest printer in the category, and it scored well on most of our quality tests. Its scores on the monochrome quality tests were average, as were those of all the thermal-transfer printers we reviewed. The technology just isn't designed for placing text on a page. However, the Spectra's color-quality score of 7.71 points out of a possible score of 10, coupled with its relatively fast print speed, helped make this the best all-around printer.

The Spectra Star GT comes equipped with serial, parallel, and LocalTalk ports, which makes it an excellent printer for PC, Mac, or mixed environments. Unfortunately, the printer does not automatically switch among these ports—an inconvenience in a mixed setting, because you have to manually set the printer for the proper platform.

We tested two dye-sublimation printers, the Tektronix Phaser IISDX and the Eastman Kodak Colorease PS. While thermal-transfer printers melt waxy inks onto the page on a dot-by-dot basis, dye-sublimation printers vaporize the ink (going from solid to vapor, hence the sublimation) onto specially coated paper. This allows better ink blending, finer control of ink deposits, and smoother colors (see the samples in the text box above).

The results are nothing short of spectacular. The color wheel and shade stripes of our color test were almost perfectly smooth on the output from both of these printers. In fact, we needed to examine the paper through a ×30 loupe to see the ink deposits. Typical thermal-transfer and ink-jet output has uneven dot placement, while output from both of the dye-sublimation printers showed fairly smooth, filled-in areas. Instead of visibly dithered dots, the inks blended together seamlessly in the dye-sublimation samples.


For color reproduction, we found the Phaser IISDX to be slightly better than the Colorease on two of our quality tests. The Phaser IISDX's pigments were slightly stronger and purer, while the Colorease's yellow is more orange, the magenta slightly more bluish, and the cyan slightly paler. Our color-wheel tests indicate that the Phaser IISDX's gamut of colors is larger than the Colorease's, showing that it can print a wider color range.

We also noticed a slight registration problem on the Colorease. When printing fine lines of one color against a background of a differing color, the line was offset slightly. This results in two visible edges, one white (i.e., no pigment deposited) and the other a blend of the two inks.

One warning if you need a color printer for prepublication

Dye Sublimation: Color for Tomorrow?

Dye-sublimation printers produce crisp, clear output by using varying degrees of temperature to transfer color from the ribbon to special paper. The pictures below are the best argument for dye-sublimation printers, although the cost of such a printer and its consumables (at nearly $3 per page) may be the best argument against this technology for many users.



The image on the bottom was produced by the Tektronix Phaser IISDX, the dye-sublimation model with the highest quality score of any color printer we tested. On the top is output from the Tektronix Phaser 200i, a high-quality thermal-wax-transfer printer. Note: Both images were magnified 150 percent to illustrate the dot structure of thermal-wax-transfer printers versus the continuous tones of dye-sublimation technology.

proofs. Many of the printers we tested have a fairly large "grab" area: The top inch or more of the page isn't printable, because the print engine uses this space to hold the paper. The General Parametrics Spectra Star GT, for example, loses slightly more than an inch, while the QMS ColorScript 210 loses almost three-quarters of an inch. Some manufacturers, such as Tektronix, design some of their printers for oversize 14-inch paper, which allows space to hold the paper while preserving an 8½- by 11-inch print area.

Among the thermal-wax-transfer printers, Calcomp's ColorMaster Plus 6613XF posted the highest output-quality scores. Although it doesn't match the quality levels of dye-sublimation printers, its quality is high enough to place it less than a tenth of a point below the Eastman Kodak Colorease PS.

However, the ColorMaster Plus 6613XF is priced to match its quality status: It sells for $1000 more than the Colorease PS. Nevertheless, the Calcomp (as well as other thermal-transfer printers) can accommodate plain paper, which makes it more economical to run than its dye-sublimation competitors.

Two of the solid-ink printers that we tested, Tektronix's Phaser III PXi and DataProducts' Jolt PSe, bring ink-jet printers into the same output-quality league as dye-sublimation and thermal printers. Specially coated paper is not a requirement for solid-ink printers. Although the Phaser III PXi and the Jolt PSe fell short in dye-sublimation quality, they both scored higher in our quality tests than five of the thermal-wax-transfer printers: General Parametrics' Spectra Star GT and Spectra Star Q10E, Tektronix's Phaser 200i and 200e, and the QMS ColorScript 230.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

BYTE BEST — HIGH-QUALITY COLOR

For the best in all-around performance...

BEST OVERALL — General Parametrics Spectra Star GT



A good mix of speed and quality push the Spectra Star GT to the top for color printers. It printed our benchmarks at an average of 59 seconds per page, significantly quicker than the next-fastest color printer, the Tektronix Phaser 200i, which averaged 80 seconds per page. Although the Tektronix Phaser IISDX received higher scores for quality, it ran almost three times slower than the Spectra Star GT. Its price is among the lowest for this class of printers, and its ability to handle plain paper helps reduce consumables costs. The 300-dpi Spectra Star GT comes standard with PostScript Level II support.



			BYTE COLOR PERFORMANCE SCORES (PPM) PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SPECIAL PAPER REQUIRED?
BEST	General Parametrics Spectra Star GT	★	1.02	0.93	7.71	2	$4495	300	No
RUNNER-UP	Calcomp ColorMaster Plus 6613XF	★	0.59	0.87	8.27	1	$8995	300	No
RUNNER-UP	Tektronix Phaser 200i	★	0.75	0.99	6.36	2	$5995	300	No
RUNNER-UP	Tektronix Phaser 200e	★	0.57	0.92	7.25	2	$3695	300	No
RUNNER-UP	Tektronix Phaser IISDX	◆	0.27	0.32	9.29	1	$9995	300	Yes

The choice for premium Mac color



			BYTE COLOR PERFORMANCE SCORES (PPM) PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SPECIAL PAPER REQUIRED?
BEST	General Parametrics Spectra Star GT	★	1.02	0.93	7.71	2	$4495	300	No
RUNNER-UP	Calcomp ColorMaster Plus 6613XF	★	0.59	0.87	8.27	1	$8995	300	No
RUNNER-UP	Tektronix Phaser 200i	★	0.75	0.99	6.36	2	$5995	300	No
RUNNER-UP	General Parametrics Spectra Star Q10E	★	0.31	0.68	7.00	1.3	$2999	300	Yes
RUNNER-UP	QMS ColorScript 230	★	0.34	0.58	7.69	1	$7995	300	Yes


Need the best four-color output?

HIGH QUALITY — Tektronix Phaser IISDX



We could distinguish the output of the Tektronix Phaser IISDX from a photograph, but of all the printers we reviewed, the Phaser IISDX produces the most photograph-like output. Its dye-sublimation print engine blends inks together to produce areas of true color. No dither patterns were visible, raising the Phaser IISDX above any other non-dye-sublimation printer. It placed fine lines nearly perfectly, without gaps and with blending that was visible only with the aid of a microscope.

			BYTE COLOR PERFORMANCE SCORES (PPM) PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SPECIAL PAPER REQUIRED?
BEST	Tektronix Phaser IISDX	◆	0.27	0.32	9.29	1	$9995	300	Yes
RUNNER-UP	Eastman Kodak Colorease PS	◆	0.16	0.18	8.34	3.5	$7999	300	Yes
RUNNER-UP	Tektronix Phaser III PXi	■	0.25	0.45	8.29	1	$9995	300	No
RUNNER-UP	Calcomp ColorMaster Plus 6613XF	★	0.59	0.87	8.27	1	$8995	300	No
RUNNER-UP	DataProducts Jolt PSe	■	0.19	0.35	8.19	2	$4995	300	No



The secret HP, Compaq and Lexmark were hoping we wouldn't tell.

Take a close look at their page printers and you'll see: you spend your really big money on disposable printer cartridges.

One HP® LaserJet® 4Si, for example, in a high-volume* network printing environment could easily run up $4,183 in cartridge bills in its first year alone — more than the price of the printer itself. Five Compaq® Pagemarq™ 15s could cost you $22,193 in cartridges. And a year's worth of cartridges for ten Lexmark™ IBM® 4039 16L printers would probably set you back by about $41,611.

If you had no choice, these numbers would simply represent the cost of doing business. But the fact is, you do have a choice.

Cartridge-Free printing

Kyocera® is in the printer business, not the cartridge business. That's why we were free to develop Ecosys® Cartridge-Free printing. And why you can print up to 7,000 pages with an Ecosys printer with a single $49 no-mess Ecotone® toner refill.

In our high-volume network printing example, choosing an 18-ppm Ecosys FS-3500A over an HP LaserJet 4Si would save you $2,797 a year. Five FS-3500As would save you $15,263 compared with the Compaq solution, while ten FS-3500As would save $27,751 over Lexmark in just one year.

Best of all, you wouldn't give anything up. You'd get consistently high output quality, fast throughput, reliability and full network compatibility.

Cartridge-Free for consistent quality

The traditional laser printer uses disposable cartridges because the traditional drum built into them wears out fast. The Ecosys drum doesn't. Its durable amorphous silicon (a-Si) surface will last a fully-warranted three years/300,000 pages and beyond. Plus, Ecotone toner has ceramic particles to polish and recondition the drum with every page you print. The result for you is consistently clean output over the lifetime of the printer.

So what's the secret?

It's this: to evaluate a printing solution, you've got to consider cost of printing. And for networks with one to 1,000 printers, Ecosys Cartridge-Free printing is inherently more economical — by a wide margin.



How wide? The free Ecosys savings-at-a-glance calculator wheel will help you find out. For yours, or additional information on the Ecosys printer family, call **1-800-2-ECOSYS.**

Now that you know the secret, the only question is, how much can you save?

From the 10-ppm FS-1500A to the 18-ppm FS-3500A (shown alone and with full complement of paper handling options), Ecosys Cartridge-Free printers deliver world-class quality, performance and support with unprecedented economy.



KYOCERA

TECHNOLOGY WITH A CONSCIENCE.

All comparisons based on InfoCorp values: 5% average page coverage; "high-volume" = 16,500 pages/month. Retail prices (8/93)/InfoCorp yields used for calculations: HP 4Si cartridge—$169/8,000 pages; Compaq 15 cartridge—$269/12,000 pages; Lexmark 16L cartridge—$269/12,800 pages. To calculate: Cartridge price ÷ yield at 5% = cost-per-page; cost-per-page x total annual volume = annual cartridge expense.

© 1993 Kyocera Electronics, Inc. Kyocera is a registered trademark of Kyocera Corporation. Ecosys and Ecotone are registered trademarks of Kyocera Electronics, Inc. All other trademarks and registered trademarks are the property of Hewlett-Packard Company, Compaq Computer Corporation, Lexmark International, Inc. or International Business Machines Corporation, respectively.

PC MAGAZINE EDITORS' CHOICE November 24, 1992 Ecosys 4-SI Printer FS-1500A

BUYERS ASSURANCE SEAL RECOMMENDED PRODUCT

1992 BYTE AWARD OF EXCELLENCE

1992 – WINNER – PC Magazine Award for Technical Excellence

PRINTERS Kyocera Ecosys-SiPrinter-FS-1500A Kyocera Electronics, Inc.

Circle 155 on Inquiry Card.

Exabyte wrote the book on tape storage. Call 1-800-825-4727 today and we'll send you our best seller absolutely free!



Now the Exabyte Storage Planner (ESP) takes the anxiety out of solving network storage riddles. This $99 value software tool measures the variables that affect tape backup and restore within your individual network environment. Based on that data, it will help you understand what to expect and find the optimal tape storage system to meet your growing needs.

Once you've used ESP to measure your requirements, it lets you review the components that make up a solution. Knowing your choices allows you to make better-informed decisions.

Exabyte also has a growing best seller list of multi-technology products for your most challenging backup needs including—8mm, 4mm, and 1/4" minicartridge. In addition, our 8mm Automated Storage Management™ libraries and Exabyte certified supplies all serve your diverse storage requirements.

The Exabyte Storage Planner is yours for the asking. To qualify, call today. There *can* be a happy ending to your tape storage story.

EXABYTE®
We're Backing It Up.

Exabyte Corporation 11100 West 82nd St. Lenexa, KS 66214 (913) 492-6002 Fax (913) 492-2465 Automated Storage Management is a trademark of Exabyte Corporation ©1993 Exabyte Corporation

Circle 88 on Inquiry Card (RESELLERS: 89).

BYTE BEST

GENERAL-PURPOSE COLOR

A color printer to be used for reports and presentations doesn't have the same quality requirements as thermal-wax-transfer or dye-sublimation printers for prepress and other high-end color uses. For one thing, printers in the general-purpose category must be able to produce crisp monochrome text. Nevertheless, the color-output quality of these printers should still make you look good. Compared to their high-end color cousins, general-purpose color printers must run faster and offer more economical (under $1 per page) consumables costs.

We found six color ink-jet printers and 20 dot-matrix printers that performed admirably in this regard. The rated printers also produced top-quality transparencies. Colors remained saturated and solid and did not smear or peel on either medium. On the other hand, we found that color dot-matrix printers, such as the DEC LA 95-DECWriter (which otherwise produces reasonable-quality output), do not print well on transparency film because of ink smearing.

Performance from color ink-jet printers is slow compared to that of monochrome printers. Don't buy a color printer as your primary printer unless all you do is prepare charts and overhead transparencies.

The fastest of the printers rated in this category achieved a score of only three-quarters of a page per minute, while the fastest monochrome ink-jets ran at 2 ppm. Ink-jet color cartridges cost approximately $25 to $35 and should last for about 400 to 700 pages.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

The best for color and monochrome output

BEST OVERALL — Hewlett-Packard DeskJet 1200C/PS





This printer produced the best balance of high-quality color and monochrome output of any printer we tested. With a speed rating of 72 ppm, it was also the fastest color ink-jet printer we tested. It comes with color-matching software that helps ensure the color you specify is the color you'll get on the printed page.

			BYTE PERFORMANCE SCORES (PPM)								
			PC DRAFT		PC POSTSCRIPT		MACINTOSH		QUALITY			RESOLUTION
			B&W	COLOR	B&W	COLOR	B&W	COLOR	INDEX	CLASS	PRICE	(DPI)
BEST	HP DeskJet 1200C/PS	■	1.94	0.72	1.77	0.34	1.38	0.69	7.29	1 ppm	$2399	600'
RUNNER-UP	Canon BJC-800	■	1.09	0.68	—	—	—	—	7.33	300 cps	$1999	360
RUNNER-UP	Lexmark IBM Color JetPrinter PS4079	■	—	—	0.75	0.24	0.70	0.41	7.87	167 cps	$3199	360

Sacrifice PostScript, save money

LOW COST — Hewlett-Packard DeskJet 1200C



Without PostScript capabilities, the 1200C lists for $700 less than the 1200C/PS and still far outperforms inexpensive ink-jets like the HP DeskJet 550C. If your budget demands the lowest cost, consider the LA 95-DECWriter, a $319 color printer that led the dot-matrix field in output quality.

			BYTE PERFORMANCE SCORES (PPM)								
			PC DRAFT		PC POSTSCRIPT		MACINTOSH		QUALITY			RESOLUTION
			B&W	COLOR	B&W	COLOR	B&W	COLOR	INDEX	CLASS	PRICE	(DPI)
BEST	HP DeskJet 1200C	■	1.94	0.72	—	—	1.38	0.69	7.29	7 ppm	$1699	600'
RUNNER-UP	DEC LA 95-DECWriter	●	1.85	0.57	—	—	—	—	5.06	300 cps	$319	360
RUNNER-UP	Okidata Microline 590	●	3.70	0.62	—	—	—	—	3.56	360 cps	$699	360
RUNNER-UP	HP DeskJet 550C	■	1.94	0.61	—	—	—	—	4.86	240 cps	$719	300
RUNNER-UP	Citizen GSX-190	●	2.41	0.55	—	—	—	—	3.86	270 cps	$199	240

Need the best for Mac color and text?

MACINTOSH — Apple ColorPrinter



The Apple ColorPrinter was the fastest printer for Macintosh color. Its ColorSync feature supports color matching with other Apple devices. Its output quality is just barely lower than that of the HP DeskJet 1200C/PS.

			BYTE PERFORMANCE SCORES (PPM)								
			PC DRAFT		PC POSTSCRIPT		MACINTOSH		QUALITY			RESOLUTION
			B&W	COLOR	B&W	COLOR	B&W	COLOR	INDEX	CLASS	PRICE	(DPI)
BEST	Apple ColorPrinter	■	—	—	—	—	0.89	0.73	6.93	3.5 ppm	$1659	360
RUNNER-UP	HP DeskJet 1200C/PS	■	1.94	0.72	1.77	0.34	1.38	0.69	7.29	1 ppm	$2399	600'
RUNNER-UP	HP PaintJet XL300	■	0.43	0.27	0.39	0.12	0.35	0.18	7.35	2 ppm	$2795	300

When output quality matters...

HIGH QUALITY — Hewlett-Packard DeskJet 1200C/PS



The HP DeskJet 1200C/PS's combined color and monochrome quality scores were the best for any of the color ink-jet printers, thanks to its 600- by 300-dpi resolution in monochrome text mode.

			BYTE PERFORMANCE SCORES (PPM)								
			PC DRAFT		PC POSTSCRIPT		MACINTOSH		QUALITY			RESOLUTION
			B&W	COLOR	B&W	COLOR	B&W	COLOR	INDEX	CLASS	PRICE	(DPI)
BEST	HP DeskJet 1200C/PS	■	1.94	0.72	1.77	0.34	1.38	0.69	7.29	1 ppm	$2399	600'
RUNNER-UP	Lexmark IBM Color JetPrinter PS4079	■	—	—	0.75	0.24	0.70	0.41	7.87	167 cps	$3199	360
RUNNER-UP	HP PaintJet XL300	■	0.43	0.27	0.39	0.12	0.35	0.18	7.35	2 ppm	$2795	300

[1] Monochrome text mode.

THE BEST PRINTERS FOR WORKGROUPS

If you have ever sat in a print queue while a coworker produced a large mailing, you know that speed matters for a shared printer. The laser printers we evaluated for network use were rated at 15 ppm or faster and can handle print jobs from approximately five to 50 people. Most of these printers can be attached directly to your Ethernet, Token Ring, or LocalTalk network. However, while direct network attachment can provide a noticeable speedup on documents with large scanned images, this capability is generally more of a convenience than a speed boost.


The printers ranked in this section have duty cycles of 25,000 pages per month or more; anything less couldn't sustain the print load of a large workgroup. Not included in this category are the tabloid (11- by 17-inch) printers (see the CAD and desktop publishing section for a comparison of tabloid-capable lasers).

Only four of the workgroup printers we tested offered 600-dpi resolution: the HP LaserJet 4SiMx, the Lexmark IBM 4039Laser 12L and 16L, and the QMS 1725 Print System. Not surprisingly, these four provide the best quality and make up our short list for workgroup printer recommendations.

As standard equipment or options, almost every feature imaginable comes with workgroup printers: PostScript, hard drives, fax modems, and Ethernet interfaces are de rigueur. In addition, we consider automatic emulation switching a must, as well as support for NetWare and AppleTalk.

600 VS. 300: TRADING SPEED FOR QUALITY

If you want the best-looking output, you'll have to pay a price. As this figure of averaged 600- and 300-dpi printers shows, printing at 600 dpi greatly adds to the time it takes to print graphical images, such as bit maps and scanned photos, compared to 300-dpi printers.



The LaserJet 4SiMx took top honors in this category. It supports Adobe PostScript Level II, the state of the art for graphical illustrations and desktop publishing. The quality of its text output is particularly good. It provides the best overall performance of any printer we tested. It was by far the fastest for printing from the Macintosh, and second only to the Compaq PageMarq 20 (see the CAD and desktop publishing section) for PostScript printing from the Macintosh. It supports the broadest range of network protocols and paper-handling options. Its 1000-sheet input capacity is double that of competitors such as the Lexmark IBM 4039Laser 16L, which offers a 500-sheet capacity.

Nevertheless, the 4039Laser 16L was the 4SiMx's main competition, thanks in part to a list price that's over $2000 lower. Like all the Lexmark laser printers, the 4039Laser 16L provides blistering speed when used with Lexmark's Windows drivers, power management, a duplexing option, an excellent five-line LCD for configuration, and flash ROM to store fonts and logos. The 4039Laser 16L also provides credible PostScript performance.

The faster software raster-image processor does not produce graphics with the same quality as the PhoenixPage PostScript Level I–compatible interpreter, which does not yet incorporate all the features of Level II. In addition, the interpreter renders graphics differently (though not necessarily worse) than the Adobe product. The 4039Laser 16L does not support as wide a range of networking protocols as the 4SiMx; for example, Macs cannot yet access the 4039Laser 16L over Ethernet (LocalTalk is an option).

The 4039Laser 12L is a lower-cost, lower-performance version of the 4039Laser 16L. The two are identical except for performance and can use the same network cards and paper-handling options. With both printers, two trays with a maximum capacity of 500 sheets come standard. Like the

16L, the 12L does not yet support EtherTalk.

The Kyocera Ecosys FS-3500A touts an "environmentally sound" hardened drum that you do not replace with the toner. The performance of the FS-3500A is excellent; its PostScript speed was one of the fastest we saw, as was its PCL performance. Quality was average for a 300-dpi printer, and it was inferior to that of the 600-dpi 4SiMx and the 4039-Laser 16L. Kyocera's EtherTalk support was in beta at the time of our tests.

The QMS 1725 Print System uses the same print engine as the 4SiMx, but when rendering a page rich in fonts, the 1725 takes up to 36 percent longer than the 4SiMx and as much as 240 percent longer than the 4039Laser 12L. Although the 1725 renders pages at 600 dpi, its enhanced 300-dpi engine cannot produce the same high-quality output as the best 600-dpi engines.

If you are specifically looking for low cost for high-volume DOS applications such as billing and database listings, the TI MicroLaser XL is a good choice. It was the least expensive printer in this class ($2399), and for printing raw ASCII text streams it was faster than every other printer except the Compaq PageMarq 20. The Sharp engine in the MicroLaser XL also has a very low cost per page.

The MicroLaser XL Turbo is a souped-up version of the XL for faster PostScript printing. The Turbo adapter produced better than a 300 percent speed improvement under PostScript. But even with the Turbo upgrade, PostScript output was slower overall than on TI's 8-ppm MicroLaser Pro 600. We judged its output quality to be poorest in this class of printers because of fuzzy text that was illegible at small point sizes.

The Genicom 7170 and the Toshiba Pagelaser GX400 are virtually identical physically, even down to the menu structure and documentation. Both lacked Macintosh connectivity, a serious flaw for a workgroup computer. The Genicom 7170 is faster and less expensive, but both of these devices performed poorly. Their quality was average for their 300-dpi engines.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

BYTE BEST WORKGROUPS

Want the best in speed and connectivity?

BEST OVERALL — Hewlett Packard LaserJet 4SiMx





The 4SiMx is a joy to use: It has superb quality and fast performance, and it's easy to configure. It flawlessly accepted PCL and PostScript jobs from our network, and only one other printer's output was better than that created by the 4SiMx's 600-dpi engine. Photos printed a little better on the Lexmark IBM 4039Laser printers due to their PictureGrade technology, but the 4SiMx was better for text and graphics. The 4SiMx also supports a broad range of network protocols and paper-handling options.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	AUTOMATIC EMULATION SWITCHING?
BEST	HP LaserJet 4SiMx	▲	9.65	5.86	8.05	8.72	17	$5499	600	Yes
RUNNER-UP	Lexmark IBM 4039Laser 12L	▲	8.68	3.55	5.00	8.81	12	$2899	600	Yes
RUNNER-UP	Lexmark IBM 4039Laser 16L	▲	11.37	3.71	5.67	8.44	16	$3399	600	Yes
RUNNER-UP	QMS 1725 Print System	▲	6.49	3.51	4.05	8.44	17	$4999	600	Yes
RUNNER-UP	Kyocera Ecosys FS-3500A	▲	6.34	5.97	—	6.33	18	$3895	300	Yes

Budget-conscious?

LOW COST — Lexmark IBM 4039Laser 12L



The Lexmark IBM 4039Laser 12L is a great 600-dpi workgroup printer for a very attractive price. At under $3000 for PCL and PostScript, the 12L is priced liked 8-ppm printers, yet it outperforms 16- and 17-ppm models. The print quality is superb when used with PostScript and above average using PCL. Duplex printing can be added for under $700. Unfortunately, EtherTalk support for Macintosh users is not available.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	AUTOMATIC EMULATION SWITCHING?
BEST	Lexmark IBM 4039Laser 12L	▲	8.68	3.55	5.00	8.81	12	$2899	600	Yes
RUNNER-UP	Lexmark IBM 4039Laser 16L	▲	11.37	3.71	5.67	8.44	16	$3399	600	Yes
RUNNER-UP	Kyocera Ecosys FS-3500A	▲	6.34	5.97	—	6.33	18	$3895	300	Yes
RUNNER-UP	Genicom 7170	▲	4.04	3.59	—	6.56	17	$3725	300	Yes
RUNNER-UP	TI MicroLaser XL Turbo	▲	5.55	4.32	3.99	5.78	16	$3649	300	Yes

Is EtherTalk essential?

MACINTOSH — HP LaserJet 4SiMx



The competition here wasn't even close. The 4SiMx's EtherTalk support is automatic and flawless, while its 8.1-ppm score was the fastest Mac speed of any printer we tested (more than 3 ppm faster than the runner-up Lexmark IBM 4039Laser 16L).

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	AUTOMATIC EMULATION SWITCHING?
BEST	HP LaserJet 4SiMx	▲	9.65	5.86	8.05	8.72	17	$5499	600	Yes
RUNNER-UP	Lexmark IBM 4039Laser 16L	▲	11.37	3.71	5.67	8.44	16	$3399	600	Yes
RUNNER-UP	Lexmark IBM 4039Laser 12L	▲	8.68	3.55	5.00	8.81	12	$2899	600	Yes
RUNNER-UP	QMS 1725 Print System	▲	6.49	3.51	4.05	8.44	17	$4999	600	Yes
RUNNER-UP			5.55	4.32					300	Yes

Photo Quality Output!

New!

Now, get high-quality photographic prints at an incredibly low price. Just add the new Photo-Realistic Upgrade Kit to the Primera™ Color Printer from FARGO®. For only $249.95, you get the picture perfect quality that has previously been available only on printers costing $8,000 or more.

Even when you consider the $995* price of Primera, you are still thousands of dollars ahead. And, you won't get this kind of high quality output from an ink jet printer no matter how much you pay!

Get the Photo-Realistic Upgrade Kit for Primera and print any of your Photo-CD files or other photo and high-resolution graphic files using Microsoft® Windows™ 3.1 (or higher).

If it looks unbelievable and sounds unbelievably low priced, come see Primera for yourself at your nearest FARGO dealer.



PC Computing MVP FINALIST

BEST OF COMDEX Spring '93 BYTE
Winner-Best Rookie

BYTE '93 C CADalyst RECOMMENDED

Upgrade Kit Only
$249.95

(Actual Output)

For more information, call

FARGO
ELECTRONICS, INCORPORATED
7901 Flying Cloud Drive
Eden Prairie, MN 55344 U.S.A.
1-800-258-2974
612-941-9470
FAX: 612-941-7836

Primera is a trademark and FARGO is a registered trademark of FARGO Electronics, Incorporated. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation. © 1993 FARGO Electronics, Incorporated. *Suggested U.S. Retail Price

Circle 380 on Inquiry Card.

BYTE BEST

DRAFT QUALITY

Small and low-cost printers still fill a niche in many offices for quick printing of draft reports, forms, and labels. In this section, we evaluate narrow-carriage dot-matrix and ink-jet printers designed to be used by one person. Most businesses need at least one dot-matrix printer for multipart forms or large label-printing jobs that require adjustable tractors and straight-through paper paths.

Unlike the water-soluble inks used in ink-jets, dot-matrix output won't smear when wet. As a rule, the simplicity of dot-matrix printers makes them more rugged than models that use other, more complex printing technologies.

By comparison, ink-jet printers are quieter, and their output quality is usually better. Dot-matrix printers tend to be faster than ink-jets in draft mode but slower in letter-quality mode, because dot-matrix printers need two passes (versus one pass by ink-jets) to produce high-resolution text and graphics.

The best dot-matrix printer we tested was the Okidata Microline 590. Okidata has long been known for building tough printers, and the 590 is not only built like a tank, but it's also fast and easy to use. Its monochrome output quality is well above average. Another plus: The 590 produced some of the finest color output we saw from a dot-matrix printer.

The Brother HJ 400 is a good choice for double duty between a Mac and a PC. It is one of the only personal printers that comes standard with both Mac and Windows drivers.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

Need speed versus quality?

BEST OVERALL — C-Tech Electronics Speedjet 300





This ink-jet (and its twin, the TI MicroMarc) distinguished itself by its speed: It was the fastest ink-jet printer and outperformed five laser printers. The Speedjet has excellent paper-handling capabilities: We never saw it double-feed pages. Its output quality was also excellent.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	MAC	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) STAN., MAX.	WARRANTY (YEARS)
BEST	C-Tech Electronics Speedjet 300	■	2.23	—	4.67	300 cps	$419	300	16, 512	2
RUNNER-UP	Okidata Microline 590	●	3.70	—	3.56	360 cps	$699	360	64, 64	1
RUNNER-UP	Brother HJ 400	■	2.67	1.23	5.00	110 cps	$419	360	64, 64	2
RUNNER-UP	TI MicroMarc	■	2.27	—	4.28	300 cps	$369	300	24, 24	1
RUNNER-UP	Epson Stylus 800	■	1.50	—	5.00	150 cps	$449	360	32, 32	2

Require the lowest price?

LOW COST — DEC LA 95-DECWriter



The DECWriter 24-pin dot-matrix printer produced some of the nicest-quality output of any dot-matrix we've ever tested. The DECWriter ran at an acceptable 1.85 ppm.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	MAC	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) STAN., MAX.	WARRANTY (YEARS)
BEST	DEC LA 95-DECWriter	●	1.85	—	4.67	300 cps	$319	360	8, 136	2
RUNNER-UP	Epson AP-5000+	●	2.70	—	4.28	269 cps	$349	360	8, 40	2
RUNNER-UP	Tandy DMP 250	●	1.96	—	3.78	200 cps	$400	360	8, 128	1
RUNNER-UP	Citizen GSX-240	●	1.32	—	4.28	300 cps	$349	360	8, 136	2
RUNNER-UP	Panasonic KXP-2124	●	1.62	—	4.33	300 cps	$370	360	20, 52	2

Low cost for the Mac?

MACINTOSH — Apple StyleWriter II



The fastest Mac printer in its class, the StyleWriter II also produced the best quality of the Mac printers. The one major drawback is its limited paper capacity: We could not achieve the stated 100-sheet capacity without causing paper jamming.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	MAC	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) STAN., MAX.	WARRANTY (YEARS)
BEST	Apple StyleWriter II	■	—	1.77	5.11	2 ppm	$359	360	128, 128	—
RUNNER-UP	Brother HJ 400	■	2.67	1.23	5.00	110 cps	$419	360	64, 64	2
RUNNER-UP	HP DeskJet 500	■	2.15	1.61	3.39	240 cps	$365	300	16, 512	3

When quality still matters...



			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	MAC	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) STAN., MAX.	WARRANTY (YEARS)
BEST	Epson Stylus 800	■	1.50	—	5.00	150 cps	$449	360	32, 32	2
RUNNER-UP	Apple StyleWriter II	■	—	1.77	5.11	2 ppm	$359	360	128, 128	—
RUNNER-UP	Brother HJ 400	■	2.67	1.23	5.00	110 cps	$419	360	64, 64	2



What you need is the new ProTracer II.

It's small enough to sit on your desktop. At 360 dpi, it prints crisp text, precise lines and the smoothest of curves. Its speed is undeniable. And its price — unheard of in the world of CAD.

Called ProTracer™ II, it's a large format inkjet plotter that brings something new to CAD. Versatility. Because not only does ProTracer II produce impressive drawings up to 17"x 22" in size, but it also delivers sharp, high quality text documents.

ProTracer II has an abundance of new features and capabilities all aimed at making you more productive. Like its speed enhancements. And its expanded plotting capabilities including a larger printable area, auto-centering, best fit, replot, and long axis plotting functions.

If you're an AutoCAD® user you'll want the ProTracer II base unit, priced at $1599. It comes with ADI® drivers for AutoCAD as well as an AutoCAD 12 for Windows driver. Also included is a C-size Windows 3.1 driver and IBM ProPrinter and Epson emulations.

Our new ProTracer II-GL model combines the base unit with resident HP-GL® and HP-GL/2 emulations, and 2 MB memory. It provides support for all major CAD applications and is priced at only $2149.

ProTracer II is backed by a full one year warranty and optional extended warranties. You'll also receive unlimited access to our expert technical support.

To receive your FREE sample output packet, locate a dealer near you, or to order direct, call Pacific Data Products at (619) 625-3643, Fax (619) 552-0889.

Pacific Data Products, Inc., 9125 Rehco Rd., San Diego, CA 92121. In Europe, call (353) 61 475609. ProTracer is a trademark of Pacific Data Products, Inc. All other brands and product names are trademarks or registered trademarks of their respective manufacturer. Image courtesy of Autodesk Inc. ProTracer uses PeerlessPage™, the advanced imaging Operating System from Peerless. © 1993 Pacific Data Products, Inc.

PACIFIC DATA PRODUCTS

BYTE BEST

LARGE FORMAT

Reports, invoices, forms, and labels on large-size paper, where quality is not nearly as important as speed, is where 24-pin dot-matrix printers shine. The wide-carriage ink-jets we tested had superior quality to, but significantly slower performance than, their dot-matrix competition. However, these ink-jets make good alternatives to expensive tabloid laser printers for CAD drawings.

Several dot-matrix printers in this category were fast enough to outperform the slowest general-purpose lasers. The Mannesmann Tally MT 360 is the fastest printer in this group—and the most expensive, with a list price of $2695. Although it can handle a wide variety of paper types, loading the paper is awkward. On the plus side, the MT 360 has an LED panel that is easy to read and understand, and it's easy to set DIP switches for fonts, pitch, and paper widths.

Our favorite dot-matrix printer costing under $1000 was the Epson LQ-1170. It is a durable wide-carriage printer that combines decent speed, average quality, and above-average usability. The control panel on the front of the printer has LEDs indicating the selected font, pitch, and paper. Paper paths are at the front, bottom, and rear of the printer. The printer is noisy, like many other 24-pin dot-matrix printers, especially in 360-dpi mode. Unfortunately, no quiet mode is available. But at just $859, this printer is a bargain in the high-end dot-matrix group.

The Lexmark IBM ExecJet 4072 was one of only two printers in this category that could be used with a Mac, the other being the undependable GCC Wide Writer 360. The ExecJet is a fast printer with average quality, and it has a control panel that controls font, pitch, and paper selection. Unfortunately for Mac users, the documentation leaves much to be desired.

A final note: We also tested Advanced Matrix Technology's Tracjet Model III, which is a unique laser printer that uses pin-feed rather than sheet-feed paper. Its quality is comparable to that of the best dot-matrix printers, and it is 60 percent faster at printing text on forms than the fastest dot-matrix model. On the other hand, it can't print on wide paper and, of course, it is unable to print multiple-part forms. At $6995 retail, you could print faster and less expensively with two high-speed dot-matrix printers.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

Need speed and 11- by 17-inch capabilities?

BEST OVERALL — **Mannesmann Tally MT 360**





At more than 4 ppm, this is the fastest dot-matrix printer in this class. Speed, combined with below-average quality, make this unit a good choice for high-volume printing of multipart forms and continuous-feed stock. Paper loading is easy, and the printer has an MTBF rating of 10,000 hours.

			PERFORMANCE PC DRAFT (PPM)	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) BASE, MAX.	WARRANTY (YEARS)	RESIDENT FONTS
BEST	Mannesmann Tally MT 360	●	5.53	3.67	600 cps	$2695	360	128, 128	1	9
RUNNER-UP	Canon BJ-230	■	2.71	4.56	173 cps	$549	360	42, 42	2	5
RUNNER-UP	Epson LQ-1170	●	3.27	4.33	415 cps	$859	360	24, 40	2	12
RUNNER-UP	Fujitsu DL5800	●	3.06	3.67	420 cps	$1595	360	32, 32	2	7

Large carriage, low price?

LOW COST — **Canon BJ-230**



The BJ-230 combines good quality, excellent performance, and an under-$600 price tag. The printer can produce oversize reports, as well as labels and envelopes, at an average speed of more than 2 ppm, which was the fastest performance among the low-cost printers.

			PERFORMANCE PC DRAFT (PPM)	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) BASE, MAX.	WARRANTY (YEARS)	RESIDENT FONTS
BEST	Canon BJ-230	■	2.71	4.56	173 cps	$549	360	42, 42	2	5
RUNNER-UP	Epson LQ-1170	●	3.27	4.33	415 cps	$859	360	24, 40	2	12
RUNNER-UP	Panasonic KXP-2624	●	2.33	3.67	300 cps	$480	360	26, 58	2	11
RUNNER-UP	Okidata Microline 521	●	2.03	2.56	430 cps	$799	288	64, 64	1	2
RUNNER-UP	Epson FX-1170	●	2.01	2.78	380 cps	$499	240	24, 40	2	12

Need sharp text and graphics?

HIGH QUALITY — **Canon BJ-230**




This economical ink-jet was the clear winner for quality in this category. It doesn't support PostScript, but its ability to draw lines rivals its competitors'. Also, its text is sharp and clear, even using type as small as 4 points. Curves were smoothly drawn, and the printer produced solid black-filled areas. The only way of differentiating its output from a laser's was in the banding caused by its print head, a problem common to ink-jets.

			PERFORMANCE PC DRAFT (PPM)	QUALITY INDEX	CLASS	PRICE	RESOLUTION (DPI)	MEMORY (KB) BASE, MAX.	WARRANTY (YEARS)	RESIDENT FONTS
BEST	Canon BJ-230	■	2.71	4.56	173 cps	$549	360	42, 42	2	5
RUNNER-UP	Lexmark IBM ExecJet 4072	■	0.43	4.39	300 cps	$799	360	30, 128	1	64
RUNNER-UP	Epson LQ-1170	●	3.27	4.33	415 cps	$859	360	24, 40	2	12
RUNNER-UP	Okidata Microline 395	●	2.53	3.89	607 cps	$1499	360	64, 64	—	4
RUNNER-UP		●	5.53	3.67	600 cps	$2695	360	128, 128	1	9

Wai
sec


If you have to wait much longer to print, you need



You see, the NEC Silentwriter SuperScript 610 is the only laser printer that begins printing the second you press "Print." So there is absolutely no waiting. And the only laser printer with a first page print speed that's three times faster than the HP® LaserJet® 4L.

The first Windows™ printer.

In fact, the SuperScript 610 is a whole new way of printing. That's because it's the only personal laser printer that directly interfaces with Windows. So it's as upgradable as your PC. That means as your PC gets better, so does your printer. In fact, this printer will print exactly what you see on your screen. Fonts, DOS applications, everything. And at less than $700 it's an even better value than you thought.



Based on 486-66 MHz PC with 8MG RAM. Average speed based on printing one-page documents from word processing, spreadsheet, presentation and graphics applications.
Silentwriter is a registered trademark of NEC Corporation and SuperScript and FastFacts are trademarks of NEC Technologies, Inc. All other trademarks are property of their respective owners. © 1993 NEC Technologies, Inc. NEC GSA# GS00K91AGS5241.

it a ond.

a Silentwriter® SuperScript™ 610.



See what's happening, while it's happening.



The SuperScript 610 even sends an on-screen status display to your PC that tells you exactly what's going on. So screaming, cursing and kicking your printer are no longer necessary.

And it comes with a 2-year replacement warranty. So, if by some remote chance your SuperScript 610 runs into bigger problems than an empty paper tray, have no fear.

We'll get you a new one overnight. If you can wait that long.

For more information on this exciting new technology, call 1-800-NEC-INFO. Or via fax, call NEC FastFacts™ at 1-800-366-0476. Request document #SW610.

NEC

Circle 110 on Inquiry Card.

Your network buy for today's business technology market.

McGraw-Hill TechNet



McGraw-Hill Magazines. Your Best Business Partners.

■ 4– Architectural Record ■ 7– A/C Flyer, Aviation Week & Space Technology, AW & ST China Quarterly, AW & ST USSR, Business & Commercial Aviation, World Aviation Directory and Buyer's Guide ■ 20– Business Week, Business Week China, Business Week Hungary, Business Week International, Business Week USSR ■ 28– Chemical Engineering ■ 32C– BYTE, Data Communications, Data Communications International, LAN Times, UnixWorld ■ 39–Electrical World ■ 41– ENR, Construction News Publishing Network (11 magazines, 4 newspapers) ■ 46– Global Finance ■ H6– The Physician & Sportsmedicine, Postgraduate Medicine ■ 114– Modern Plastics, Modern Plastics International ■ 117– Power, Power International



BYTE BEST

CAD AND DTP

We tested 10 laser printers designed to handle 11- by 17-inch paper and produce high-quality output for CAD, desktop publishing, and presentation materials. Four of the printers supported resolutions of 1200 dpi, and this clearly showed in the quality of the output: The two LaserMaster Unity printers received almost perfect scores in the quality tests.

The Compaq PageMarq 20 was the performance leader among the tabloid printers. Not only was it the leader in overall and low cost, it and its slower cousin, the PageMarq 15, were the top printers we chose for Macintosh applictions. Although the PageMarq 20's quality was within the top 10 percent of all the printers we tested, its 800- by 400-dpi resolution doesn't match the standards set by the LaserMaster Unity printers, or even that of 600-dpi printers such as the HP LaserJet 4SiMx.

Overall, the printers in this group are workhorses, although some of them work harder than others. The LaserMaster Unity 1200 XLT and XLO, priced at $6995 and $8995, respectively, not only come with the highest resolutions we tested but also have an easy-to-use menu system and can produce full-bleed, camera-ready output.

The QMS 860 Print System has output that is slightly less spectacular. But at under $4600, this printer is a good choice if you need outstanding quality and have a tight budget.

The GCC Select Press 600 is a 600-dpi printer whose output quality was second only to that of the 1200-dpi printers, but with a $4499 price tag. It was the only 600-dpi printer to print full-bleed to the edge of the page. However, one major drawback with this printer is its slow speed, which was barely more than 3 ppm.

The $3725 Genicom 7170 looks like a Compaq PageMarq 20, but it pales in comparison in both performance and quality. The Genicom 7150 fares slightly better in quality comparisons with the Compaq PageMarq 15. The 7150 has an easy-to-use control panel that lets you quickly navigate through the menu structure.

We experienced numerous problems trying to run our Mac and PC tests on NewGen's Turbo PS/660 B. The NewGen ImagerPlus 1200 had even more problems. At the time this article was written, we still could not get the printer to generate the monochrome graphical image or get the bit-map components to run.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

Need laser quality in a large format?

BEST OVERALL — Compaq PageMarq 20



The Compaq PageMarq 20 is fast, with a speed rating of 7.7 ppm. Able to handle large-format paper and print PCL, PostScript, scalable fonts, and HPGL (Hewlett-Packard Graphics Language), there is little that this printer can't do. Its generous 1500-sheet-capacity paper tray means you don't have to spend a lot of time swapping trays.



			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	Compaq PageMarq 20	▲	7.66	6.15	6.26	8.78	20 ppm	$5561	800	4, 20
RUNNER-UP	LaserMaster Unity 1200 XLT	▲	3.12	3.88	2.71	9.89	8 ppm	$6995	1200	21, 48
RUNNER-UP	Compaq PageMarq 15	▲	4.72	4.57	4.82	8.33	15 ppm	$2599	300	4, 18
RUNNER-UP	LaserMaster Unity 1200 XLO	▲	3.37	2.17	2.17	9.89	8 ppm	$8995	1200	32, 48
RUNNER-UP	Xante Accel-a-Writer 8100	▲	3.69	1.66	1.53	9.17	8 ppm	$3995	1200	12, 64

Budget-conscious?

LOW COST — Compaq PageMarq 15



At $2599, this is one of the best deals going for a tabloid-capable laser printer. Standard features include PostScript, PCL, and HPGL, and the printer can automatically sense the language being received. The PageMarq 15 has half the paper capacity (750 pages) and a slow speed of 4.7 ppm compared to the more expensive PageMarq 20.

			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	Compaq PageMarq 15	▲	4.72	4.57	4.82	8.33	15 ppm	$2599	300	4,18
RUNNER-UP	Xante Accel-a-Writer 8100	▲	3.69	1.66	1.53	9.17	8 ppm	$3995	1200	12, 64
RUNNER-UP	Genicom 7150	▲	3.66	3.45	3.63	8.89	15 ppm	$3345	400	4, 20
RUNNER-UP	DataProducts LZR 1560	▲	3.45	3.96	4.82	7.56	15 ppm	$3395	400	4, 16

For the best output...

HIGH QUALITY — LaserMaster Unity 1200 XLT



The Unity 1200 XLT produced the best output of all the 176 models we tested. However, at 1200 dpi, the printer scored a slow 3.88 ppm in our tests. It's clearly meant for typesetting: It comes with a 20-MB hard drive, 135 resident fonts, and 21 MB of memory.


			BYTE PERFORMANCE SCORES (PPM) PC PCL	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	MEMORY (MB) STAN., MAX.
BEST	LaserMaster Unity 1200 XLT	▲	3.12	3.88	2.71	9.89	8 ppm	$6995	1200	21, 48
RUNNER-UP	LaserMaster Unity 1200 XLO	▲	3.37	2.17	2.17	9.89	8 ppm	$8995	1200	32, 48
RUNNER-UP	GCC Select Press 600	▲	—	3.29	3.59	9.33	8 ppm	$4499	600	16, 16
RUNNER-UP	QMS 860 Print System	▲	—	3.48	3.54	9.11	8 ppm	$4595	600	12, 32
RUNNER-UP	Xante Accel-a-Writer 8100	▲	3.69	1.66	1.53	9.17	8 ppm	$3995	1200	12, 64

When it comes to computing ... we wrote the book.

Rely on Osborne to deliver computer books with the information and insights you need...on virtually every hot topic. With our books, you'll find the answers fast, so you can become more productive, knowledgeable, and confident.

Check out our two-color text that highlights important information: chapter titles, page numbers, special tips and illustrations

Special icons call attention to unique shortcuts, great tips and professional advice



Abundant screen displays are clear and crisp, and marked for easy identification

Osborne McGraw Hill


Get Answers—Get Osborne
For Accuracy, Quality and Value

AVAILABLE NOW AT YOUR LOCAL BOOK AND COMPUTER STORES


Barnes & Noble Booksellers Since 1873 · BOOKSTAR The Complete Discount Bookstore · BOOKSTOP The Complete Discount Bookstore · If you paid full price, you didn't buy it at CROWN BOOKS SUPER CROWN




The Annotated ANSI C Standard
by the American National Standard for Programming Languages—C
Annotated by Herbert Schildt
Covers ANSI/ISO 9899-1990
$39.95
ISBN: 0-07-881952-0



DOS: The Complete Reference, Fourth Edition
by Kris Jamsa
Covers All Versions Including DOS 6
$29.95
ISBN: 0-07-881904-0



How Computers Really Work: A Guide for the Insanely Curious
by Milind S. Pandit
$21.95
ISBN: 0-07-881936-9



Novell NetWare 4: The Complete Reference
by Tom Sheldon
$39.95
ISBN: 0-07-881909-1



Sound Blaster: The Official Book
by Rich Heimlich, David M. Golden, Ivan Luk, and Peter M. Ridge
$29.95 (Book/Disk)
ISBN: 0-07-881907-5

Circle 114 on Inquiry Card.

BYTE BEST

PORTABLE

The nine portable printers we tested represented three different printing technologies. The dot-matrix models provided reasonably fast output and low price, but they almost always scored low on our quality tests. The thermal printers were fast and had much better quality than dot-matrix and ink-jet models, but their prices were almost double those of their competitors. Ink-jet printers tended to be slow, but they offered good quality and lower prices. If noise is a concern for you, the thermals and ink-jets were pleasantly quiet compared to the dot-matrix printers.

Picking a portable printer is an exercise in compromises: The perfect low-cost, lightweight, high-speed, high-quality printer doesn't exist. Overall, portable printers are slower and produce lower-quality output than their desktop counterparts.

The closest thing we found to our ideal portable printer was the Lexmark IBM 4070 IJ. This unit is one of just three printers to repeat as best overall from our May Lab Report.

The Mannesmann Tally MobileWriter PS won in our quality rankings hands down, but at $999 and 8.3 pounds, it may cost and weigh more than your notebook computer does. Its main advantage is its complete PostScript interpreter and 2 MB of RAM.

For Mac PowerBook users, the under-5-pound, $439 Apple Portable StyleWriter is our top choice. It comes standard with a battery that lasts for about 40 minutes. The printer supports Macs using the serial-to-parallel conversion cable.

KEY

▲ Laser ■ Ink-jet
● Dot-matrix ◆ Dye-sublimation
★ Thermal

For the best in speed...

BEST OVERALL — **Lexmark IBM 4070 IJ**





Though not the fastest printer in this category, the 4070 IJ produces high-quality output from its 360-dpi print mechanism and comes in a compact and easily transportable package. Its retail price of $449 makes it the lowest-priced printer ranked for best overall.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SIZE & WEIGHT (IN.)(W/O BATTERY)
BEST	Lexmark IBM 4070 IJ	■	1.93	—	—	6.22	110 cps	$449	360	2.1x12.4x8.7; 4
RUNNER-UP	Mannesmann Tally MobileWriter PS	★	3.59	1.01	1.38	6.58	6 ppm	$999	300	11.4x8.7x2.3; 8.3
RUNNER-UP	Mannesmann Tally MobileWriter	★	3.17	—	—	6.24	6 ppm	$875	300	11.4x8.7x2.3; 8.3

If $500 is your limit...

LOW COST — **Tandy DMP 310 slimline**



At $200, no other portable costs less. This dot-matrix printer achieved average performance and quality ratings in our tests. You can stack up to 30 single sheets of paper in the paper cassette.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SIZE & WEIGHT (IN.)(W/O BATTERY)
BEST	Tandy DMP 310 slimline	●	0.92	—	—	4.00	120 cps	$200	360	14.5x11.25x2.25; 5.9
RUNNER-UP	Seikosha LT20	■	0.80	—	—	2.00	180 cps	$499	360	14.6x11.3x2.0; 4

The best PowerBook companion...

MACINTOSH — **Apple Portable StyleWriter**

This small, thin printer weighs about 4.5 pounds and lasts for about 40 minutes of use on a single charge. The printer supports the Mac line of computers using the included serial-to-parallel conversion cable. It has a print resolution of 360 dpi and provides average output quality for a portable ink-jet printer. Mannesmann Tally's alternative for Mac users achieves substantially faster speed and higher quality at more than double the cost.

			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SIZE & WEIGHT (IN.)(W/O BATTERY)
BEST	Apple Portable StyleWriter	■	—	—	0.69	4.81	3 ppm	$439	360	12.2x8.7x1.9; 4.5
RUNNER-UP	Mannesmann Tally MobileWriter PS	★		)1	1.38	6.58	6 ppm	$999	300	11.4x8.7x2.3; 8.3

Need sharp text for the road?



			BYTE PERFORMANCE SCORES (PPM) PC DRAFT	PC POSTSCRIPT	MAC OVERALL	QUALITY INDEX	CLASS (PPM)	PRICE	RESOLUTION (DPI)	SIZE & WEIGHT (IN.)(W/O BATTERY)
BEST	Mannesmann Tally MobileWriter PS	★	3.59	1.01	1.38	6.58	6 ppm	$999	300	11.4x8.7x2.3; 8.3
RUNNER-UP	Lexmark IBM 4070 IJ	■	1.93	—	—	6.22	110 cps	$449	360	2.1x12.4x8.7;4
RUNNER-UP	Star Micronics StarJet SJ-48 Plus	■	0.80	—	—	5.94	124 cps	$369	360	12.2x8.5x1.9; 4.0
RUNNER-UP	Brother HJ-100 i	■	0.93	—	—	5.89	80 cps	$399	360	8.5x12.25x1.9:4

HONORABLE MENTIONS

The Lexmark IBM 4039Laser series are among the easiest-to-use printers on the market. The front-panel LCD displays error messages in plain English rather than in cryptic codes. The driver setup is smart enough to load for existing applications. The standard flash ROM lets you download fonts that remain in the printer after it's powered down. And the printer uses only 24 W when in idle or power-saver mode.



The C-Tech Speedjet 300 and its twin, the TI MicroMarc, achieve ink-jet price and quality with performance previously achieved only by dot-matrix and laser printers. The Speedjet has a wide print head that can print two lines of text at a time, so it can make just half the number of passes made by most ink-jet printers. The Speedjet is also notable for its unique paper-handling mechanism: We didn't encounter the jams and misfeeds we are accustomed to with low-cost ink-jets.



Kyocera is making innovations in the area of toner consumption: The cartridge in the Ecosys series never requires replacement. The Ecosys FS-1500A and Ecosys FS-3500A use a microfine ceramic toner that continuously cleans, polishes, and reconstructs the print drum while the printer is being used. You replenish the toner every 6000 pages by refilling the Ecoline cartridge. Since the toner cartridge assembly is constructed to last for the life of the printer, the result is fewer discarded cartridges to take up landfill space. If a cartridge fails, you can incinerate it; when the cartridge burns, it releases only water vapor and carbon dioxide, so there are no noxious chemicals added to the air.

Several printers achieve excellent 600-dpi resolution, but only the GCC Select Press 600 gives you 600-dpi tabloid prints that go right up to the edge of the page. All the other 600-dpi printers leave an unprintable region around the outside edge of the page that can measure a quarter of an inch or more. For proofing print runs, the full-bleed capability of the Select Press 600 is a more accurate match to the final-press capabilities.




Dubious Achievements


TI is the first printer vendor we have seen that makes basic documentation "optional." Although this seems like a viable alternative for a large corporate account with an in-house help desk, it's unfair to individuals who need to troubleshoot problems.

> You can see the structure of the Technical Setup menu by printing a Help page, described on the next page. For a description of all of the functions of each menu item, refer to the *microWriter Printer User's Reference Manual*, which does not ship with the printer.


The NewGen Turbo PS/660 B driver provides you with an option for 1200-dpi printing, but it's just a tease-if you select 1200 dpi, the printer won't operate. You must select 600 dpi for correct operation.



June 14, 1963.
Cindy Smith plays with color.



Thirty years later her business
depends on it.



Introducing the QMS ColorScript Laser 1000. Now your business has total freedom of expression.

For Cindy, communicating decision-critical information quickly, flawlessly and in brilliant color is now her livelihood. That's why she depends on the QMS ColorScript® Laser 1000 Print System. It frees her to print entire forms and letterhead with color logos, images and high quality text without changing paper. It saves her the cost of stocking special forms, letterhead and multiple sets of supplies and uses standard paper and transparencies. It improves her message by highlighting key data with color in multipage presentations and documents. Add direct connection to a variety of networks and anyone can realize both greater productivity and a per user cost that rivals personal printers. Plus, our easy software loadable upgrades virtually eliminate obsolescence.

Save money. Save time. Free yourself from limitations. Discover the advantages of the QMS® ColorScript Laser 1000 Print System.



• Laser color and monochrome printing • Compatibility with PostScript™ Level 2 and Level 1, HP PCL®5C and HP-GL® • TrueType font scaling • Automatic collation • Simultaneous input and automatic emulation switching • 65 resident type fonts • EfiColor™ and Colorimetric color dictionaries and Apple ColorSync™ device profile • Supports DOS, Windows,™ Macintosh® and Unix® applications • Software loadable system upgrades

Expression is a serious business.
Call QMS today at 800 841-0760 or 205 633-4300
for the name of a reseller demonstrating
the QMS ColorScript Laser 1000 in your area.

QMS

Now being demonstrated at resellers in major cities in the U.S.

QMS, QMS ColorScript and the QMS logo are trademarks or registered trademarks of QMS, Inc. PostScript is a trademark of Adobe Systems Incorporated which may be registered in certain jurisdictions. All other product and company names mentioned are trademarks or registered trademarks of their respective companies.

Circle 101 on Inquiry Card (RESELLERS: 102).

ROLL CALL

DOT-MATRIX

	MODEL	PRICE	Monochrome Performance HIGH-QUALITY	DRAFT	POSTSCRIPT	MAC	Class QUALITY	PPM	CPS	DPI
Advanced Matrix Technology, Inc.	Accel-212	$469	0.81	1.96	—	—	2.89	—	240	240
Advanced Matrix Technology, Inc.	Accel-212d	$764	.93	1.91	—	—	2.28	—	240	240
Advanced Matrix Technology, Inc.	Accel-242		.45	0.94	—	—	4.11	—	240	360
Advanced Matrix Technology, Inc.	Accel-242d		.20	1.62	—	—	4.28	—	240	360
Advanced Matrix Technology, Inc.	Accel-292	$795	.91	0.85	—	—	2.72	—	540	240
Advanced Matrix Technology, Inc.	Accel-292d		.91	1.48	—	—	3.61	—	540	240
Advanced Matrix Technology, Inc.	Accel-214		.93	2.66	—	—	3.00	—	240	240
Brother International Corp.	M1324	$399	1.10	1.47	—	—	3.56	—	216	360
C-Tech Electronics, Inc.	C-610 II	$799	1.00	1.77	—	—	2.83	—	300	360
C-Tech Electronics, Inc.	ProWriter C-310P	$739	.64	1.05	—	—	2.22	—	250	144
DataSouth Computer	XL300DD	$1795	1.15	2.66	—	—	2.44	—	300	240
Decision Data	6520 Model 41	$460	1.46	3.37	—	—	3.22	—	320	144
Digital Equipment Corp.	LA 310	$599	1.07	3.03	—	—	2.78	—	300	180
Digital Equipment Corp.	LA 424	$1249	.83	1.13	—	—	3.22	—	400	360
Digital Equipment Corp.	LA75 Plus	$549	.65	0.85	—	—	3.33	—	250	360
Epson America, Inc.	Action P		.18	0.78	—	—	4.44	—	240	360
Epson America, Inc.	AP-5000+	$349	.87	2.70	—	—	4.28	—	269	360
Epson America, Inc.	FX-1170	$499	1.17	2.01	—	—	2.78	—	380	240
Epson America, Inc.	LQ-1170	$859	1.09	3.27	—	—	4.33	—	415	360
Epson America, Inc.	LQ-870	$629	.45	1.91	—	—	4.39	—	315	360
Fujitsu Computer Products of America	DL5800	$1595	2.14	3.06	—	—	3.67	—	420	360
GCC Technologies, Inc.	WriteImpact	$599	—	—	—	0.53	1.11	—	192	360
Genicom Corp.	3840EP	$2595	1.48	4.38	—	—	2.06	—	600	400
Genicom Corp.	3940IP	$3995	1.45	1.54	—	—	2.33	—	600	400
Lexmark International, Inc.	IBM 4226	$1799	1.20	2.13	—	—	3.00	—	533	240
Mannesmann Tally Corp.	**MT 360**		**2.73**	**5.53**	—	—	**3.67**	—	**600**	**360**
NEC Technologies, Inc.	Pinwriter P6200	$499	0.93	2.24	—	—	4.56	—	250	360
Okidata	Pacemark 3410	$1999	1.88	4.99	—	—	2.56	—	550	216
Okidata	Microline 380	$349	0.87	0.90	—	—	3.00	—	240	180
Okidata	Microline 395	$1499	1.47	2.53	—	—	3.89	—	607	360
Okidata	Microline 521	$799	1.43	2.03	—	—	2.56	—	430	288
Panasonic Communications & Systems Co.	KXP-2624	$480	1.08	2.33	—	—	3.67	—	300	360
Samsung Electronics America, Inc.	SP-2412	$299	0.83	1.00	—	—	2.78	—	240	360
Seikosha America, Inc.	SL270	$999	1.23	2.71	—	—	2.11	—	329	360
Seikosha America, Inc.	SP2400	$299	0.71	1.49	—	—	2.78	—	300	240
Star Micronics America, Inc.	NX-2450 Rainbow	$289	0.86	1.08	—	—	3.78	—	240	360
Star Micronics America, Inc.	NX-2480 Rainbow	$329	0.64	—	—	—	4.56	—	330	360
Tandy Corp.	DMP 250	$400	0.83	1.96	—	—	4.50	—	200	360

INK-JET

Apple Computer, Inc.	StyleWriter II	$359	—	—	—	1.77	5.11	2	—	360
Brother International Corp.	HJ 400	$419	1.06	2.67	—	1.23	5.00	—	110	360
C-Tech Electronics, Inc.	**Speedjet 300**	**$419**	**2.18**	**2.23**	—	—	**4.67**	—	**300**	**300**
Canon Computer Systems, Inc.	BJ-230	$549	1.73	2.71	—	—	4.56	—	173	360
Canon Computer Systems, Inc.	BJ-200	$399	1.27	2.16	—	1.18	4.06	—	248	360
Digital Equipment Corp.	DEC MultiJet 2000	$449	1.12	1.95	—	1.11	2.89	—	360	300
Epson America, Inc.	Stylus 800	$449	1.46	1.50	—	—	5.00	—	150	360
GCC Technologies, Inc.	Wide Writer 360	$1699	—	1.46	—	1.61	4.78	—	300	360
Hewlett-Packard Co.	DeskJet 500	$365	1.62	2.15	—	1.61	3.39	—	240	300
Lexmark International, Inc.	IBM ExecJet 4072	$799	0.39	0.43	—	0.35	4.39	—	300	360
Olivetti	CJP-450	$499	1.04	1.64	—	0.70	2.44	—	160	300
Pacific Data Products	ProTracerII/GL	$2149	—	0.97	—	—	2.67	—	150	360
Smith Corona Corp.	Coronajet 200j	$499	1.07	1.72	—	0.82	2.89	—	160	800
Texas Instruments, Inc.	MicroMarc	$369	2.16	2.27	—	—	4.28	—	300	300

LASER

Advanced Matrix Technology, Inc.	Tracjet Model III	$6995	—	6.41	7.35	—	5.44	16	—	300
Alps America	LSX1600	$3295	—	5.88	—	—	6.67	16	—	300
Apple Computer, Inc.	LaserWriter 310	$1099	—	—	1.42	1.78	7.72	—	—	300
Apple Computer, Inc.	LaserWriter IIf	$1015	—	—	—	3.80	5.44	8	—	300
Apple Computer, Inc.	LaserWriter IIg	$2309	—	—	—	4.01	6.00	8	—	300
Apple Computer, Inc.	LaserWriter NTR	$1179	—	—	—	2.23	6.11	4	—	300
Apple Computer, Inc.	LaserWriter Pro 630	$2529	—	3.17	2.88	3.80	9.11	8	—	600
Brother International Corp.	HL 10H	$1549	—	5.00	4.61	—	8.56	10	—	600
Brother International Corp.	HL 6	$895	—	3.84	—	—	6.67	6	—	300
Brother International Corp.	HL10 PS	$2395	5.00	4.55	2.97	—	5.78	10	—	300
C-Tech Electronics, Inc.	Prowriter CI-8E	$1695	—	4.57	—	—	5.44	8	—	300
C-Tech Electronics, Inc.	Prowriter CI-8	$2395	—	4.44	2.50	—	7.22	8	—	300
Compaq Computer Corp.	**PageMarq 20**	**$5561**	**5.79**	**7.66**	**6.15**	**6.26**	**8.78**	**20**	—	**800**
Compaq Computer Corp.	PageMarq 15	$2599	—	4.72	4.57	4.82	8.33	15	—	300; w/PS 800x400
DataProducts Corp.	LZR 1560	$3395	—	3.45	3.96	4.82	7.56	15	—	300 or 400
DataProducts Corp.	LZR 965	$2199	—	3.37	3.10	3.84	7.56	9	—	600
Digital Equipment Corp.	DECLaser 1152	$999	—	1.30	1.24	1.73	5.89	4	—	300
Decision Data	6010 SI	$3995	—	3.31	—	—	4.22	10	—	300
Epson America, Inc.	ActionLaser 1000	$799	—	4.51	—	—	5.11	6	—	300
Epson America, Inc.	ActionLaser 1500	$999	—	4.17	—	—	8.22	6	—	300
Fujitsu Computer Products of America	Print Partner 10W	$2450	—	5.73	4.03	4.00	6.22	10	—	300
GCC Technologies, Inc.	BLP Eclipse 4	$1099	—	—	1.99	1.92	8.39	4	—	300
GCC Technologies, Inc.	BLP Eclipse 8	$1799	—	—	2.83	2.49	8.06	8	—	300
GCC Technologies, Inc.	Select Press 600	$4499	—	—	3.29	3.59	9.33	8	—	600
Genicom Corp.	7150	$3345	—	3.66	3.45	3.63	8.89	15	—	400
Genicom Corp.	7170	$3725	—	4.04	3.59	—	6.56	17	—	300
Hewlett-Packard Co.	LaserJet 4	$1759	4.17	4.85	—	—	8.33	8	—	600
Hewlett-Packard Co.	LaserJet 4L	$849	—	2.74	—	—	5.44	4	—	300
Hewlett-Packard Co.	LaserJet 4M	$2399	3.59	4.85	3.21	3.95	8.78	8	—	600
Hewlett-Packard Co.	LaserJet 4ML	$1279	—	3.08	2.46	2.68	8.33	4	—	300
Hewlett-Packard Co.	LaserJet 4P	$1229	2.38	2.38	—	—	8.44	6	—	600
Hewlett-Packard Co.	LaserJet 4Si	$3749	8.14	9.65	—	—	8.67	17	—	600
Hewlett-Packard Co.	**LaserJet 4SiMx**	**$5499**	—	**1.94**	**1.77**	**1.38**	**8.72**	**17**	—	**600**
Kyocera Electronics, Inc.	Ecosys FS-1500A	$2395	—	3.39	—	—	5.94	10	—	300
Kyocera Electronics, Inc.	Ecosys FS-3500A	$3895	—	6.34	5.97	—	6.33	18	—	300
LaserMaster Corp.	Unity 1200 XLO	$8995	—	3.37	2.17	2.17	9.89	8	—	1200
LaserMaster Corp.	Unity 1200 XLT	$6995	—	3.12	3.88	2.71	9.89	8	—	1200
Lexmark International, Inc.	IBM 4039Laser 10R	$1599	4.88	7.04	3.12	4.32	9.00	10	—	600
Lexmark International, Inc.	IBM 4039Laser 12L	$2899	6.62	8.68	3.55	5.00	8.81	12	—	600
Lexmark International, Inc.	**IBM 4039Laser 12R**	**$1999**	**2.82**	**8.63**	**3.57**	**5.04**	**8.74**	**12**	—	**600**
Lexmark International, Inc.	IBM 4039Laser 16L	$3399	6.96	11.37	3.71	5.67	8.44	16	—	600
Mannesmann Tally Corp.	MT 908	$1499	—	4.56	2.49	—	6.56	8	—	300
NEC Technologies, Inc.	Silentwriter 95	$949	—	3.54	1.40	1.91	7.44	6	—	300
NEC Technologies, Inc.	Silentwriter Superscript 610	$700	—	4.55	—	—	6.67	6	—	300

= BYTE Best. ● = Yes ○ = No

Emulations										
HP DESKJET 500/500C/550C	POSTSCRIPT	PCL5 (HP LJIII)	PCL4 (HP LJ 4)	HPGL	EPSON LQ/FX	IBM PROPRINTER	IBM GRAPHICS	TOLL-FREE	PHONE	INQUIRY NO.
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1105
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1106
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1107
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1108
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1109
○	○	○	○	○	○	●	●	(800) 992-2264	(805) 388-5799	1110
○	○	○	○	○	●	●	●	(800) 992-2264	(805) 388-5799	1111
○	○	○	○	○	○	●	○	(800) 276-7746	(908) 356-8880	1112
○	○	○	○	○	●	●	○	(800) 347-4017	(714) 833-1165	1113
○	○	○	○	○	○	○	○	(800) 347-4017	(714) 833-1165	1114
○	○	○	○	○	●	○	○	(800) 476-2120	(704) 523-8500	1115
○	○	○	○	○	○	●	○	(800) 533-3282	(215) 956-6700	1116
○	○	○	○	○	●	●	○	(800) 344-4825	(508) 493-5111	1251
○	○	○	○	○	○	●	○	(800) 344-4825	(508) 493-5111	1117
○	○	○	○	○	○	●	○	(800) 344-4825	(508) 493-5111	1118
○	○	○	○	○	●	○	●	(800) 289-3776	(310) 782-0770	1119
○	○	○	○	○	●	○	●	(800) 289-3776	(310) 782-0770	1120
○	○	○	○	○	●	●	●	(800) 289-3776	(310) 782-0770	1121
○	○	○	○	○	●	○	●	(800) 289-3776	(310) 782-0770	1122
○	○	○	○	○	●	○	●	(800) 289-3776	(310) 782-0770	1123
○	○	○	○	○	●	●	○	(800) 826-6112	(408) 432-6333	1124
○	○	○	○	○	○	○	○	(800) 942-3233	(617) 275-5800	1125
○	○	○	○	○	○	●	●	(800) 443-6426	(703) 802-9200	1126
○	○	○	○	○	○	○	○	(800) 443-6426	(703) 802-9200	1127
○	○	○	○	○	●	●	○	(800) 426-2486	(606) 232-3000	1128
○	○	○	○	○	●	●	●	**(800) 843-1347**	**(206) 251-5500**	**1129**
○	○	○	○	○	○	○	○	(800) 632-4636	(508) 264-8000	1130
○	○	○	○	○	●	●	○	(800) 654-3282	(609) 235-2600	1346
○	○	○	○	○	●	○	○	(800) 654-3282	(609) 235-2600	1347
○	○	○	○	○	●	●	○	(800) 654-3282	(609) 235-2600	1348
○	○	○	○	○	●	●	○	(800) 654-3282	(609) 235-2600	1349
○	○	○	○	○	●	●	○	(800) 742-8086	(201) 348-7000	1350
○	○	○	○	○	○	●	○	(800) 446-0262	(201) 229-4000	1351
○	○	○	○	○	●	●	○	(800) 477-7468	(702) 827-2414	1352
○	○	○	○	○	●	●	●	(800) 477-7468	(702) 827-2414	1353
○	○	○	○	○	●	●	○	(800) 477-4700	(908) 572-3300	1354
○	○	○	○	○	●	●	○	(800) 447-4700	(908) 572-3300	1355
○	○	○	○	○	○	●	○	N/A	(817) 390-3011	1356
○	○	○	○	○	○	○	○	(800) 776-2333	(408) 996-1010	1357
○	○	○	○	○	●	●	●	(800) 276-7746	(908) 356-8880	1358
●	○	○	○	○	○	○	○	**(800) 347-4017**	**(714) 833-1165**	**1359**
○	○	○	○	○	●	●	○	(800) 848-4123	(714) 438-3000	1360
○	○	○	○	○	●	●	○	(800) 848-4123	(714) 438-3000	1361
●	○	○	○	○	●	●	○	(800) 344-4825	(508) 493-5111	1362
●	○	○	○	○	●	Opt.	○	(800) 289-3776	(310) 782-0770	1363
○	○	○	○	○	○	○	○	(800) 942-3233	(617) 275-5800	1364
●	○	○	○	○	○	○	○	(800) 752-0900	(208) 323-2551	1365
○	Level I	○	○	○	●	●	●	(800) 426-2468	(606) 232-3000	1366
●	○	○	○	○	Opt.	Opt.	○	(800) 633-9909	(509) 927-7052	1367
○	Level I opt.	○	○	●	●	●	○	N/A	(619) 625-3663	1368
●	○	○	○	○	●	●	○	(800) 448-1018	(203) 972-1471	1369
●	○	○	○	○	○	○	○	(800) 527-3500	(817) 774-6001	1370
○	Level I opt.	●	●	●	○	Opt.	Opt.	(800) 992-2264	(805) 388-5799	1371
○	Level I opt.	○	●	○	○	○	○	(800) 825-2577	(408) 432-6000	1372
○	Level I	○	○	○	○	○	○	(800) 776-2333	(408) 996-1010	1373
○	Level II	○	Opt.	○	○	○	○	(800) 776-2333	(408) 996-1010	1374
○	Level II	○	Opt.	○	○	○	○	(800) 776-2333	(408) 996-1010	1375
○	Level I, II	○	●	○	○	○	○	(800) 776-2333	(408) 996-1010	1376
○	Level II	○	Opt.	○	○	○	○	(800) 776-2333	(408) 996-1010	1377
○	Level I	●	●	●	●	●	●	(800) 276-7746	(908) 356-8880	1378
○	Level I opt.	○	●	○	●	●	○	(800) 276-7746	(908) 356-8880	1379
○	Level I	○	●	Opt.	Opt.	Opt.	○	(800) 276-7746	(908) 356-8880	1380
○	○	●	○	●	●	●	○	(800) 347-4017	(714) 833-1165	1381
○	Level I	●	○	●	●	●	○	(800) 347-4017	(714) 833-1165	1382
○	**Level II**	●	○	●	○	○	●	**(800) 345-1518**	**(713) 370-0670**	**1383**
○	Level II	●	○	●	○	○	○	(800) 345-1518	(713) 370-0670	1384
○	Level II	○	●	○	○	○	○	(800) 334-3174	(818) 887-8000	1385
○	Level II	○	●	○	○	○	○	(800) 334-3174	(818) 887-8000	1386
○	Level II	○	●	○	○	○	○	(800) 344-4825	(508) 493-5111	1252
○	○	○	●	○	○	○	○	(800) 533-3282	(215) 956-6700	1387
○	○	○	●	○	●	○	○	(800) 289-3776	(310) 782-0770	1388
○	Level I opt.	●	●	●	●	○	○	(800) 289-3776	(310) 782-0770	1389
○	Level I	●	●	●	●	●	○	(800) 826-6112	(408) 432-6333	1390
○	Level I, II	○	○	○	○	○	○	(800) 942-3233	(617) 275-5800	1391
○	Level I, II	○	○	○	○	○	○	(800) 942-3233	(617) 275-5800	1392
○	Level I, II	●	○	●	○	○	○	(800) 942-3233	(617) 275-5800	1393
○	Level I	●	○	●	○	○	○	(800) 443-6426	(703) 802-9200	1394
○	Level I opt.	●	●	●	○	●	○	(800) 443-6426	(703) 802-9200	1395
○	Level II opt.	●	○	○	Opt.	Opt.	○	(800) 752-0900	(208) 323-2551	1253
○	○	●	○	○	○	○	○	(800) 752-0900	(208) 323-2551	1254
○	Level I, II	●	○	●	Opt.	Opt.	○	(800) 752-0900	(208) 323-2551	1396
○	Level I, II	●	○	●	○	○	○	(800) 752-0900	(208) 323-2551	1397
○	Level II opt.	●	○	●	Opt.	Opt.	○	(800) 752-0900	(208) 323-2551	1398
○	Level II opt.	●	○	●	Opt.	Opt.	○	(800) 752-0900	(208) 323-2551	1399
○	**Level II**	●	○	●	**Opt.**	**Opt.**	○	**(800) 752-0900**	**(208) 323-2551**	**1400**
○	Level I	●	○	●	●	●	○	(800) 367-7437	(908) 560-3400	1401
○	Level I opt.	●	○	●	●	●	○	(800) 367-7437	(908) 560-3400	1402
○	Level I	○	●	○	○	○	○	N/A	(612) 944-7570	1403
○	Level I	○	●	○	○	○	○	N/A	(612) 944-7570	1404
○	Level I	●	●	○	○	○	○	(800) 426-2468	(606) 232-3000	1405
○	Level I	●	●	○	○	○	○	(800) 426-2468	(606) 232-3000	1406
○	**Level I**	●	●	○	○	○	○	**(800) 426-2468**	**(606) 232-3000**	**1407**
○	Level I	●	●	○	○	○	○	(800) 426-2468	(606) 232-3000	1408
○	Level I opt.	●	●	●	●	●	○	(800) 843-1347	(206) 251-5500	1409
○	Level I	●	○	○	○	○	○	(800) 632-4636	(508) 264-8000	1410
○	○	●	○	○	○	○	○	(800) 632-4636	(508) 264-8000	1411

ROLL CALL

LASER

	MODEL	PRICE	Performance: HIGH-QUALITY	DRAFT	POSTSCRIPT	MAC	Class: QUALITY	PPM	CPS	DPI
NewGen Systems Corp.	ImagerPlus 12	$7495	—	—[2]	—[2]	1.33	9.44	8	—	1200
NewGen Systems Corp.	Turbo PS/660 p	$1995	—	1.85	2.02	1.98	9.17	4	—	600
NewGen Systems Corp.	Turbo PS/660 B	$4995	—	—[2]	2.06	2.14	9.17	8	—	600
Okidata	OL-810	$1499	—	5.59	—	—	5.33	8	—	300
Okidata	OL-400E	$699	—	3.46	—	—	6.44	4	—	300
Okidata	OL-830+	$1799	—	4.32	1.27	—	5.22	8	—	300
Okidata	OL-850	$1999	—	5.04	1.26	2.05	7.56	8	—	300
Panasonic Communications & Systems Co.	KXP-4430	$869	—	2.59	—	—	5.22	5	—	300
Panasonic Communications & Systems Co.	KXP-4455	$2249	—	2.86	1.26	1.99	5.78	11	—	300
QMS, Inc.	1725 Print System	$4999	—	6.49	3.51	4.05	8.44	17	—	600
QMS, Inc.	PS 410	$1595	—	2.03	2.17	1.97	5.56	4	—	300
QMS, Inc.	860 Print System	$4595	—	—	3.48	3.54	9.11	8	—	600
QMS, Inc.	420 Print System	$1995	—	1.92	1.90	2.42	7.61	4	—	600
Samsung Electronics America, Inc.	Finale Hi-Res	$2395	—	5.25	1.93	2.69	6.00	8	—	1200
Sharp Electronics Corp.	JX-9400	$695	—	2.22	—	—	6.22	6	—	300
Star Micronics America, Inc.	LS-5TT	$1289	—	3.27	1.12	1.29	6.00	5	—	600
Tandy Corp.	LP800	$1499	—	4.94	1.16	—	6.11	8	—	300
Texas Instruments, Inc.	MicroLaser Pro 600	$1599	—	—	2.66	3.83	8.72	8	—	600
Texas Instruments, Inc.	MicroLaser Pro 600'	$1948	—	3.98	5.37	5.23	9.72	8	—	600
Texas Instruments, Inc.	MicroWriter PS23	$799	—	2.94	1.19	1.80	8.00	5	—	300
Texas Instruments, Inc.	MicroWriter PS65	$1099	—	2.98	1.19	1.80	6.33	5	—	300
Texas Instruments, Inc.	MicroLaser PS35	$810	—	3.86	—	2.13	5.89	9	—	300
Texas Instruments, Inc.	MicroLaser PS35 Turbo	$1068	—	4.27	3.64	3.99	5.78	9	—	300
Texas Instruments, Inc.	MicroLaser XL	$2399	—	5.19	1.38	2.13	5.44	16	—	300
Texas Instruments, Inc.	MicroLaser XL Turbo	$3649	—	5.55	4.32	3.99	5.78	16	—	300
Toshiba America Information Systems	Pagelaser GX200	$3096	—	4.55	1.34	—	8.11	8	—	300
Toshiba America Information Systems	Pagelaser GX400	$5996	—	5.99	2.55	—	6.22	17	—	300
Xante Corp.	Accel-a-Writer 4000	$1795	—	3.04	1.87	1.94	8.44	4	—	600
Xante Corp.	Accel-a-Writer 8000	$2295	—	5.18	2.67	2.78	8.44	8	—	600
Xante Corp.	Accel-a-Writer 8100	$3995	—	3.69	1.66	1.53	9.17	8	—	1200
Xerox Corp.	4213	$4995	—	5.57	2.20	2.91	5.56	13	—	300

PORTABLE

	MODEL	TECHNOLOGY	PRICE	Performance: HIGH-QUALITY	DRAFT	MAC	Class: QUALITY	PPM	CPS	DPI
Apple Computer, Inc.	Portable StyleWriter	Ink-jet	$439	—	—	0.69	4.81	1.5 ppm	3 ppm	360
Axonix Corp.	MilWrite LVD	Dot-matrix	$1395	0.74	1.47	—	2.28	—	300	240
Brother International Corp.	HJ-100i	Ink-jet	$399	0.92	0.93	—	5.89	—	80	360
Canon Computer Systems, Inc.	BJ-10ex	Ink-jet	$349	0.90	0.93	—	5.36	—	83	360
Citizen America Corp.	PN48 Professional	Thermal	$549	0.42	0.55	—	3.81	—	—	360
Eastman Kodak Co.	Diconix 701	Ink-jet	$479	1.00	1.45	—	4.11	—	3 ppm	300
Hewlett-Packard Co.	DeskJet Portable	Ink-jet	$479	1.93	1.45	—	4.67	—	240	300
Lexmark International, Inc.	IBM Portable Printer	Thermal	$449	0.44	0.63	—	3.76	—	—	360
Lexmark International, Inc.	**IBM 4070 IJ**	**Ink-jet**	**$449**	**1.71**	**1.93**	—	**6.22**	—	**110**	**360**
Mannesmann Tally Corp.	MobileWriter	Thermal	$875	2.45	3.17	—	6.24	6.00	—	300
Mannesmann Tally Corp.	MobileWriter PS	Thermal	$999	1.01 (PostScript)	3.59	1.38	6.58	6.00	—	300
Seikosha America, Inc.	LT20	Dot-matrix	$499	0.73	0.80	—	2.00	—	180	360
Star Micronics America, Inc.	StarJet SJ-48 Plus	Ink-jet	$369	0.73	0.80	—	5.94	—	124	360
Tandy Corp.	DMP 310 slimline	Dot-matrix	$200	0.73	0.92	—	4.00	—	120	360

COLOR

	MODEL	TECHNOLOGY	PRICE	Performance: PC MONO	MAC MONO	HIGH-QUALITY COLOR	DRAFT COLOR	POSTSCRIPT COLOR	MAC COLOR
Advanced Matrix Technology, Inc.	Accel-535	Dot-matrix	$1485	0.83	—	0.16	0.24	—	—
Alps America	DMX800	Dot-matrix	$2195	1.90	—	0.46	0.55	—	—
Apple Computer, Inc.	ColorPrinter	Ink-jet	$1659	—	0.89	—	—	—	0.73
Brother International Corp.	M1824L	Dot-matrix	$749	0.74	—	0.13	0.36	—	—
Calcomp	ColorMaster Plus 6613XF	Thermal	$8995	—	0.97	—	—	0.59	0.87
Canon Computer Systems, Inc.	BJC-800	Ink-jet	$1999	0.48	—	0.28	0.68	—	—
Citizen America Corp.	GSX-190	Dot-matrix	$199	0.87	—	0.23	0.55	—	—
Citizen America Corp.	GSX-230	Dot-matrix	$299	0.82	—	0.18	0.36	—	—
Citizen America Corp.	GSX-240	Dot-matrix	$349	0.97	—	0.22	0.39	—	—
DataProducts Corp.	9044	Dot-matrix	$1132	0.72	—	0.18	0.26	—	—
DataProducts Corp.	Jolt PSe	Solid ink	$4995	—	1.08	—	—	0.19	0.35
Digital Equipment Corp.	LA 95-DECWRITER	Dot-matrix	$319	1.27	—	0.42	0.57	—	—
Eastman Kodak Co.	Colorease PS	Dye-sub.	$7999	—	0.24	—	—	0.16	0.18
Fujitsu Computer Products of America	DL1200	Dot-matrix	$649	0.87	—	0.18	0.35	—	—
General Parametrics	**Spectra Star GT**	**Thermal**	**$4495**	—	**1.50**	—	—	**1.02**	**0.93**
General Parametrics	Spectra Star Q10E	Thermal	$2999	—	0.77	—	—	0.31	0.68
Hewlett-Packard Co.	DeskJet 1200C	Ink-jet	$1699	—	1.38	—	0.72	—	0.69
Hewlett-Packard Co.	**DeskJet 1200C/PS**	**Ink-jet**	**$2399**	—	**1.38**	—	**0.72**	**0.34**	**0.69**
Hewlett-Packard Co.	DeskJet 550C	Ink-jet	$719	0.69	—	0.18	0.61	—	—
Hewlett-Packard Co.	PaintJet XL300	Ink-jet	$2795	—	0.35	—	0.27	0.12	0.18
Lexmark International, Inc.	IBM Color JetPrinter PS4079	Ink-jet	$3199	—	0.70	—	—	0.24	0.41
Mannesmann Tally Corp.	MT 150/9C	Dot-matrix	$799	1.17	—	0.45	0.44	—	—
Okidata	Microline 590	Dot-matrix	$699	1.92	—	0.40	0.62	—	—
Panasonic Communications & Systems Co.	KXP-2123	Dot-matrix	$300	0.49	—	0.21	0.47	—	—
Panasonic Communications & Systems Co.	KXP-2124	Dot-matrix	$370	0.49	—	0.18	0.47	—	—
Panasonic Communications & Systems Co.	KXP-2180	Dot-matrix	$200	0.60	—	0.20	0.39	—	—
QMS, Inc.	ColorScript 210	Thermal	$4995	—	0.70	—	—	0.38	0.54
QMS, Inc.	ColorScript 230	Thermal	$7995	—	0.73	—	—	0.34	0.58
Seiko instruments	Colorpoint PSN	Thermal	$5999	—	0.76	—	—	0.42	0.70
Star Micronics America, Inc.	SJ 144	Thermal	$599	0.62	—	0.38	0.38	—	—
Star Micronics America, Inc.	XB-2425	Dot-matrix	$799	1.10	—	0.22	0.51	—	—
Tektronix, Inc.	Phaser 200e	Thermal	$3695	—	1.19	—	—	0.57	0.92
Tektronix, Inc.	Phaser 200i	Thermal	$5995	—	1.49	—	—	0.75	0.99
Tektronix, Inc.	Phaser III PXi	Solid ink	$9995	1.07	0.47	—	—	0.25	0.45
Tektronix, Inc.	Phaser IISDX	Dye-sub.	$9995	—	0.30	—	—	0.27	0.32

[1] With $349 PowerStep accelerator option. [2] Couldn't complete test suite. = BYTE Best. ● = Yes ○ = No

Emulations

HP DESKJET 500/500C/550C	POSTSCRIPT	PCL5 (HP LJIII)	PCL4 (HP LJ 4)	HPGL	EPSON LQ/FX	IBM PROPRINTER	IBM GRAPHICS	TOLL-FREE	PHONE	INQUIRY NO.
○	Level I	Opt.	●	●	○	○	○	(800) 888-1689	(714) 641-8600	1412
○	Level I	Opt.	●	●	○	○	○	(800) 888-1689	(714) 641-8600	1413
○	Level I	Opt.	●	●	○	○	○	(800) 888-1689	(714) 641-8600	1414
○	○	●	○	●	○	●	○	(800) 654-3282	(609) 235-2600	1415
○	○	○	●	○	○	○	○	(800) 654-3282	(609) 235-2600	1416
○	Level I	○	●	○	○	○	○	(800) 654-3282	(609) 235-2600	1417
○	Level I	○	●	○	○	○	○	(800) 654-3282	(609) 235-2600	1418
○	○	●	○	●	○	○	○	(800) 742-8086	(201) 348-7000	1419
○	Level I	○	●	○	○	○	○	(800) 742-8086	(201) 348-7000	1420
—	—	—	—	—	—	—	—	(800) 631-2692	(205) 633-4500	1255
○	Level I	○	●	Opt.	○	○	○	(800) 631-2692	(205) 633-4500	1090
○	Level I	○	●	○	○	○	○	(800) 631-2692	(205) 633-4500	1091
○	Level I, II	○	●	●	○	○	○	(800) 631-2692	(205) 633-4500	1092
○	Level I	●	●	●	●	●	●	(800) 446-0262	(201) 229-4000	1093
○	○	○	●	○	○	●	●	(800) 732-8221	N/A	1094
○	Level I	○	●	●	○	○	○	(800) 449-4700	(908) 572-3300	1095
○	Level I	○	○	●	○	●	○	N/A	(817) 390-3011	1096
○	Level II	●	○	○	○	○	○	(800) 527-3500	(817) 774-6001	1097
○	Level II	●	○	○	○	○	○	(800) 527-3500	(817) 774-6001	
○	Level I	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1098
○	Level I	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1099
○	Level I	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1100
○	Level I, II	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1101
○	Level I	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1102
○	Level I, II	○	●	○	Opt.	Opt.	○	(800) 527-3500	(817) 774-6001	1103
○	Level I Opt.	●	○	●	●	●	○	(800) 334-3445	(714) 583-3000	1104
○	Level I Opt.	●	○	●	○	●	○	(800) 334-3445	(714) 583-3000	976
○	Level I	○	●	○	○	○	○	(800) 926-8839	(205) 476-8189	977
○	●	○	●	○	○	○	○	(800) 926-8839	(205) 476-8189	978
○	Level I, II	○	●	○	○	○	○	(800) 926-8339	(205) 476-8189	979
○	Level I	○	●	○	○	○	○	(800) 832-6979	(310) 333-2202	980

Emulations

HP DESKJET 500/500C/550C	POSTSCRIPT	PCL5 (HP LJIII)	PCL4 (HP LJ 4)	HPGL	EPSON LQ/FX	IBM PROPRINTER	IBM GRAPHICS	TOLL-FREE	PHONE	INQUIRY NO.
○	—	○	○	—	○	○	○	(800) 776-2333	(408) 996-1010	981
○	—	○	○	—	○	○	○	(800) 866-9797	(801) 466-9797	982
○	—	○	○	—	●	●	●	(800) 276-7746	(908) 356-8880	983
○	—	○	○	—	●	●	○	(800) 848-4123	(714) 438-3000	984
○	—	○	○	—	○	●	○	(800) 447-4683	(310) 453-0614	985
●	—	○	○	—	○	●	○	(800) 344-0006	(716) 253-0740	986
●	—	○	○	—	○	○	○	(800) 752-0900	(208) 323-2551	987
●	—	○	○	—	●	●	○	(800) 426-2468	(606) 232-3000	988
○	—	○	○	—	●	●	○	(800) 426-2468	(606) 232-3000	989
○	—	○	●	—	●	●	○	(800) 843-1347	(206) 251-5500	990
○	—	○	●	—	○	○	○	(800) 843-1347	(206) 251-5500	991
○	—	○	○	—	○	●	●	(800) 338-2609	(201) 327-7227	992
○	—	○	○	—	●	●	○	(800) 447-4700	(908) 572-3300	993
○	—	○	○	—	○	●	○	N/A	(817) 390-3011	994

Class / Emulations

PPM	CPS	DPI	POSTSCRIPT	HPGL	EPSON LQ/FX	IBM PROPRINTER	IBM GRAPHICS	TOLL-FREE	PHONE	INQUIRY NO.
—	480	480	○	○	●	●	○	(800) 992-2264	(805) 388-5799	995
—	800	240	○	○	●	●	○	(800) 825-2577	(408) 432-6000	996
	2.5 ppm	360	○	○	○	○	○	(800) 776-2333	(408) 996-1010	997
—	337	360	○	○	●	●	○	(800) 276-7746	(908) 356-8880	998
0	—	300	Level I, II	○	○	○	○	(800) 225-2667	(714) 821-2000	999
—	300	360	○	○	●	●	○	(800) 848-4123	(714) 438-3000	1221
—	270	240	○	○	○	●	●	(800) 477-4683	(310) 453-0614	1222
—	270	360	○	○	●	●	○	(800) 477-4683	(310) 453-0614	1223
—	300	360	○	○	●	●	○	(800) 477-4683	(310) 453-0614	1224
—	250	72	○	○	●	○	○	(800) 334-3174	(818) 887-8000	1225
0	—	300	Level II	○	●	○	○	(800) 334-3174	(818) 887-8000	1226
—	0	360	○	○	●	●	○	(800) 344-4825	(508) 493-5111	1227
50	—	300	Level II (Level I opt.)	○	○	○	○	(800) 344-0006	(716) 253-0740	1228
—	0	360	○	○	●	●	○	(800) 826-6112	(408) 432-6333	1229
2.00	—	300	Level I, II	●	○	○	○	(800) 223-0999	(510) 524-1060	1230
1.30	—	300	Level I, II	●	○	○	○	(800) 223-0999	(510) 524-1060	1231
1.00	—	300	○	●	○	○	○	(800) 752-0900	(208) 323-2551	1232
1.00	—	300	Level I, II	●	●	●	●	(800) 752-0900	(208) 323-2551	1233
—	0	300	○	○	○	○	○	(800) 752-0900	(208) 323-2551	1234
00	—	300	Level II opt.	●	○	○	○	(800) 752-0900	(208) 323-2551	1235
—	167	360	○	○	○	○	○	(800) 426-2468	(606) 232-3000	1236
—	300	240	○	○	●	●	●	(800) 843-1347	(206) 251-5500	1237
—	360	360	○	○	●	●	○	(800) 654-3282	(609) 235-2600	1238
—	240	360	○	○	●	●	○	(800) 742-8086	(201) 348-7000	1239
—	300	360	○	○	●	●	○	(800) 742-8086	(201) 348-7000	1240
—	240	216	○	○	○	●	●	(800) 742-8086	(201) 348-7000	1241
1.00	—	300	Level I, II	●	○	○	○	(800) 631-2692	(205) 633-4500	1242
1.00	—	300	Level I, II	●	○	○	○	(800) 631-2692	(205) 633-4500	1243
1.00	—	300	Level II	○	○	○	○	(800) 825-9711	(408) 922-5900	1244
—	2	360	○	○	○	●	○	(800) 447-4700	(908) 572-3300	1245
—	5	360	○	○	●	●	●	(800) 447-4700	(908) 572-3300	1246
2.00	—	300	Level II	●	○	○	○	(800) 835-6100	(503) 682-7377	1247
2.00	—	300.00	Level II	●	○	○	○	(800) 835-6100	(503) 682-7377	1248
1.00	—	300.00	Level II	●	○	○	○	(800) 835-6100	(503) 682-7377	1249
1.00	—	300.00	Level II	●	○	○	○	(800) 835-6100	(503) 682-7377	1250

INTRODUCING

CodeBase++™ 5.0

Now C++ programmers can discover the DBMS power of dBASE, FoxPro & Clipper.



Not only is the new ***CodeBase++ 5.0*** 100% compatible with the data, index and memo files of dBASE®, FoxPro® and Clipper®, you also get all the important benefits of programming in C++.

You get C++ speed and size.

Most developers are familiar with the amazing speed and compact size of C and C++ programs. Now harness this speed for your own database programs. Compare the performance with those "executables" of dBASE, FoxPro, Clipper (which contain imbedded interpreters) to those of similar C and C++ programs. Also, be sure to compare the size of their EXE's to those created with ***CodeBase++*** (which are as small as 45K!).

You get object oriented programs.

CodeBase++ 5.0 is a C++ class library for database management. Now you can experience the object oriented productivity gains of C++ , together with the power of a complete DBMS.

You get multi-user sharing with dBASE, FoxPro and Clipper.

Now your multi-user C++ programs can share data, index and memo files at the same time as concurrently running FoxPro, Clipper and dBASE programs. Turbo-charge critical xBase applications sharing data on a network with C++ and ***CodeBase++*** with no incompatibilities.

NEW–You get xBase queries and relations with instant results.

We've added **B**it **O**ptimization Query **T**echnology to ***CodeBase++*** for stunning query performance (***BOT*** is similar to FoxPro's Rushmore). Our product analyzes your queries using index information, so a record is only actually retrieved when it belongs in your query solution set.

With ***CodeBase++*** you can literally query a huge 500,000 record data file in less than a second on a 25MHz 80386!

You get C++ portability.

As with C, ANSI C++ is an international standard across all hardware platforms. This means you can port ***CodeBase++*** applications between DOS, Windows, NT, OS/2, Unix, and Macintosh–*today*.




The new CodeBase++ is your best C++solution for xBase file access and database management.

TRY OUR VERSIONS!

NEW - You get code generation.

Save hours of coding time with our automatic source code generation, containing all of the specialized class definitions needed to support your data structures.



Using our visual report writer is easy, simply draw your report, then include it in any program you write.

PLUS–You get *CodeReporter* FREE!

Our visual report writer, ***CodeReporter***, uses the speed of ***BOT*** to run reports lightning fast. To test this amazing performance yourself, **call: 403/437-2410** for your free working model.

CodeBase++™ 5.0
The C++ Class Library for Database Management

Call Now 403-437-2410



FREE CodeReporte

Risk-Free 90-Day Money-Back Guarantee

SEQUITER SOFTWARE INC.
FAX 403•436•2999
UK Tel. +44-81-317-4321
France +33.20.24.20.14
P.O. Box 575 Newmarket NH 03857-0575

©1993 Sequiter Software, Inc. All rights reserved. CodeBase++ is a trademark of Sequiter Software Inc
All other product names mentioned herein are trademarks of their respective companies.

Circle 129 on Inquiry Card.

Digital Signatures

Cryptographic algorithms can create nonforgeable signatures for electronic documents, making them valid legal instruments



BRUCE SCHNEIER

For ages, special seals or handwritten signatures on documents have served as proof of authorship of, or agreement with, the contents of a document. Several attributes make the use of handwritten signatures compelling. These include the following:

- A signature is not forgeable and serves as proof that the signer deliberately signed the document.
- A signature is authentic and convinces the recipient that the signer deliberately signed the document.
- A signature is not reusable. It's part of the document, and an unscrupulous person cannot transfer it to a different document.
- Once signed, a document is unalterable.
- A signature cannot be repudiated. Since the signature and the document are physical objects, the signer cannot later claim that he or she didn't sign it.

These attributes would all hold true in an ideal world; in reality, however, none of them is completely true. Signatures can be forged, or they can be lifted off one piece of paper and moved to another. Documents can be altered after they are signed. But for simplicity's sake, I'll assume that the signatures discussed in this article exist in an ideal world.


It would be nice to have nonforgeable signatures on computer documents, but there are problems with this concept. First, bit streams are easy to copy; the mere presence of such a signature means nothing. Even if a person's signature was made difficult to forge—if it was accompanied by a graphical image of a fingerprint, for example—with today's cut-and-paste software it's all too easy to move a valid signature from one document to another. Second, documents are easy to modify after they are signed, without leaving any evidence of modification.

So, when you receive a piece of E-mail containing critical information, how do you know who it is from? Can you be sure that the "from" line isn't forged? Are you certain that someone hasn't tampered with the document's contents during transit? If necessary, could you prove any of this in court?

Digital signatures are an attempt to create documents that can be mathematically and legally traced to their authors. A *digital signature* is a string of bits attached to an electronic document, which could be a word processing file or an E-mail message. This bit string is generated by the signer, and it's based on both the document's data and the person's secret password. Someone who receives the document can prove—both to himself or herself and to a court—that the signer actually signed the document. If the document is altered, the signer can also prove—to himself and to a court—that he did not sign the altered document.

Digital Signatures Defined


Public-key cryptography can be used for digital signatures. Public-key cryptography uses special encryption algorithms with two different keys: a public key that everyone knows, and a private key that only one person knows. The term *key*, as it's used here, describes a unique bit pattern. Public-key algorithms encrypt the contents of an electronic document using both keys. The resulting file is a amalgam of both the public and private keys and the original document's contents.



SANDRA FILIPPUCCI © 1993

This technique accomplishes several things. First, the file's data is secure because of the private key. Because

PHOTOGRAPHY: ROARK JOHNSON © 1993



Suppose an electronic document *or message* (m) *is to serve as a legal instrument. The signer uses the SHA to create a hash value of the document's contents,* H(m). *Next, the signer selects public prime numbers* p, q, *and* g, *a random number* k, *and a private key* x. *These values and the hash are supplied to the DSA, which creates the signature values* s *and* r. *The verifier provides the DSA with the document's hash value; the signature* s; *the same* p, q, *and* g; *and the public key* y. *If the result* (v) *from the verifier's DSA matches the other signature value* r, *then the signature is valid. This also proves that the document's contents have not been altered.*

the file's data also relies on the public key, anyone owning the public key can verify the file's authenticity. Since this file is also a function of the original document's contents, any alteration to the encrypted file causes the verification to fail. Finally, it is computationally infeasible (on the order of thousands of years) to calculate the private key from the public key.

For example, suppose Alice signs a document for Bob using her private key. Ignoring the mathematics for a moment, the digital signature works like this: Alice (the signer) generates a mathematical function of her private key and the document. This is the signature. Bob (the verifier) then generates a mathematical function of Alice's public key and her signature. If this function matches the document, the signature is valid. If it does not, the signature is not valid. The point here is that the security of the digital signature algorithm prevents someone from pretending to be Alice and forging her signature.

This arrangement satisfies the signature characteristics we're looking for:

- The document's signature is not forgeable, since only Alice knows her private key.
- The signature is authentic. When Bob verifies the message with Alice's public key, he knows that she signed it.
- The signature is not reusable; the signature is a function of the document and cannot be transferred to any other document.
- The signed document is unalterable; any alteration makes the document unverifiable with Alice's public key.
- The signature cannot be repudiated. Bob doesn't need Alice's help to verify her signature.

Notice that these features nicely match the list of attributes discussed earlier with regard to handwritten signatures. Best of all, Alice and Bob don't have to meet face-to-face or exchange any physical pieces of paper. With possession of Alice's public key, Bob can be certain that the purchase order for 10,000 widgets that he receives from her through an E-mail service is valid.

The Digital Signature Standard

In 1991, NIST, the National Institute of Standards and Technology, proposed the DSA (Digital Signature Algorithm) for the then-new DSS (Digital Signature Standard). The mathematical algorithm was developed at NSA, the National Security Agency, and is related to other digital signature algorithms in the academic literature (see the bibliography).

The DSA uses the following parameters:

- p, which equals a prime number 2^L bits long, where L ranges from 512 to 1024 and is a multiple of 64. (In the original standard, the size of p was fixed at 512 bits. This was changed after much criticism.)
- q, which equals a 160-bit prime factor of $p-1$.
- g, which equals $h(p-1)/q$, where h is any number less than $p-1$ such that $h(p-1)/q \bmod p$ is greater than 1.
- x, which is a number less than q.
- y, which equals $g^x \bmod p$.

Additionally, the algorithm makes use of a one-way hash function: the SHA (Secure Hash Algorithm). Details will come later; for now, it's just $H(x)$.

The first three parameters, p, q, and g, are public and can be common across a network of users. The individual private key is x; the individual public key is y.

Now back to the example. Alice wants to sign a message, m. First she generates a random number k that is less than q. Then she generates $r = (g^k \bmod p) \bmod q$, and $s = (k^{-1}(H(m) + xr)) \bmod q$. The parameters r and s are her signature. They can be sent with her message or stored separately (see the figure "How Digital Signatures Work").

Bob wants to verify a signature, r and s, of message m. He knows p, q, and g, plus Alice's individual public key, y. Bob computes the following:

$w = s^{-1} \bmod q$
$u1 = (H(m) * w) \bmod q$
$u2 = (r * w) \bmod q$
$v = ((g^{u1} * y^{u2}) \bmod p) \bmod q$

If $v = r$, then the signature is verified as Alice's.

Proofs for the mathematical relationships are found in the NIST documentation. Essentially, Alice is generating two parameters, r and s, that are functions of her message, her private key, and a random variable. For an adversary to be able to forge Alice's

signature, he or she has to be able to recover x from r and s. This problem is conjectured (although not proved) to be equivalent to solving the discreet logarithm problem mod p. As I will show later, this is computationally impossible.

Real-world implementations of the DSA can be speeded up through precomputations. Note that the value r is not dependent on the message. You can create a string of random k values and then precompute r values for each of them. You can also precompute k–1 for each of those k values. Then, when a message comes along, you can compute s for a given r and k–1. This precomputation speeds up the DSA considerably.

Public and Private Keys

Certain values of p and q are much easier to crack than others. If someone used one of these "cooked" moduli (i.e., values), then his or her signature would be easy to forge. This isn't a problem, for two reasons: The moduli for which this property holds true are easy to detect, and these moduli are so rare that the chances of using one when choosing a modulus randomly are negligibly small—smaller, in fact, than the chances of accidentally generating a composite number using a probabilistic prime-generation routine.

NIST recommends the use of the secure method shown in the text box "Steps for Generating Two Primes for a Digital Signature." This method ensures that there is a public means of generating p and q. For all practical purposes, the two-primes method prevents the use of "cooked" values for p and q. If someone were to hand you a p and a q, you might wonder where the person got them. However, if somebody hands you the values for S and C that generate the random p and q, you can work through this routine to derive p and q. Since this is a one-way function, it prevents someone from working backward to create a bogus S and C.

Implementation and Security

The mathematics of the DSS are straightforward. The hardest part is the software that's required to perform arithmetic operations on numbers that are 1000 bits long.

As for security, NIST's announcement of the DSA/DSS standard created a maelstrom of criticisms and accusations that were more of a political than an academic nature. RSA Data Security, the purveyor of the RSA algorithm, led the charge against DSS. The company wanted RSA, and not another algorithm, to be used as the standard (see the text box "RSA Digital Signatures").

But the only technical criticism of DSS's security was the key size. The original standard required only 512-bit keys. Since the algorithm gets its security from the difficulty of computing discrete logs modulo p, this was worrisome to most cryptographers. There have been advances in the problem of calculating discrete logarithms in a finite field, and 512 bits is too short for long-term security. It's possible to crack 512-bit keys in a matter of months or years, which is far too short an interval for special contracts and diplomatic agreements that must survive 40 years or longer.

In response, NIST made the key size variable, from 512 bits to 1024 bits. It would take all the world's computers far longer than the age of the universe to calculate a discrete logarithm modulo a 1024-bit number.

The Secure Hash Algorithm

In practical implementations, the DSA is too inefficient to sign long documents directly. In the standard, the DSA is implemented with the SHA. Therefore, in my example, instead of signing a document, Alice signs the hash of the document (i.e., a value that is generated by a hash algorithm operating on the document's data).

The NIST and NSA designed the SHA for use with the DSA. The standard itself is called the SHS (Secure Hash Standard); SHA is the algorithm used in the standard.

The SHA speeds encryption times drastically, and since the chances of two different documents' having the same 160-bit hash are only one in 2^{160}, anyone can safely trust a signature of the hash to represent a signature of the document.

If a two-way hash function were used, it would be a trivial matter to create multiple documents that hashed to the same value, so anyone who signed a particular document could, in a sense, be duped into signing a multitude of documents. Therefore, this protocol cannot work without one-way hash functions.

The SHA accepts an arbitrary-length message input and produces a 160-bit message-digest output. The algorithm is complicated, but it's straightforward. First, the message is padded so that it is a multiple of 512 bits long. Next, the algorithm appends a 1, and then as many zeros as necessary to make the message's length 64 bits short of a multiple of 512. Finally, a 64-bit value that represents the message's length before padding is tacked onto the message.

Five 32-bit variables, as defined by the SHS, are initialized with the following hexadecimal values:

Steps for Generating Two Primes for a Digital Signature

This algorithm generates the two primes p and q, such that p divides p–1. The prime p is between 512 and 1024 bits long, for some multiple of 64 bits. The prime q is 160 bits long. Let L–1 = $n^{160} + b$, where L is the length of p, and n and b are two numbers.

1. **Choose an arbitrary sequence of at least 160 bits and call it S. Let g be the length of S in bits.**
2. **Compute U = SHA(S) xor SHA((S+1) mod 2^g).**
3. **Form q from U by setting both the most significant bit and the least significant bit to 1.**
4. **Check to see whether q is prime.**
5. **If q is not prime, go back to step 1.**
6. **Let C = 0 and N = 2.**
7. **For k = 0,1,...,n, let Vk = SHA((S + N + k) mod 2^g).**
8. **Let $W = V0 + V1*2160 + \ldots + Vn-1*2(n-1)*160 + (Vn \bmod 2^b)*2n*160$ and $X = W + 2L-1$. Note that X is a $2L$-bit number.**
9. **Let $p = X - ((X \bmod 2q) - 1)$. Note that p is congruent to 1 mod $2q$.**
10. **If $p < 2L-1$, go to step 13.**
11. **Check to see whether p is prime.**
12. **If p is prime, you're done; go to step 15.**
13. **Let $C = C+1$ and $N = N+n+1$.**
14. **If C = 4096, go to step 1. Otherwise, go to step 7.**
15. **Save the value of S and the value of C used to generate p and q.**

RSA Digital Signatures

Another public-key cryptography algorithm, RSA, can be used to implement digital signatures. A patent was awarded to MIT in 1983 for the RSA algorithm; a year later, RSA Data Security, Inc. (Redwood City, CA), was founded to market and license it.

The algorithm's name comes from the first letters of the last names of its creators: Ron Rivest, Adi Shamir, and Leonard Adelman. RSA digital signatures are an ISO standard (ISO/IEC 9796) and a French banking standard (Etebac 5). NIST (the National Institute of Standards and Technology) didn't use RSA for its own standard because of patent problems: RSA is patented in this country, but not abroad.

With RSA, the public key consists of two numbers, *n* and *d*. The variable *n* is the product of two secret primes, *p* and *q*. The variable *d* is a random number, relatively prime to (*p*–1)*(*q*–1). The private key is *e*, calculated such that *d*e* = 1 mod (*p*–1)*(*q*–1).**

To sign a message *m*, you first use a one-way hash function to compute the hash of *m*: *H*(*m*). The signature, *s*, is *H*(*m*)^e mod *n*. To verify the signature, you calculate s^d mod *n*. If *s* = *H*(*m*), then the signature is valid.

AA = 67 45 23 00
BB = EF CD AB 89
CC = 98 BA DC FE
DD = 10 32 54 76
EE = C3 D2 E1 F0

The main loop of the algorithm then begins. It processes the message 512 bits at a time and continues for as many 512-bit blocks as are in the message.

First the five variables are copied into different variables: AA into A, BB into B, CC into C, DD into D, and EE into E. The main loop has four rounds of 20 operations each. Each operation performs some nonlinear operation on A, B, C, and D and then does shifting and adding.

The SHA's set of nonlinear functions are as follows:

f_t(X,Y,Z) = XY or (not X) Z, for the first 20 operations.

f_t(X,Y,Z) = X xor Y xor Z, for the second 20 operations.

f_t(X,Y,Z) = XY or XZ or YZ, for the third 20 operations.

f_t(X,Y,Z) = X xor Y xor Z, for the fourth 20 operations.

There are also four hexadecimal constants used in the algorithm. They are as follows:

K_t = 5A827999, for the first 20 operations.

K_t = 6ED9EBA, for the second 20 operations.

K_t = 8F1BBCDC, for the third 20 operations.

K_t = CA62C1D1, for the fourth 20 operations.

The message block is transformed from 16 32-bit words (M_0 to M_{15}) to 80 32-bit words (W_0 to W_{79}) by using the following algorithm:

$W_t = M_t$, for t = 0 to 15;
$W_t = W_{t-3}$ xor W_{t-8} xor W_{t-14} xor W_{t-16}, for t = 16 to 79

If t is the operation number (from 1 to 80), and M_j represents the jth sub-block of the message (from 0 to 15), and <<<s represents a left shift of s bits, then the 80 operations look like the following:

TEMP = (A <<< 5) + f_t(B,C,D) + E + W_t + K_t
E = D
D = C
C = (B <<< 30)
B = A
A = TEMP

After all this, A, B, C, D, and E are added to AA, BB, CC, DD, and EE, respectively, and the algorithm continues with the next block of data. The final output is the concatenation of A, B, C, D, and E.

Using the SHA has two other benefits besides reducing the length of the message to be signed. The signature is kept separate from the document, and the recipient's storage requirements for the document and signature are much smaller.

An archival system can use this type of protocol to verify the existence of documents without storing their contents. The central database could just store the hashes of files. It doesn't have to see the files at all; users submit their hashes to the database, and the database time-stamps the submissions and stores them. If there is ever any disagreement about who created a document and when, the database could resolve it by finding the hash in its files. This has vast implications concerning privacy: Alice could copyright a document but still keep the document secret. Only if she wished to prove her copyright would she have to make the document public. ■

BIBLIOGRAPHY

El Gamal, T. "A Public Key Cryptosystem and a Signature Scheme Based on Discrete Logarithms." *IEEE Transactions on Information Theory*, July 1985.

Federal Information Processing Standards Publication. "Digital Signature Standard." Draft, National Institute of Standards and Technology, August 19, 1991.

Federal Information Processing Standards Publication. "Secure Hash Standard." Draft, National Institute of Standards and Technology, January 22, 1992.

Rivest, R. L., A. Shamir, and L. Adelman. "A Method for Obtaining Digital Signatures and Public-Key Cryptosystems." *Communications of the ACM*, February 1978.

Schnorr, C. P. "Efficient Signature Generation for Smart Cards." *Journal of Cryptology*, vol. 4, no. 3, 1991, pp. 161–174.

Bruce Schneier has an M.S. in computer science and has worked in computer security and cryptography. He is the author of Applied Cryptography *(John Wiley & Sons, 1993). You can contact him on BIX c/o "editors" or on the Internet at schneier@chinet.com.*

OS/2 Extended Attributes

What they are, why they break, and how to fix them



MARK J. MINASI

I recently reinstalled OS/2 2.1 on a system. On the first boot, I got a number of messages, which I'm unfortunately now quite familiar with, about "lost" and "cross-linked" EAs (extended attributes). I got tired of seeing these messages, so I looked into what causes them and found some interesting things.

With OS/2 1.2's introduction on Thanksgiving weekend of 1989 came a new file system named the High Performance File System, or HPFS. Among the HPFS's features was the ability to extend a file's attributes beyond the traditional four—read-only, hidden, system, and archive—allowing programmers to create attributes that were appropriate to a particular application.

Microsoft and IBM believed that EAs would become a big deal, but nobody really used them except in the operating system itself. Microsoft liked EAs so much, however, that it came up with a way to shoehorn them back into the FAT-based (file allocation table) file system. EAs were a minor irritant in OS/2 1.2 and 1.3, but they're very important under OS/2 2.x: Much of OS/2's Workplace Shell information (e.g., icons, colors, and window placement) is encoded into EAs. So EA problems under OS/2 2.x often mean system crashes.

First, you need to look at how EAs are represented in the FAT-based file system. As you may know, the FAT-based file system uses the directory and the FAT as a pair: The directory tells your system what files you have, and the FAT tells the system where those files are. DOS first looks to the directory to find out file size, name, date, and where to go in the FAT to get more information. Then the system follows the FAT pointer to the indicated area of the FAT, which, in turn, describes exactly where on disk to find the files.

Microsoft decided to store the EAs on the disk in the data area, alongside the files. Each file's EAs occupy at least one cluster of hard disk space. (Clusters are fixed-size areas on disk; the size is most commonly 2 KB, but it can be as large as 16 KB.) Now, a cluster can't just sit out on disk without OS/2's knowledge (otherwise, OS/2 would just overwrite the area), so each cluster in the FAT must be marked as *taken*.

But taken by what? A cluster that claims it is occupied but has no owner in the directory is called a *lost cluster* and considered an error condition. In fact, if many utilities—one of them being CHKDSK—find such a cluster, it is removed. So each EA cluster must have an owner. Microsoft solved that problem by making all the separate EA clusters one big file called EA DATA. SF. The space between EA and DATA. and between DATA. and SF makes it difficult to mess around with or erase the file.

Now you need to know how the system knows which files go with what EAs. Each DOS directory entry has 10 bytes of unused space. It's a relic that DOS 1.0 inherited from CP/M, which used that space to hold file allocation information. As the file allocation information appeared elsewhere in DOS, that left 10 unused bytes. What Microsoft did was to use the first two of those unused bytes for something that I'll call an *extended attribute pointer*, or EAP. The figure "Relationship Among DOS Directory, FAT, and Extended Attributes" shows how the directory entries, FAT entries, EAPs, and EAs might look for two files. Now that you've seen the FAT and EA pointers depicted, it may be obvious what can go wrong with EAs under a FAT-based system. Just as the directory-to-FAT links can become damaged, leading to the unfortunately familiar lost clusters and cross-linked clusters, so, too, can the directory-to-EA links cause problems. These problems manifest themselves in a number of ways.

continued



DAVE CUTLER © 1993

Cross-Linked EAs

Of the three EA-related problems, cross-links are the worst. Sometimes a CHKDSK run will show an error message explaining that a file is cross-linked on an EA. This just means that one file's EAP and another file's EAP point to the same place (e.g., both lay claim to cluster 150 of EA DATA. SF). CHKDSK can't fix this problem; it can only complain about it, because two files both claim ownership of an EA. How can CHKDSK know which one is telling the truth? The only options that the designers of CHKDSK would have would be to first disconnect one file's EAP, trashing an EA for a file that might need it; second, disconnect both file's EAP; or third, copy an EA to another part of EA DATA. SF and point the second file's EAP to the copy.

Consider this scenario. You install OS/2 and use it for a while, but you run into some kind of trouble—the desktop disappears and you don't have a backup, or the like. So you decide to reinstall OS/2. Before you do, however, you completely remove the previous copy of OS/2, eliminating every single OS/2-related file, including EA DATA. SF. This is generally a good procedure; for example, many OS/2 betas have recommended installing OS/2 fresh on your disk, not on top of a previous copy of OS/2. Furthermore, experience shows that OS/2 installed atop a damaged copy of OS/2 sometimes does not overwrite the troubled parts of the older OS/2 installation.

Now suppose you reinstall OS/2; you now have a brand-new EA DATA. SF file that contains information only on the newly installed OS/2 files. Perhaps, for example, the file CMD.EXE has a pointer that refers it to EA cluster 200. But consider the files that you didn't erase that contain the EA pointers. What if one of those files used to have an EA in EA cluster 200? It still contains a pointer that points to EA cluster 200. That's where cross-linked EAs come from. So, to avoid cross-linked EAs, remember: When removing OS/2 prior to reinstalling OS/2, do not erase EA DATA. SF.

Suppose you've already got cross-linked EAs. What do you do then? Take a look at the following example of a cross-linked EA error message from CHKDSK:

```
SYS1324: C:\UTIL\X.EXE is cross-linked on
extended attribute 110.

SYS1324: C:\UTIL\Y.EXE is cross-linked on
extended attribute 111.

SYS1324: C:\OS2\DLL\IMP.DLL is cross-linked
on extended attribute 110.

SYS1324: C:\OS2\DLL\NLS.DLL is cross-linked
on extended attribute 111.
```

Listed are two pairs of files—X.EXE/IMP.DLL and Y.EXE/NLS.DLL. In each case, only one of these files is the rightful owner of the EA. Which is it? Well, if you've just reinstalled OS/2, then it's easy—the OS/2 files. Otherwise, you may have to experiment a little. You do this with EAUTIL. The OS/2 documentation has more information on EAUTIL, but briefly, you can use EAUTIL/S to split EAs from their files and EAUTIL/J to join an EA with a file.

To fix NLS.DLL and Y.EXE, I would first use EAUTIL/S to remove the EA from NLS.DLL. That would, in passing, erase the EAP in NLS.DLL; the EAP in Y.EXE would still be in place. To get rid of the EAP in Y.EXE, the best answer is probably to cheat and boot under DOS. DOS has no knowledge of EAPs, so most DOS operations blithely overwrite any EAPs. Just copy Y.EXE to YY.EXE and then rename it back to Y.EXE, and the EAP will be gone. Then reboot under OS/2 and reattach the EA to NLS.DLL with EAUTIL/J.

Lost EAs

By now, you have seen that a *lost* EA is an EA cluster that has no EA pointer pointing to it. When CHKDSK/F comes across such a cluster, it prints a message that says "Lost extended attributes have been found. Do you want to display them as files (Y/N)?"

If you tell CHKDSK to make them files, it gives them names such as EA0000.CHK. You can rejoin them to files using the EAUTIL program. On the other hand, if you know that you'll never use them, you can free up the space by answering "no" to the question. The error message "Has attempted to claim an extended attribute that does not exist..." occurs when a pretender points to an EA cluster that it doesn't own; in fact, the cluster doesn't even exist. Suppose your EAs used to range up to 2000 clusters; that means that some file out there has an EA pointer with a value of 2000. But then suppose you blast OS/2 and the EA DATA. SF file, reinstalling OS/2 and incidentally re-creating EA DATA. SF. But the new installation only has about 400 EA clusters. That means that the old pretender, which still thinks it has an EA—but doesn't—points to an EA whose value is above the highest EA value known to OS/2. Result: the above message. CHKDSK/F fixes the problem by blanking out the pointer.

EA problems are an unfortunate side effect of the nature of the Workplace Shell. Knowing how to handle their vagaries will make you better-equipped to solve the certain problems that will pop up now and then due to EAs. ■

Correction and Amplification

We'd like to correct some factual errors in the October Beyond DOS column "The Visual Toolbox." Mark J. Minasi mistakenly confused VREXX, a product originally developed by IBM (which has since been placed in the public domain as shareware), with VisPro/REXX, a commercial product developed by HockWare (Cary, NC). In the column, Minasi gives a short programming example of how to create a dialog box for an OS/2 program using VisPro/REXX, but the code is for VREXX. The column also attributed erroneously two drawing functions—VDraw and VArc—to VisPro/REXX when they are, in fact, part of VREXX.

In addition, the column incorrectly stated that "VisPro/REXX is simply a bunch of new [OS/2] REXX functions." In fact, VisPro/REXX offers developers a visual-programming environment that's CUA 1991–compliant. Minasi reported that he experienced dropped numbers when using VisPro/REXX's sample calculator application; but at BYTE, using a different PC and mouse, we were unable to duplicate that experience. Although not in error at the time of publication, Watcom International's VX-REXX price jumped from $99 to $199 on October 1.

Mark J. Minasi is the author of Troubleshooting Windows, The Windows Problem Solver, *and* Inside OS/2 2.1. *His firm gives seminars on OS/2 and Windows in the U.S., Canada, and Europe. You can reach him on BIX as "mjminasi" or on CompuServe as 71571,264.*



YES! Enter my one-year (12 issues) subscription to BYTE for only $24.95.*
I'll save 40% off the single copy price. Plus, I'll also receive BYTE's Annual Special Supplement **FREE** with my paid subscription. If at any time I'm not satisfied with BYTE, I may cancel for a full refund on all unmailed copies.

☐ Payment enclosed ☐ Bill me later

NAME .....

COMPANY .....

ADDRESS .....

CITY .....STATE .....ZIP .....

Please allow 4-6 weeks for delivery. Basic subscription rate is $29.95. (Mexico, $29.95 payable in U.S. funds). Above rates are for U.S. delivery only. Please see table of contents for international subscription rates.

*Plus applicable state and local tax, if any.

IB3N102



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE

Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



NT's Structured Exception Handling

Windows NT's structured exception handling gives you clutter-free, reliable, and tighter code. But the price may not be worth the effort.

STEVE NIEZGODA, LLOYD HOLT, AND DEREK WOJCIECH

Microsoft wants to convince software developers that Windows NT is the operating system for the next generation of software. One tack it's taking to prove its case is touting NT's structured-exception-handling architecture, claiming it ensures robustness at all levels of the operating system. It's a good argument. Structured exception handling has many benefits. It lets you avoid cluttering code with conditional statements that check each operation's inputs and results, thereby diverting attention from the algorithm. It reduces the overall amount of code because calling routines don't need to perform the same tests as invoked routines. Finally, it gives you a mechanism for handling errors that can't be checked with preconditions.

But the promise of more reliable software raises some questions: Should you use structured exception handling in new software development? Can you retrofit it to your legacy applications? What are the benefits of NT structured exception handling in performance, program size, and source code readability? We set out to answer those questions by testing the toughness of NT's structured exception handling.

NT structured exception handling provides many benefits, such as recovery from memory errors and hardware traps. But it is not the software developer's cure-all. You pay for its benefits in reduced performance. And for legacy applications, the price of retrofitting may be too high.



JOHN NELSON © 1993

Categories of Exceptions

You can classify NT exceptions into two categories: kernel- and user-defined. Kernel-defined exceptions include hardware traps, math or memory errors, and debugger instructions. User-defined exceptions are generated through the Win32 API routine `RaiseException()`, which transfers control to a user-written, frame-based exception handler.

Often, both the operating system and the programming language cooperate to handle an exception. (Some exceptions, like debugger instructions, are handled exclusively by the operating system.) The operating-system component is the exception dispatcher. The language component is the frame-based exception handler.

All NT exceptions are serviced by a kernel module called the *exception dispatcher*. When an exception occurs while your CPU is in kernel mode, the exception dispatcher invokes the appropriate frame-based exception handler. If it can't find one, a fatal error exists and `ExitWindows()` is called. When exceptions turn up while your CPU is in user mode, the dispatcher locates an exception handler by performing the search shown in the figure "Systematic Search for an Exception Handler." If it can't locate a handler, it invokes the kernel default handler, `ExitProcess()`.

Your compiler handles the frame-based exception-handling mechanism. Using language constructs, a code block can be guarded by several exception handlers. When invoked, the code block's local variables and parameters (the stack frame) are pushed onto the program stack. The exception handlers guarding the code block are statically associated with this stack frame during compilation. When an exception occurs, the exception dispatcher dynamically searches for the exception handlers associated with the current stack frame. If none is found, the dispatcher continues searching the call stack. This process is known as *unwinding the stack*.

Structured Exception Mechanics


To support structured exception handling, Microsoft extended the C language by adding the keywords `try` and

except. These keywords mark, respectively, the beginnings of the guarded code block and the exception logic. This is the syntax:

```
try-except-statement ::=
  try compound-statement
      except (expression)
      compound-statement
```

The first compound-statement is the guarded statement or body. Expression represents the exception filter. The second compound-statement is the exception handler. Microsoft also added several compiler-independent, exception-handling system service calls to the Win32 API, including RaiseException().

If an exception happens within the body of a try-except statement, an exception filter is evaluated to determine the program's course of action. If the filter evaluates to EXCEPTION_EXECUTE_HANDLER, control is transferred to the exception handler. This transfer is similar to a C longjmp(); stack frames are wound back to (but not including) the frame of the try statement. If the filter evaluates to EXCEPTION_CONTINUE_SEARCH, the search for a handler continues by unwinding the stack. Finally, if the exception filter evaluates to EXCEPTION_CONTINUE_EXECUTION, the exception is dismissed, and control is returned to the point where the exception occurred, if possible.



When Microsoft Windows NT *encounters an exception while the CPU is in user mode, its exception dispatcher systematically searches for a handler to deal with it. If none is found, it invokes the kernel default, which terminates the process.*

Increasingly Complex Tests

We created three increasingly complex procedures to evaluate NT structured exception handling. The procedures are named Simple, Memory_Allocate, and FileCopy. They range in functionality from simple memory allocation to a three-file I/O routine with stringent error-reporting requirements.

The procedures were meant not to be full-fledged applications but to mimic ordinary routines found in software development projects. Our experiment modeled applications that gracefully recover from errors triggered by low-level routines.

To isolate the components of NT structured exception handling, we implemented each procedure several ways. The implementations produced identical results while using different technical approaches.


Two versions of each implementation were developed. The first, Error Free, executes without exceptions. It let us measure the performance overhead inherent to each approach. The second version, Staged Error, forces an exception to occur. It let us draw conclusions about the exception dispatcher and the frame-based exception-handling mechanism. The figure "Relationships Among Test Components" illustrates the relationships among procedures, implementations, and versions.

How the Implementations Work

Our None implementation provides error checking without structured exception handling. None is a baseline that illustrates the architecture of non-exception-handling programs. It uses IF...THEN...ELSE constructs and passes errors as variables on the program stack. None does not use GOTO statements, and each function contains one entry point and one exit point.

To isolate the exception dispatcher (the operating system) from the frame-based exception handler (the language/compiler), we needed a frame-based handler that didn't invoke the dispatcher. Our search for a language-only exception handler led us to an ANSI C implementation written by Jonathan Amsterdam (see "Taking Exception to C," August 1991 BYTE).


Amsterdam's code, the basis for our Compiler implementation, uses several macros to store a linked list of stack frames that are PUSHed and POPped onto the program stack. The macros are used as follows:




The relationship among the procedures, *implementations, and versions used to test Windows NT structured exception handling.*

```
/* This is a C macro. */
WITH_HANDLING
{
/* Code goes here. */
}
/* This is another C
/* macro. */
ON_EXCEPTION
{
/* Error-handling code
/* goes here. */
/* This is a C macro,
/* too. */
} END_HANDLING
```

A program raises an exception by calling the raise() function. This implementation supports nested exceptions and locates the correct handler by unwinding the



When we ran the test *procedures in their Error Free implementation, CPU performance was barely affected.*



When we ran the test *procedures in their Staged Error implementation, CPU performance was affected dramatically.*

stack. It stores exceptions as global variables; they are passed as variables on the program stack when `raise()` is invoked.

Amsterdam documented several flaws in his solution. However, we did not select this approach for its robustness, but because it is frame-based, can be implemented in ANSI C, and resembles the NT implementation in syntax and method.

Our NT implementation uses NT structured exception handling. We tested both kernel- and user-defined exceptions.

The Simple Procedure

The Simple procedure's primary purpose is to provide performance data. It's straightforward: No I/O calls or error structures are passed on the stack. It was trivial to write, ensuring that any performance overhead brought about by NT structured exception handling would be easy to observe.

Simple consists of one function that allocates 3 bytes of memory using the standard C library routine `malloc()`. It then copies a two-character string to the returned pointer. If `malloc()` fails, the function reports an error.

Simple has two implementations, None and NT. In the None implementation, the value `malloc()` returns is checked with an IF...THEN...ELSE statement. In the NT implementation, the program assumes that `malloc()` succeeds and performs `strcpy()` without checking the return value. If `malloc()` returns a null pointer, an ACCESS_VIOLATION exception occurs during the `strcpy()`.

Memory_Allocate Procedure

We designed Memory_Allocate to get a close look at the frame-based exception handler and the exception dispatcher. By comparing the Compiler and None implementations, we gained insight into frame-based exception handlers. By comparing NT and Compiler, we gained insight into the kernel dispatcher.

Memory_Allocate is functionally equivalent to Simple, but its error-reporting scheme mimics the approach used in software libraries. Typically, a library routine informs the invoking function when an error occurs but lets the invoking function determine the appropriate course of action. Library routines seldom directly inform you of errors.

Memory_Allocate consists of two functions: `Do_test()` invokes a homegrown memory allocation routine, `our_malloc()`, which in turn makes calls to the Win32 API. The staged error occurs in `our_malloc()`; the error code and description are reported in `do_test()`.

Memory_Allocate's None resembles Simple's None implementation; `do_test()` uses an IF...THEN...ELSE statement to test the value returned by `our_malloc()`. The Compiler and NT implementations raise user-defined exceptions if an error occurs in `our_malloc()`. The exceptions are handled in `do_test()` (see the listing on page 322).

FileCopy

FileCopy is the most complex procedure. Simple and Memory_Allocate provide lots of performance data, but they are too algorithmically simple to show how structured exception handling affects source code readability. FileCopy is much more arduous.

In our research, we noticed the terseness of error messages displayed by exception handlers. We decided that FileCopy's messages must provide the error code, the action being performed, and the name of the object causing the error. For example, if file X does not exist and is mistakenly opened for reading, you get the error message "Error 2 occurred while opening file X."

We also wanted plenty of LOOP and IF...THEN...ELSE constructs to test whether structured exception handling gracefully backs out of errors that occur deep within a program. We reasoned that by nesting a series of IF...THEN...ELSE statements in which each ELSE block contains some kind of cleanup code, we would witness the benefits of structured exception handling.

FileCopy reads the contents of one file and outputs alternating lines to two other files. Allocating and deallocating buffers, opening and closing three files, and looping to copy data guarantee complicated logic and tedious cleanup. As in Memory_Allocate, we required that exceptions be handled by the invoking function rather than the offending function.

The None implementation of `filecopy()` is written as one function. The exception checking and correction logic are complex and difficult to follow. An exception structure, passed on the program stack, can be populated from seven different places


within `filecopy()`. In each exception condition, a significant amount of code is dedicated to freeing resources.

After writing None, we realized that nobody would write it as we did, since many C programmers dislike rigidly structured programming. Consequently, we created a more realistic non-exception-handling implementation called None-Optimized.


None-Optimized improves None's readability by two techniques. First, file routines (e.g., `fopen()` and `fread()`) are wrapped, user-written functions. The parameter list for a wrapper function includes the parameter list for the corresponding file function, plus a pointer to the exception structure. For example, `fopen()` is wrapped in the user-function `file_open()`:

```
FILE *file_open(char *fname, char *type,
        ExcStruc *es)
{
  FILE  *f;

  if((f = fopen(fname, type)) == NULL)
  {
    es->code   = errno;
    es->Action = OPENING;
    es->Object = fname;
  }
  return f;
}
```



The smallest object files *were created by the Simple procedure; the largest was created by FileCopy.*



Structured exception handling *improves source code readability because exceptions and wrapper functions reduce the nesting depth. The ratings here represent a metric comprising such concepts as complexity, maintainability, and reliability.*

Second, a macro containing a `GOTO` statement is used to disguise the plethora of IF...THEN...ELSE statements—for example,

```
#define   Execute(A)     A;if(es->code)
      goto cleanup;

if((buf = malloc(BUFSIZE)) != NULL)
{
  Execute(in  = file_open(infile,  "r",es));

/* Start the copy code. */
cleanup:
/* Free memory, close files, etc. */
#undef Execute
```

`Execute(A)` hides the IF...THEN...ELSE statements associated with `fopen()`.

Compiler and NT also use wrapper functions. However, instead of passing an error structure on the stack, they raise exceptions. In Compiler, this entails populating a global exception structure and invoking `raise()`. The NT implementation is similar, but it does not use global variables. Here's the `fopen()` wrapper function for the NT implementation:

```
FILE *file_open(char *fname, char *type)
{
  FILE   *f;
  static DWORD   exceptionArguments[3];

  if((f = fopen(fname, type)) == NULL) {
    exceptionArguments[0] = (DWORD) errno;
    exceptionArguments[1] = (DWORD) fname;
    exceptionArguments[2] =
        (DWORD) OPENING;
  RaiseException(100, 0, 3,
      exceptionArguments);
  }
  return f;
}
```


Test Environment

We ran our experiments on a stand-alone IBM PS/2 Model 95 with 16 MB of RAM running Windows NT, March 1993 beta. We wrote all programs in Microsoft C 7.0 for the Win32 subsystem. We used PView, NT's process viewer utility, to determine the amount of CPU time the main thread of execution used and the percentages of CPU time spent in privileged and user modes.

To measure program readability, we combined lines of code, number of functions, and nesting depth metrics. We determined lines of code by counting C statements and excluding comment lines and lines containing a single bracket. We determined nesting depth by counting the number of statements nested inside each function and taking the maximum.

Performance Analysis

When exceptions don't occur, implementation only slightly affects performance (see the figure "CPU Usage by Implementation-





Choose The Right Performance.

Getting the best performance often means choosing the next generation of technology.If you're looking for leading edge performance from a personal computer, take a look at DIGICOM's new P5 system. Based on Intel's Pentium™ Processor 60/66MHz, this system delivers the power needed for demanding networking, multimedia and graphical workstation applications.

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DG-P5-60/66	DIGIS-P5 60/66MHz	Intel Pentium™ Processor 60/66MHz	ISA+VESA BUS	1-64MB	TOWER CASE 432mmx190mmx620mm

The Intel Inside Logo is a trademark of Intel Corporation



intel inside
pentium PROCESSOR

DIGICOM

EUROPE:
DIGICOM EUROPE B.V.
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
ANPRO INC.
DIGICOM GROUP
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
AMERICAN DIGICOM CORP.
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580

NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Circle 149 on Inquiry Card.

Partial code *illustrating the NT implementation; the Compiler implementation is similar.*

```
void do_test()
{
  try {
    buf = our_malloc(FORCE_ERROR ? 100000000 : 3);
    strcpy(buf, "ok");
  }
  except (theException = GetExceptionCode()) {
/* Check error code and report error. */
  }
}

void *our_malloc(size_t size)
{

  HLOCAL  memhandle;

  if((memhandle = LocalAlloc(LMEM_FIXED, (UINT)
       size)) == NULL) {
    RaiseException(GetLastError(), 0, 0, NULL);
    return NULL;
  }
  else
    return LocalLock(memhandle);
}
```

Error-Free"). The None implementation consistently outperforms Compiler (2.1 percent faster) and NT (0.2 to 2.9 percent faster) because it doesn't incur the overhead of saving the stack frame. This registration penalty is about the same for both Compiler and NT, which differ by less than 1 percent.

When an exception occurs, implementation significantly affects performance (see the figure "CPU Usage by Implementation—Staged Error"). Again, None is fastest, followed by Compiler and NT. Most startling is the NT implementation's poor performance—it executes 6 percent to 37 percent slower than None.

This performance degradation has two causes: the frame-based exception handler and the exception dispatcher. The frame-based exception handler imposes a 1 percent to 2 percent performance penalty, evidenced by comparing the None and Compiler implementations. Compiler and NT incur the delay of unwinding the stack frame and locating the appropriate exception handler. NT takes the most CPU and (more important) privileged-mode time. We believe this increase reflects the invocation of the kernel dispatcher. Compiler never invokes the kernel exception dispatcher; thus, it executes 6 percent to 14 percent faster than NT.

The differences in execution time between NT and the other implementations are primarily due to the increased time spent in privileged mode. In other words, the kernel dispatcher is the primary cause of NT's sluggish performance.

Size and Readability

In the Simple procedure, an IF...THEN...ELSE construct is matched head-to-head with a `try-except` construct. The IF...THEN...ELSE produces a larger object file, implying that `try-except` generates tighter code than IF...THEN...ELSE (see the figure "Object File Size by Implementation"). But the more complex procedures require wrapper functions and code to populate the exception structure. The NT implementations of Memory_Allocate and FileCopy produce the largest object files.

There are no appreciable differences in executable file sizes. We attribute this to the simplicity of our test programs.

Determining source code readability is subjective (see the figure "Readability by Implementation for FileCopy Procedure"). For brevity, we wove the concepts of complexity, maintainability, and reliability into a single metric, computed as follows:

```
Readability  = Lines of Code/Function *
      Maximum Nesting Depth *
      Number of Functions
```

This is a melding of metrics used by Q. Cui and J. Gannon ("Data Oriented Exception Handling," *IEEE Transactions on Software Engineering*, May 1992). While there is no evidence that these metrics are independent (and can simply be multiplied together), combining them provides an unadorned, reasonable standard for comparing readability among the different implementations.

Structured exception handling improves program readability primarily because exceptions and wrapper functions significantly reduce the maximum nesting depth. Rather than one large complex function, the Compiler and NT implementations produce many small, simple functions.

None-Optimized is the dark-horse implementation. It edges out NT in readability, but its complexity is not reflected in our metric. The macro is subtle, making None-Optimized difficult to maintain. Even so, None-Optimized proves that complex error handling can be implemented without exception handling in roughly the same amount of code.

We encountered a substantial learning curve in programming structured exception handling, partly due to the lack of documentation and examples. The biggest hurdle was orienting our thinking to design in terms of exceptions.

Mixed Conclusions

NT structured exception handling is no panacea. It fails to provide major benefits in execution time or compiled program size. Our data shows that the kernel-exception dispatcher imposes a significant performance penalty whenever it is invoked. Structured exception handling improves source code readability. But a language-based exception-handling implementation or a cleverly designed C program provides comparable improvements.


NT exception handling has one capability that cannot be duplicated in vanilla C or compiler-only implementations: kernel-defined exceptions. Without an operating-system implementation of exception handling, there is simply no way to recover from hardware traps or math and memory errors.

Our test environment could not duplicate the subtleties found in a large software development project. The real proving ground for structured exception handling is an environment in which several modules and exceptions interact. For example, if your applications are prone to memory errors, use NT's structured exception handling. There is no alternative. But since truly robust exception handling is an integral part of software design, you'll find that trying to retrofit existing code is not worth the effort.


For your new development projects, structured exception handling has its benefits, but you will pay a price in performance. However, when exceptions occur, you may be willing to pay that price. Try it on a test project and judge for yourself. ■

Editor's note: *The program code SAR.ARC is available electronically. See page 5 for details.*

Steve Niezgoda is computer scientist at the FBI Laboratory in Washington, D.C. Lloyd Holt and Derek Wojciech are software engineers at Software Technology, Inc. They can be reached on CompuServe at 76114,1542, or on BIX c/o "editors."



DIGIS-P5



DIGIS-486NL

Digicom Is The irection To Go For Everything You Need To Get

Looking for computer systems and mainboards? you don't have to go all over the map to get exactly what you need. Save yourself a lot of time and trouble by going direct to Digicom, the single supplier with all the solutions. The complete product line includes EISA, ISA and VESA buses, mainboards with CPUs from 386SX upward, and systems ranging from booksize to tower configurations. Digicom-definitely the way to go!

Look for the Intel Inside® symbol on our quality computer systems

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DG-P5-60/66	DIGIS-P5 60/66MHz	Intel Pentium™ Processor 60/66MHz	ISA+VESA BUS	2-64MB	TOWER CASE 432mmx190mmx620mm
DG-486DX-33/50	DIGIS-486E 33/50MHz	Intel i 486DX-33/50MHz	EISA BUS	4-32MB	TOWER CASE 432mmx190mmx620mm
DG-4B6DX-33/50	DIGIS-4B6NL 33/50MHz	Intel i 4B6DX-33/50MHz	ISA+VESA BUS	1-32MB	MINI TOWER CASE 405mmx180mmx330mm
DG-486SX-25/33	DIGIS-486HN 25/33MHz	Intel i 486SX-25/33MHz	ISA BUS	1-32MB	SLIM CASE 308mmx375mmx105mm

The Intel Inside Logo is a trademark of Intel Corporation



DIGICOM

EUROPE:
DIGICOM EUROPE B.V.
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
ANPRO INC.
DIGICOM GROUP
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
AMERICAN DIGICOM CORP.
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580


NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Circle 150 on Inquiry Card.

Looking for something?

From people and places to finger prints and genes, the *MS-160SE*™ finds it *FAST. . .* at 160 megabytes/sec!



Whether you are looking for a needle in a haystack or just the number of times that Abraham, Isaac and Jacob appear in the Bible, you need an ***MS-160 Search Engine (SE).*** The *MS-160SE* combines a free text search engine with a RAM DISK capable of reading 160 megabytes per second. Searches are performed using exact or fuzzy templates. If you are interested in taking statistics, the board will report the number of times your template was matched. If you want to see each reference, our software will stop the processor and let you see it.

MS-160SE search templates are specified using "regular expressions." Each byte in the expression can specify a single value or a range defined by an upper and lower bound. Up to eight 32-byte wide templates can be used together to form complex search patterns. Alternatively, all eight templates can be used to define a large template that can be up to 256 bytes in length. The Microway *MS-160* processor features 512 comparators and 64-bit wide memory to search your data at 160 megabytes per second. The *MS-160* also contains a data router and event detector which are controlled by our software. The throughput of its 512 specialized integer units is 10 billion compares per second, which is the equivalent free text searching speed of five hundred 486s or a 10,000 MIPS processor!

The *MS-160SE* is just as at home in the laboratory as it is in a law office or library. Examples of its use include genetic engineering, meteorological science, image processing and the analysis of spectra of any kind. Numerous applications exist in law enforcement, from finding missing persons and vehicles to analyzing finger prints. The board can also be used as a part of a data logger or data feed parser, triggering on pre-defined events. When used as a 2D filter, the template becomes a 256 by 256 1-bit grid or a combination of eight 256 by 32 1-bit grids.

The heart of the board, the *MS-160* processor, can also be used to build instruments, such as logic analyzers, or intelligent hard disk controllers which include a text filter. Microway's engineering staff can help you to implement such designs.

The *MS-160SE* can be interfaced from PC languages, such as Microsoft C, or you can use canned applications. A Microway Text Retrieval package comes with the card. This package is ideal for law offices or libraries which must be able to instantly make complex searches on data bases downloaded from CDs or hard disks. A complete document management package is available which can handle text and images together, as well as a TCP/IP network interface that makes it possible to build a "Search Server."

The *MS-160SE* can be fitted with up to 320 megabytes of memory. Software and hardware developers are encouraged to contact Microway at 508-746-7341. We'll show you how to find whatever you're looking for . . . *fast*.


MS160 and *MS160SE* are trademarks of Microway.MRT.
Microway is a registered trademark of Microway, Inc.

Microway® ***Technology you can count on!***

Research Park, Box 79, Kingston, MA 02364 USA, TEL 508-746-7341 • FAX 508-746-4678
Kingston-Upon-Thames, U.K., TEL 081-541-5466 • FAX 081-546-0614

JERRY POURNELLE

Fenasoft and Furniture



AMY ETRA © 1993

In a busy month, Jerry attends a computer show in Brazil, changes his working locale, experiments further with OS/2, and looks at math programs

I have just come back from Brazil by way of Washington, D.C. Alas, all my time in Brazil was spent in São Paulo. John Dvorak and I went down for Fenasoft, a large computer exposition and fair. We flew from Los Angeles to Lima, Peru, and from there, supposedly, to São Paulo; but the São Paulo airport was socked in, so we landed in Rio. That turned out to be a good thing because we got to see Rio de Janeiro from the air, and that has to be one of the loveliest cities on this planet. I'm now determined to get down there when I have more time.

São Paulo, on the other hand, has the look and feel of Newark only six times as large—there are between 15 million and 20 million people—with Cleveland jammed in to provide a seacoast. It has the deadest river I have ever seen in my life, with, I swear it, streaks of red, black, and deep purple through the greenish-brown water. Not only don't birds land near that river, they don't even seem to fly over it. São Paulo smog and traffic make me appreciate a bad day in Los Angeles. However, it's also the place where most business—and nearly all computer business—is done in Brazil. It has the only building in the country capable of holding a big convention and exposition; and Fenasoft is *big*.

It may or may not be the largest computer convention in the world. That depends on how you define a computer convention—clearly, there are larger consumer electronics shows—and more important, how you define convention; because Fenasoft is more like a fair than like Comdex. Indeed, Dvorak and I instantly agreed that this is the way the West Coast Computer Faire ought to have been: big booths operated by giants like Microsoft and IBM, startups and users groups scattered throughout the show, lots of dealers and distributors selling discounted product like mad—there was a feeding frenzy for books and software—and huge crowds of people.

Just how many people isn't clear. The exposition hall is comparable in size to the main hall of the Las Vegas Convention Center, and it was considerably more crowded than that hall is during Comdex. On the other hand, Comdex in Las Vegas has more than one large hall. Meanwhile, in the Brazilian culture it's traditional to use superlatives. John Dvorak and I were each given a number of different attendance estimates, some clearly impossible. Mostly, the attendance depends on the turnover: how many people come for just a couple of hours, to be replaced by newcomers? I do know that I counted 220 people a minute entering at the main gate, and this at two different times of day; if they sustained that rate 10 hours a day (the hall was open late into the night), they'd have a really big show. In any event, it's large enough to count as a world-class computer exposition.

The crowds were mixed. Brazilian professionals tend to wear neckties with or without jackets, and I'd guess something like a quarter of the visitors had ties. São Paulo counts as the second-largest Japanese city in the world—only Tokyo has more Japanese—and there were a fair number of Japanese among the crowds, virtually all of them students or professionals. Like

ILLUSTRATIONS: LINDA WIELBLAD © 1993

early Comdex shows, there were few professional women, and most of them were exhibitors. That's going to change.

Brazil has a highly stratified society. One way that stratification is preserved is that the public universities are excellent, and admission is through academic merit. But the public lower-grade schools are universally thought rather poor, so admission to the universities is largely confined to graduates of expensive private schools. A university education is pretty well required for entry into the professions and is of great advantage in business.

Computers were both expensive and rare in Brazil until recently. This is because they had market-reservation laws: you could own and use only Brazilian-made computers, and if the police caught you using an IBM or Apple machine, they confiscated it. Like as not, your machine would (quite legally) end up on the desk of a bureaucrat or politician.

Computers were both expensive and rare in Brazil until recently. This is because they had market-reservation laws: you could own and use only Brazilian-made computers. If the police caught you using an IBM or Apple machine, they confiscated it, and it might end up on the desk of a bureaucrat.

That all ended a couple of years ago, and the floodgates opened. There's still a high tariff on computers, but there's also a well-developed system of smuggling. One Brazilian journalist told me, "Smugglers are very serious people here. They even give warranties and provide technical support." Thus, the computer revolution is coming to Brazil—and that will have a profound effect on the social structure. After all, these little machines don't *care* where you learned to use them, and indeed, given that the universities haven't had access to small computers and don't have many professors who are familiar with them, it's likely that you'll learn to use a computer somewhere other than in a university.

The saying goes, "God made men, but Sam Colt made them equal." One of Pournelle's laws is that computers neither know nor care about your age, sex, color, or where you learned to use them. They do care a lot about talent and ability.

Communications from Brazil weren't easy, but both Dvorak and I managed. Since we've each done books on computer communications—alas, his was for sale in both English and Portuguese at the show, but there was no trace of mine in any language—it was inevitable that neither of us would give up until we had established E-mail connections. John got his first. The only machine he carries is a Gateway HandBook, and he uses some odd shareware communications program. He also carries an acoustic coupler, which allowed him to use the phone in the press center at the convention site. I didn't have an acoustic device with me, and I preferred to do my minor telephone surgery in the privacy of my hotel room. In the future, I'll take an acoustic coupler.

I had both a Gateway HandBook and a Gateway Nomad 486. I often carry a Supra modem, but this time I had the Macronix MaxLite 144. The MaxLite 144 is about the smallest full-featured fax modem you can carry, not a great deal bigger than the 9-V battery it runs on. (There's also an AC converter, which is as well because the battery doesn't last all that long; I once got less than an hour.)

I never did get connected to BIX or GEnie from Brazil, but I did manage MCI Mail, once with Procomm Plus 2.0, and once with the terminal program you get with Windows 3.1. It wasn't easy, and it required considerable mucking about with modem initializations and several wasted phone connections at overseas rates; it's very frustrating to get locked on at international rates and still be unable to communicate. The key is to call a number you know works with error correction and set your modem with AT X commands so that it ignores the dial tone and connects blindly after you dial. If you don't get an error-correcting lock, hang up quickly.



The various modem commands—well over a hundred—are explained very well in the MaxLite 144 manual. I've looked at a lot of modem manuals, and this is one of the clearest. Calling from Brazil isn't a fair test of a modem. Calling from the Bellevue Hotel in Washington, D.C., is fair, but severe: Washington in general, and the Bellevue in particular, seem to have about the worst phone connections in the U.S. You simply cannot manage communications without an error-correcting connection; moreover, 9600 bps is nearly impossible, while a 2400-bps connection requires so many correction retries that it's effectively slower than a straight 1200 bps on a clean line. The MaxLite 144 sometimes needed several tries, but I did get connected to MCI Mail, BIX, GEnie, and my home system using Procomm Plus 2.0.

I am now familiar with three major manufacturers of modems: USRobotics, Supra, and Macronix. In overall performance, I rank their products in that order. The USRobotics Courier will establish error-correcting connections quicker and easier than the other two modems, and it sometimes will manage communications after a fashion over noisy lines without error correction. On the other hand, it's too big to carry in your briefcase, and pretty big for checked luggage. USRobotics Couriers are the most upgradable; they are offering a "when available" upgrade to the emerging 28,800-bps standard for $99.

I had slightly less trouble with the Supra modem than I did with the MaxLite 144; that is, it took an average of four tries to get an error-correcting connection to Tymnet using the MaxLite 144, and only three to get an error-correcting connection to the same line using the Supra modem. On the other hand, the Supra modem is larger than the MaxLite 144: not so large that you can't get it into a carry-on bag, but large enough; and it won't run off a battery, so you have to carry the adapter as well. I stuff the MX power supply in checked luggage and carry the MaxLite 144 with a battery in my computer case, where it's small enough not to be noticed.

The bottom line is that I could and did rely on the MaxLite 144 for my communications, and it did the job. It's small, handy, and neat, and it comes with decent fax modem software and excellent manuals. Recommended.

I'm in a dither over computer furniture. I recently rearranged my office for the first time in four years, and as part of that I wanted to rethink my workstation. Since I spend much of my life sitting here, my chair and computer furniture are extremely important to me.

My first requirement is a big screen (I currently use a Nanao FlexScan T560i)

WITHOUT THIS SEAL, YOU'RE ONLY TESTING YOUR LUCK.

See us at Fall Comdex, at the HILTON booth #512

Nothing is more frustrating than a PC problem. It can mean hours of wasted productivity and hundreds of dollars of expense for both the user and the manufacturer. A PC with the *QAPlus* Tested™ seal means that the manufacturer uses *QAPlus*® software in a rigorous program to assure that its PCs are fully compatible and meet the highest standards of quality.

A COMPLETE QUALITY ASSURANCE SOLUTION

One facet of the *QAPlus* Tested program is *QAPlus/Factory*™ which provides dynamic burn-in capabilities using state-of-the-art diagnostics. Its exhaustive testing, tracking, and reporting features facilitate the effective measure and control of production processes.

QAPlus/Factory can help eliminate product returns and repair calls due to incompatibility and marginal quality assurance testing. The bottom line is lower manufacturing and support costs, increased product quality and customer satisfaction, and a more competitive business.

BACKED BY COMPREHENSIVE SUPPORT

QAPlus/Factory customers can receive an on-site quality survey by our PC quality assurance expert, along with installation and training. Plus, they will be enrolled in our Priority Support Program which includes remote diagnostic troubleshooting, access to DiagSoft's BBS, and frequent product updates to support the latest technology.

THE INDUSTRY STANDARD

DiagSoft's *QAPlus* software is the de facto standard for PC compatibility and quality assurance testing. *QAPlus/Factory* is in use worldwide by leading manufacturers and integrators, such as: Digital Equipment Corporation, Gateway 2000, Intergraph, Micronics, Mylex, and Trillium Computer Resources. They help us ensure that our *QAPlus* software is on the leading edge of technology.

THE SEAL THAT MAKES THE DEAL

The *QAPlus* Tested seal on a computer system ensures PC users they are receiving a system that has passed the most rigorous diagnostic hardware tests available. Our *QAPlus* OEM version and remote control software can also be bundled with systems to allow support personnel to remotely operate systems, and provide an even greater level of support.

ISO 9000 SUPPORT

QAPlus/Factory supports the ISO 9000 requirements for testing and traceability. It streamlines this process by ensuring that all data collection is automatic and consistent throughout the process.



FEATURES INCLUDE:

- ❑ Network or Stand-Alone Operation
- ❑ Unattended Scripted Testing
- ❑ Complete Test Logging
- ❑ Hardware Level Diagnostics
- ❑ Extensive System Information
- ❑ Detailed Quality Analysis Reports

WE WROTE THE BOOK ON PC QUALITY ASSURANCE AND WE'LL GIVE YOU A COPY — FREE!

Don't push your luck, call DiagSoft now for our FREE Guide to PC Quality Assurance. Also from DiagSoft: *QAPlus/WIN*™ for tuning and troubleshooting Windows™, *QAPlus/FE*™ for power users and service support professionals, *Power Meter*™ for performance measurement and comparison, and *QAPlus*, the diagnostic leader.

QAPlus/Factory™

Quality Assurance and Diagnostic Testing for Manufacturers, Integrators and Servicers

Call 800-342-4763 For Your FREE Quality Assurance Guide

DiagSoft, Inc. - 5615 Scotts Valley Drive, Suite 140 - Scotts Valley, CA 95066 - 408-438-8247 - FAX 408-438-7113

AB1193

about 30 inches from my nose and precisely at eye level with my head in a comfortable position. Second is keyboard height: I like my keyboard where I can reach it without strain as I rest my elbows on the chair arms. Just about as important is a good place for a mouse. Third, there *must* be flat table space all around, where I can pile software, press releases about products I'm writing about, books I am copying from, maps, character sketches, notes for scenes, and so forth. It can be anywhere, but I really like to have some space dead in front of me.



Fourth, I need places to put auxiliary equipment: stereo speakers, a DAT (digital audiotape) drive, the USRobotics external modem, an external CD-ROM drive, an external WORM drive, and my little pocket tape recorder I use to dictate notes during my daily walk and its transcriber; that sort of thing. Fifth, I need legroom, since I can't sit in the same position for very long.

For the past few years, I've used a computer table I found at Builder's Emporium. It's 4 feet by 2 feet. It has a retractable keyboard drawer with a raised mouse platform, and you can see it in the photo of me. It had problems. I had to raise the height of the whole thing (I attached heavy-duty casters) to get the keyboard high enough. It put the screen closer than I like. The worst thing was that there's no flat surface space between the screen and the keyboard, so I have to turn my head to see what I'm working on. Still, it worked well enough to let me turn out a number of books, including *Prince of Sparta*, *The Children's Hour*, *Fallen Angels*, *The Gripping Hand*, and several others, as well as these columns and a bunch of other stuff. It wasn't perfect, but it was good enough.


Alas, when I shifted the office around (there's a good reason having to do with heat flow), there was no room for that big table at my new location. Time to rethink the entire situation.


One choice was the Forminco line, which you may have seen at various computer shows: IBM often features Forminco workstations at their OS/2 Test Drive Centers. You'll remember if you've seen them: they are large black and chrome open framework units on casters. When we set one up here, Mrs. Pournelle referred to it as "the condor cage," no bad description if said affectionately.

The Forminco units score high on keyboard height and placement: you can adjust that easily to almost any position you like. Same for screen placement: the screen is on an adjustable stand of its own, so it doesn't rest on a desktop computer. Moreover, if you use a tower machine (I do), there's lots of flat surface where the desktop would have gone. (There's also a system for supporting a desktop machine on its side alongside the workstation, thus more or less converting the desktop to a tower.)

The legroom is great. There's an ingenious placement of the mouse, and Forminco makes (included with the workstation but also available separately) the Mouse Arena, an odd-looking but extremely effective combination mouse pad and stand with a wrist rest and a gizmo to hold the

Three Good Reasons for Choosing Videx Bar Code Readers:







Portable

Durable

Programmable

Proven performers in any environment—from the office to the outdoors—Videx's family of bar code readers leads the industry as the most portable, durable, programmable data collectors. Make your job easy. Keep track of time, attendance, assets, inventory, work-in-process, shipping and receiving with a bar code reader from Videx®.

TimeWand® I, DuraWand®, and TimeWand II are designed for today's world of diverse applications and demanding environments. All at prices that make them the obvious choice.

TimeWand I	**$298**
DuraWand	**$495**
TimeWand II	**$698**

For a free information kit, call Videx today at 503-758-0521.


Videx®

See us at Comdex, Booth #L1497

Videx, Inc., 1105 N.E. Circle Blvd., Corvallis, OR 97330-4285 • **503-758-0521** • **FAX 503-752-5285**


Videx, TimeWand, and DuraWand are registered trademarks of Videx, Inc. GCO356

Circle 143 on Inquiry Card.



Introducing new Micrografx Designer™ 4.0.

With symbol creation and placement to one micron, new Designer 4.0 from Micrografx is a measurable improvement in technical illustration. In fact, hair-splitting accuracy is only the start of what will seem like an endless list of new features. And before you furrow a brow, you'll be glad to know that Designer 4.0 is first, last and always easy to use.



Designer 4.0's new intuitive interface is easy to learn and use with hint lines and context-sensitive help.

You get advanced features including 3-D drawing with rotation, smooth shading, and light source control. Make adjustments quickly with object snap, wireframe view of images, custom dimension units, direct entry of coordinates and dimensions, and auto dimensioning. And 32,767 layers keep everything organized. The bottom line: you're always in control while creating, editing and manipulating symbols.


Now, while Designer 4.0 is filled with sophisticated features, you'll have it up and running in no time. A new streamlined interface means you can find everything fast. Hint lines, context-sensitive help, a customizable tool bar, and more keep you close to the tools you use the most. There's even invaluable extras like image editing, advanced



Complete graphic design capabilities range from powerful text management to advanced color separation.

text and layout capabilities, color separation and slide show utilities, plus 1,200 clip art images and 25 photo images on floppy disk, with 13,740 clip art symbols and 200 photo images on CD-ROM, and more. See for yourself how it measures up.


Order your copy today by calling
1-800-697-3540
or see your local dealer



MICROGRAFX®
DESIGNER 4.0
The Professionals' Choice For Graphics Illustration.

Micrografx, Inc., 1303 Arapaho, Richardson, TX 75081 (214) 234-1769. Micrografx has offices in Toronto, Paris, London, Munich, Milan, Sydney, Madrid, Copenhagen, and Tokyo. Copyright © 1993. Micrografx, Inc. All rights reserved. Micrografx is a registered trademark and Designer is a trademark of Micrografx, Inc. All other products are trademarks or registered trademarks of their respective owners.

Circle 107 on Inquiry Card (RESELLERS: 108).



Everyone makes claims. We make sure.

When the industry wants product testing taken to the nth degree, they take it to NSTL.

In every field, one name sets the standard. In microcomputer testing, the name is NSTL, the leading independent testing lab.

The NSTL compatibility certification seal on a product says that it withstood the toughest lab in the industry — and it's ready for your business.

The seal saves you a lot of comparison and guesswork. It says you'll find the product compatible with a wide range of business applications and hardware. It helps you make the right choice.

Real-world testing for real-world use.

Beyond compatibility testing, we access nearly every conceivable problem — from engineering-level hardware bugs to the everyday usability of business software.

And we test with the end-user in mind, in a real-world environment, just the way your staff uses equipment. Except our trials are more punishing.

Our publications, and others that publish our work.

In a separate facility we also do comparison testing for our own Ratings Reports: *Software Digest®, PC Digest® and LAN Reporter®*. They're read by people who purchase an average of more than $500,000 in microcomputer hardware and software annually.

And because of the respect we've earned, some of the industry's leading publications, like *Data Communications, LAN Times, Unix World* and *Datapro Research Group* publish our test results.

Look for the NSTL seal and be sure.

Experts rely on the NSTL name: now you can, too. The final test of a product is its compatibility in a business environment. The NSTL mark tells you it's already met that test. Look for it when you compare products.

NSTL

Plymouth Corporate Center
Box 1000, Plymouth Meeting, PA 19462
215-941-9600

Micro Channel™ and OS/2™ are trademarks of the IBM Corporation.

Circle 113 on Inquiry Card.

BYTE

BYTE Reprints



The BYTE Reprint Department will provide free quotations for reprints of BYTE articles.

Reprints can serve as high quality, inexpensive promotional tools:

- Train and educate key personnel
- Present information at conferences/seminars
- Provide literature to users of your products

Call
603-924-2525
for information and a free price quotation.

Minimum order: 500

McGraw Hill

mouse tail out of the way. If you do much mousing around, you ought to look into this. The wrist rest really works.

There's also a built-in padded wrist rest as part of the keyboard support, and it's really neat. I grew up working with typewriters, and we never thought of wrist rests. I use chair arms for more or less the same purpose. However, my partner Larry Niven likes wrist rests, and I confess I quickly got spoiled by the Forminco keyboard stand when I set it up for trial.

The Forminco system has a left-handed stand that you can put either the mouse or your coffee on. There's a weird stand for the telephone and a removable copy holder. Everything is removable and adjustable. All told, the Forminco system is handsome, well designed, and comfortable to work at.

Where it loses points is efficient use of volume. It needs some kind of shelf attachment to provide a place for auxiliary equipment. In particular, it has no drawer for labels and calculators and the other stuff I use a lot. It's also just large enough to be a problem for my new location. If I adopt it, I'll need to do some serious rearrangement, and what with upcoming trips, I can't get to that for a couple of weeks or more.


Just at the moment I've done a kludge, with my screen on a cabinet and the keyboard on a funky old sewing-machine table. Very longtime readers will recall this is the arrangement I had for Ezekial, my old machine who's now on exhibit in the Smithsonian. I may keep that: after all, I did a million words or more with that arrangement, so it must work pretty well. On the other hand, I already miss the comfort of the Forminco condor cage and its neat ergonomic features. We'll see when I get back from Sweden. Meanwhile, if you do a lot of work sitting in front of a computer, you should look into the Forminco line of ergonomic computer workstations.

I'm continuing to experiment with OS/2, and I'm getting frustrated. It's so useful I want to adopt it; but then I run into some new problem.

Example: I found the OS/2 screen displays intolerably slow. This turns out to be an ill-chosen default setting: go into the OS/2 systems setup folder, deactivate animations, and things will go much faster.

Another problem is disk space. I have OS/2 on an IBM PS/2 Model 77 with 8 MB of memory. The hard disk is partitioned into an 80-MB C drive and a 125-MB D drive. You might think that would be enough; but it's not, at least not for me, and the result could have been a disaster.

Now granted, I have to put a lot more stuff on my hard disk than most. I'm forever trying out programs, and since I *use* stuff rather than do formal evaluations, anything I'm going to write about has to stay around long enough for me to get used to it. In addition, OS/2 is wonderful for communications, but that means that some days people send me enormous files. I function as a system operator on both BIX and GEnie, so sometimes I download a bunch of stuff from there. E-mail accumulates.



The result is that the PS/2's disks get full, and I don't notice it. This isn't a big problem as long as I am running DOS applications; but it's different if you want to run Windows programs.

Last night, my son Richard and I decided to play around with the DeLorme Mapping Street Atlas USA. It's wonderful. If you don't have it, get it. Amazing detail, not only just about every street in the U.S., but fire roads in Los Angeles and even High Sierra trails. You can cut and paste into CorelDraw with it, too, and print from that.

The DeLorme atlas is a Windows program on a CD-ROM. Richard, who isn't familiar with OS/2 but uses Windows a lot, opened the Windows OS/2 program manager and installed it easily enough; except that when we open the program manager, there comes a message about NAVPOPUP.EXE being unavailable. I don't know what that is, but I've got used to having this error message. It doesn't seem to do any harm, except that I have to tell the machine everything is OK before it will do anything else, and that's annoying if I'm trying to get something done in a hurry.

Alas, for me OS/2 has been full of oddities like that. I have two copies of the system clock, named System Clock and System Clock:1. Every attempt I have made to eliminate the superfluous copy has failed. There's probably a way to do it, but I sure don't know what it is, and neither does an IBM guru who wrote a book about using OS/2. It seems this is an essential file, and for your own protection, OS/2 won't let you eliminate any essential files—even if you have somehow inadvertently managed

to duplicate one of them.

Anyway, we installed the DeLorme atlas, whereupon I got a message that the disk partition containing the file SWAPPING.DAT had insufficient space, and I had a problem, and I must not ignore this message. The default thing to do was close the program. That seemed reasonable, so I tried it, whereupon the computer went off into the land of lost bits and stayed there until I turned it off. Ctrl-Alt-Del did nothing interesting. It was hardware reset time.

It wasn't quite the infamous Windows UAE (unrecoverable applications error). When the system came back up, I did the same thing again and got the same error message; it gives three choices, and any but the default choice lets the machine recover. The default, though, turns it into a UAE. Beware.

A search through the OS/2 documents reveals remarkably little about SWAPPING.DAT. I wanted to go in and set aside considerably more space for that swap file; this wouldn't be as efficient as the IBM dynamic reallocation, but it would sure make my life simpler when the disk was getting full. Alas, the printed manuals aren't too helpful, and neither is the Master Help Index.

However, if you open an OS/2 window (which gives you a command-line session) and type HELP SWAP, there appear all kinds of useful information on the swap file. By editing CONFIG.SYS, you can set the size of the swap file or cause the system to warn you when file size on that disk partition is getting low. Once again, it's typical of OS/2 to have a nifty feature like that and then hide it from you.

I think my real problem with OS/2 is that I installed it during a period when it wasn't entirely stable, and there seem to be remnants of different versions in my system.

Of course, what I really need is more memory.

Eight megabytes aren't really enough for a multitasking system running both DOS and Windows applications, and memory is cheap. (Or it used to be; just now there's a panic again, but it will probably be over by the time you read this.) Once I have more memory, I'll install Stacker—there's a perfectly good OS/2 version—to make more room on the hard disk.

Next I would like to attach a good optical drive to the PS/2; that way, I can migrate a lot of programs I don't use often and still have them available at need. I've got a new Maximum Storage Duette dual-purpose WORM and read/write optical drive. It works fine with DOS, and if I can make that work with OS/2, I'll be in great shape. Report next month.

Meanwhile, I can report that OS/2 does Windows programs quite well, provided that you've got enough memory and disk space.

I think my real problem with OS/2 is that I installed it during a period when it wasn't entirely stable, and there seem to be remnants of different versions in my system. Several IBM OS/2 gurus assure me that my odd experiences are not typical. On advice from those gurus, I am about to use LapLink to send all my essential application files over to the Maximum Storage optical drive, reformat and repartition my hard disk, and start over. This will take a day, including reconfiguring OS/2 the way I want it, but they tell me it will eliminate a *lot* of the squirrelly things

The faster you call us, the sooner you'll learn about the best printer sharing product available.



INSTANT INFO
Call 24 hours
1-800-373-3600
(Outside US/Canada 909-945-5600)
Ask for #1014
We'll fax you the whole story.

SmartPrint™
Printer Sharing Network
"So Smart, it's Simple"

SOFTLANDING LINUX SYSTEM
SLS: POSIX UNIX clone for the 386
As reviewed in March "UNIX WORLD"

Includes: • full kernel source • X11R5 Openlook • TeX • emacs • TC/PIP, NFS & SLIP • complete C & C++ development environment • 600+ utilities • SVR4 ELF binary compatibility • Windows 3.1 API & ABI • DOS Emulator


Price: • $99 U.S. plus $15 S&H for 30 disk distribution, or QIC 150 tape, or CD (CD includes full source) or • $199 U.S. plus $15 S&H for quarterly subscription




Softlanding Software
Gentle touchdowns from DOS bailouts-
• Cheque • Money Order VISA Dealer Inquiries Welcome *Motif available
910 Lodge Avenue, Victoria, B.C. V8X 3A8 Canada
Phone (604) 360-0188 Fax (604) 385-1292



Circle 85 on Inquiry Card (RESELLERS: 86).

Circle 167 on Inquiry Card (RESELLERS: 168).





SOME APPLICATIONS NEED A *REAL* REALTIME OPERATING SYSTEM

Whether you're monitoring a nuclear reactor or handling credit-card transactions, you need realtime performance you can count on around the clock. The kind of performance **QNX**® has delivered for well over a decade.~**QNX** sustains a host of successful mission-critical applications in a wide range of industries. From POS to medical instrumentation, from SCADA to voice mail, thousands of VARs and OEMs rely on **QNX** for their realtime solutions. It's easy to see why. **QNX** is a microkernel OS combining realtime executive-class speed with a rich, self-hosted development environment. You won't have to waste time on cross-development, so you'll see faster time-to-market and easier maintenance for your applications.~**QNX** is remarkably flexible. You can easily strip it down to an embedded system or build it up to a vast network serving hundreds of CPUs.~**QNX** follows Open Systems standards like POSIX and TCP/IP, so all your applications become all the more portable and interoperable. And you can run most popular DOS packages – even Microsoft® Windows™ 3.1 *in standard mode* under **QNX**.~So if you're looking for a time-tested foundation for your mission-critical applications, it's time for a ***real*** realtime solution.~It's time for **QNX**.

QNX®

WE WORK IN REAL TIME.™

1-800-363-9001

(EXT. 101)

Circle 124 on Inquiry Card.

QNX SOFTWARE SYSTEMS LTD. 175 TERENCE MATTHEWS CRESCENT, KANATA, ONTARIO, CANADA K2M 1W8 TEL:613-591-0931 • FAX:613-591-3579

© QNX Software Systems Ltd. 1993 QNX is a registered trademark of QNX Software Systems Ltd. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation.

Circle 142 on Inquiry Card.

NEW! version 4.0

We slash interface development time across DOS, UNIX, POSIX, VMS...

(and we can prove it)



More features, more flexibility, and full emulation of GUI functionality in text-based modes. That's what you'll get with new Vermont Views® v4.0.

If you want to create sophisticated user interfaces—and save tremendous time and effort doing it—Vermont Views is exactly what you need. Vermont Views gives you the ability to emulate GUI interfaces for both DOS and terminal systems and provides you with seamless portability among DOS, UNIX, and VMS.

Vermont Views® allows you to add more of the features today's end users want—in a fraction of the time.

- Powerful menu driven WYSIWYG screen painter
- Contains a library of over 630 C functions
- Includes over 90 tutorials
- Unsurpassed portability
- No run-time fees or royalties

NEW! Vermont Views® *PLUS*

An enhanced version of Vermont Views for DOS. Develop multi-megabyte, graphic-enhanced C applications with support for all popular DOS extenders and graphic libraries.

Call 1-800-848-1248 for a free demo of the ultimate application interface!

Offer #463

Vermont Creative Software

1 Pinnacle Meadows, Richford, VT 05476 FAX 802-848-3502

that keep happening to me.

I do want you to note that I've stayed with OS/2 despite my problems. IBM OS/2 expert Dave Whittle (who was in Brazil with us) points out that he's been reading the column for years and recalls a number of problems I had with Windows. All true. And I'm told that there will be, about the time you read this, a true peer-to-peer OS/2 network as easy to set up and use as Windows for Workgroups. I sure hope so. Despite multiple annoyances that have had me tearing my hair out, there's a lot to like about OS/2.

The SyDOS Personal CD is the solution to the problem of how to install and use CD-ROM software where there's no CD drive. For instance, Richard at UCLA uses an NCR 3170 Windows laptop. A laptop is very convenient for a student, but there's a great deal of software on CD-ROMs that he could use. The Personal CD handles that nicely.

It's a self-contained unit about the size of a shoe box that connects to the parallel port. The software installs automatically from a floppy disk, about like the software for a BSE Flashdrive, which isn't surprising since BSE wrote the software for SyDOS. It's a bit more complicated than installing the BSE parallel-port Flashdrive, because accessing a CD-ROM requires that you run MSCDEX.EXE, but SyDOS has automated that installation, too. You can, if you have the memory, add buffers (the default is four, and 10 is optimum), but otherwise it's rare that you'll need anything but the default values.

Unlike the BSE Flashdrive, a CD-ROM drive needs too much power for battery operation, so you'll probably put this in checked luggage for trips. It's rugged enough to take that. It will also play CD audio records.

Obviously, this isn't as fast or convenient as a CD-ROM that works through the bus, but even that is changing. New developments in parallel-port technology are making that port as fast as a bus extension used to be. Even now, this sure beats the heck out of endlessly swapping floppy disks for big program installations. Recommended.

Stanford Graphics is so good I don't know where to start. From the title, you might guess that it's another drawing program; actually, it is one of the most powerful statistical-analysis and presentation management programs I have ever seen. It will take your data, massage it in myriad ways, and present it in over 60 graphics formats. Contour graphs, 3-D graphs, scatter plots—you name it, this will show it.

John Tukey, America's foremost statistical theorist, has always admonished his students to *look* at their data, not just run it through equations; two of his students, looking for new ways to do that, developed a program called MacSpin for the Macintosh. It encouraged you to play around with numbers, always the best way to learn. That was pretty good, but it was limited by what a Fat Mac could do.

Stanford Graphics isn't limited at all. It's also easy to install, passing the Lazy Reviewer Test. Richard had it up and running and was doing useful things with it without ever taking the shrink wrap off the manual. Richard spent last year doing political polling analyses for the American Enterprise Institute and got extremely familiar with Microsoft Excel, which he likes a lot. After an hour with this program, he's ready to abandon Excel and change to Stanford Graphics. For what he does, Stanford's spreadsheet is at least as good as Excel. Excel has a better macro capability, but on most other counts, Stanford Graphics wins hands down, and it also has much of the presentation building power of PowerPoint. Incidentally, Stanford Graphics can access data from Excel and most other standard sources.

Not only will Stanford Graphics do data analysis, it will let you tinker with the data. Change values on-screen to see what that does. What if 5 percent of the Anglo lower-middle-class Protestants who favor Perot shift to Clinton? What if we pitch our product toward the 30–35 age bracket instead of 7-year-olds? All spreadsheets will let you tinker, of course, but this makes it easy: just drag data points around with the mouse. It also encourages you to think about ways to present your information: think of this as a kind of electronic implementation of Edward Tufte's marvelous book *The Visual Display of Quantitative Information*.

Stanford Graphics needs a high-end 486 machine (it will run on a 286 without a math chip, but you won't like it), but any good analysis program needs good hardware. I'll summarize this way: if I'd had a 486 with Stanford Graphics in the 1960s, I'd have been the greatest political scientist *and* operations research worker of the decade. If you do economics, business analysis, statistics, or almost anything that involves numerical data, you can't afford not to have this. Highly recommended.

Dr. T's Music Software has products for Amiga and Atari systems, and it's very good stuff. If you do much work with

MPEG

PLAYER HARDWARE



IDEO RGB NTSC/PAL

MPEG PLAYER H/W

150 Kb/s

STORAGE

HIGH PERFORMANCE LOW COST

FULL SCREEN TV
AT 30 IMAGES/S
1 MN OF VIDEO ≃ 8 MB

MPEG 1 DECODER

REAL TIME DECODER CARD SUPPORTING MPEG1 ISO IS11172-2 FOR PC AND COMPATIBLE.

MPEG PLAYER HARDWARE OUTPUTS FOR :
- COMPOSITE NTSC OR PAL,
- S-VIDEO (Y/C),
- RGB.

COMPATIBLE WITH 60/50 Hz TV NTSC/PAL.

PROGRAMMABLE ASPECT RATIO :
SQUARE PIXELS (14,75 MHz) ,
OR RECTANGULAR (13,5 MHz).

MPEG PLAYER HARDWARE™ IS DELIVERED WITH DOS EXECUTABLE AND C LANGUAGE CODE FOR USER CUSTOMIZABLE APPLICATION INTERFACES.

VITEC MULTIMEDIA
PRODUCTS & TECHNOLOGY

EEC • 3 BIS, RUE PIERRE BAUDRY • 92140 CLAMART FRANCE
TEL : (33 1) 46 29 03 00 • FAX : (33 1) 46 29 03 04
USA & CANADA • TEL : (1 404) 921 61 67 • FAX : (1 404) 921 43 02

See Us At
COMDEX/Fall'93
LV • Convention Center • A282

Circle 156 on Inquiry Card.

ESA Créa • Photograph: Photo Disc

music, you need to know about this company. Record, edit, transcribe, print: a complete composer environment. Atari and Amiga don't seem able to move back into the mainstream of the computer revolution, but each has captured a pretty good niche. At the moment, Atari pretty well owns the popular music field, with Amiga its only serious rival. That could change as high-end PCompatibles move to multimedia, but so far it hasn't.

I don't have enough space to do Dr. T's software justice; just let me say that if you are serious about music, you'll want to know about it. I'm not musical, but Mrs. Pournelle is, and she's been impressed by it.

The Student Edition of Maple V is one of the best buys in the computer math program field. Unless you've got really high-end requirements, it will do all you'll ever want.

The math program wars continue, and there are now a number of excellent packages out there. There's a new-and-improved version of Macsyma, the original symbolic algebra program and still the most powerful of the lot, but others are catching up. One I haven't mentioned before is Maple V. The Student Edition of Maple V is one of the best buys in the computer math program field. Unless you've got really high-end requirements, it will do all you'll ever want, it's pretty easy to learn, and it works the same on Macs, PCs, and various workstations.

MathSoft continues to release their various handbooks. The latest is McGraw-Hill's *Theory and Problems of Electric Circuits*, a classic work translated to computer form. Mathcad's major strength is in the available specialized handbooks in almost every field: electricity, electronics, chemistry, materials science, mechanical engineering, and so forth, which make it very easy to do practical applications.

I can remember haunting the old ARPANET in order to use Macsyma, which was available only if you had an MIT ARPANET account. Now there are half a dozen excellent programs, each more powerful and with much better graphics capabilities than the old Macsyma: enough so that I can no longer keep up with which one is "best"; and that's not important anyway. The fact is they're all good enough, and any engineering or science student or professional who doesn't have one of these is at an enormous disadvantage. If you get familiar with any one of these, you'll be miles ahead.


If you do many computer presentations, you might want to know about PRO Presenter. This is a wireless infrared receiver that attaches to the mouse port (or the serial port that your mouse attaches to), a tiny transmitter clicker with two buttons, and software to make your computer think those are the left and right buttons of your mouse.

Since most presentation software can be set to run with mouse-clicks, once you set this up, you can walk around the room and control the presentation. It comes in a small simulated-leather case and weighs only a few ounces. Not something everyone needs, but it's convenient if you do happen to need it.

I don't usually recommend anything I don't use, but sometimes I get so used to something I'm reluctant to change, even when something "better" comes along. That's the situation with Ascend versus Arabesque ECCO. Ascend

CLIMB ABOARD THE INTERNET

At The McGraw-Hill Bookstore



ZEN AND THE ART OF THE INTERNET
Brendan P. Kehoe
0-13-010778-6, 120 pp., paperback, $22.00
A most readable introduction to the Internet—how to use worldwide e mail, File Transfer Protocol, commercial services, and much more.

INTERNET: GETTING STARTED
Updated Edition
April Marine, Susan Kirkpatrick, Vivian Neou, and Carol Ward (Staff, SRI International)
0-13-289596-X, 416 pp., paperback, $28.00
Save time, money, and frustration with this comprehensive guide to Internet use, access cost management, and service providers.

INTERNET: MAILING LISTS
Revised 1993 Edition
Edward T. Hardie & Vivian Neou (Staff, SRI International)
0-13-289661-3, 596 pp., paperback, $29.00
A novice-to-pro guide to SRI's "List of Lists"—special interest groups you can access on the Internet. This new edition features 50 new lists and 150 complete updates.

THE SIMPLE BOOK
An Introduction to Internet Management, 2/E
Marshall T. Rose
0-13-177254-6, 456 pp., cloth, $55.00
An easy-to-read, practical introduction from the Internet guru who help design and implement SNMP version 2 and contributed to the accompanying standard.

Clip or copy this coupon and fax or mail to:
McGraw-Hill Bookstore, 1221 Avenue of the Americas, New York, NY 10020. Order by phone in NY at 212-512-4100; outside NY call toll free (800) 352-3566; or fax this coupon o us at 212-512-4105. *Fax or phone orders delivered within 10 days!*

❑Yes! Please rush me:
___ ZEN AND THE ART OF THE INTERNET @ $22.00
___ INTERNET: GETTING STARTED @ $29.00
___ INTERNET: MAILING LISTS @ $26.00
___ THE SIMPLE BOOK @ $55.00

Check, money order, or credit card only: ❑ Visa ❑ AMEX ❑ MasterCard ❑ Discove

Account No. _____ Exp. Date_____

Name _____

Address _____

City _____ State_____ Zip_____

applicable

McGraw Hill

How many memory management tools does it take to create a program?



Just one..

Why use a multitude c
agement tools when o
Introducing Blinker 3.(
linker, a royalty-free 2
der, a DOS dynamic o
and a memory swap u
unique product. Now t
easy way to maintain
enhance existing DOS
and write new Windov
grams. Compatible wi
ally every popular PC
gramming language, i
ing CA-Clipper®, Blink
creates memory effici
programs in a matter
seconds. The result -
increased productivity
lower training costs.

An intelligent memo management solutic for DOS

Combining a DOS extender with an award-winning dynamic overlay linker used by over 40,000 developers offers a unique advantage. Blinker 3.0 creates programs which automatically detect whether the runtime machine can run in protected mode. If no the ***same program*** will simply run in real mode using dynamic overlays. This process is completely invisible to the end user. Now you can concentrate on the code instead of worrying about the runtime environment. Programs automatically utilize all the available memory on every PC, from the smallest 8086 right up to the Pentium and beyond!

A 286 DOS extender with no runtime royalties!

Now everyone can afford to break the 640Kb DOS barrier! Directly access up to 16 megabytes of extended memory just as if it were conventional memory on any 80286 or above. Run multi-



megabyte programs in protected mode in less than 256 Kb of conventional memory, solving low memory problems caused by network shells and other memory hungry TSRs. Boost program performance - all code and data is memory resident so there is no swapping to disk. Blinker 3.0 is fully compatible with the DPMI, VCPI and XMS specifications so your protected mode programs will run under Windows, DESQview™ and OS/2® as well as DOS. And Blinker 3.0 features a completely transparent compiler-independent VM system to access up to 64 Mb of virtual memory.

With a Windows linker for luck.

rosoft Windows®-compatible
d .EXEs quickly and easily
ns written in Microsoft® C,
al C++, Assembler, FOR-
scal, Watcom™ C,
® C++, CA-Clipper 5.x
4Win™), Borland® C, C++
nbler.

smart choice!

) offers greater functionality
other product, or combina-
nilar products on the market,
tion of the cost. You get the
nk speeds available for DOS
ndows in one linker, plus
y standard .EXEs for com-
lity with copy protection, anti-
and compression software.
ker 3.0 fully supports all
rsions of CodeView® and is
st one 200Kb .EXE of highly
optimized assembly code.

What's more, there are no run-time royalties on any programs you create. Doesn't that sound too good to be true?! Then try it! With our 30 day money back guarantee you just can't lose!

Call Now to Order BLINKER 3.0

only $299

plus shipping & handling

Or call for your *FREE* Demo

TEL:804-747-6700
FAX:804-747-4200

Selling the Standard for Development Tools

Blink*inc.*

8001 W. Broad St. Richmond VA 23294

In Europe contact: Blink*inc* Ltd. P.O. Box 9
Penarth S. Glamorgan CF64 5XF
TEL:+44 222 712444
FAX:+44 222 700888

Graphics © 1993 Blinkinc. Blinker is a trademark of Assembler Software Manufacturers Inc. All other trademarks acknowledged.

Circle 381 on Inquiry Card (RESELLERS: 382).

Circle 95 on Inquiry Card.

Rack & Desk Chassis FOR XT/AT/286/386/486

Integrand's unique packaging design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 90 interchangable modules allow you to customize them to nearly any requirement. We make drive enclosures and rackmount keyboards too. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Rack & Desk Models
Accepts Most Motherboards and Passive Backplanes
Doesn't Look Like IBM
Rugged, Modular Construction
Excellent Air Flow & Cooling
Designed to meet FCC
204 Watt Supply, UL Recognized
200 & 300 Watt Supplies, UL, CSA, TUV
Reasonably Priced

NOW AVAILABLE Rackmount Keyboards



Three Models: Drawer, Shelf, and Panel
Reasonably Priced

Call or write for descriptive brochures, prices or applications assistance:

INTEGRAND RESEARCH CORP

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

IBM XT/AT TM IBM • 286/386/486 TM INTEL Drives and computer boards not included.

Pournelle

For More Information

For day-to-day tracking of contacts and notes and for organizing the countless snippets of information that flow in every day, try **Arabesque ECCO.** Available for $395 from **Arabesque Software, Inc.,** 2340 130th Ave. NE, Bellevue, WA 98005, (800) 457-4243 or (206) 869-9600. **Circle 1146 on Inquiry Card.**

I have a lot of time invested in **Ascend,** I like it, and it is pretty good at helping me sort out what's important and what isn't. The software alone sells for $199, or with the Day Planner, $299. It is available from **Franklin Quest Co.,** 2550 South Decker Lake Blvd., Suite 26, Salt Lake City, UT 84119, (800) 877-1814 or (801) 975-9992. **Circle 1147.**

The **Business Library** CD-ROM works on marketing research, real estate, and lots more stuff like that. It needs Windows 3.1, meaning it works with OS/2 2.1 but not 2.0. It sells for $59.95. Contact **Allegro New Media,** 387 Passaic Ave., Fairfield, NJ 07004, (800) 424-1992 or (201) 808-1992. **Circle 1148.**

The **DeLorme Mapping Street Atlas USA** CD-ROM has amazing detail on not only just about every street in the U.S., but fire roads in Los Angeles and even High Sierra trails. You can cut and paste into CorelDraw with it, too, and print from that. The CD-ROM for Windows sells for $169. Contact **DeLorme Mapping,** Lower Main St., P.O. Box 298, Freeport, ME 04032, (207) 865-1234. **Circle 1149.**

Forminco offers a line of **ergonomic computer workstations** that score high on keyboard height and placement, screen placement, legroom, and mouse placement. The handsome, well-designed, and comfortable furniture also features a padded wrist rest, a stand for the telephone, and a removable copy holder. Prices range from $199 to $449, depending on the options you want. Contact **Forminco**, 9610-A Ignace, Brossard, Quebec, Canada J4Y 2R4, (514) 444-9488; also, Sue Heckathorne, Boardroom Communications, Atrium Executive Plaza, 499 Northwest 70th Ave., Suite 118, Plantation, FL 33317, (305) 321-6334. **Circle 1150.**

The new-and-improved version of **Macsyma** for the PC, version 417.125 Delta 2 ($349), is still the most powerful symbolic algebra program of the lot. Contact **Macsyma, Inc.**, 20 Academy St., Arlington, MA 02174, (800) 622-7962 or (617) 646-4550. **Circle 1151.**

Small, handy, and neat, the full-featured **MaxLite 144** fax modem comes with decent fax modem software and excellent manuals. It is available from **Macronix, Inc.**, 1348 Ridder Park Dr., San Jose, CA 95131, (800) 858-5311 or (408) 453-8088, and costs $399. **Circle 1152.**

Dr. T's Music Software, 124 Crescent Rd., Suite 3, Needham, MA 02194, (800) 989-6434 or (617) 455-1454, makes **music software** that's as good as anything for Amiga and Atari systems. There's a complete composer environment that records, edits, transcribes, and prints, and a MIDI recording studio package for the Atari that's good. **Circle 1153.**

OS/2 2.1 is wonderful for communications. IBM's 32-bit operating system lets you run DOS and Windows in a true multitasking environment. Available from **IBM Corp.**, 1 Old Orchard Dr., Armonk, NY 10504, (800) 342-6672, it sells for $249. **Circle 1154.**

Procomm Plus 2.0 has some peculiarities, but it's still the communications program I use for nearly everything. The DOS version sells for $129; the Windows version for $179. Contact **Datastorm Technologies, Inc.**, 3212 Lemone Blvd., Columbia, MO 65201, (314) 443-3282. **Circle 1155.**

PRO Presenter is a wireless infrared receiver you can set to run with mouse-clicks and then walk around the room and control presentations. It comes in a small simulated-leather case and weighs only a few ounces. The price for the PC or Mac version is $99. Contact **Presentation Electronics, Inc.**, 4320 Anthony Court, Suite 1, Rocklin, CA 95677, (800) 576-9281 or (916) 652-9281. **Circle 1156.**

Space Quest V—The Next Mutation ($69.95) is a computer game with the latest antics of Roger Wilco, the janitor turned space cadet, as he saves the universe. The graphics are wonderful. Contact **Sierra Online**, 40033 Sierra Way, Oakhurst, CA 93644, (800) 326-6654 or (209) 683-4468. **Circle 1157.**

One of the most powerful statistical-analysis and presentation management programs I have ever seen, **Stanford Graphics** takes your data, massages it in myriad ways, and presents it in over 60 graphics formats. The price is $495. Contact **3-D Visions Corp.**, 2780 Skypark Dr., Torrance, CA 90505, (800) 729-4723 or (310) 325-1339. **Circle 1158.**

The **Student Edition of Maple V** ($99) is one of the best buys in the computer math program field, unless you've got really high-end requirements. It's pretty easy to learn, and it works the same on Macs, PCs, and various workstations. The Student Edition of Maple V is available from Brooks-Cole, 511 Forest Lodge Rd., Pacific Grove, CA 93950, (408) 373-0728. The full version of Maple V is available from **Waterloo Maple Software**, 450 Phillip St., Waterloo, Ontario, Canada N2L 5J2, (800) 267-6583 or (519) 747-2373. **Circle 1159.**

The **SyDOS Personal CD** solves the problem of how to install and use CD-ROM software where there's no CD-ROM drive. A self-contained unit about the size of a shoe box, the drive connects to your desktop or laptop PC's parallel port. It sells for $499 from **SyDOS,** 6501 Park of Commerce Blvd., Suite 110, Boca Raton, FL 33487, (800) 437-9367 or (407) 998-5400. **Circle 1160.**

You could hire National Software Testing Laboratories to help you make the right LAN purchasing decisions.

Or you could subscribe to LAN REPORTER.

Unlike single-user systems and applications, a poor network choice hurts everyone on the network.

Be sure the products you buy deliver as promised. LAN Reporter, published by NSTL and BYTE, delivers the truth about network and workgroup applications, environments, and hardware.

DESIGNED FOR SERIOUS BUYERS

Subscribing to LAN Reporter puts you in control of the buying process. Each issue tells which products deliver the power... speed... security... compatibilities... and expansion capabilities you need to tie your systems together.

- Authoritative, independent recommendations
- In-depth explanations of new technology
- Comparisons of product performance, usability, quality and value
- Comparisons of product features
- Complete product specs
- Detailed test results

THE SCIENCE OF NSTL TESTING

NSTL is the laboratory of choice for buyers facing high-stakes network purchases. We originated the concept of testing microcomputer products. Today our state-of-the-art benchmarks and methodologies are universally regarded as definitive.

FREE BINDER!



To help you build your resource library, you get a FREE durable, 3-ring binder with tabbed subject dividers upon payment.

2 FREE ISSUES

Include payment with your order now (check or credit card) and receive two additional issues with our compliments.

LAN REPORTER IS PUBLISHED BY NSTL, THE INDUSTRY'S FIRST AND MOST AUTHORITATIVE INDEPENDENT TESTING LABORATORY.



NSTL tests level the playing field so products show their strengths and weaknesses in head-to-head, feature-to-feature competition. In real-world, applications-based environments like the one you work in every day.

CLEAR-CUT WINNERS

The result: objective recommendations for the best products in each market category. Clearly described by expert test technicians—without ads or distractions of any kind.

From wireless LANs to WANs, from micro-to-mainframe links to workgroup applications, LAN Reporter tests the products you need -

- Group scheduling
- EISA Ethernet cards
- Windows-based peer-to-peer networks
- SQL servers
- 486 66MHz servers
- Windows databases
- Network management software
- LAN E-mail
- Unix servers
- LAN operating systems
- Bridges and gateways

LAN Reporter's features charts are so complete that vendors consult them before designing upgrades. Shouldn't you consult us before buying your next LAN equipment?

BUILD BETTER NETWORKS. *SUBSCRIBE TODAY!*

ORDER NOW!

YES, please enter my subscription to LAN Reporter for one year (12 issues) at $445, and send my free binder with my first issue. If I elect to include payment now, add two additional issues to my subscription at no cost. I must be completely satisfied with LAN Reporter or I will receive a full refund of my entire investment.

MAIL TO: LAN Reporter, P.O. Box 551, Hightstown, NJ 08520-0551

NAME

COMPANY NAME

COMPANY ADDRESS

CITY/STATE/ZIP

PHONE

PAYMENT INFORMATION:

❑ Payment enclosed

❑ Please bill me P.O. # required

Charge my: ❑ Visa ❑ MasterCard ❑ AMEX

ACCOUNT NUMBER

EXPIRATION DATE

SIGNATURE

Orders outside North America: Please add US $20. for airmail delivery.

LNBYN36

PHONE

1-800-257-9402

FAX

1-609-426-5434

MONEY-BACK GUARANTEE

If at any time you are not COMPLETELY satisfied with your subscription, you will receive a full refund of your entire investment.

Circle 72 on Inquiry Card.

does a far better job of keeping track of your goals and philosophies, but in the day-to-day tracking of contacts and notes and organizing the countless snippets of information that flow in every day, Arabesque ECCO is much better. Ascend grew out of a pen-and-paper system, and some of its roots show. ECCO was designed by computer people.

On the other hand, I have a lot of time invested in Ascend, I like it, and it is quite good at helping me sort out what's important and what isn't. I continue to use Ascend, but stay tuned; meanwhile, if you don't use one of these programs, you're missing something. A good time and task management system can change your life.

The CD-ROM of the month is from Allegro New Media. Allegro is the company formed when one of the founding partners of the Bureau of Electronic Publishing broke off to go it alone, and it's very much worth your while to get the Allegro catalog. This month's CD-ROM is a Business Library that includes *Business-to-Business Communications Handbook*, *Finance and Accounting for Nonfinancial Managers*, *International Herald Tribune Guide to Business Travel: Europe*, works on marketing research and real estate, and lots more stuff like that. It needs Windows 3.1, meaning it works with OS/2 2.1 but not 2.0.

The computer books of the month are Gordon M. Campbell's *System 7.1: The Complete Sourcebook* (Windcrest/McGraw Hill, 1993), a very good user-level work from installation to some quite advanced features, and Dan Gookin's *MS-DOS to the Max, Version 6* (Microsoft Press, 1993). I still don't recommend MS-DOS 6, because I greatly prefer Stacker and Quarterdeck's QEMM for file compression and memory management and Symantec's caching software; but, of course, MS-DOS 6 does work, and you get an awful lot for your money. If you do use it, Gookin's book is a good way to learn how to get the most out of it.

The game of the month is Space Quest V—The Next Mutation from Sierra Online. The latest antics of Roger Wilco, the janitor turned space cadet, as he saves the universe. It's a silly, mindless game, but Larry Niven loves it. He's got through two previous Roger Wilco games and is happily working through this one. The graphics are wonderful.

One minor correction: last month I made a reference to Chaplin's film *City Lights*. Mea culpa. I should have said *Modern Times*.

I'm out of space, and there's an enormous pile of new software and hardware left on my ready table. Next month, I'll look at some multimedia authoring programs; Stacker 3.1; more on OS/2 and optical drives; the latest and greatest from ATI Technologies, including their multimedia upgrade kit; and however much more of the pile I can get to. Now I'm off to Sweden, where they're giving me a birthday party. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and questions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerryp."



Nonstop to London.
Showers expected upon arrival.



British Airways' new arrival facilities at London's Heathrow and Gatwick airports are making quite a splash. Now, ClubWorld℠ and First Class passengers can enjoy a hot shower and breakfast or even catch up on business in our private lounge. You'll be off to a flying start. *It's the way we make you feel* that makes us the world's favourite airline.

BRITISH AIRWAYS

The world's favourite airline®

Circle 71 on Inquiry Card.

What's New Hardware



ms, and 256 KB of data cache. The drives, available as internal or external units, are compatible with Multisession Photo CD, QuickTime, High Sierra, Mac HFS, ISO 9660, XA, and standard audio CDs.

Phone: (714) 222-6000.

Circle 1070 on Inquiry Card.

FAST X STATION ▲

A medium-resolution color X Window System station based on the Intel 960 RISC processor, the Hewlett-Packard (Santa Clara, CA) Envizex Model 15Ci ($2495) has 6 MB of RAM and 1 MB of video RAM. The 15-inch monitor shows 256 colors at resolutions of up to 1024 by 768 pixels with a 70-Hz refresh rate.

Phone: (800) 752-0900 or (415) 857-1501.

Circle 1064 on Inquiry Card.

DUAL-SPEED CD-ROM

CMS Enhancements' (Irvine, CA) CD-ROM drives for PCs and Macs (from $699) feature dual transfer rates of 150 and 300 KBps, average seek times of 280

Texel's (Santa Clara, CA) internal DM-3028 ($499) and external DM-5028 ($599) CD-ROM drives provide a sustained data transfer rate of 335 KBps and an average access speed of 240 ms. PC- and Mac-compatible, each drive is Multisession Photo CD–capable and includes a 64-KB buffer, an automatic lens cleaner, and a dustproof door.

Phone: (408) 980-1838.

Circle 1071 on Inquiry Card.

NETWORK ON A CARD

A managed 10Base-T module for the INX 5000 intelligent wiring hub, the 10BT-MGR (from $2095) incorporates an onboard SNMP agent, making a separate network management module unnecessary. The 10BT-MGR, from Racal-Datacom (Boxborough, MA), has three 24-port cards, freeing slots for network expansion. The hot-swappable module includes automatic port partitioning, which isolates any port that's transmitting erroneous data; automatic polarity correction allows you to change the polarity without rewiring.

Phone: (800) 722-2555 or (508) 263-9929.

Circle 1067 on Inquiry Card.

MAC ACCELERATOR BOARD

The Tornado graphics board ($799) from Mirror Technologies (St. Paul, MN) provides onboard QuickDraw acceleration and 24-bit color on 21-inch monitors. Used with multisync monitors, the board provides on-the-fly resolution switching. An optional NTSC adapter lets you directly connect your system to your TV or VCR. An optional add-on board, ChargeCard ($599; bundled with Tornado, $1299) speeds some functions in Adobe Photoshop.



Phone: (612) 633-4450.

Circle 1068 on Inquiry Card.

COLOR MONITORS

From Radius (San Jose, CA), the PrecisionColor Display/20v monitor ($2199) is compatible with Macs and PCs. The 20-inch display shows two full pages at resolutions as high as 1152 by 870 pixels on Macs and 1280 by 1024 pixels on PCs. RadiusWare software lets you switch resolutions and bit depth on the fly. The unit has 75-Hz refresh rates and is MPR II compliant.

Phone: (408) 434-1010.

Circle 1072 on Inquiry Card.

The Flexscan F560iW ($1699), a 17-inch flat-square monitor from Nanao (Torrance, CA), provides a resolution of 1280 by 1024 pixels at a 76-Hz refresh rate. The energy-saving monitor includes ErgoCoat antireflective coating, WideView, and front-mounted controls built around a digital control system that stores information about the screen configurations and display modes that you set.

Phone: (213) 325-5202.

Circle 1073 on Inquiry Card.

ViewSonic (Walnut, CA) has upgraded its New Generation ViewSonic 15 color monitor ($599) to a "green" machine. The energy-efficient monitor conforms to the VESA power-savings management standard by powering down in three stages in direct response to the system's video-signal input. The flat-square display has a noninterlaced resolution of as high as 1280 by 1024 pixels.

Phone: (800) 888-8583 or (909) 869-7976.

Circle 1074 on Inquiry Card.

TURBO-SPEED MODEMS

The Courier V.32 terbo modems (from $645) from USRobotics (Skokie, IL) support data rates of up to 19.2 Kbps and include the company's Adaptive Speed Leveling protocol for 21.6-Kbps throughput. The modem-to-computer interface rate is 115.2 Kbps, and some models have a proprietary protocol for high-speed cellular data transmission. Enhancements include 14.4-Kbps fax capabilities, support for EIA Class 2.0 fax communication, dial-back and link security, and the V.25bis protocol for synchronous dialing.

Phone: (708) 982-5010.

Circle 1069 on Inquiry Card.





PENTIUM TOWER

The TP66E2/VL tower workstation (from $4999) has two in-line 60-MHz Pentium processors. Each built-to-order system includes 512 KB of processor cache, a dual-channel SCSI-2 connection, an S3 video accelerator with 1 MB of DRAM, 4 MB of system RAM (expandable to 128 MB), 12 drive bays, and eight expansion slots. The EISA-bus system supports symmetrical multiprocessing under Windows NT and SCO Unix. The basic system ships without a monitor or hard drive.

Contact: Ambra Computer, Raleigh, NC, (919) 713-1550.

Circle 1060 on Inquiry Card.

Hardware

PERSONAL DEVICE PROGRAMMER

The ChipLab Project Programmer (from $895) from Data I/O (Redmond, WA) provides universal device support, such as flash, PROM, EPROM, PALs, microcontrollers, and sequencers.



Built for design engineers, ChipLab provides immediate support for target devices. The unit also provides configuration flexibility that lets you use it in other projects. ChipLab uses the company's standard device-programming algorithms, supports more than 40 device manufacturers and up to 48-pin packages, and accepts industry-standard ABEL files or JEDEC output.

Phone: (800) 332-8246 or (206) 881-6444.

Circle 1131 on Inquiry Card.

UPGRADE TO VESA LOCAL BUS

A kit for converting your ISA 386DX, 486SX, or 486DX PC to a VL-Bus system is available from PC-Build Computer Kits (Needham, MA). The conversion package ($450, installed) includes an upgradable VL-Bus motherboard, 128 KB of expandable cache memory, a VL-Bus IDE controller, and an expandable 1-MB VL-Bus Super VGA video board with software drivers.

Phone: (617) 449-7575.

Circle 1132 on Inquiry Card.

DETACHABLE DISPLAY

The detachable display becomes a projection panel on Krolman's (Toronto, Ontario, Canada) pcPanel ($7950), an active-matrix color LCD projection panel and 33-MHz 486 notebook in one. You can add full-motion video clips to your presentations while working in PowerPoint, WordPerfect Presentations, or Harvard Graphics. The 7-pound system ships with 8 MB of RAM, a 200-MB removable hard drive, a 3½-inch floppy drive, I/O ports, and a built-in trackball.

Phone: (800) 388-3639 or (416) 931-7039.

Circle 1133 on Inquiry Card.

SCSI FOR THE LOCAL BUS

From American Megatrends (Norcross, GA), the Fast Disk VLB SCSI host adapter ($550) for motherboards using the VESA local bus supports up to 8 GB and seven SCSI drives. Throughput is 10 MBps; an onboard 16-MHz 386SX processor directs the I/O and cache support for up to 16 MB of on-board RAM.

Phone: (800) 828-9264 or (404) 263-8181.

Circle 1135 on Inquiry Card.

PRESENTATION CONTROL

The two-button, credit-card-size ProPresenter ($99) from Presentation Electronics (Rocklin, CA) gives you remote control over your presentations. In versions compatible with PCs or Macs, the device provides forward and reverse capabilities and requires no software installation for use with most presentation programs (software is provided for customizing ProPresenter). The device attaches to the PC mouse port or the Mac ADB and is upgradable to the ProPresenter Plus (upgrade, $80).



Phone: (916) 652-9281.

Circle 1134 on Inquiry Card.

FASTER LABEL PRINTING

The LabelWriter II ($249.95) from CoStar (Greenwich, CT) plugs into the serial port of your Mac and adds a text-only mode for quick printing. Other enhancements include the CoStar Driver, an INIT file that provides background printing; consolidation of the three windows into one resizable window; expanded functionality in the Desk Accessory; and addition of Printer and Printer Setup menus.

Phone: (800) 426-7827 or (203) 661-9700.

Circle 1137 on Inquiry Card.

DIGITAL VIDEO SYSTEM

Media 100 ($11,995), a digital, on-line, nonlinear video-production system, lets you create NTSC or PAL video programs directly from your Mac. After you digitize your analog video and audio and store it, you can edit a complete video program using a picture-based interface and then record the finished program back onto videotape. Media 100's video output is 60 fields and 30 frames per second. The system, which consists of two NuBus boards and video-production software, supports input and output of four independent tracks of CD-quality stereo audio.



Contact: Data Translation, Marlborough, MA, (508) 460-1600.

Circle 1061 on Inquiry Card.

A NOTEBOOK FOR GRAPHICS

With a 9½-inch active-matrix color screen, the 486DX2-66 Smartbook ($4631) is designed for CAD and graphic artists. When the unit is connected to an external monitor, you can increase the resolution to 1024 by 768 pixels. From Commax Technologies (San Jose, CA), the 6.2-pound notebook has a built-in trackball and a front-loading 3½-inch floppy drive.

Phone: (408) 435-5000.

Circle 1138 on Inquiry Card.

HEAVY-DUTY BUT QUIET

The Genicom (Chantilly, VA) Model 3940IP heavy-duty dot-matrix printer ($3995) has two co-resident paper paths. You can load two different forms or identical forms, and the printer will automatically switch to the second box of paper when the first runs out. Features in the 55-dB, 600-cps printer include a font-selection command, an automatic head-gap feature that senses the thickness of forms and automatically adjusts for optimum print quality, and head-gap memory that lets you program the printer to recall the format for specific forms.

Phone: (800) 443-6426 or (703) 802-9200.

Circle 1273 on Inquiry Card.

CD MAKER

You can create ISO9660–compliant CDs with the RCD-202 PC ($4195), a recordable CD mastering system with a premastering feature for Windows, from Pinnacle Micro (Irvine, CA). The discs (blank, $39 each) can be read on a standard CD-ROM drive on any platform. You can create audio, audio and CD-ROM, CD-XA, CD-I, and multisession discs (Kodak Photo CD and Pinnacle Micro standards), which enable you to write and read data in more than one recording session. You can also use the RCD-202 PC as a backup device.

Phone: (800) 553-7070 or (714) 727-3300.

Circle 1136 on Inquiry Card.



What's New Hardware

CAPTURE AND COMPRESS IMAGES

XingIt ($795) is a real-time 30-frame-per-second MPEG video-encoder board for 386, 486, and Pentium PCs. Jointly developed by Xing Technology (Arroyo Grande, CA) and Philips Semiconductors, XingIt provides real-time capture, filtering, and compression of NTSC, PAL, and SECAM video signals. Used with Microsoft Video for Windows, it also provides MPEG



software playback in a 320- by 240-pixel window synchronized with WAV or MPEG audio without special display hardware.

Phone: (800) 294-6448 or (805) 473-0145.

Circle 1271 on Inquiry Card.

EASY SCANNING

An entry-level scanner, the ActionScanning System ($999) from Epson America (Torrance, CA) is built around the company's ES-600C, a single-pass, 24-bit color scanner. It comes with Photoshop 2.5 LE image-editing software, a Scantastic PS plug-in module, and a SCSI cable.

Phone: (800) 289-3776 or (310) 782-0770.

Circle 1143 on Inquiry Card.

CAD PLOTTER

From Pacific Data Products (San Diego, CA), the ProTracer II personal CAD plotter ($1599) is specifically designed for working in AutoCAD. The plotter produces *C*-size plots at 360-dpi resolution or office documents on standard office paper and provides resident Epson LQ-1050 and IBM ProPrinter XL24E emulation. The plotter is also upgradable.

Phone: (619) 552-0880.

Circle 1279 on Inquiry Card.

MAGNETO-OPTICAL DRIVE

LaserSafe Plus ($4995), a read/write removable magneto-optical drive for Macs and PCs, holds ISO-standard 1.3-GB disks and is backward compatible with 1-GB and 650-MB disks. From Iomega (Roy, UT), the drive has a sustained read capability of 2.2 MBps, a sustained write capability of 1.1 MBps, and an average seek time of 19 ms, the company says. Its read/write cache is 4 MB.

Phone: (801) 778-1000.

Circle 1276 on Inquiry Card.



PORTABLE UNIX

Based on the IBM RS/6000 Powerstation 220 workstation, the Powerportable (from $13,495) offers Model 220 functionality, letting you download software from any RS/6000 machine, work with it, and then upload it. The Powerportable runs AIX 3.2 for the RS/6000 and includes 8 KB of I/O cache, a 32-bit Micro Channel adapter slot, and system I/O control logic. Other features include an active-matrix color LCD, a 457-MB or 1.2-GB removable hard drive, 16 MB of RAM, and Ethernet and SCSI connectors.

Contact: Acer America, San Jose, CA, (800) 366-3355 or (408) 432-6200.

Circle 1062 on Inquiry Card.



SIMULTANEOUS SOUNDS

From Orchid Technology (Fremont, CA), the SoundWave 32 advanced wavetable/DSP sound card ($299) provides simultaneous multimedia compatibility and support for the leading sound standards, letting you switch among standards, access multiple standards simultaneously, and update to new ones without additional hardware. The 16-bit card has more than 8 MB of sound samples; built-in CD-ROM interfaces for Sony and Mitsumi drives; and interfaces for stereo speaker output, microphone input, line output to connect to a home stereo, and line input for external audio devices. Speakers and a microphone are included.

Phone: (510) 683-0300.

Circle 1145 on Inquiry Card.

RISC BOX RUNS WINDOWS NT

A Mips R4400–based RISC PC for Windows NT, the limited-edition rPC 44LE ($4495) from DeskStation Technology (Lenexa, KS) joins the company's Evolution Series of computers. The minitower is built around a 50-MHz processor that operates internally at 100 MHz. The rPC 44LE includes 16 MB of RAM (expandable to 64 MB), 512 KB of secondary cache memory, a SCSI-2 subsystem with a 240-MB hard drive and a Sony CD-ROM drive, an S3-based video card, and Windows NT installed.

Phone: (800) 793-3375 or (913) 599-1900.

Circle 1275 on Inquiry Card.

ANALOG FILM RECORDER ▲

Datagraf's (Wheeling, IL) Screen Image Recorder produces high-quality photographic images from your computer or workstation screen without software drivers. The SIR-115 ($6000), for the Mac, and the SIR-121 ($6500), for coexisting PCs and Unix workstations, are fully compatible with all software programs, according to Datagraf. The passive hardware interface completes a 35mm image in less than 15 seconds. You can also attach the image recorder to any computer-based microscope system for direct imaging of the system's monitor.

Phone: (800) 538-9231 or (708) 520-1223.

Circle 1140 on Inquiry Card.

A LAN FOR ONE

Designed for those who work with more than one PC, One-Man-LAN (from $199) from PC InterConnect (Provo, UT) lets you access files on one or more secondary PCs as if the files were located within your primary system. You can convert any of your machines into a secondary or server PC and then return it to primary status. The two half-height ISA cards and software are compatible with Windows, NetWare, LANtastic, and Windows for Workgroups, as well as sector-level disk utilities and CD-ROMs. One-Man-LAN supports data transfer rates of up to 680 KBps.



Phone: (801) 374-8880.

Circle 1066 on Inquiry Card.

Hardware

LONG DISTANCE FOR A SHORT-RANGE MODEM ▼

A short-range modem that can operate at distances of up to 14 miles over unshielded twisted-pair cable, the Model 1226 ($165) can communicate with a serial device or another parallel



device. From Patton Electronics (Gaithersburg, MD), the modem sends data at a rate of 57.6 Kbps. With optical isolation and surge protection, the bidirectional Model 1226 can withstand ground loops and transient surges.

Phone: (301) 975-1000.

Circle 1274 on Inquiry Card.

MULTIMEDIA MONITOR

A 15-inch color monitor with built-in stereo speakers, the FM-1561A ($799) accepts VGA, Super VGA, and noninterlaced video-input signals at a maximum resolution of 1280 by 1024 pixels. From Proton (Cerritos, CA), the monitor has a flat, antistatic, low-emission screen with an adjustable antiglare visor and a removable glass VDT filter.

Phone: (310) 404-2222.

Circle 1277 on Inquiry Card.

PRINTING IN KANJI

The Kanji JetWriter SX-600 ($4995) is compatible with PCs, Macs, and Unix-based computers. The 600-dpi, 8-ppm printer includes expandable mincho and gothic kanji fonts and 35 standard English PostScript fonts. RISC-based, the printer has 8 MB of RAM (expandable to 16 MB), a 40-MB SCSI hard disk, dual page processing, HP PCL compatibility, and advanced memory management. The I/O Software (Rancho Cucamonga, CA) printer can print at 101 levels of gray scales.

Phone: (909) 483-5706.

Circle 1278 on Inquiry Card.

CELLULAR LINK FOR MODEMS AND FAXES



The I.D.E.A. (Intelligent Data Equipment Adapter) lets you connect your modem or fax machine to a portable cellular phone. Powered by a standard 9-V battery, the I.D.E.A. (from $249.95) gives your cellular phone the characteristics of a standard phone line. The microprocessor-controlled system generates a dial tone, controls the functions of the phone, and provides a standard RJ-11 interface. The system, which is compatible with PCs, Macs, and palmtops, does not require additional software.

Contact: Ora Electronics, Chatsworth, CA, (818) 772-2700.

Circle 1063 on Inquiry Card.

MULTIDEVICE DIGITIZER TABLET

The Mac-compatible 12- by 12-inch UD-1212 multidevice digitizer tablet ($695) tracks a stylus and a four-button cursor simultaneously. You can grab objects on the screen with both pointers



and manipulate them faster and more naturally than previously possible. The Wacom Technology (Vancouver, WA) device has a customizing menu strip with two pressure buttons that let you set the pressure-sensitive UltraPen for a firm or soft touch. Twelve function/macro buttons and configure-setup/save and mode-selection buttons are also on the strip. The UltraPen offers 120 pressure levels and has a side switch that you set for specific functions.

Phone: (800) 922-6613 or (206) 750-8882.

Circle 1139 on Inquiry Card.

TURN YOUR PC GREEN

It looks like a power strip, but the PC Ener-g Saver ($69.95) can sense when your PC is no longer in use and automatically switches it into a power-saving standby mode. You connect your CPU, monitor, keyboard, and printer to the device from PC Green Technologies (La Palma, CA), which works in concert with TSR software under DOS and as a WIN.INI file in Windows. The software also audits energy costs, letting you calculate savings and the payback period. An on-screen configuration panel allows you to independently control monitor and printer power.

Phone: (800) 984-7336 or (714) 228-2230.

Circle 1144 on Inquiry Card.

TWO GRAPHICS CARDS FOR THE VL-BUS

ATI Technologies' (Toronto, Ontario, Canada) first retail VESA Local Bus card uses the company's mach32 graphics controller. The Graphics Ultra Pro VLB ($499) has 2 MB of VRAM and displays at resolutions of up to 1280 by 1024 pixels at 74 Hz. At 800- by 600-pixel resolution, the card displays 24-bit color.

Phone: (416) 882-2600.

Circle 1141 on Inquiry Card.

Cardinal Technologies' (Lancaster, PA) VideoSpectrumVL ($199) uses a Cirrus 5428 accelerator chip and has 1 MB of DRAM. The card displays at resolutions of up to 1280 by 1024 pixels in 16 colors. At 640- by 480-pixel resolution, the card displays 24-bit color.

Phone: (717) 293-3000.

Circle 1142 on Inquiry Card.

2 GB TO GO


The Mac-compatible IncreMeg removable hard drive cartridge ($4586) now has a capacity of 2 GB. From MountainGate Data Systems (Reno, NV), the 3½-inch full-height cartridge can be used by itself or with the IncreMeg 6000, for a capacity of up to 12 GB. The cartridge has patented shock protection, spin-up/spin-down electronics, drive-status indicators, and a SCSI-2 connector.

Phone: (800) 556-0222 or (714) 998-6900.

Circle 1272 on Inquiry Card.



What's New Software



CREATE, INTEGRATE, COMMUNICATE ▲

Claris (Santa Clara, CA) calls it business-graphics-processing software. ClarisImpact 1.0 for Macintosh ($399) puts in a single application the means of creating, editing, and presenting integrated text and graphics in reports or slides. Features encompass automatic graphics models for organizational charts and flowcharts, time lines, and network diagrams; "intelligent" editing; integrated word processing and presentations; and seamless cross-platform capabilities.

Phone: (408) 987-7000.

Circle 1285 on Inquiry Card.

WINDOWS CLIENT FOR OPTIX

Optix PC View ($995 per user) from Blueridge Technologies (Flint Hill, VA) allows PCs running Windows to view document-image and text databases on multiuser Optix networks. With Optix PC View, users of Windows-based PCs can query, retrieve, view, and print images from the Unix-based SQL Optix Network Server and Natural Language Search text-search engine. The Optix client software lets Windows PCs call up files that take on the same screen appearance as they would on Mac clients.

Phone: (703) 675-3015.

Circle 1286 on Inquiry Card.

READ THE NEWS ON YOUR MAC

MacWire ($995) lets you use your Mac to receive, filter, and display news in real time. From Mainstream Data (Salt Lake City, UT), MacWire works in background mode and thus does not need a dedicated computer. The software is fully compatible with wire services such as AP, Knight-Ridder/Tribune, UPI, Reuters, Business Wire, and Agence France Presse. It can also receive FM and satellite transmissions.

Phone: (801) 584-2800.

Circle 1284 on Inquiry Card.

CREATE 3-D AND MOTION SEQUENCES

Visual Reality ($595) from Visual Software (Woodland Hills, CA) lets you create photo-realistic 3-D images and motion sequences in Windows. Built around the company's Renderize for Windows, Visual Reality has three other modules. The 3-D modeling module includes functions such as splines, cut, extrusion, and surface of revolution as well as basic building blocks of spheres, polygons, and cubes. The Renderize Live camera-animation module produces walkthroughs and fly-bys, and the image-composition module lets you create and manipulate multiple layers and work on high-resolution images in 2-D.

Phone: (818) 883-7900.

Circle 1287 on Inquiry Card.

SIMPLY COMMUNICATE


SITcomm (Simply Intuitive Telecommunications, $120) is a communications program that lets Mac users connect to commercial on-line services, BBSes, and the Internet. With a toolbar user interface, the Aladdin Systems (Watsonville, CA) software provides quick access to its main features. You can set up SITcomm so that it automatically logs on to communications services through an address book that contains your settings for each service you use. The program has automatic expansion and compression, foreign-file translation, and scripting.

Phone: (408) 761-6200.

Circle 1288 on Inquiry Card.

IMAGE MANAGER

Xing Technology's (Arroyo Grande, CA) Picture Prowler image management software utility ($49.95) compresses imported images in real time. The software imports BMP, TIF, TGA, GIF, PCX, WMF, and WPG files and converts them to ISO-standard JPEG format. Interactive thumbnail scrolling lets you quickly make a visual search of the cataloged images, retrieve them, and decompress them for viewing.



Phone: (805) 473-0145.


Circle 1289 on Inquiry Card.

32-BIT PC X SERVER

With Exceed/NT ($645) from Hummingbird Communications (Markham, Ontario, Canada), you can work in Windows NT to connect to and display applications from X Window System–based systems. The seamless integration allows you to concurrently execute X clients and DOS, Windows, and Windows NT applications. Two windowing modes are available, and you can switch modes on the fly.

Phone: (416) 470-1203.

Circle 1290 on Inquiry Card.



A MANY-FACETED SCHEDULER


Project Scheduler 6 for Windows ($695) provides easy-to-use tools for planning, tracking, analysis, and reporting for multiple projects. Incorporating the ARTS (Advanced Resource Tracking Spreadsheet) technology, Project Scheduler lets you compare your baseline estimates of cost, work force, and time with the actual data you've entered to date and the remaining work to be done on an hourly, daily, weekly, or monthly basis.

The software supports matrix management with work, organizational, and resource breakdown structures that you can sort, filter, and cross-reference. Analysis and scenario modeling capabilities have an unlimited undo/redo option, and ODBC support lets you create a centralized project repository on the server. With the Object Oriented Report Writer, you can create custom reports of project data, such as time distribution and selective summaries, at any level of a breakdown structure.

Contact: Scitor, Foster City, CA, (415) 570-7700.

Circle 1280 on Inquiry Card.

MAC IMAGE BUILDER



The object-oriented, high-resolution image-composition program Specular Collage ($395) works with graphics packages such as Adobe Photoshop and QuarkXPress to speed up and add flexibility to creating complex imagery. Collage defines each image element as an object that's separate from other image elements, letting you make corrections or adjustments to individual elements without having to re-create the entire composition. Features include import and export of PICT and TIFF files, a desktop page-layout interface, live alpha channels, numerical input, feathering, automatic shadows, and manipulation of high-resolution images as proxies.

Contact: Specular International, Amherst, MA, (413) 253-3100.

Circle 1281 on Inquiry Card.

PUT THE WORLD AT YOUR FINGERTIPS ▼

The comprehensive Broderbund (Novato, CA) PC Globe Maps 'n' Facts (about $30) is a world atlas and almanac that combines detailed geographical, political, and statistical information. The object-oriented program lets you print maps in black and white or color; export maps, charts, and text to reports; check the real-time world time-zone map; zoom in from the world to a region; calculate the distance from one point to another; and convert the value of one country's currency to that of another. For IBM-compatible PCs.

Phone: (415) 382-4400.

Circle 1292 on Inquiry Card.



ELECTRONIC MERCK MANUAL

The Merck Manual TextStack (from $220) puts *The Merck Manual*, the world's most widely used medical reference, on Macintoshes and PCs with Windows. The software from Keyboard Publishing (Blue Bell, PA) features the complete text of the sixteenth edition, including its more than 600 figures, tables, and diagrams. Search functions let you immediately access information and provide options for manipulating the data.

The Mac Clippings and Windows Copy-and-Paste features allow you to mark sections of text and copy them to a word processing program. Transcriber lets you highlight text sections and assemble them into a transcript that you can play back or edit.

Phone: (800) 945-4551 or (215) 832-0945.

Circle 1291 on Inquiry Card.

NETWORK PRINTING FOR WORKSTATIONS

Seiko Instruments USA (San Jose, CA) has released a network-printing software application for Unix and VMS workstations. CHCopy (from $999) runs on Motif and Open Look windows systems. It provides a consistent way to capture, preview, and correct screen images and graphics files and then print them to any of the company's color printers.

Phone: (408) 922-5800.

Circle 1301 on Inquiry Card.

REPORT WRITER/QUERY TOOL FOR UNIX

IQ Software's (Norcross, GA) Unix GUI version of Intelligent Query, IQ for Motif ($750 per workstation) combines the functionality of Intelligent Query with special features of Motif, such as batch processing, resizable dialog boxes, and hypertext help. Initially available on Data General's Aviion, DEC's Ultrix, Hewlett-Packard's workstations, IBM's RS/6000, SCO's Open Desktop, and Sun's workstations, IQ for Motif supports access to relational databases such as Informix, Oracle, Sybase, and Rdb as well as 3GL file systems such as COBOL and BASIC.

Phone: (404) 446-8880.


Circle 1295 on Inquiry Card.

Software Update

Network Archivist 3.0, Palindrome (Naperville, IL), adds optical, DLT, and expanded robotic support, a configurable server-migration threshold, a choice of automated tape-rotation models, and enhanced rotation configuration. $1695.

Phone: (708) 505-3300.

Circle 1305 on Inquiry Card.



SureMaps 2.0, Horizons Technology (San Diego, CA), adds Windows and multiple map capability, a library of 22 optional map sets, the capability to import spreadsheet and database files containing latitude/longitude coordinates or street addresses, and the ability to draw lines, rectangles, circles, and polygons to annotate map areas. $199; optional map sets, $99.

Phone: (619) 292-8331.

Circle 1307 on Inquiry Card.

DeskTracy 2.0, KansasBay Systems (Oakland, CA), adds control access, a charge meter, Ethernet and multiple-zone tracking, and an administration module. $149.

Phone: (510) 339-7300.


Circle 1309 on Inquiry Card.

Here & There 1.1, Fifth Generation Systems (Baton Rouge, LA), adds Windows functionality and an international phone book. $149.

Phone: (504) 291-7221.

Circle 1315 on Inquiry Card.

PC-Write 4.1, Quicksoft (Seattle, WA), adds graphics, envelope printing, a customizable status line, a stress indicator, Windows Clipboard support, and more. $69.



Phone: (206) 282-0452.

Circle 1306 on Inquiry Card.

What's New Software

CREATE CIRCUIT DESIGNS


A schematic capture and digital-simulation program from MicroCode Engineering (Orem, UT), CircuitMaker ($199) lets you easily draw, modify, and combine circuit diagrams by employing your mouse to select devices from the device library. Advanced editing capabilities include rubber-band moving of wires and devices; cut, copy, and paste; and 90-degree rotation. The simulation feature allows you to test a circuit before you build it, and the trace option lets you simultaneously view the states of all nodes as the simulation runs. The macro devices feature lets you create your own functional devices, and you can export and print the circuit and waveforms.

Phone: (801) 226-4470.

Circle 1304 on Inquiry Card.

NETWORK SECURITY ▼

The Network Security Organizer ($250 for a five-user license) from Leprechaun Software (Marietta, GA) is a network management tool that gives system administrators centralized control over workstation-based security and any antivirus system that is installed. Additionally, the program analyzes network vulnerability to viruses and provides




centralized asset management for workstation hardware and software as well as centralized reporting of virus hits across the network.

Phone: (404) 971-8900.

Circle 1296 on Inquiry Card.

ENTERPRISE-WIDE SCHEDULING IN WINDOWS



The Windows client release of Synchronize ($100 per user), a scheduling and task management application, communicates directly across TCP/IP for worldwide access. The client/server design supports multiple time zones, letting you assign databases across geographic divisions of your enterprise-wide network. You can schedule meetings and resources, distribute agendas and memos, assign and track tasks, and send out reminders. You have access to daily, weekly, and monthly private and group calendar views, pop-up notes, and automatically updated to-do lists. The software supports PostScript printing and can run on palmtops.

Contact: CrossWind Technologies, Felton, CA, (408) 335-4988.

Circle 1282 on Inquiry Card.

The NoveII Interface Module (from $49.95), PC Guardian's (San Rafael, CA) newest Data Security Plus module, allows a NetWare system administrator to manage from a remote location all access-control functions for a network and for workstations on the network. The module continually synchronizes your name and password on the workstation with your name and password on the network; thus, after gaining access to your workstation, you can log in to the network at any time without having to reenter your name and password.

Phone: (800) 288-8126 or (415) 459-0190.

Circle 1297 on Inquiry Card.

TWO-WAY CONNECTION

ReachOut Total Remote ($249) from Ocean Isle Software (Vero Beach, FL) provides remote control and remote access across dissimilar networks. You can use the control and access capabilities at the same time or separately and dynamically switch between them. Features include the capability to prepare a document on a laptop, dial into the office network, and then fax the document using the office fax software. You can use the Total Remote file manager to transfer files between two PCs, synchronize files on both machines, or use the DOS copy command, the DOS shell, the Windows File Manager, or other file manager.

Phone: (407) 770-4777.

Circle 1294 on Inquiry Card.

Software Update

Paragon 4.0, BusLogic (Santa Clara, CA), adds enhanced drive reconstruction performance, remote diagnostics, and nonstop server access. $995.

Phone: (408) 492-9090.

Circle 1311 on Inquiry Card.

The Far Side Daily Planner and Calendar Publisher 3.0, Delrina (San Jose, CA), adds an address book, searching, sorting, file importing and exporting, printing, and integration with Delrina WinFax Pro. $59.95.

Phone: (408) 363-2345.

Circle 1312 on Inquiry Card.

Protab 5.0, DMC Design (San Jose, CA), adds a parametric fastener library, automatic border insertion and scaling, automatic associative ordinate dimensioning, improved orthographic-to-isometric conversion, batch plotting, and AutoCAD integration with XTreeGold. $299.

Phone: (408) 238-9190.

Circle 1310 on Inquiry Card.

RoboHelp 2.0, Blue Sky Software (La Jolla, CA), adds the ability to use a single text source for the help system and printed documentation, an error wizard, enhanced hypertext linking, new graphics capabilities, the ability to import existing help-project source files, and simulation mode. $495.



Phone: (619) 459-6365.

Circle 1308 on Inquiry Card.

By Design for WordPerfect 6.0, Streetwise Software (Santa Monica, CA), adds a multifunction address book; the Smart Docs Design System; improved and new design tools, fonts, and clip art; and Quick Doc. $99.

Phone: (310) 829-7827.

Circle 1313 on Inquiry Card.

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



Fill out this coupon carefully. ***Please Print.***

Name

Title

Company

Address

City State Zip

Phone Fax

A. What is your primary job function/principal area of responsibility? (Check one)
1 ❑ MIS/DIP
2 ❑ Programmer/Systems Analyst
3 ❑ Adminstration/Management
4 ❑ Sales/Marketing
5 ■ Engineer/Scientist
6 ■ Other

B. What is your level of management responsibility?
7 ❑ Senior-level 9 ❑ Professional
8 ❑ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?
10 ❑ Yes 11 ■ No

D. What operating systems are you currently using? (Check all that apply)
12 ❑ PC/MS-DOS 15 ■ Unix
13 ■ DOS + Windows 16 ❑ MacOS
14 ■ OS/2 17 ❑ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?
18 ❑ 1-25 20 ❑ 51-99
19 ❑ 26-50 21 ❑ 100 or more

November 1993 91 96 98

Card Valid until January 31, 1994

Inquiry Numbers 52–238

52	53	54	55	56	57	56	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	156	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	162	163	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238

Inquiry Numbers 239–425

239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	263	264	265	266	267	268	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	380	381	362	363	364	385	368	367	368	389	370	371	372	373	374
375	376	377	376	379	380	381	362	363	364	385	368	367	388	389	390	391
392	393	394	395	398	397	398	399	400	401	402	403	404	405	408	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425

Inquiry Numbers 426–612

426	427	426	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	446	449	450	451	452	453	454	455	458	457	458	459
460	461	462	463	464	465	466	467	466	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	536	536	537	538	539	540	541	542	543	544
545	546	547	546	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	565	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612

Inquiry Numbers 613–799

613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	591	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	756	759	760	781	782	783	764	765
766	767	788	789	770	771	772	773	774	775	776	777	776	779	760	781	782
783	764	765	766	787	788	769	790	791	792	793	794	795	798	797	798	799

Inquiry Numbers 800–986

800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	864	855	856	857	856	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	936	939	940	941	942	943	944	945	946	947	946	949	950	951	952
953	954	955	956	957	958	959	960	961	982	963	964	965	966	957	968	969
970	971	972	973	974	975	976	977	976	979	980	981	982	983	964	985	986

Inquiry Numbers 987–1151

987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	
1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	
1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	
1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	
1047	1048	1049	1050	1051	1052	1053	1054	1055	1058	1057	1058	1059	1060	1061	
1062	1063	1064	1065	1066	1067	1058	1069	1070	1071	1072	1073	1074	1075	1076	
1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	
1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	
1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	
1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	
1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	

Inquiry Numbers 1152–1316

1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166
1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181
1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211
1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226
1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256
1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271
1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286
1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301
1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316

Inquiry Numbers 1317–1481

1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331
1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346
1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361
1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376
1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391
1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406
1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421
1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436
1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451
1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466
1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481

Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware
Accessories/Supplies 1
Add-in Boards 2
Bar Coding 3
Communications/Networking 4
Computer Systems 5
Data Acquisition 6
Disks & Optical Drives 7
Diskettes/Duplicators 8
Fax Boards/Machines 9
Graphics Tablets/Mice/Pen Input 10
Keyboards 11
LAN Hardware 12
Laptops & Notebooks 13
Mail Order 14
Memory/Chips/Upgrades 15
Miscellaneous Hardware 16
Modems/Multiplexors 17
Monitors & Terminals 18
Multimedia 19
Printers/Plotters 20
Programmable Hardware 21
Scanners/OCR/Digitizers 22
Tape Drives 23
UPS 24

Software
Business 25
CAD/CAM 26
Communications/Networking 27
Data Acquisition 28
Database 29
Educational 30
Engineering/Scientific 31
Entertainment 32
Graphics 33
Macintosh 34
Mail Order 35
Mathematical/Statistical 36
Miscellaneous Software 37
On-Line Services 38
Operating Systems 39
Programming Languages/Tools 40
Security 41
Shareware 42
Software Duplication 43
Spreadsheets 44
Unix 45
Utilities 46
Windows 47
Word Processing 48

General
Books/Publications 49
Recruitment 50
Miscellaneous 51

BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



BYTE

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE

BYTE

READER SERVICE
P.O. BOX 5110
Pittsfield, MA 01203-9460
USA

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BYTE

AUTHORITATIVE*

*you can take advantage of the knowledge and insights from the world's leading computer hardware and software experts . . .

YES! I want BYTE for:

- ☐ 1 year for $24.95 (12 issues plus Bonus Supplement)
- ☐ 2 years for $44.95 (24 issues plus 2 Bonus Supplements)
- ☐ Payment enclosed ☐ Bill me

SAVE UP TO 36% off the newsstand cost!

BYTE

Plus- Get the BYTE Annual Special Supplement FREE!

with BYTE, you maximize the productivity of the products you already have, and . . .

☐ Charge my: ☐ Visa ☐ MasterCard ☐ American Express

CARD# _____ EXP. DATE _____

SIGNATURE _____

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY/STATE/ZIP _____

Your satisfaction is GUARANTEED! If you are dissatisfied, cancel anytime for a refund on all unmailed issues.

* Plus applicable state and local tax, if any. Single copy $3.50. Basic annual subscription rate, including special supplement, is $29.95. Mexican subscribers: One year rate US$29.95, two year rate US$56.95. Your subscription will start in 6-8 weeks. Above rates are for US delivery only. Please see table of contents for international subscription rates.

IB3N11Ø

YES! I want BYTE for:

- ☐ 1 year for $24.95 (12 issues plus Bonus Supplement)
- ☐ 2 years for $44.95 (24 issues plus 2 Bonus Supplements)
- ☐ Payment enclosed ☐ Bill me

SAVE UP TO 36% off the newsstand cost!

BYTE

Plus- Get the BYTE Annual Special Supplement FREE!

get the information you need to make smart decisions for the future.

☐ Charge my: ☐ Visa ☐ MasterCard ☐ American Express

CARD# _____ EXP. DATE _____

SIGNATURE _____

NAME _____ TITLE _____

COMPANY _____

ADDRESS _____

CITY/STATE/ZIP _____

Your satisfaction is GUARANTEED! If you are dissatisfied, cancel anytime for a refund on all unmailed issues.

* Plus applicable state and local tax, if any. Single copy $3.50. Basic annual subscription rate, including special supplement, is $29.95. Mexican subscribers: One year rate US$29.95, two year rate US$56.95. Your subscription will start in 6-8 weeks. Above rates are for US delivery only. Please see table of contents for international subscription rates.

IB3N11Ø

BYTE IS COMPREHENSIVE*

* you get in-depth coverage of the systems, products, and trends of today – and what you can expect from the products of tomorrow.

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:


BYTE
Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE:

BYTE
Subscription Department
P.O. Box 558
Hightstown, N.J. 08520-9409



Up to Date Down to Earth



UNIX is changing the world of computers, the world of business–quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

That's why you need *UnixWorld*–the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

UnixWorld's in-depth features go beyond dry technical facts to show how the pieces fit together–to tell you what's important about the advances and strategies that are changing your world. And *UnixWorld* consistently offers the freshest, most down-to-earth writing that you'll find in any computer publication.

Subscribe today and receive the next 12 issues of *UnixWorld* for just $18.00–half the regular newsstand price. Save even more by ordering for two or three years. You can't lose–every subscription to *UnixWorld* comes with a no-risk guarantee*.

Subscribe now! Call toll-free: 1-800-257-9402 ext. 29

If you're into UNIX, you need *UnixWorld*


UNIXWORLD
McGraw-Hill's Magazine of Open Systems Computing

* *UnixWorld's* no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.

UNIX is a registered trademark of UNIX System Laboratories Inc.

What's New Software

A Link for Pen-Based Systems



Communications software for pen computers, Mobile Access–Personal ($195) lets pen-based devices that use AT&T Hobbit or Intel 80x86 processors access on-line information and send and receive documents over cellular, two-way radio, and land-based phone lines. Connectivity is via such transfer protocols as Text/ASCII, XMODEM, YMODEM, and ZMODEM, and Kermit. You can capture and reuse text to create commands and use the snippets list for instant access to terminal commands you use frequently.

Contact: Notable Technologies, Foster City, CA, (510) 208-4400.

Circle 1283 on Inquiry Card.

AD HOC WORK-FLOW MANAGEMENT


Developed as an application for Knowledge Integration Center's (Dublin, OH) cross-platform work-flow manager KI Shell, Track-It ($400) can also be used as a stand-alone program. Track-It lets you plan, assign, and track daily ad hoc work on a project, giving you the capability to route forms and folders, access word processors and E-mail systems, and assign work to specified individuals or to a pool of individuals. You can also indicate the authorized level of effort expected of project members and specify reporting milestones.

Phone: (614) 792-9993.

Circle 1300 on Inquiry Card.

IMAGING FOR RESEARCH ▶

Image-processing software for scientific applications, Image-Pro Plus for Windows ($1999) is built on the multiplatform developer's toolkit HAIL (Halo Advanced Imaging Library). The Media Cybernetics (Silver Spring, MD) software allows you to capture and process images; make manual and automatic measurements and classifications; define areas of interest; extract individual color channels, process them, and merge them back into the original image; analyze histograms and line profiles; and perform JPEG compression. The software supports TWAIN scanners, is OLE 1-compliant, provides network access, and has a record/playback capability to automate repetitive tasks.



Phone: (301) 495-3305.

Circle 1293 on Inquiry Card.

OPEN DATABASE CONNECTIVITY LINK

An ODBC-compliant database utility for Windows, dbLink (from $199) from AT Software (Westlake Village, CA) lets you access and link data from any application that ODBC drivers have been developed for, such as dBase, Oracle, Paradox, SQL Server, SQL for NetWare, and SQLBase, to Windows applications that support DDE. Setup is automatic; dbLink operates independently of database format.

Phone: (805) 373-0051.

Circle 1302 on Inquiry Card.

E-MAIL LINK

Cyberdesk ($395) from CyberCorp (Kennesaw, GA) lets you connect to and manage multiple E-mail and public information systems. Compatible with CompuServe, MCI Mail, The Well, and cc:Mail, Cyberdesk's special agents log on to each system and retrieve public and private messages and on-line files. The program lets you set up a scheduling routine for it to follow while you work on other projects, and it lets you converse with colleagues who use different E-mail systems. A single address book applies to all systems.

Phone: (404) 424-6240.

Circle 1303 on Inquiry Card.

MULTIDIMENSIONAL ANALYSIS

A spreadsheet that uses multidimensional analysis, Corporate Vision, The Super Spreadsheet ($690) provides direct access to your database and lets you build graphs and spreadsheets that automatically view relationships among all fields in a database. From IntelligenceWare (Los Angeles, CA), Corporate Vision supports hypergraphs, customizable dialog boxes, and hypertext. Windows-compatible Corporate Vision's open architecture lets you access data from databases such as dBase, Paradox, Oracle, Sybase, and SQL Server.

Phone: (310) 216-6177.

Circle 1299 on Inquiry Card.

Software Update



Drawing Librarian for Windows, SoftSource (Bellingham, WA), now can add AutoCAD drawings to any Windows program. $99.

Phone: (206) 676-0999.

Circle 1314 on Inquiry Card.

TapeWare LAN/386 4.2, Emeritus Technologies (Fresno, CA), adds a built-in tape-rotation manager with nine rotation schemes, NetWare 4.x Directory Service support, Btrieve 6.0 open-file-database support, capability to read ARCserve and ARCsolo tapes, and faster backup and restore speeds. From $299.

Phone: (209) 292-8888.

Circle 1316 on Inquiry Card.

WordPerfect 3.0 for Macintosh, WordPerfect Corp. (Orem, UT), adds feature compatibility with new versions of WordPerfect on other platforms and support for Apple's latest technologies, such as AOCE. It also integrates Grammatik 5. $495.

Phone: (801) 225-5000.

Circle 1317 on Inquiry Card.

PaperLess Filer 2.3, PaperLess Corp. (Richardson, TX), adds the ability to manage non-image data and applications software from within its application framework, new media management functions, and enhanced batch capabilities. The network version adds multilevel security. $495.

Phone: (214) 235-4008.

Circle 1319 on Inquiry Card.

BrainMaker 3.0 for Windows or DOS, California Scientific Software (Nevada City, CA), adds tighter control over training, integration with other software, and full integration with Windows. $195.

Phone: (916) 478-9040.


Circle 1318 on Inquiry Card.

Your software programs were barely speaking. Then something clicked.



If you're tired of playing matchmaker to software applications (even ones from the same vendor), you'll be pleased to hear this. There is a product that does it for you, now. Prodea Synergy™ makes the programs you already have, and what you've built with them, work together. A few points and clicks, and applications will exchange just about everything but valentines.

Mr. R. Lee Allen of Schering-Plough, a company already using Prodea Synergy, put it less romantically although no less enthusiastically. "It's not like anything out there before. It's more than OLE or DDE. It transcends both languages and APIs."




Drag and drop the icons, connect them with arrows. Data flows automatically.

You should also know that what you build is easy to pass on to others, without worrying about hot links, paste links or file location. Prodea Synergy runs under Windows™, costs $495 and has a 30-day guarantee. For a limited time you also get a $200 introductory cash rebate. Call us at 1-800-PRODEA-1. Your software programs will never look at one another the same way again.

PRODEA *Synergy*™

© 1993 Prodea. All products and brand names are trademarks or registered trademarks of their respective owners.

Quatech, your communication source for RS-232, 422 and 485 adapters.



Quatech manufactures a complete line of communication adapters for PC/XT/AT®, Micro Channel® and compatible buses to meet asynchronous and synchronous, serial and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE488.

Software support for SCO Unix®, Windows®, Xenix®, OS/2® and DOS.

Data Acquisition and Industrial I/O products manufactured by Quatech are also available. Call for a free Data Acquisition and Communication Handbook today.

Communication adapters featuring: selectable/shareable interrupts, 16550 availability (baud rates up to 256K on standard asynchronous adapters) and address configurable as any COM port. Multiport adapters feature 2, 4, and 8 ports with independent serial interfaces. Most adapters provide AT interrupts (IRQ 2-7, 10-12, 14, 15).

Technical support for our products are available free of charge.

800-553-1170

FAX: 216-434-1409


BBS: 216-434-2481

QUATECH

662 Wolf Ledges Parkway, Akron, Ohio 44311 U.S.A. (216) 434-3154. International: Australia/Interworld Electronics 03-563-5011, Canada (Western)/Interworld VCR 604-984-4171 (Toronto office 416-513-7027), England/Diamond Point International 634-722-390, Finland/Lab Hitech OY 358-0-804-2522, France/Elexo 33-1-69302880, Germany/Jupiter Electronic Systems 06181/75041, Israel/RCM Ltd. 972-03-5447885, Italy/N.C.S. Computer Italia 0331/770-016, Netherlands/ACAL Auriema 040-502602, Korea/Sam Boo Enterprise Co. 82-2-538-4001, Spain SANTA Barbara SA 343-4188116, Singapore Bliss Services Pte Ltd (65) 338-1300, South Africa Eagle Electronics 27 21 234943, Switzerland Amiro Tech. Engin. 37-2311-18. IBM PC-XT/AT, OS/2 and Micro Channel are registered trademarks of IBM Corp. All other trademarks are of their respective companies.

Made in U.S.A.

Circle 126 on Inquiry Card.



BUY IT THROUGH BYTE

Mail Order

The latest offerings from vendors supplying products of all leading manufacturers at extremely competitive prices.

356

Hardware/Software Showcase

This *categorized* four-color display section makes it easy to find Hardware and Software products from a wide variety of manufacturers and suppliers.

382

Buyer's Mart

From Accessories to Laptops to Word Processors, you can easily find the dealers you are looking for in this directory of products and services.

392

ILLUSTRATION: SUSAN KINGSBURY

COMPUTER DISCOUNT WAREHOUSE™

COMPUTER DISCOUNT WAREHOUSE™

Canon BJ-200 BubbleJet Personal Printer



PC Magazine says, "...many users will be hard-pressed to see any difference between this and laser printed pages without resorting to a magnifying glass."
December 22, 1992

✓Multi-Purpose Feeder Holds 100 Sheets Letter/Legal Paper and Feeds Them Automatically ✓49KB RAM ✓8KB Cache ✓Parallel Interface ✓Operates at 42 dbA or Less ✓Canon Native, Epson® LQ and IBM X24E Emulations ✓Weighs 6.6 lbs ✓ 2 Year Limited Warranty

CDW® Price ..... $268.12* CDW 24844
* After $30 Manufacturers Rebate

WHY PAY RETAIL?

CDW® Sells For Less

NEC UltraLite Versa

REMOVABLE DISPLAY & HARD DRIVE



✓Upgradeable i486SL CPU ✓4MB RAM, 8KB Cache ✓PCMCIA Slot, Memory Card Slot, Docking Station Port ✓CCD Monochrome or Active Matrix Color Display: Monochrome is Upgradeable to Color ✓Preloaded MS-DOS 6.0, Windows 3.1

486SL/25 120MB
Mono/Color .....$2712.09/$3777.36 27526/27521
486SL/33 180MB
Mono/Color .....$3222.99/$4287.25 30053/30054
Call Your CDW Account Rep Today for Info on The Entire Versa Line-Up!

HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.01

5 USER CD	889.00
10 USER CD	1988.00
25 USER CD	2994.00
50 USER CD	3999.00

Netware V3.12 NEW

NEW V3.12 5 USER CD	721.36
NEW V3.12 10 USER CD	1435.21
NEW V3.12 25 USER CD	2279.39
NEW V3.12 50 USER CD	3254.70

SFT III V3.11

5 USER	1564.37
10 USER	2408.96
20 USER	3193.21
50 USER	4656.58

Netware V2.2

5 USER 3.5"	549.89
10 USER 3.5"	941.60
NETWARE LITE 1 USER	69.00
NETWARE LITE STARTER KIT	339.39
NE1000 ETHERNET COAX CARD	97.49
NE2000 PLUS ETHERNET COAX CARD	115.27
NE3200 EISA ETHERNET COAX CARD	679.12

THOMAS-CONRAD

TC8143 ETHERNET 10BT	559.62
TC5045 ETHERNET 10BT	209.46
TC5143 ETHERNET 10BT	99.78
TC5055 ETHERNET 8 PORT CON 10BT	328.70
TC6242 ARCNET 8 BIT COAX CARD	69.34
TC6245 ARCNET COAX CARD	179.88
TC6242 ARCNET+ TP CARD	100.76
TC6245 ARCNET ALL-IN-ONE CARD	176.94
TC6040 ARCNET PASSIVE 4 PORT HUB COAX	66.20
TC6250 ARCNET ACTIVE 8 PORT HUB COAX	242.37
TC6050 ARCNET ACTIVE 16 PORT HUB COAX	521.78
TC6251 ARCNET 8 PORT SMART HUB COAX	456.97
TC6151 ARCNET 16 PORT SMART HUB COAX	659.87
TC4035 TOKEN RING 4MBPS CARD	289.89
TC4045 TOKEN RING 16/4 CARD	359.44
TC4046 TOKEN RING 16/4 MCA CARD	405.99
TC4050 16 PORT MAU STP	639.43
TCNS 100MBPS COAX CARD	437.17
TCNS 100MBPS EISA COAX CARD	609.91
TCNS 100MBPS STP CARD	457.79
TCNS 100MBPS FIBER OPTIC CARD	716.60
TCNS 100MBPS 6 PORT SMART HUB COAX	1366.27
TCNS 100MBPS8 PORT SMART HUB COAX	1148.04
TCNS 100MBPS 8 PORT SMART HUB STP	1169.75
TCNS 100MBPS 8 PORT SMART HUB FIBER	1465.80

ARTISOFT

2MBPS ETHERNET CARD	129.68
AE1/T ETHERNET 10BT CARD	127.88
AE2 ETHERNET COAX CARD	189.05
AE2/T ETHERNET 10BT CARD	200.65
AE3 ETHERNET COMBO CARD	224.88
NODERUNNER 2000A	217.34
NODERUNNER 2000T	180.27
NODERUNNER 2000C	180.27
NODERUNNER 2000M/TC	249.30
CENTRAL STATION	389.23
10BT 5 PORT INTERNAL HUB	272.27
AE2 STARTER KIT	444.44
AE2 STARTER KIT WINDOWS	517.68
NODERUNNER STARTER KIT WINDOWS	499.57
LANTASTIC AI V5.0	79.89
LANTASTIC AI V5.0 6 USER	445.97
LANTASTIC AI V5.0 WINDOWS	94.67
LANTASTIC SOFTWARE	69.80
LANTASTIC FOR WINDOWS 5W	129.68
ARTICOMM SOFTWARE	260.54
T-RUNNER 8 PORT 10BT	289.46
T-RUNNER 12 PORT 10BT	497.49

SMC®

ULTRA 16 BIT ETHERNET COAX	105.25
ULTRA 16 BIT ETHERNET 10BT	105.25
ULTRA 16 BIT ETHERNET COMBO	124.35
ETHERCARD+ ELITE 8 BIT COAX	97.82
ETHERCARD+ ELITE COAX	119.50
ETHERCARD+ ELITE COAX 6PK	664.73
ETHERCARD+ ELITE MCA COAX	189.26
ETHERCARD+ ELITE 10BT	119.50
ETHERCARD+ ELITE 10BT 6PK	633.09
ETHERCARD+ ELITE MCA 10BT	189.55
ETHERCARD+ ELITE EISA 10BT	583.69
ETHERCARD+ ELITE COMBO	146.65
ETHERCARD+ ELITE COMBO 6PK	766.59

NETWORKING PRODUCTS

3008 ETHERNET CARD 10BT	99.81
3016 ETHERNET CARD COAX	130.81
3016 ETHERNET CARD 10BT	126.80
3608 ETHERNET 8 PORT CON 10BT	330.61
3512 ETHERNET 12+2 PORT CON 10BT	614.13
3402 TRANSCEIVER AUI/BNC	140.55
3402 TRANCEIVER AUI/TP	110.18
PC600WS ARCNET CARD COAX	128.84
PC650WS ARCNET CARD TP	119.88
PC600FS ARCNET CARD COAX	199.29
PC130 ARCNET CARD COAX	68.50
PC130E ARCNET CARD COAX	99.00
ARCNET 8 PORT ACTIVE HUB COAX	230.83
TOKENCARD ELITE 16/4	339.92

3Com®

3C503 ETHERLINK II 8 BIT COAX	193.11
3C503 ETHERLINK II COAX	159.84
3C503 ETHERLINK II 10BT	176.54
3C509 ETHERLINK III COAX	126.02
3C509 ETHERLINK III COAX 5 PK	630.12
3C509 ETHERLINK III 10BT	132.58
3C509 ETHERLINK III 10BT 5 PK	537.97
3C509 ETHERLINK III MCA 10BT	242.45
3C509 ETHERLINK III COMBO	139.98
3C509 ETHERLINK III COMBO 5 PK	584.84
3C579 ETHERLINK EISA COAX	229.91
3C579 ETHERLINK EISA 10BT	229.91
3C1627 12 PORT LINKBUILDER 10BT	628.97

Xircom

PE310BC POCKET ETHERNET COAX	314.89
PE310B2 POCKET ETHERNET COAX	280.65
PE310BT POCKET ETHERNET 10BT	279.31
PA202B6 POCKET ARCNET COAX	236.30
PA202BT POCKET ARCNET TP	234.90
PT216BT POCKET TOKEN RING 16/4	529.44
PT216B3 POCKET TOKEN RING 16/4	527.08
POCKET ETHERNET PRINT SERVER COAX	325.58
PPX03 PARALLEL PORT MULTIPLEXOR	79.80

COLORADO MEMORY SYSTEMS

JUMBO 120MB INTERNAL	144.37
JUMBO 250MB INTERNAL	177.97
TRAKKER 120MB PARALLEL PORT	289.56
TRAKKER 250MB PARALLEL PORT	341.43
POWERTAPE 2GB SCSI INTERNAL	951.01
POWERTAPE 2GB SCSI EXTERNAL	1133.86
POWERDAT 2GB SCSI INTERNAL	1376.47

I-MEGA

TAPE 250MB INSIDER 1"	197.62
TAPE 250MB INSIDER HH	209.41
FLOPTICAL 21MB INSIDER	359.86
FLOPTICAL 21MB PC POWERED	395.65
BERNOULLI 90MB PC POWERED	455.37
BERNOULLI 150MB INSIDER	494.11
BERNOULLI 150MB PC POWERED	504.51
BERNOULLI 150MB TRANSPORTABLE	589.26

SUMMIT

SE120 120MB INT TAPE B-U	142.06
SE250 250MB INT TAPE B-U	174.63
SE305 305MB INT TAPE B-U	239.90

MICROSOLUTIONS

BACKPACK 3.5" 1.44MB FLOPPY PARALLEL	179.51
BACKPACK 5.25" 1.2MB FLOPPY PARALLEL	179.51
BPACK 100MB/200MB HD PARALLEL	379.59/459.59
BACKPACK CD-ROM PARALLEL	357.91
BACKPACK 250MB TAPE B-U PARALLEL	359.05

SyDOS

PRO NOTE 42MB PARALLEL	519.88
PUMA 88MB PARALLEL	451.15
MARLIN 105MB INT IDE	536.72
88MB INT SCSI W/ADPT	601.95
88MB EXT SCSI W/ADPT	499.95

Mountain.

TD-250 250MB INT IDE	207.35
FS8500 305MB INT IDE	442.09
1200-4 4GB INT SCSI	1799.95
1200-4 4GB EXT SCSI	2030.51

IRWIN
A CONNER PERIPHERALS Company

EZ-PORT 120MB PARALLEL	329.97
EZ-PORT 250MB PARALLEL	339.97

NETWORKING PRODUCTS

IBM TOKEN RING

IBM TOKEN RING 16/4 ISA	501.40
IBM TOKEN RING 16/4 MCA	659.95
IBM TOKEN RING MAU	458.88

INTEL NETWORKING

ETHEREXPRESS 16 COAX	99.49
ETHEREXPRESS 16 COAX 5 PK	461.63
ETHEREXPRESS MCA COAX	166.52
ETHEREXPRESS 16 10BT	99.49
ETHEREXPRESS 16 10BT 5 PK	479.79
ETHEREXPRESS MCA 10BT	166.52
ETHEREXPRESS 16 COMBO	116.77
ETHEREXPRESS FLASH COMBO	116.77
ETHEREXPRESS FLASH COMBO 5 PK	536.84
ETHEREXPRESS EISA COAX	399.30
TOKENEXPRESS 16/4	399.53
NETPORT II COAX/ 10BT	358.97/358.97

WYSE TERMINALS

WYSE 30 AMBER OR GREEN	279.51
WYSE 50 AMBER OR GREEN	355.50
WYSE 60 AMBER, GREEN, WHITE	279.60
WYSE 150 AMBER, GREEN, WHITE	268.50
WYSE 160 AMBER, GREEN, WHITE	329.82
WYSE 185 AMBER, GREEN, WHITE	326.14
WYSE 325 COLOR	519.93
WYSE 370 COLOR	779.34

MULTIMEDIA, SOUND, CD

ALTEC LANSING ACS300 SPKRS/SW	269.26
CDW 5 CD BUNDLE	129.00
CDW 5 CD BUSINESS BUNDLE	119.86
CDW 5 CD ENTERTAINMENT BUNDLE	79.33
ARISTASOFT WIRED FOR SOUND PRO	39.49
ATI CD SOUND DIMENSION	392.57
CREATIVE LABS EDUTAINMENT 8 INT	491.17
CREATIVE LABS EDUTAINMENT 16 INT	516.32
CREATIVE LABS EDUTAINMENT 16 EXT	604.37
CREATIVE LABS DISCOVERY 16 INT	469.81
CREATIVE LABS MULTIMEDIA STARTER INT	449.58
CREATIVE LABS SOUND BLASTER DELUXE	86.87
CREATIVE LABS SOUND BLASTER PRO	128.17
CREATIVE LABS SOUND BLASTER 16 ASP	219.79
LOGITECH SOUNMAN 16	109.44
MEDIAVISION PRO AUDIO SPECTRUM 16	149.64
MEDIAVISION PRO AUDIO STUDIO 16	213.07
MEDIAVISION PRO 16 SYSTEM II BUNDLE	885.51
MICROSOFT MULTIMEDIA BEETHOVEN	49.50
MICROSOFT BOOKSHELF CD	119.20
ORCHID SOUND PRODUCER	118.86
PROCOM INT MULTIMEDIA STATION	740.07
PROCOM EXT MULTIMEDIA STATION	793.65
SONY DSKTOP LIBRARY INT W/SND	571.84
SONY DSKTOP LIBRARY INT NO SOUND	281.20
SONY DSKTOP LIBRARY EXT W/SND	546.74
TURTLE BEACH 16 BIT MULTIBUNDLE	677.17
TURTLE BEACH MULTISOUND	513.97
TURTLE BEACH WAVE SW	74.95
TEXEL INT BUSINESS BUNDLE	546.75
TEXEL EXT BUSINESS BUNDLE	614.64
TEXEL INT MULTIMEDIA BUNDLE	9999.00
TEXEL EXT MULTIMEDIA BUNDLE	9999.00
TEXEL INT CD-ROM W/PAS 16	9999.00
TEXEL EXT CD-ROM W/PAS 16	9999.00

CD-ROM & OPTICAL DRIVES

ACCULOGIC PARALLEL PORT CD-ROM	499.50
HITACHI 3700 INT CD-ROM	409.03
HITACHI 3750 SCSI INT CD-ROM	399.85
HITACHI 1700SSA EXT CD-ROM	473.65
HITACHI 1750 SCSI EXT CD-ROM	511.09
MICRO DESIGN DUAL CD-ROM DRIVE	1218.77
NEC CDR38 PORTABLE CD-ROM	269.44
NEC CDR84-1 INTERFACE CD-ROM	449.31
NEC CDR74-1 EXTERNAL CD-ROM	459.31
PHILIPS CDD521CW RECORDABLE CD-ROM	5119.62
PIONEER DRM604X 6 DISC QUADRASPIN	1347.42
PROCOM 200MS INT SCSI CD-ROM	452.09
PROCOM 200MS EXT SCSI CD-ROM	557.65
SONY CDU31A INT CD-ROM	238.05
SONY CDU535 INT CD-ROM	279.83
SONY CDU54101 INT SCSI CD-ROM	424.15
SONY CDU7205N EXT CD-ROM	463.19
SONY CDU7211 EXT SCSI CD-ROM	544.02
SYDOS PARALLEL PORT CD-ROM	303.51
TEXEL INT DM3028 240MS	9999.00
TEXEL INT DM3028 240MS W/ADPT	9999.00
TEXEL EXT DM5028 240MS	9999.00
TEXEL EXT DM5028 240MS W/ADPT	9999.00
TOSHIBA 3401 INT SCSI CD-ROM	479.82
TOSHIBA 3401 INT SCSI CD-ROM W/ADPT	604.37
TOSHIBA 3401 EXT SCSI CD-ROM	559.88
TOSHIBA 3401 EXT SCSI CD-ROM W/ADPT	716.49
TOSHIBA 3401 EXT SCSI 4 DRIVE TOWER	2535.08

PLOTTERS, DIGITIZERS & SCANNERS

HURTA®

IS/ONE 12 X 12 4 BUTTON	329.29
IS/ONE 12 X 12 12 BUTTON	329.29
XLP 12 X 12 4 BUTTON & STYLUS	239.90
XLP 12 X 18 16 BUTTON	479.88
XGT 12 X 12	399.90

CalComp

12 X 12 4 BUTTON	279.89
12 X 12 16 BUTTON	279.89
12 X 12 4 BUTTON CORDLESS	279.89
12X12 16 BUTTON CORDLESS	279.89
12 X 12 W/PRESSURE TIP PEN	279.89
12 X 18 16 BUTTON	472.15

Summagraphics

SUMMASKETCH III 12 X 12 4 BUTTON	295.45
SUMMASKETCH III 12 X 12 16 BUTTON	295.95
SUMMASKETCH III 18 X 12 4 BUTTON	524.44

HOUSTON INSTRUMENT

HI V100 INKJET PLOTTER	1911.59
HI 7100 A-D SIZE 8 PEN	2663.03
HI 7200 A-F SIZE 8 PEN	3489.12

HEWLETT PACKARD

HP SCANJET IIP	733.48
HP SCANJET IIP DOCUMENT FEEDER	269.93
HP SCANJET IIC	1299.22
HP SCANJET IIC DOCUMENT FEEDER	474.29
HP DRAFTPRO PLUS A-D SIZE	3109.45
ES600C PARALLEL	799.67
ES600C SCSI	852.89
ES600C ACTION SCANNER	713.38
ES800C PARALLEL/SCSI	1089.81
ES800C ACTION SCANNER	972.79
ES800C ACTION SCANNER	1063.99

VGA & SUPER VGA MONITORS

AST VISION 4N 14"	369.91
AST VISION 4L 14"	399.95
AST VISION 7L 17"	892.52
MAG INNOVISION MX15F	527.97
MAG INNOVISION MX17F	914.84
MAGNAVOX CM2079 14" .39	239.49
MAGNAVOX CM2089 14" .28	280.90
MAGNAVOX CM9217 17"	754.31
MAGANAVOX 20CM64 20"	1175.72
NANAO F340IW 15"	719.83
NANAO F550I 17"	1084.35
NEC 3FGE 15"	589.00
NEC 4FGE 15"	689.00
NEC 5FGE 17"	1059.00
NEC 6FG 21"	2269.00
PANASONIC C1381i 14"	325.76
PHILIPS 1557AS 15"	509.89
PHILIPS 1764DC 17"	957.77
SEIKO CM1760LR 17"	952.58
SONY CPD1430 14"	599.99
SONY CPD1730 17"	1049.15

VGA & SVGA DISPLAY CARDS

ACTIX ULTRA PLUS 1MB	235.90
ACTIX ULTRA PLUS 2MB	304.85
ADS VGA TO TV ELITE	272.80
ADS VIDEO CLIPPER	338.84
ADS PC PRIME TIME	376.00
AI TECH PRO PC TV PLUS	235.25
AI TECH PRO VGA TV PLUS	604.24
ATI GRAPHICS ULTRA+ 2MB	248.03
ATI GRAPHICS ULTRA PRO 2MB	368.97
ATI GRAPHICS ULTRA PRO 2MB EISA	404.12
ATI GRAPHICS ULTRA PRO 2MB MCA	404.12
ATI VGA WONDER XL24	126.82
ATI VANTAGE 1MB	163.05
CREATIVE LABS VIDEO BLASTER	340.02
CREATIVE LABS VIDEO SPIGOT	344.60
DIAMOND STEALTH PRO 1MB	258.28
DIAMOND STEALTH PRO 2MB	345.89
DIAMOND SPEEDSTAR PRO 1MB	122.21
DIAMOND VIPER VLB 2MB	415.99
HERCULES GRAPHITE 1MB	233.72
HERCULES GRAPHITE 2MB	410.51
HERCULES DYNAMITE VLB	172.91
INTEL SMART VIDEO RECORDER	486.88
ORCHID FAHRENHEIT 1280+	163.06
ORCHID FAHRENHEIT VA	179.59
ORCHID CELSIUS VLB 1MB	249.94

FREE TECHNICAL SUPPORT FOR CDW® CUSTOMERS
(708) 291-7575

NASDAQ
BUY WITH CONFIDENCE
CDW® IS A NASDAQ TRADED COMPANY
TICKER SYMBOL: CDWC
D & B Rated 4A1
Duns 10-762-7952

No Surcharge For Credit Cards

VISA DISCOVER MasterCard

Credit Card charges are not submitted until time of shipment. Freight is calculated as the carrier's actual freight charge plus insurance and packaging material. The cost of insurance is 0.30% (0.0030) of the order total. Packaging materials will not exceed $4.00 per 1 package order or $6.00 per multi-package shipment. For your protection we ship only to your verified billing address. Non-defective returns subject to restocking fee. Allow 10 business days for shipping when paying by personal check. Software, chips and other electronic components are not returnable. All pricing subject to change. ™ - Trademarks of all companies listed in this ad.

CDW® HOURS
Sales 7:30-7:30 CDT Mon-Fri.
9:00-5:00 CDT Sat.
Tech Support for Customers
8:00-7:00 CDT Mon-Fri.
9:00-5:00 CDT Sat.

MOST ORDERS SHIP THE SAME DAY

COMPUTER DISCOUNT WAREHOUSE™

CDW

AST Authorized Systems Reseller

SPECIAL PURCHASE

AST 486SX/25 Advantage! Pro

✓ 170MB Hard Disk Drive ✓ 2MB RAM ✓ 3.5" Floppy Disk Drive ✓ AST Enhanced Keyboard ✓ AST Two-Button Mouse ✓ Intuit Quicken® for Windows, Prodigy®, MS-DOS® V6.0, MS Productivity Pack® and MS Windows® V3.1 ✓ While Supplies Last ✓ Monitor Sold Separately

CDW® Price ONLY **$939.00** CDW 31945

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER

CANON BJC-600 Color Bubblejet Printer

NEW!



✓ 360 dpi ✓ 240 cps ✓ Individual Color Cartridge System: Less Waste ✓ 100 Sheet Feeder ✓ Laser Quality Text ✓ Optimized for Plain Paper: Vibrant Colors Without Special Paper

CDW® Price ONLY **$598.50** CDW 32009

CDW® CARRIES OVER 15,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

T1900/120MB	1697.97	T4500C/200MB	3124.29
T1900/200MB	1947.97	T4600/120MB	2797.97
T1900C/120MB	2327.97	T4600/200MB	3034.82
T1900C/200MB	2567.97	T4600C/120MB	3947.97
T1950/120MB	2142.59	T4600C/200MB	4204.85
T1950C/120MB	2737.11	T4600C/340MB	4620.27
T1950/200MB	2395.57	T6600C/510MB	6397.97
T1950C/200MB	2993.27	T6600C/510MB CD	6897.97
T4500/200MB	2157.97	T6600C/510MB CD/DVI	7912.85

AST

BRAVO 4/33D 120HD,4MB	1289.85
BRAVO LC 4/25S/ 4/33S 120HD,4MB	1046.84/1215.42
BRAVO LC 4/33D 120HD/ 210HD	1292.12/1518.91
BRAVO LC 4/50D 120HD/ 210HD	1545.69/1786.75
BRAVO LC 4/66D 120HD/210HD	1813.54/2059.96
BRAVO LP 4/25S 170HD/ 340HD	1177.97/1608.19
BRAVO LP 4/33D 170HD/340HD	1445.60/1876.03
BRAVO LP 4/66D 170HD/340HD	1954.52/2394.91
BRAVO MT 4/33D 170HD/340HD	1518.91/1954.52
BRAVO MT 4/66D 170HD/340HD	2043.31/2483.57
POWEREXEC 4/25 200HD MONO SPECIAL	2411.48
POWEREXEC 4/25 200HD COLOR SPECIAL	3959.84

Canon

NOTEJET 4/25 85MB	2309.21
NOTEJET 4/25 135MB	2529.59
NOTEJET 4/25 180MB	2749.65
INNOVA 4/25L SX 170HD	1051.96
INNOVA 4/33L SX 170HD	1149.84
INNOVA 4/33L DX 170HD	1367.13
INNOVA 4/66L DX2 170HD	1611.58

DTK Grafika

GRAFIKA 4/25S 4MB 120MB	1087.71
GRAFIKA 4/33S 8MB TOWER 170MB HD	1399.81
GRAFIKA 4/33 4MB 200MB HD VESA	1467.57
GRAFIKA 4/33 8MB DESKTOP NO HD	1297.77
GRAFIKA 4/33 8MB DESKTOP 240MB HD	1649.93
GRAFIKA 4/33 8MB TOWER NO HD	1325.98
GRAFIKA 4/33 8MB TOWER 240MB HD	1701.93

NEC

VERSA 4/25 120MB MONO/COLOR	2712.09/3777.36
VERSA 4/25 180MB MONO/ COLOR	2951.47/4018.28
VERSA 4/33 180MB MONO/COLOR	3222.69/4287.25
VERSA 4/33 180MB COLOR OFFICE	4805.96
VERSA 4/33 250MB MONO/ COLOR	4019.35/4449.40
READY ES 4/25 170MB	1050.11

Texas Instruments

TM4000E 4/25S 120MB MONO new	1879.11
TM4000E 4/25 120MB ADVANCED COLOR	2165.51
TM4000 4/25D 120MB MONO	2047.97
TM4000 4/40 200MB COLOR	3299.72
TM4000 4/50 120MB/200MB MONO	2637.97/2977.97
TM4000E 4/50 200MB ACTIVE COLOR	3869.79

DOT MATRIX & LASER PRINTERS

OKIDATA

ML320 MICROLINE	299.12	ML521	496.98
ML321	421.56	ML590	419.20
ML321 MICROLINE	421.56	ML591	576.37
ML380	209.52	OL400E	508.51
ML395	579.06	OL810	916.82
ML395C	1093.74	OL830+	1094.47
ML520	365.11	OL850	1207.15

Canon

BJ10EX W/FREE SHEET FEEDER	237.97
BJ200'	268.12
BJ230	417.03
BJC600 COLOR NEW	598.50

*After $30 Manufacturer's Rebate

EPSON

AP2250	113.30	LQ870	449.49
AP3250	173.15	LQ1170	819.38
AP3260	199.99	LQ2550	917.97
LX810	167.97	DFX5000	1329.12
FX870	283.10	DFX8000	2239.95
FX1170	348.22	STYLUS 300	321.52
LQ570+	237.97	STYLUS 800'	289.00
LQ1070+	357.97		
ACTION LASER 1500	657.97		
ACTION LASER 1500 W/2MB	717.97		

*After $50 Manufacturer's Rebate

NEC

P3200	231.99	Silentwriter 95F	879.90
P3300	321.69	Silentwriter 95FX	1089.95
P6200	418.19	Silentwriter 97	1075.72
P6300	622.48	Silentwriter 97FX	1275.90
Jetmate 1000	309.59	Silentwriter 1097 NEW	1402.90
Superscript610 NEW	641.66	LC890 Color	999.66

DOT MATRIX & LASER PRINTERS

Panasonic

1150	133.49	2180	183.91
1624	347.02	2624	375.94
1695	365.23	4410 LASER	525.37
2023	202.79	4430 LASER	684.13
2123	243.37	4440 LASER	1204.14
2124	318.41		

Texas Instruments

MICROWRITER BASIC/ PS35	525.42/698.70
MICROLASER PRO 600 PS23 NEW	1389.58
MICROWRITER PS65	968.96
MICROLASER PRO 600 PS65 NEW	1582.73
MICROMARC INKJET	297.54

Hewlett Packard

DeskJet Portable	319.35	Paintjet XL300	2249.39
DeskJet 500	319.89	LaserJet 4L	689.67
DeskJet 500C	409.49	LaserJet 4ML	1099.59
DeskJet 550C	599.95	LaserJet 4	1389.46
DeskJet 1200C	1433.87	LaserJet 4M	1948.64
DeskJet 1200C PS	1948.25	LaserJet 4SI	2988.95
PaintJet Parallel	585.58	LaserJet 4SI MX	4508.36

IBM LEXMARK

LEXMARK 4019E 5PPM	747.97
LEXMARK 4029-10/ 10R 10PPM	1127.97/1347.97
LEXMARK 4039-10RD 10PPM DUPLEX	1847.97
LEXMARK 4039-12R/ 12L 12PPM	1697.97/2434.53
LEXMARK 4039-16L 16PPM	2747.97

HARD DRIVES & CONTROLLERS

Maxtor

7131A 131MB IDE	192.73	7345S 345MB SCSI	368.13
7213A 213MB IDE	240.85	MXT540A 540MB IDE	778.41
7213S 213MB SCSI	250.48	MXT540S 540MB SCSI	829.17
7245A 245MB IDE	298.92	PO-12S 1.02GB SCSI	976.86
7245S 245MB SCSI	298.82	PO-17S 1.7GB SCSI	1194.69
7345A 345MB IDE	325.69	MXT1240S 1.24GB SCSI	1217.77

MICROPOLIS

MCP2205 584MB SCSI	694.15
MCP2210A 1050MB IDE	959.89
MCP2210 1050MB SCSI	982.69
MCP1528 1.3GB SCSI	925.71
MCP2217 1.7GB SCSI	1431.00
MCP1548 2.0GB SCSI	1327.43
MCP1926 2.15GB SCSI	1772.85

CONNER

CP30084E4 84MB IDE	175.45
CP30104H 120MB IDE	189.92
CP2124 121MB IDE	330.57
CP30174 174MB IDE	201.26
CP30204 210MB IDE	234.24
CP30200 212MB SCSI	301.06
CP30254H 250MB IDE	252.88
CP30344M 340MB IDE	346.06
CP3504 510MB IDE	801.48
CP30544 540MB IDE	645.79
CP30540 540MB SCSI	689.44
CP31370 1.37GB SCSI	1064.08

Quantum

HARDCARD EZ 42MB	196.17
HARDCARD EZ 127MB	269.11
HARDCARD EZ 240MB	419.93
LPS240AT PRODRIVE 240MB IDE	272.91

Seagate

ST2511 42MB MFM	240.84
ST351A/X 42MB IDE	106.04
ST3120A 106MB IDE	179.67
ST3144A 130MB IDE	177.21
ST3243A 200MB IDE	222.00
ST3283N 248MB SCSI	349.75
ST3290A 261MB IDE	258.01
ST33990A 341MB IDE	328.50
ST3550A 452MB IDE	466.70
ST4766E 766MB ESDI	999.95
ST1 1200N 1.05GB SCSI	964.07
ST41200N 1.05GB SCSI	988.49
ST42100N 1.9GB SCSI	1403.73
ST43400N 3.4GB SCSI	2518.41

CONTROLLERS

ACCULOGIC IDE	23.65
ACCULOGIC IDE W/1PAR, 2SER, 1GAME	35.06
ACCULOGIC IDE W/BIOS	48.90
ADAPTEC 1522 SCSI KIT	148.58
ADAPTEC 1542C SCSI KIT	258.49
ULTRASTOR 24F EISA SCSI	412.95
ULTRASTOR 34F LOCAL BUS SCSI	299.30

MODEMS & COMMUNICATIONS

U.S.Robotics

Sportster 2400 Ext	96.24	Sportster 14.4 INT	157.48
Sportster 9600 Int	147.50	Sportster 14.4 I FAX	174.50
Sportster 9600 FAX	159.81	Sportster 14.4 Ext	179.50
Sportster 9600 Ext	155.53	Sportster 14.4 E FAX	197.28
Sportster 9600 FAX	169.95		
Worldport 9696 Ext W/FAX	220.86		
Worldport 14.4 W/FAX	324.53		
Courier 2400 V.42BIS Ext	255.90		
Courier 14.4 V.32BIS INT/ W/FAX	328.20/342.06		
Courier 14.4 V.32BIS Ext / W/FAX	367.39/395.10		
Courier 16.8 HST Ext	472.16		
Courier Dual Std Ext	684.96		
Courier DUAL STD INT/ Ext W/FAX	663.32/716.64		

Hayes

ACCURA 2400B INT	59.98	OPTIMA 24E FAX	119.99
ACCURA 2400 EXT	69.92	OPTIMA 9600 Ext	340.82
ACCURA 24EC FAX	94.89	OPTIMA 96 FAX	354.42
ACCURA 96 FAX	178.15	OPTIMA 96 E FA	354.42
ACCURA 96E FA	200.26	OPTIMA 14.4 Ext	369.52
ACCURA 14.4FAX	201.58	OPTIMA 14.4E FAX	383.47
ACCURA 14.4E FAX	223.55	OPTIMA 14.4 Pocket	302.42
Pocket Edition 2400	69.50	ULTRA 9600 EXT	565.36
OPTIMA 2400E	114.71	ULTRA 14.4 EXT	623.07

Practical Peripherals

PM14400FX 14.4 INT W/FAX	189.52
PM14400FXMT 14.4 EXT W/FAX	197.28
PM14400FXSA 14.4 EXT W/FAX, LCD	380.99
PM14400FXP 14.4 POCKET W/FAX	338.98
FAXME FOR HP	118.30

intel

Satisfaction 100	99.90	Satisfaction 350	254.98
Satisfaction 200	207.50	Satisfaction 400	269.52
Satisfaction 300	232.19	Satisfaction 400E	308.50
INTEL 2400 V.42BIS INT	132.67		
INTEL 2400 V.42BIS EXT	149.96		
INTEL 9600 INT W/FAX	165.76		
INT 14.4 INT W/FAX	173.47		
INTEL 14.4 EXT W/FAX	197.28		

MULTI-TECH

MT224BA 2400 EXT W/FAX	247.07
MT932BA 9600 EXT W/FAX	399.95
MT1432BA 14.4 EXT W/FAX	443.90

MATH COPROCESSORS

INTEL 287XL	89.62
INTEL 387SX 16/20/25MHZ	83.22
INTEL 387SX 33MHZ	96.03
INTEL 387SL	83.44
INTEL RAPIDCAD	239.88

BATTERY BACKUP AND UPS

Tripp Lite

BC250	100.11	OMNI 750 LAN	402.86
BC400	158.89	OMNI 1250 LAN	599.03
BC500	191.42	UNISON 600	499.95
BC500 LAN	199.40	SPIKESTIK 6	14.26
BC600 LAN	249.90	SPIKEBAR 6	25.66
BC750 LAN	313.90	SUPER 7	18.68
BC900 LAN	360.67	LS604	96.10
BC1250 LAN	449.59	LC1200	148.01
OMNI450 LAN	269.31	LC1800	192.49
OMNI 600 LAN	309.89	LC2400	232.85

AMERICAN POWER

BACK UPS250	100.34	SMART UPS400	300.68
BACK UPS 400	167.87	SMART UPS 600	363.38
BACK UPS 450	198.86	SMART UPS 900	602.74
BACK UPS 600	263.73	SMART UPS 900VL	718.04
BACK UPS 900	384.26	SMART UPS 1250	750.13
BACK UPS1250	498.76	SMARTUPS 2000	1188.00
SURGEARREST			18.44
SURGEARREST PLUS			39.22
SURGEARREST PLUS W/TEL			54.01
LINE-R 600			118.48
LINE-R 1250			161.49

MICE

LOGITECH DEXXA SERIAL MOUSE	27.37
LOGITECH MOUSEMAN COMBO	49.81
LOGITECH MOUSEMAN CORDLESS	89.93
LOGITECH TRACKMAN PORTABLE	78.65
LOGITECH FOTOMAN PLUS	53.75
MICROSOFT MOUSE V2.0 SERIAL	80.40
MICROSOFT MOUSE V2.0 W/WIN 3.1 COMBO	149.96
MICROSOFT MOUSE V2.0 BUS	88.90
MICROSOFT BALLPOINT MOUSE	118.82
MICROSOFT BALLPOINT MOUSE W/WIN 3.1	152.38
POINTEX MOUSE W/HP DASHBOARD	51.12

KINGSTON MEMORY

AST BRAVO 386SX 8MB	CALL
AST BRAVO 486LC 2MB	CALL
AST POWEREXEC 4864MB	CALL
AST PREMIUM 386SX 2MB	CALL
AST PREMIUM 486/33 8MB	CALL
AST PREMIUM 4MB	CALL
AST PREMIUM II 1MB CUPID SIMM	CALL
AST PREMMIA 16MB	CALL
AST PREMMIA 8MB UPG	CALL
COMPAQ 8 SOCKET EXP W/8MB	CALL
COMPAQ 8MB DP 486/33M	CALL
COMPAQ CONTURA 3/20 8MB	CALL
COMPAQ CONTURA 486 8MB	CALL
COMPAQ CONTURA 4MB	CALL
COMPAQ DP 386/16 4MB	CALL
COMPAQ DP 386/20E 4MB	CALL
COMPAQ DP286N;386N 4MB	CALL
COMPAQ DP386/20E&25E 4MB	CALL
COMPAQ DP386/33 2MB	CALL
COMPAQ DP386SX/16 4MB	CALL
COMPAQ DP386SX/16 4MB	CALL
COMPAQ LITE 4/25C 4MB	CALL
COMPAQ LITE 4/25C 8MB	CALL
COMPAQ PORTABLE III 2MB	CALL
COMPAQ PROLINEA 3/25S 2MB	CALL
COMPAQ PROLINEA 486/33 4MB	CALL
COMPAQ PROLINEA 486/33 8MB	CALL
COMPAQ PROSIGNIA 16MB	CALL
EPSON ACTION LASER 2-8MB	CALL
HP DESKJET 500 & 500C 256KB	CALL
HP LASER 4L 1MB MEM UPG	CALL
HP LASERJET 2P/III 1MB	CALL
HP LASERJET 2P/III 2MB	CALL
HP LASERJET 3SI 4MB	CALL
HP LASERJET 4 2MB	CALL
HP LASERJET 4 4MB	CALL
HP LASERJET 4 8MB	CALL
HP LASERJET II & IID 2MB	CALL
HP LASERJET II & IID 4MB	CALL
HP PAINTJET XL300 4MB	CALL
HP PAINTJET XL300 8MB	CALL
HP VECTRA 486 4MB	CALL
IBM 55SX 4-16MB	CALL
IBM MOD30 2MB	CALL
IBM PS/1 2MB	CALL
IBM PS/2 50 2MB	CALL
IBM PS/2 55SX 4MB	CALL
IBM PS/2 704MB	CALL
IBM PS/2 70-061 2MB	CALL
IBM PS/270-A21 2MB	CALL
IBM PS/2 904MB	CALL
IBM THINKPAD 700 4MB	CALL
IBM THINKPAD 700 8MB	CALL
NEC SILENTWRITER 952MB	CALL
NEC VERSA 4MB	CALL
NEC VERSA 8MB	CALL
OKILASER 400 2MB	CALL
OKILASER 800 2MB	CALL
PANASONIC 4410, 4430 2-4MB	CALL
PANASONIC P4450I 2MB	CALL
TI MICROLASER 1MB	CALL
TI MICROLASER 4MB	CALL
TI TM4000 4MB	CALL
TOSHIBA 1800, 1850, 2000SX/E, 2200SX 2MB	CALL
TOSHIBA 1800, 1850, 2000SX/E, 2200SX4MB	CALL
TOSHIBA 1900C,4500C,4600C 8MB	CALL
TOSHIBA 3300SL 2MB	CALL
TOSHIBA 3300SL 4MB	CALL
TOSHIBA 4400, 4400SX/C 4MB	CALL
TOSHIBA 5200 2MB	CALL
TOSHIBA T1200XE 2MB	CALL
TOSHIBA T1800, 1850, 2000SX/E, 2200SX8MB	CALL
TOSHIBA T3200SX 4MB	CALL

Due to an Industry-Wide Memory Shortage, Please Call CDW for the Best, Most Current Pricing and Availability Information.

PRICES ARE RISING-PLEASE CALL TODAY!

CYRIX 486DRX/2 UPGRADE	264.29
INTEL OVERDRIVE 16/20MHZ	325.69
INTEL OVERDRIVE 25MHZ	438.08
INTEL OVERDRIVE 33MHZ	554.91
KINGSTON SX/NOW 25MHZ	169.45
KINGSTON SX/NOW 33MHZ	196.25
KINGSTON 486/NOW 25MHZ	346.76
KINGSTON 486/NOW 33MHZ	539.25

COMPUTER DISCOUNT WAREHOUSE™

D & B Rated 4A1
Duns 10-762-7952

CDW® Sells for Less and Services You Better!

(800) 959-4CDW

FAX (708) 291-1737

©1993 CDW® Computer Centers, Inc. BTE769

IF YOU FIND A BETTER PRICE, CALL!

Circle 179 on Inquiry Card.



WIRELESS INFORMATION: Power for the Road Warrior!

Information is power, and EMBARC℠ delivers it to the people who need it most—road warriors like you! EMBARC Information Services will keep you tuned to a variety of interests, and the world at large, to put you a step ahead in today's fast-moving, competitive marketplace.

Your EMBARC subscription includes general news and weather from *USA TODAY* at no additional charge. Optional services from *USA TODAY* include industry news selections such as Technology and Telecommunications, plus Personal Investing, Insurance, International News and even Sports—timely, useful information to boost productivity.

With HeadsUp™ industry news from INDIVIDUAL, Inc. you'll receive targeted wireless news briefs that impact your industry and professional specialty. Concise story briefs provide a quick read and eliminate information overload, and optional full-text retrieval provides details when needed. These and other information services are the perfect complement to EMBARC's fully featured, one-way wireless networking capabilities, including wireless E-mail, reports and file updates. The total service will keep you in the loop and productive in over 200 cities in the U.S. and Canada.



DOS, MAC compatibility:
EMBARC service is available for DOS-based laptops and notebooks, HP 95LX and 100LX palmtops, and Macintosh PowerBooks.

Call 1-800-EMBARC4, ext 725 to see what the power of wireless information can do for you.

EMBARC℠
by Motorola

Ⓜ, Motorola and NewStream are registered trademarks of Motorola, Inc. All other product and company names are the property of their respective owners © 1993 Motorola, Inc.

Circle 204 on Inquiry Card (RESELLERS: 205).

Build An Empire To Stand The Test Of Time

...With Sid Meier's CIVILIZATION™

Now available for Windows™



Actual screens may vary.

1991

- Best Consumer Entertainment Program
- Best Strategy program
- Critic's Choice


Software Publishers Association

Game of the Year

Tilt

Game of the Year

Byte



1992

Game of the Year

Computer Gaming World

PC Special Achievement Award

Game Players PC Entertainment

Game of the Year

Byte

Best Simulation

PCM

Strategy Game of the Year

PC Games Plus

Rout Ramses... Outwit Alexander... Knockout Napoleon... History is littered with the bones of great men who thought their achievements would live forever. Now you can succeed where they failed as MicroProse brings you Sid Meier's **Civilization.** Guide a culture from its earliest stages, through agricultural and industrial revolutions, all the way to your own Space Age. Survive and dominate by outmaneuvering mankind's most legendary leaders. Carve your name indelibly in the pages of history. With Sid Meier's **Civilization,** you really can build a brave new world.

MICROPROSE®

ENTERTAINMENT • SOFTWARE

© 1993 MicroProse Software, Inc., 180 Lakefront Drive, Hunt Valley, MD 21030-2245.

For Macintosh, IBM-PC compatibles, and Commodore Amiga personal computers.

To get our free catalog, call **1-800-879-PLAY**, 8:30 am to 5:00 pm EST.

Circle 188 on Inquiry Card (RESELLERS: 189).

MEMORY · MEMORY · MEMORY

PERSONAL COMPUTER MEMORY

IBM

AMBRA Enterprise 386, Hurdla 386, Sprinta 386 (all models)
2MB N/A ... $119 8MB N/A ... $409
AMBRA Enterprise 486, Hurdla 486, Sprinta 486 (all models)
4MB N/A ... $229 16MB N/A ... $809
PS/1 286, 386SX
2MB 92F9935 ... $99 4MB 92F9694 ... $199
PS/1 Consultant, Essential, Expert models x43, x44, PS/Valuepoint all models except Cxx series
4MB 96F9290 ... $299 16MB 96F9291 ... $829
PS/1 Consultant, Essential, Expert models x76
16MB Kit 96F9291 ... $829
PS/2 25/286, 30/286, memory adopter 1497259
2MBKit 30F5360 ... $109
PS/2 35SX; LS, 40SX, 50Z, 55SX; LS, 65SX; LS, 70, XStation
1MB 6450603 ... $59 2MB 6450604 ... $119
PS /2 70-A21; A61; B21; B61, PS/1 Consultant ,Essential, Expert models x11, x13, x14, PS/Valuepoint Cxx series
2MB 6450608 ... $129
PS/2 35SX; LS, 40SX, 55SX; LS, 65SX; LS, XStation, PS/ Valuepoint Cxx serles, adapter board 34F3011 or 34F3077
4MB 34F2933or87F9977 ... $229
PS/2 35SX; LS, 40SX, PS/Valuepoint Cxx series
8MB 6450129 ... $459
PS/2 90 XP, 95 XP, P75 (pairs), S6, S7 (all), PS/1 Pro M2123
2MB 6450902 ... $119
PS/2 90 XP, 95 XP, P75 (pairs), S6, S7 (all), PS/1 Consultant, Essential, Expert models x11, x13, x14, PS/1 Pro M2123
4MB 6450128 ... $229 8MB 6450130 ... $459
Expansion boardsfor 50, 50Z, 55SX, 60, 65SX
2-8MB w/2MB 1497259 ... $219
Expansion boards for all models 70, 80
4-16MB w/4MB 34F3011 ... $379

Dell

Power Desktop 325D; P, 333D, 333P, 433P, 486P, 486D
1MB 310-2505 ... $59 4MB 310-2507 ... $229
PowerLine Workstation 420; 425; 433; 450; 450DE/2, 466DE
2MB 310-2466 ... $119 8MB 310-2468 ... $459
PowerLine Workstation 420; 425; 433; 450; 450SE/2, 466SE
32MB Kit 310-2630 ... $1569
Performance T, L, & M series
4MB 310-3325 ... $259 16MB 310-3327 ... $979
Performance ME series
4MB 310-3334 ... $229 8MB 310-3335 ... $459

Zenith

Z-300/400 Series Z-420/SX, Z-425/SX, Z-433/DX, Z-433/SX
4MB ME-100 ... $229 16MB ME-90 ... $789
Z-Server 425SE, 433DE, 450DE
4MB ME-432 ... $229 8MB ME-102 ... $459
Z-Station 325Sh;Sn,420SEh;Sh;Sn,425Sh,433Deh;Dh,450XEn
1MB ME-70 ... $69 4MB ME-100 ... $229
Zenith Z-386/20; 25; 33, 33E
1MB ZA3800ME ... $69 4MB ZA3800MK ... $229
Zenith Z-386SX/20, 286LP+, Z-LS
2MBKit Z-605-1 ... $139
Zenith 486/33ET; 25E
4MB ZA4200M2 ... $229 16MB ZA4200MB ... $909

AST

Premmia
4MB 501159-001 ... $229 8MB 501159-002 ... $459
Manhattan SMP
16MB 501143-001 ... $899
Bravo 3/25s
2MB 500710-004 ... $159 8MB 500824-002 ... $419
Advantage! 386SX/20; 25, Advantage! Pro SX/25, Bravo 3/33s
2MB 500962-001 ... $149 8MB 500962-002 ... $439
Advantage! Pro 486DX/33; SX/25, Bravo LC 4/25s; 33; 33s; 50d; 4/66d
2MB 500987-001 ... $109 4MB 500987-002 ... $229
Premium 386/25; 33; 33T, Premium II 386SX/16; 20; 25
1MB 500780-003; 002 ... $69
Advantage! 486/25; 33; 33p; SX20, Bravo 4/33; 486/25; Premium 4/25; 33TE, Server SE 4/33
2MB 500718-004; 780-005 ... $139
Advantage! 486/25; 33; 33p; SX20, Power Premium 3/33, 4/33; 33s; 50d; 66d, Premium 386/33TE, 486/25; E; 25TE; 33; 33E; 33TE, Premium II 386/25; 33, 486/33, 486SX/20
Premium Server SE 4/33
4MB 500780-004 ... $239 8MB 500780-001 ... $489

Compaq

ProLinea 3/25s; 3/25zs
2MB 141738-001 ... $139 8MB 141742-001 ... $389
ProLinea 4/25s, 4/33, 4/50
1MB 141682-001 ... $69 2MB 141683-001 ... $129
4MB 141684-001 ... $259 8MB 141685-001 ... $519
DeskPro 386-20, 20e, 25
4MB 113132-001 ... $219 4MB 113645-001 ... $269
DeskPro 386s/16
4MB 112534-001 ... $229 4MB 113634-001 ... $299
DeskPro 3/25i; 33i,4/25iS; 33i; 66i, 286N; 386N; 386SX/20; 20N, SystemPro LTSeries, Portable 486c, M Series
1MB 116688-001 ... $69 2MB 116689-001 ... $119
4MB 116690-001 ... $229 8MB 112877-001 ... $459
ProSignia PC Server 486/33; DX2/66
16MB 149320-001 ... $789 32MB 149147-001 . $2599
DeskPro 386-33, 486-33, SystemPro
2MB 115144-001 ... $109 8MB 116561-001 ... $449

Hewlett-Packard

Vectra QS/165; 20PC, RS/20; 20C; 25, 25C
4MB Kit 01542 or 1642A ... $279
Vectra 386/16N, 386/20N, 386/25N PC
2MB D2406A ... $139 8MB D2404A ... $419
Vectra 486PC; 25T; 33T; 486s/20; 4/25N; 33N; 50N; 66N
2MB D2381A ... $119 8MB D2152A ... $459
Vectra 386/25; 486/25U; 486/33U; 486/50U; 486/66U
2MB D2381A ... $119 8MB D2152A ... $459
Vectra 486/25N; 486/33N; 486/50N; 486/66N
16MB D2676A ... $979
Vectra 386/33N;33NI
2MB D2714A ... $129 8MB D2715A ... $469

NEC

Image 425, 433, 466
4MB 410-12002 ... $259 16MB 410-12003 ... $979
Ready 425, 433
4MB N/A ... $259 16MB N/A ... $979
PowerMate 286/12; SX/16, SX/20
2MB Kit OP-410-8103 ... $159
PowerMate SX/20
2MB CPU Upgrade OP-410-8101 ... $189
2MB Exp. Board OP-410-8102+8103 ... $249
PowerMate 386/33i; Express Te, e series
4MB OP-410-6205 ... $259 16MB OP-410-6206 .. $979

LAPTOP & NOTEBOOK MEMORY

AST

PowerExec 4/25SL
8MB ... $709
16MB ... $1279
PowerExec 3/25SL, 3/25SL-C, EL
4MB ... $319
Premium Exec 286, 386SX/20, 25, 25C
4MB ... $239

Compaq

Contura 3/20, 3/25, 3/25c
4MB ... $239
8MB ... $469
Contura 4/25 series
4MB ... $249
8MB ... $469
LTE 286
2MB ... $149
4MB ... $259
LTE 386S/20
4MB ... $259
LTE Lite 20; 25; 25c, 25e
4MB ... $259
8MB ... $469
16MB ... $1069
LTE Lite 4/25c
4MB ... $269
8MB ... $499
SLT286
4MB ... $389
SLT 386s/20
4MB ... $239

Toshiba

T1000SE/LE/XE; 2000, 2000SX; SXe, T2200SX, T1800 Series
2MB ... $149
4MB ... $259
8MB ... $489
T1200XE, 1600, 3100E
2MB ... $129
T3100SX, 3200SX, SXC
2MB ... $129
4MB ... $249
T3200
3MB ... $219
T3300SL
2MB ... $159
4MB ... $259
8MB ... $449
16MB ... $789
T4400, T6400 (all models)
4MB ... $279
8MB ... $539
16MB ... $879
T1900, T4500, T6400
8MB ... $519
16MB ... $799
T5100
2MB ... $129
T5400, T5200; T5200C, T8500
2MB ... $149
8MB ... $569

NEC

UltraLite Versa (all models)
4MB ... $279
8MB ... $559
UltraLite & Cellular Workstation SX/20
2MB ... $189
8MB ... $399
UltraLite III, SL/25C
2MB ... $129
4MB ... $249
UltraLite SL/20, SL/20P
2MB ... $129
6MB ... $369
ProSpeed 286, 386SX/16
4MB ... $229
ProSpeed 386
2MB ... $149

IBM

AMBRA Treka
2MB ... $139
ThinkPad 300
2MB ... $129
8MB ... $559
PS/2 CLS7SX and ThinkPad 700, 700c, 720, 720c
4MB ... $299
8MB ... $559
ThinkPad 710T
4MB ... $229
8MB ... $449
NSI Notebook (All)
2MB ... $129
4MB ... $259
L40SX, N33SX, PS/Note 182
4MB ... $259
L40SX, PS/Nate 182
8MB ... $469
PS/Note N455SL
2MB ... $129

Texas Instruments

TravelMate 3000 (all models)
2MB ... $99
TravelMate 4000 (all models)
4MB ... $319
TravelMate WinSLC/25
2MB ... $139

Zenith

Z-Lite 320L
2MB ... $149
Z-Note 320L, 320Lb, 325L, 325Lc
2MB ... $129
8MB ... $429
Z-Sport 4205, 425S
4MB ... $209
Z-Sport 325S
2-6MB ... $139
4MB ... $249
MastersPort 386SL, SLC, SLe
2MB ... $129
MastersPort 386SX
2MB ... $129
SupersPort SX; 286e; SlimsPort
2MB ... $139
SupersPort 286; 286e
1MB ... $99
SupersPort 286e; SlimsPort
4MB ... $279

FAX MODEMS



For Apple, AST, Compaq, IBM, Sharp, TI, Toshiba, Zenith, and many other Laptop and Notebook Systems.

PCMCIA 2.0 Internal FAX/Modem with XJACK
14,400bps FAX/Modem ... $429
24/9600bps FAX/Modem ... $289
Internal FAX/Modems w/MNP-5 & V.42/V.42bis
14,400bps FAX/Modem ... $419
24/9600bps FAX/Modem ... $209
External Pocket Modems for any RS-232 Serial Port
14,400bps FAX/Modem ... $385
96/9600bps FAX/Modem ... $319

COMPUTER PERIPHERALS, INC.

ViVa Internal Modems
14,400bpsV.32/V.42 modem, send& receive FAX ... $199
24/9600bpswith send/receive FAX ... $89
ViVa External Modems
14,400bps V.32/V.42 modem, send & receive FAX ... $219
24/9600bps with send/receive FAX ... $99

PS/2 DATACARD



Kingston TECHNOLOGY CORPORATION

DataCard Micro Channel Storage and Memory Upgrade is available with 85, 127 or 209MB of bootable 16 millisecond access storageplus four SIMMsockets thataccomodate up to 64MB of system RAM.

16-bit or 32-bit DataCard
85MB DataCard withOK RAM ... $429
127MB DataCard withOK RAM ... $549
209MB DataCard with OK RAM ... $799

CPU UPGRADES

Kingston TECHNOLOGY CORPORATION

Upgrade your system to 386 or 486 power!

Use Windows in enhanced mode, get true multitasking and background operation for Window 3.1, OS/2, and other 386 specific software. Improve your system's performance by up to 350%.

SX/Now! 386 CPU Upgrade
25MHz (SX) ... $169 33MHz(SX) ... $199
SLC/Now! 486 CPU Upgrade
25MHz (SLC) ... $219 50MHz (SLC) ... $399
486/Now! 486 CPU Upgrade
25MHz (SX) ... $399 33MHz(DX) ... $579
MCMaster 486 CPU Upgrade
25MHz(SX) ... $699 With4MB add ... $259
33MHz(DX) ... $959 WithBMBadd ... $519

SIMMS

1MBx 9-70/80ns ... $59 4MBx 9-70/80ns ... $159
512Kx 36-70(2MB) ... $89 1MBx 36-70(4MB) ... $219
2MBx 36-70 (8MB) ... $409 4MBx 36-70 (16MB) ... $789

LASER MEMORY

HP LaserJet IIIsi, 4, 4M, 4Si, 4SiMX, XL300, InkJet 600
4MB C2065A ... $259 8MB C2066A ... $519
HP LaserJet IIP, III, IIIP, IIID
2MB 33475B ... $109 4MB 33477B ... $199
HP LaserJet II & IID
2MB 33444B ... $129 4MB 33445B ... $219
IBM Laser4029 all models
2MB 1183334 ... $59 4MB 1183335 ... $169
Canon LBP-4, 4Lite, 4Plus
1MB S63-2230 ... $129 2MB N/A ... $179
Canon LBP-III & BIII Plus
2MB S63-2350 ... $179 3MB S63-2360 ... $299
Panasonic 4410 & 4430
2MB KX-P441 ... $149 4MB N/A ... $239
Panasonic 4450I & 4420
2MB KX-P441 ... $149 4MB N/A ... $239
OkiLaser400
1MB 70014701 ... $89 2MB N/A ... $129
Texas Instruments MicroLaser and XL
1MB 2555739-0001 ... $59 4MB 2560052-0002 ... $99
EpsonEPL 6000
2MB 185401 ... $139 4MB II/A ... $229
Epson ActionLaser II, EPL-8000
2MB N/A ... $139 4MB N/A ... $229

MONEY BACK 30 DAY GUARANTEE

WE SET THE STANDARD:

- 100% COMPATIBLE IN FORM, FIT, AND FUNCTION
- ALL PRODUCTS USER INSTALLABLE
- INSTALLATION INSTRUCTIONS INCLUDED
- TOLL-FREE TECHNICAL SUPPORT
- MANUFACTURER'S WARRANTIES
- CORPORATE PO'S, APO/FPO'S WELCOME
- GOVERNMENT AND EDUCATIONAL PRICING
- INTERNATIONAL ORDERS WELCOME
- SPECIAL VOLUME PRICING
- SAME DAY SHIPPING
- OVERNIGHT DELIVERY AVAILABLE
- VISA, MASTERCARD, AMERICAN EXPRESS, AND DISCOVER ACCEPTED
- NO SURCHARGE ON CREDIT CARDS

DON'T SETTLE FOR LESS!

CALL FOR ANY MEMORY UPGRADE NOT LISTED
WE STOCK MEMORY UPGRADES FOR OVER 1980 COMPUTERS AND PRINTERS

TOLL FREE FROM USA & CANADA
800-431-9866
INTERNATIONAL
714-448-7750
FACSIMILE
714-448-7760

Business hours:
Monday - Friday, 8am-5pm, P.S.T.
Saturday, 9am-3pm, Orders Only

The Only Source for First Computer Upgrades
First SOURCE International

Mail or fax orders to:
First Source International, Inc.
7 Journey
Aliso Viejo, CA 92656

Terms and Conditions: Memory products are third-party, manufacturer's numbers are for your convenience. Freight charges are non-refundable. A RMA number is required for all returns. All non-defective returns, unopened, refused, or cancelled orders, will be subject to a 20% restocking fee. Due to I.T.C. tariffs placed in some manufacturers, memory pricing may be higher than advertised. Prices and availability are subject to change without notice. Purchase prices at the time or order are final. First Source International cannot be responsible for errors in typography or photography. We will beat any advertised price valid only on identical brands, offer not good for SIMMs or DRAM. Trademarks are registered trademarks of their respective companies.

CALL THE UPGRADE EXPERTS 800-431-9866

A1193

Circle 185 on Inquiry Card (RESELLERS: 186).

We Carry

ALPS · ATI · BASF · brother · Canon · CENTRONICS · CITIZEN · COMPAQ · CREATIVE LABS INC. · CURTIS · Dataproducts · digital · Dysan · EPSON · EXABYTE · FACIT · FUJITSU · GRAHAM MAGNETICS · GENICOM · Genius · HEWLETT PACKARD · IBM · iOMEGA · KYOCERA · 3M · M. TALLY · maxell · MICROSOFT · Nashua · NEC · OCLI · OKIDATA · olivetti · OLYMPIA · OTC · PACIFIC DATA · Panasonic · Polaroid · QMS · QuickShot · Qume · RICOH · Seagate · SEIKOSHA · SMITH CORONA · SONY · star · SYQUEST · TDK · TEAC · Tektronix · TEXAS INSTRUMENTS · TOSHIBA · TRIPPLITE · Verbatim · WANG

and many more OEM supplies!

ALL LOGOS ARE THE PROPERTY OF THEIR RESPECTIVE COMPANIES

P.O.S./ATM SUPPLIES

RIBBONS, ROLLERS AND OTHER CHECK PROCESSING SUPPLIES FOR DIEBOLD, IBM, ICL, TEC, EPSON, OMRON, SWEDA AND **NCR**, (TO QUOTE PRICES, WE NEED PART NUMBERS)

LOWEST PRICES

Prices in US $ from America's Leading Exporter

DISKETTES (10 per box)

DESCRIPTION	TDK	BASF	MAXELL	3M
5¼" DS/DD	$ 3.15	3.15	3.35	3.55
5¼" DS/HD	4.45	4.45	5.35	5.75
3½" DS/DD	4.25	4.95	5.25	5.35
3½" DS/HD	6.85	6.95	7.25	7.95

BULK DISKS (Inc. Sleeves & Tabs)

DESCRIPTION	FORMAT	OEM GRADE
5¼" DS/DD	$ 0.20	0.22
5¼" DS/HD	0.27	0.29
3½" DS/DD	0.33	0.35
3½" DS/HD	0.42	0.45

DATA CARTRIDGES

DESCRIPTION	3M	MAXELL	DYSAN
DC-2120	$ 11.79	10.29	9.99
DC-6150	13.79	12.29	11.99
DC-6250	17.59	15.29	14.99
DC-6525	20.99	18.29	17.99

STREAMER CASSETTES

MAXELL		TEAC	
CS-600 HD	$ 10.95	CT-600H.	$ 11.75
CS-600 XD	11.95	CT-600N.	16.75
CS-600 SX	18.95	CT-600F	23.75

60 MB · 150 MB · 600 MB

4 MM & 8 MM CARTRIDGES

DESCRIPTION	TDK	SONY	EXABYTE
4MM 60 Meter	$ 6.29	8.99	—
4MM 90 Meter	7.99	9.99	Call
8MM 112 Meter	6.59	9.99	11.95

OPTICAL DISKS

DESCRIPTION	MAXELL	VERBATIM	SONY
3½" 512/128 MB	$ 34.95	32.95	37.95
5¼" 512/600 MB	73.95	67.95	83.95
5¼" 1024/650 MB	73.95	67.95	83.95

HEWLETT PACKARD

INK JETS		TRANSPARENCY/PAPER	
HP51604A	$ 8.20	HP51630Z	15.75
HP51606A	20.50	HP51630S	45.75
HP51606C	23.50	HP51636G	37.75
HP51625A	20.50	HP92261K	52.75
HP51626A	22.50	HP17703T	35.75

LASER TONERS		RIBBONS	
HP92275A	$ 57.95	HP92151H	4.25
HP92274A	53.95	HP92155A	11.75
HP92291A	99.95	HP92155L	13.95
HP92295A	68.95	HP92156S	8.45
HP92298A	93.95	HP92154B	109.00

We carry a complete line of HP Products.
Please call for the lowest prices.

PANASONIC

KX-P115	RIBBON	$ 6.59
KX-P140	RIBBON	8.59
KX-P4450	TONER KIT	25.99
KX-P4450	DRUM KIT	105.99

(CALL FOR OTHER PANASONIC ITEMS)

RICOH

TONER 6000 +	$ 12.95
TONER 80 PLUS	29.95
TONER 150 PLUS	29.95
OPC KIT 80	99.95
OPC KIT 81	99.95
OPC KIT 150	96.95

KYOCERA

TONER	$ 25.00
DEVELOPER	93.00
DRUM	125.00
FUSER	171.00

DIGITAL

LN03X-AC TONER KIT	$ 32.75
LN03X-AD OPC KIT	104.75
TK-50 TAPE CARTRIDGE	16.75
TK-70 TAPE CARTRIDGE	26.75
TK-85 TAPE CARTRIDGE	27.75
RA60-P DISK PACK	595.00

Dec Ribbons & other supplies
Please call for the lowest prices.

IOMEGA (Bernoulli Cart)

5 ¼" GOLD 20MB	$ 53.00
5 ¼" GOLD 44MB	83.00
5 ¼" GOLD 90MB	124.00
5 ¼" CLEANING KIT	30.00

SyQUEST (Removable Disk Cart.)

88MB DISK 1-YR WARRANTY	$ 89.00
88MB DISK 5-YR WARRANTY	94.00
44MB DISK 1-YR WARRANTY	62.00
44MB DISK 5-YR WARRANTY	64.00

CANON

BC-01	INK CARTRIDGE	$ 16.95
BC-02	INK CARTRIDGE	19.95
BJI-481	INK CARTRIDGE	11.95
BJI-642	INK CARTRIDGE	14.95
BJI-801	INK CARTRIDGE	8.95
EPS/SX	TONER HP 92295A	67.95
EPL/IIP	TONER HP 92275A	54.95

APPLE

TONER LASERWRITER PRO.	$ 88.95
TONER LASERWRITER SELECT.	77.95
TONER LASERWRITER (CX)	73.95
TONER LASERWRITER (SX)	69.95
TONER LASERWRITER (LX)	55.95
INKJETS STYLEWRITER	15.25
INKJETS STYLEWRITER II	17.95
RIBBON IMAGEWRITER II BLK	4.25
RIBBON IMAGEWRITER II CLR	9.55

EPSON

RIBBONS		LASER	
7753	$ 3.45	SO50002	$ 71.95
7754	3.85	SO51005	106.95
7762	5.85	SO51009	139.95
8750	3.05	SO51011	112.95
8755	3.45		
8762	5.85	**INK JETS**	
8763	4.25	7750	46.95
8764	9.05	7760	16.95
8766	17.75	SO20002	18.95
8767	11.45	SO20025	12.95

COPIER TONERS

CANON

F41-2302-100	$ 75.00
F41-4102-710	100.00
F41-4214-700	89.00

CANON COLOR

F41-6811-000	$ 83.00
F41-6821-000	83.00
F41-6801-000	83.00

KONICA

946-181	$ 9.25
946-241	12.25
947-376	31.25

MINOLTA

8915-743	$ 12.90
8915-348	27.90
8931-202	76.90

MITA

37037011	$ 12.25
37041011	5.25
37042011	27.25

RICOH

887051	$ 5.75
887132	6.75
887143	17.75

SHARP

SF-730MTI	$ 16.50
SF-830MTI	14.50
SF-980MTI	33.50

TOSHIBA

T-220P	$ 17.80
T- 61P	7.80
T- 68P	8.80

XEROX

6R-229	$ 27.90
6R-244	51.90
6R-257	41.90

IBM

RIBBONS		LASER	
1040150	$ 8.20	1348330	$ 520.00
1040282	45.30	1348331	295.00
1040440	11.40	1348347	170.00
1040930	7.50	1348349	37.00
1299095	1.70	1380200	143.00
1299790	9.90	1380520	160.00
1299845	3.90	1669113	15.00
1299933	13.80	1669115	60.00
1319308	11.30	1669151	60.00
1337765	2.70	70X7001	71.00
1361195	1.50	70X7002	175.00
1380999	3.40	70X7003	17.00
6295158	28.40	70X7280	33.00
6328829	5.30	70X7281	121.00
6845100	28.90	70X7243	363.00
7034437	27.50	70X7244	276.00
7034640	5.40	70X7285	83.00
7819690	12.50	70X7286	379.00

GENIUS

CLIXes ERGONOMIC STREAMLINE MOUSE 350-4200 DPI ..... $ 12.75

MouseOne SERIAL - STARTER MOUSE, 350-1050 DPI 9.95

HiTrak-SPACE SAVER MOUSE, 350-1050 DPI 38.85

GS-4500A FOR WINDOWS-BLACK & WHITE HAND HELD SCANNER, 100-400 DPI 84.25

GS-B105A FOR WINDOWS 256 GRAYSCALE HAND HELD SCANNER, 100-400 DPI 139.00


GS-C105 FOR WINDOWS COLOR HAND SCANNER, 100-400 DPI ... 270.00

STARTECH *International*
COMPUTER SUPPLIES
5575 Magnatron Blvd., Suite G
San Diego, CA 92111 USA

TEL: 619-278-2600
FAX: 619-278-2780

EXPORT SPECIALISTS

TERMS: C.O.D., BANK DRAFT, WIRE TRANSFER OR L/C AT SIGHT. P.O.'S ACCEPTED FROM RECOGNIZED INSTITUTIONS ON NET 30 DAYS. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. WE CANNOT BE RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.



YOU PROBABLY THINK THAT . . .

•Portable computers are *slow.*

•Portable computers are *inflexible.*

•Portable computers are too *expensive.*

LOOK AGAIN . . .

The ****AFFORDABLE*** Performance Series notebook computer will change your mind.

Give us a call. We will give you all the proof you need that our **affordable, powerful** and **expandable** Performance Series notebook computers offer the best solutions for your desktop and mobile computing needs.

MICRO-INTERNATIONAL, INC. 10850 Seaboard Loop, Houston, Texas 77099
National Sales:(800) 967-5667•Local Sales:(713) 495-9096•FAX:(713) 495-7791

*Prices start at $1,700 for a 486SX/25M System with 4MB RAM and 80 MB Hard Disk.
Office hours Monday–Friday 8:00–6:00 • Saturday 10:00–1:00 • Sunday–Closed

Circle 201 on Inquiry Card (RESELLERS: 202).



Printer Port Connections Are The New Tools Of The Trade.



nce you discover just how easy it is to install a backpack CD-ROM drive to your computer, you'll never be inconvenienced by conventional installation methods again. Just plug backpack into your computer and you're ready to go. No interface cards, hardware conflicts or expansion slots required. Because of its unique printer port interface, backpack fits all IBM PC compatibles and portables regardless of CPU speed. In addition, a built-in audio circuit with both headphone and line output jacks allows for connection of sound cards or Hi-Fi. You can run thousands of your favorite multimedia programs and view Kodak™ Photo CDs too, with CD-ROM backpack. Compact and versatile, you can expect backpack to go wherever you go, bringing with you the wealth of information CD-ROM storage makes possible. Printer pass-through is included. Tape drive, hard drive and diskette backpack drives are also available. Call today for ordering information and a dealer nearest you.



backpack
CD-ROM Drive

MicroSolutions

132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 Fax 815.756.2928

Call Toll Free 800.295.1214

Photo CD symbol is a trademark used under license.

See us at Comdex, Booth #H1930

Circle 190 on Inquiry Card (RESELLERS: 191).

GUARANTEED LOWEST PRICES
ON EVERY HARDRIVE
Seagate

MODEL	SIZE	SPEED	TYPE	PRICE
ST225	20MB	65MS	MFM 3.5"	$169
ST251-1	42MB	28MS	MFM 3.5"	$249
ST351A (1" high)	42MB	28MS	IDE 3.5"	$125
ST3144A (1" high)	130MB	16MS	IDE 3.5"	$208
ST3243A	213MB	15MS	IDE 3.5"	$249
ST3283N	249MB	12MS	SCSI-2	$399
ST3290A ... 260MB		**15MS**	**IDE 3.5"**	**$274**
ST3390N	343MB	12MS	SCSI-2	$479
ST3550A	452MB	12MS	IDE 3.5"	$489
ST3550N	457MB	12MS	SCSI-2	$598
ST3655A	545MB	12MS	IDE 3.5"	$698
ST4096	80MB	28MB	MFM Full HT	$389
ST4144R	125MB	65MS	RLL (FULL HT)	$399
ST9096A	85MB	16MS	IDE 2.5"	$298
ST9144A	128MB	16MS	IDE 2.5"	$348

CONNER

MODEL	SIZE	SPEED	TYPE	PRICE
CP30084	80MB	17MS	IDE	$175
CP30104 (1" high)	120MB	19MS	IDE	$189
CP30174A (1" high)	170MB	17MS	IDE	$208
CP30254 (1" high)	209MB	12MS	IDE	$278
CP30540	540MB	10MS	SCSI	$698
CP3054AA	540MB	15MS	IDE	$698

Maxtor — 2 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	PRICE
7131A (1" high)	130MB	15MS	IDE	$198
7213A (1" high)	213MB	15MS	IDE	$234
7213S (1" high)	213MB	15MS	SCSI	$275
7245A (1" high)	245MB	15MS	IDE	$269
7345A (1" high)	345MB	15MS	IDE	$339
MXT540SL	540MB	13MS	SCSI/IDE	$849
PANTHER (FH) P012S	1000MB	13MS	SCSI	$998
PANTHER (FH) P17 ..... 1500MB		**13MS**	**SCSI**	**$1258**

FUJITSU — 5 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	COST
2622A/S (3.5")	330MB	12MS	SCSI/IDE	$565
2623A/S (3.5")	420MB	12MS	SCSI/IDE	$738
2624A/S (3.5")	520MB	12MS	SCSI/IDE	$725
2266S(FH)	1080MB	15MS	SCSI	$999
2652S (FH)	1750MB	11MS	SCSI	$1888
2654S(FH)	2060MB	12MS	SCSI	$1998

MICROPOLIS

2105 (3.5")	560MB	10MS	SCSI/IDE	$869
1624 (HH)	660MB	15MS	SCSI	$795
2112 (3.5")	1050MB	10MS	SCSI/IDE	$1069
1528-15 (FH)	1350MB	14MS	SCSI	$1098
1548(FH)	1748MB	14MS	SCSI	$1595
1924 (FH)	2100MB	11MS	SCSI	$2279
1936(FH)	3300MB	11MS	SCSI	$2895

WESTERN DIGITAL — 2 YEAR WARRANTY

2200 (1"high)	212MB	13MS	3.5" IDE	$235
2250 (1"high)	256MB	12MS	3.5" IDE	$275
2340 (1"high)	340MB	12MS	3.5" IDE	$339
2420 (1" high)	425MB	12MS	3.5" IDE	$498

intel Classic Memory Board

For 286 and 386 sytems. ASCI design gives EMS support in hardware for up to 90X performance over software EMS. Up to 8MB using 1MB SIMMS. Works in both 8 or 16 bit expansion slots.

2MEG-$198 4MEG-$308 8MEG-$538

PRICES REDUCED — Floppy Drives

360K	5.25"	1/2 HT	$29	1.44/1.2 DRIVE	$139
720K	3.5"	1/2 HT	$34		
1.2MB	5.25"	1/2 HT	$58		
1.44MB	3.5"	1/2 HT	$47		
5.25"	MOUNTING FOR 3.5" DR VES		$5	1 YEAR WARRANTY	

Drive Controllers

8 Bit	4 Floppy High Density, 360K, 720K, 1.44, 1.2	$49
8 Bit	2 Hard Drives MFM	$49
8 Bit	2 Hard Drives RLL	$69
16 Bit	Hard Drive only MFM Western Digital	$29
16 Bit	Hard and Floppy 1:1 Interleave	$34
SCSI	DTC-3280(Supports7 drives)	$139
SCSI	Adaptec 1742A 32 BIT	$418
SCSI	Adaptec 1542 Bus Mastering	$219
ESDI	DTC6282-24	$149
IDE	Hardand Floppy	$19
IDE	**Hard and Floppy w/IO**	**$29**
Cables	Hard Drive	$9
Cables	Hard and Floppy	$14
SCSI-2	ULTRA14F, ISA	$149
SCSI-2	ULTRA14E, ISABUSMASTER	$238
SCSI-2	ULTRA34F, VESA LB	$299
IDE	ULTRA15C, W/CACHE 0-8MB	$198
IDE-VL	HARD & FLOPPY (VLB)	$69

WORDSTAR®



ONLY 500 COPIES LEFT!

Wordstar 2000 Rel. 3.5

This is not a misprint! These are the exact same ones selling for over $300.00 from our competitors. We have hundreds in stock to sale below dealer cost! Retail boxed and factory sealed.

$99 RETAIL $495.00

TOLL FREE
800-982-2925

For U.S. and Canadian Orders only

HOURS: M-F 7AM-6PM / SAT 10AM-3PM PST

TECHNICAL & CUSTOMER SERVICE CALL:

(702) 294-0204

PURCHASE ORDERS & INTERNATIONAL ORDERS

FAX TO: (702) 294-1168

WE BUY EXCESS INVENTORY

NEVADA COMPUTER

Memory Shortage?

As of 9/3/93 these are our prices. We are trying to maintain them for as long as possible. Due to a July 4 fire at an epoxy plant in Japan and an ever growing demand for memory, there is a worldwide shortage of memory. We are getting thousands of pieces per day and are offering all memory to our current customers at the lowest cost possible for the next several months. This is the prepaid price.

PRICES COULD HAVE FALLEN... CALL (800) 982-2925 FOR CURRENT PRICES

PACKARD BELL COMPUTER LIQUIDATION



8088 CPU, 101 KEYBOARD, 360K FLOPPY, 640K RAM, DESKTOP CASE W/POWER SUPPLY, SERIAL & PARALLEL PORTS, CGA CARD & COLOR MONITOR **$198**

MODEM SALE

All modems come complete with software, cable, manuals and a one year warranty. They are auto answer, auto dial, Hayes compatible with error correction.

1200 Baud PC Internal	$9 (External $29)
1200 Baud PS2 Internal	$14
2400 Baud PC Internal	$34 (External $59)
2400 Baud Pocket External	$99
2400 Laptop as low as	$99

FAX MODEMS

9600/2400 for PC and PS1 / WinFax or BitFax software	$48
9600/2400 Laptops & Notebooks	$199
1.44 BPS For PC and PS1	$159
PCMCIA 2.0 9600/2400	$249

UPGRADE YOUR 386 TO A 486

	486DLC-40	486DX-33	486DLC-33	486SX-25	386DX-33
PC Mag. 6.0 Avg. Mix	1470	1339	1215	1002	857
Landmark V2.0	130	111.5	107.2	83.6	51.5
Norton SI 6.0	65.6	70.9	54.1	52.7	47.7

386DX Upgrade

80486DLC-25	$118
80486DLC-33	$159
80486DLC-40	$199

386SX Upgrade

80486SLC-25	$128
80486SLC-33	$199

Clock Doublers

486DRX2-16/32	$295
486DRX2-20/40	$339

- Up to 70% Faster
- 5 Year Warranty
- Dos Compatible
- 1K Internal Cache W/Hit Rate of 85%
- Plug Compatible
- 486 Instruction set
- Windows Compatible
- Cache Software]
- Compatible w/387 Coprocessor

Cyrix — TEXAS INSTRUMENTS

COPROCESSORS

8089 BASED MACHINES:		80186 BASED MACHINES:	
8067-3.5mhz	$48	80387-16Mhz	$49
8067-2 8Mhz	$68	80387-20MHz	$59
8087-1 10MHz	$88	80387-25MHz	$69
80286 BASED MACHINES:		80387-33MHz	$79
80287-6MHz	$29	**80387-SX16 $58**	
80287-8MHz	$39	80387-SX20	$79
80287-10 MHz	$49	80387-SX33	$84
80287-XL	$58	80387SX	$88
80287-XLT	$99		

intel OVERDRIVES

Boosts overall system performance up to 70% by doubling the internal operating speed of your present microprocessor.

486DX2-66	$598
486DX2-50	$498
486SX25	$499

intel 486DX/SX CPU'S

80486 DX/25	$284
80486 DX/33	$309
80486 DX/50	$478
80486 DX-2/50	$399
80486 DX-2/66	$538
80486 SX/25	$119
80486 SX/33	$198
CPU COOLING	$24

Cyrix

83D87-33MHZ	$79
83D87-40MHZ	$84
83S87-25MHZ (SX)	$79
83S87-33MHZ (SX)	$84

Call us with your best quote!

IBM PS/2 Memory

MODEL	MEMORY	PART #	PRICE
'5/1 and 386/SX (2121)	2MB	92F9935	$118
	4MB	92F9694	$218
PS/230/286;25/286; Adpt Brd 1497259	512K	30F534B	$39
	2MB	30F5360	$114
PS/2 35SX, LS, 40SX, 70-E61; 061; 121 Adpt Brd 6450609; 34F3011; 34F3077, 502 55SX, 65SSX, P70, 55LS, 65LS XStation 120 & 130	1MB	6450603	$57
	2MB	6450604	$104
PS2 50, 50Z, 55SX, 60, 65SX	2MB	1497259	$317
	2-16MB	6450609	$368
2-8 MB FOR PS/2 50 & 60, 2MB $159, 4MB $259, 8MB $489			
PS/1 Consultant, Essentials & Expert models x43, x44 & PS/Valuepoint all models except Cxx series	4MB	N/A	$238
	16MB	N/A	$844
PS/270-A21; A61; B21; B61; PS/1 Consultant, Essential & Expert models x11, x13 & x14, PS/Valuepoint Cxx series	1MB	6450603	$49
	2MB	6450608	$99
PS/2 35SX; LS, 40SX, 55SX; 15, 65SX;	4MB	34F2933	$218
PS/290 XP, 95 XP, P75 (Pairs), 5657 (all) 76, 77, PS/1 Pro 2123	2MB	6450902	$107
PS2 90, 95 XP, P75 (Pairs) 56, 57, (all) PS/1 Consultant, Essential, Expert x11, x13 & x14, PS/1 Pro 2123. R5/6	4MB	6450128	$218
	8MB	6450130	$468
PS/2 2 35SX; LS; 40SX	8MB	6450129	$468
PS2 70's and 80's	2-8MB	6450605	$297
32 BIT BOARDS	2-16MB	34F3077	$388
32 BIT BOARDS	4-16MB	34F3011	$448
PS/280-A21; A31; A61	4MB	6451060	$198
PS/280-041	1MB	6450375	$88
PS/280-111; 311; 121; 321; 081; 161	2MB	6450379	$108
ValuePoint 425SX/25/DX33 & 66	1MB	96F9290	$58
	4MB	96F9291	$268

BOCARAM/2 PLUS

For PS/2 16 Bit Memory for IBMMCA, DOS and OS2 LIM EMS

2 to 8MB (uses 1MEG SIMMS) 2MB-$239 4MB-$345 8MB-$572

IBM Laptop Memory

Thinkpad300	2MB	33G9288	$119
	8MB	33G9289	$499
Thinkpad700T	2MB	53G6958	$138
	4MB	53G6959	$298
	8MB	53G6960	$499
CL57SX	2MB	07G1419	$168
Thinkpad 700, 700C, 720, 720C	4MB7 G 420		$28
	8MB	07G1421	$489
PS/Note N45	2MB	92F8804	$108
PS/2 Model N51, Notebook SLC, SX	2MB	07G1826	$108
	4MB	07G1827	$268
	8MB	07G1828	$448
Laptop N33SX, L40SX & PSNOTE 182	2MB	79F0999	$108
	4MB	79F1000	$268
L40SX, PSNOTE 182 ONLY	8MB	79F1001	$488

TOSHIBA Laptop & Notebook Memory

In Touch with Tomorrow

MODEL	MEMORY	PART #	PRICE
T1000 SE/LE/X E	2MB	PA8312U	$104
T2000 / T2000SX	2MB	PA8317U	$104
T2000SX/T1000 LE	4MB	PA8314U	$238
	8MB	PA8315U	$447
T1200 XE	2MB	PA8306U	$112
1600	2MB	PA8302U	$105
T2 SXE/T2200SX/T1800 T1850, C	2MB	PA2000U	$109
	4MB	PA2001U	$239
	8MB	PA2002U	$447
T3100	2MB	PA7135E	$178
T3100E	2MB	PA8341U	$108
T3100SX	2MB	PA8308U	$108
	4MB	PA8310U	$234
T3200 SX	2MB	PA8307U	$108
	4MB	PA8309U	$214
T3200SXC	2MB	PA8318U	$108
	4MB	PA8319U	$214
T3200	3MB	PA7137U	$186
T3300SL	2MB	PA2006U	$118
	4MB	PA2007U	$238
	6MB	PA2008U	$278
	16MB	PA2009U	$998
T4400SX, SXC, T6400 SXC, DXC	2MB	PA2003U	$125
	4MB	PA2004U	$238
	8MB	PA2005U	$448
	16MB	PA2010U	$989
	32MB		$1999
T4500, T4600, T1900C 3.3VOLTS	4MB	PA2012U	$288
	8MB	PA2013U	$478
	16MB	PA2014U	$1298
T5100	2MB	PA8301U	$104
T5200/T5200C/T8500	2MB	PA8304U	$109
	8MB	PA8313U	$448

COMPAQ Memory

MODEL	MEMORY	PART#	PRICE
Deskpro 386/16	1-2MB	108069-001	$338
	2MB	108069W71	$448
	4-8MB	108070-001	$498
Deskpro 286E; 386-20; 20E; 25; 25E	1MB	113131-001	$59
	4MB	113132-001	$238
Deskpro 386S	4MB Board	113634-001	$219
	4MB Module	112534-001	$259
Deskpro 386-20E; 25E	4MB	113645-001	$299
Deskpro 386/33; 386/33i; 486/25; 33i;50L; Systempro	2MB	115144-001	$124
	8MB	115661-001	$449
	32MB	115668-001	$1999
Systempro; Deskpro 4 SKT EXP BRD W/2MB		116569-001	$399
Compaq "M"	2-64MB	129160-001	$448
Deskpro 286N; 386N; 386SX/20; 20N, Portable 486c, Deskpro M, Systempro LT Series 129160-001, Compaq ProSignia	1MB	118688-001	$49
	2MB	118689-001	$105
	4MB	118690-001	$238
	8MB	128877-001	$444
Prolina 3/25 & 25Z	2MB	141738-001	$109
	8MB	141742-001	$399
Prolina 4/25si, 4/33, 4/50	2MB Module	141683-001	$108
	4MB Module	141684-001	$238
	8MB Module	141685-001	$418
Compaq Pro Signia	16MB	149320-001	$995
	32MB	149147-001	$2395

COMPAQ Laptop & Notebook Memory

Contura 320, 325	2MB	139497-001	$108
	4MB	139498 001	$238
	8MB	139499 001	$418
Contura 4/25CX	4MB	146520-001	$228
	8MB	146521-001	$471
	16MB	146532-001	$948
SLT/286	1MB	110235-001	$79
	4MB	110237-001	$208
SLT386	1MB	116303-001	$79
	2MB	118304-001	$108
	4MB	118305-001	$238
	1MB	117081-001	$79
Ute 286	2MB	117081-002	$109
	4MB	117081-004	$238
Ute 386S/20	1MB	121125-001	$98
	4MB	121125-002	$218
Ute Lite/20, 25, 25C	2MB	129769-001	$138
	4MB	129769-002	$248
	8MB	129769-003	$421
	16MB	129769-004	$1395
LTE Lite/20 & Lite/25;25C	16MB	N/A	$1045
LTE Lite 486/25C	4MB	142337-002	$239
	8MB	142337-003	$478
	16MB	142337-004	$1198

Simm Modules

Prices change up and down call. Sipp modules, add $3.00 ea.

DESCRIPTION	1ONS	8ONS	7ONS	6ONS	5ONS	4ONS
256X9	$7	$12	$15	$17		
1MEGX3		$55	$56	$61		
1MEG X 9	$44	$57	$60	$64	$69	$78
4MEG X 9		$168	$178	$188		
16MEG X 9 (36 CHIP)			$999			
256X36 1MEG (72 Pin)		$69				
512X36 2MEG (72Pin)		$114	$124	$129		
1X364MEG (72 Pin)		$208	$218	$288		
2X368MEG (72 Pin)		$418	$447	$478		
4X36 16MEG (72 Pin)		$748	$798	$848		
8X36 32MEG (72 PIN)			$21 50			

D-Ram Chips

DESCRIPTION	1SONS	12ONS	1OONS	8ONS	7ONS	6ONS
64 X 4	$1.95	$2.25	$2.45	$2.95		
256X1 STATIC				$1.95	$2.25	
256 X 1	$1.45	$1.85	$2.40	$3.00	$3.15	$3.20
256 X 4			$5.45	$6.95	$7.45	$7.95
1MEG X 1		$2.95	$4.50	$5.75	$6.45	$6.75
1MEGX1 STATIC				$4.95	$5.25	
1MEGX4				$22.00	$25.00	$29.00

CACHE MEMORY

	15ns	20ns	25ns
8X8	5.95	5.45	4.95
32X8	9.95	8.75	
64x1	10.95	9.45	8.95
64x4	11.95	9.95	8.95
16x4	9.95	6.45	5.95
128x8		60.00	50.00

PCMCIA 2.0 SRAM MEMORY

AST POWEREXEC, DEC PALMTOP, DELL 320SL, GRID GRIDPAD, HP 95LX, IBM PC RADIO, MOMENTA, PENTOP, INCR 3125 NOTEPAD, POQET, SHARP PC3000/3100, SHARP PC 6700/6741/6781/6785, SHARP PC 6800/6841/6881/6891, ZEOS POCKET PC

512K $98.00 1MB $168.00 2MB $284.00

Laser Printer Memory

MODULE	1MEG	2MEG	3MEG	4MEG	5MEG	8MEG
Brother HL-10V/DV	$165	$264				
Canon LBP4, 4 Lite & 4+	$118. $184					
Compaq Pagemark 15 & 20		$289		$420		
Epson Action Laser II, 8000	$95	$163		$229		
Epson + 6000 and many more	$98		$168			
Fujitsu 7100 & 7200	$199. $279					
HP Deskjet 500, 500C and 550C	$59 (256K)					
HP2, 2D,	$89		$159			
3, 3D, 3P, 2P, 2P+	$113		$169			
HP Laser Jet4, 111Si, XL300, 1200C	$218			$448		
IBM Laser 4019, 4019E (3.5MB)	$129		$189			
IBM Laser 4029 AIL MODELS	$119		$189			
NEC 90, 290	$128					
NEC 95	$118					
OKI 400	$78 .. $98					
Packard Bell PB9500	$125		$198			
Panasonic 4410/4430	$129		$198			
Panasonic 4420/4450	$128		$198			
Panasonic 4450	$115					
Panasonic 4455	$129					
QMS 410	$119. $159		$249			
StarLS04	$129. $179		$269			
StarScript 4	$128. $178		$258			
Tasiba Page Laser 6	$99		$168			
TI XL/PS17/PS35	$48					

Major Laptop & Notebook Memory

MODEL	MEMORY	PART#	PRICE
AT&T Safari	2MB	37650	$148
	4MB	37651	$298
Bondwell B 310	1MB	23050-09100	$128
Dec pc 320 Notebook	2MB Mod	FR-PCIM-BA	$149
	4MB Mod	FR-PCIM-BB	$298
	8MB Mod	FR-PCIM-BD	$498
Dell Laptop 212, 320N; 320N+	2MB Mod	310-3204	$129
Dell 325N; NC	2MB Mod	310-3210	$139
Dell NL20 & NL25	2MB Mod	310-3213	$148
Epson NB-3 Notebook	4MB	A808511	$238
Epson NB-5U	2MB Mod	A808771	$138
EPSON 25C Notebook	4MB Mod	A808781	$228
Everex Tempo LX, LX20	2MB	00160	$98
Everex Carrier	2MB	00263-00	$98
Grid 1500	4MB	52587	$238
Grid 1450SX	2MB	6200203	$148
Goldstar GS520, 386SX16	1MB	N/A	$98
	4MB	N/A	$298
NCR 3120N notebook	4MB Mod	3120-K104	$299
NCR 3170 Notebook	4MB Mod	3123-K104	$399
Packard Bell, Magnavox, Mitsuba	1MB	N/A	$88
	4MB	N/A	$248
Panasonic CF170/270/370	1MB	CF-BA165	$64
Samsung Notemaster 3865	2MB	SNM002	$195
	4MB	SNM004	$395
Sanyo 17NB; 18NB & ZEOS	2MB	MBC-NBMEM2	$98
Sharp 6220	1MB	CE-6218	$98
Sharp 6640	2MB	N/A	$178
Sharp 4700MZ-200	1MB	CE-471	$198
Sharp 8501 Colorstar	2MB	N/A	$398
TI Travelmate 2000	1MB	2568034-0011	$108
TI Travelmate 3000SX; WINSX	2MB	2566996-0001	$118
TI Travelmate 4000, WINDX/25 SX/16, SX25, DX2/40	4MB	2581265-001	$279
DX2/50	16MB		$1495

AST COMPUTER Memory

MODEL#	MEMORY	PART#	PRICE
PREMMA	4MB	501159-001	$247
	8MB	501159-002	$478
MANHATTAN SMP	16MB	501143-001	$868
BRAVO 3/25'S	2MB	500710-004	$118
	8MB	500824-002	$418
ADVANTAGE 386SX/20,25, PRO SX/25 BRAVO3/33'S	2MB	500962-001	$105
	8MB	500962-002	$424
ADVANTAGE PRO 486DX/33,SX/25,BRAVO LC4/25S; 33;33S; 500; 4"66D	2MB	500987-001	$108
	4MB	500987-002	$238
PREMIUM 386/25; 33; 33TI 386SX/16;20,25	1MB	500780-003	$59
	1MB	500780-002	$59
ADVANTAGE 486/25; 33;33P,SX20, BRAVO 4/33,486/25,PREMIUM 4/25; 33TE, SE 4/33	2MB	500718-004	$119
	2MB	500780-005	$119
ADVANTAGE 486/25;33;33P,SM80,POWER PREMIUM3/33,4/33,335,500,660; PREMIUM 386/33IE,486/25,E;25IE;33,33IE; PREMIUM II 386/25;33,486/33,486SX/20 PREMIUM SERVER SE 4/33	4MB	500780-004	$228
	8MB	500780-001	$498
POWER-EXEC3/25SL, 3/25SL-C,EL	4MB		$238
	16MB		$1299
POWER-EXEC4/25SL	4MB		$248
PREMIUMEXEC 286,386SX/20,25,25C	4MB	500814-003	$228

TERMS: SHIPPING: UPS (Min. $8.25) Shipping charges are non refundable. Purchase orders from Universities, Fortune 2000 & Government Agencies, NET 30 on approval. COD add $5.00 (Cashiers check)

FEDERAL EXPRESS — DHL — UPS

CONDITIONS: 20% Restocking Fee on refunds within 30 days. No refunds or exchanges after 30 days - WARRANTY REPLACEMENT ONLY. ALL PRICES FINAL. PRICES SUBJECT TO CHANGE. Mfg. part #'s for convenience only. Trademarks are registered with their respective Co.'s. 386, 387, 287, SX, are trademarks of Intel Corp.

VISA — MasterCard — DISCOVER — AD # B1193

684 Wells Road
Boulder City, NV
89005

NEVADA COMPUTER

Circle 187 on Inquiry Card.



It's fast. It's small. It's reliable. It's incredibly compatible.

Backpack is the best selling parallel port tape drive on the market. We'd like to tell you why.

With Backpack, tape backup is quick and simple. Just plug it into your printer port and it's ready to use. No hardware conflicts, no slots required. One model fits all IBM PCs, compatibles and portables, regardless of CPU speed.

Backpack can store up to 250MB on a tape using data compression, is completely QIC80 compatible, and reads QIC40 tapes. With its compact size and 1Mbps transfer rate, Backpack is the smallest and fastest parallel port tape drive you can buy.

Micro Solutions is dedicated to the perfection of backup technology.

CD-ROM, hard drive, and diskette Backpack drives are also available. Call today for ordering information and a dealer nearest you.

Telephone 815.756.3411 FAX 815.756.2928

MicroSolutions 132 West Lincoln Highway DeKalb, IL 60115

Call toll free: 800-295-1214

See us at Comdex, Booth #H1930

Circle 192 on Inquiry Card (RESELLERS: 193).

WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE. CALL FOR LATEST PRICING!!

WE ACCEPT PO'S FROM QUALIFIED FIRMS

M E M O R Y

NO SURCHARGE FOR MC, VISA AE & DISCOVER

CACHE MEMORY

	12NS	15NS	20NS	25NS
8Kx8	–	6.50	6.00	5.50
32Kx8	28.00	9.00	8.00	7.00
64Kx1	–	6.50	6.00	5.00
64Kx4	–	11.00	9.00	8.00
16Kx4	–	6.50	6.00	5.00
128Kx8	–	–	49.00	36.00

INTEL 486 DX/SX CPU's

80486	DX2-66	549.00
80486	DX2-50	399.00
80486	OX-50	469.00
80486	DX-33	329.00
80486-	OX-25	269.00
80486	SX-33	189.00
80486-	SX25	109.00

Individual D-RAM Chips

MEMORY FOR IBM & APPLE

	60NS	70NS	80NS	100NS
1Megx1	7.35	7.25	6.75	4.95
1Megx4	35.00	29.00	27.00	–
1Megx4 (Zip Pack)	25.00	23.00	21.00	–
256 x 4 (Video Zip)	–	–	11.95	10.95
256x4	4.75	4.50	–	–
256 x 1	3.00	2.75	2.50	2.25
256 x 16VRAM	–	39.00	39.00	–
64x4	–	–	3.25	–
64x1	–	–	–	2.00

INTEL Math Chips

8087	45.00
8087-2	49.00
8087-1	85.00
80287-XL	55.00
80387-16 DX	45.00
80387-20DX	55.00
80387-DX (Does All)	79.00
Intel SX (Does All)	79.00
IntelSL Mobil	85.00
Intel16SX	49.00
Intel 20SX	54.00

CHANGE YOUR 386 to a 486 (JUST CHANGE CPU)

• Plug Compatible • CacheSoftware • Uses 387 Math Chip
• 50-60% Faster • DOS & WINDOWS Compatible

		Landmark V2.0
Cyrix 486 DLC 40MHZ	199.00	130
33MHZ	179.00	107.2
25MHZ	118.00	N/A
Cyrix 486 SLC 33MHZ	159.00	103.5
25MHZ	128.00	78.4
Cyrix 486 DRX2	Call	

SIMM MODULES (Add $5.00 for SIPP)

	40NS	53NS	60NS	70NS	80NS	100NS
1Meg x 9 (3 chip)	65.00	65.00	56.00	54.00	50.00	–
1Meg x 9 (9 chip)	68.00	68.00	65.00	63.00	58.00	44.00
4Meg x 9	–	–	160.00	175.00	179.00	–
16Meg x 9 (9 chip)	–	–	–	909.00	–	–
16Meg x 9 (36 chip)	–	–	–	899.00	–	–

72 PIN SIMMS (EISA)

256 x 36 1Meg	–	–	65.00	59.00	–
512 x 36 2Meg	–	–	95.00	84.00	–
1 x 36 4Meg	–	229.00	219.00	199.00	–
2 x 36 8Meg	–	479.00	459.00	399.00	–
4 x 36 16Meg	–	789.00	769.00	769.00	–
8 x 36 32Meg	–	–	1995.00	1739.00	–
16 x 36 64Meg	–	–	5000.00	–	–

CYRIX FASMATH PROCESSOR

Programs executed up to 3X faster • Plug & object code compat. w/Intel
83D87-40MHz – 89.00 83D87-33MHz – 79.00 83S87-25SX Ver. – 69.00
83S87-33SX – 89.00 PC Week™ rated #1 over all math chips
5 Year Warranty • "All Downward Compatible"

AST MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #		PRICE
Advantage 12-386	4MegKit	500510-004		239.00
Bravo 486	4Meg	500987-002		199.00
	8Meg Kit	500987-003		398.00
	16Meg	500987-004		699.00
Premium 386/25, 16 SX	1Meg	500718-001		59.00
Premium 386/33	1Meg	500718-002		59.00
Premium II	1Meg	500780-003	WPB	59.00
386SX20, 486-25, 25E,33	4Meg	500780-004	WPB	219.00
Premium Tower, 386/33TE, 486/25TE, 486/33TE	8Meg	500780-001	WPB	438.00
Cupid Memory Board	0-32Meg	500818-001		149.00

ZENITH MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #	PRICE
Z386/33,25, 20,33E	1Meg	ZA3800ME	59.00
Z386/33,25, 20,33E, 486/25E	4Meg	ZA3800MK	195.00
Z386SX	2Meg	Z-605-1 modules	119.00

MAGNAVOX

286/386SX-16, 386SX-20, 486SX-20 & 386-33 *all are 72PIN SIMM:*
1MEG – 59.00 4MEG – 195.00 8MEG – 399.00 16MEG – 769.00

MEMORY BOARDS
IBM Compatibles & PS/2

BOCA AT PLUS

USES SIMMS

16 BIT MEMORY BD. FOR 286, 386 AT • 0K-6Meg Bd. 4.0 LIM Compat. • New 5 Yr. Warr. Convent., Expnd. & Extnd. Memory • Supports DOS, OS/2, LIM/EMS & EEMS • Versatile Split Memory Addressing • Operates w/CPU Speeds to 33 MHz • Supports Desqview, Multitask operations • *Bd. made by Boca Research, AT plus*
0K – $89.00 2Meg – $177.00 4Meg – $285.00 8Meg – $441.00

BOCA XT 8 BIT BUS

• Expanded memory for XT • Lim 4.0 compat. 0-2Meg • Uses 256x1-100
0-K – $99.00 1Meg $179.00 2Meg – $219.00

IBM P/S2 32BIT EXPANSION BD.

0-32Meg, Ext.-Expnd. Memory Bd. for P/S2 70, 80, 90, Lim 4.0

0Meg	2Meg	4Meg	8Meg	16Meg	32Meg	64Meg
$179.00	$268.00	$374.00	$569.00	$959.00	$1935.00	$3255.00

PS/2 MCA 0-8MEG EXPANSION BD.

0-8Meg Extended and/or Expanded Memory for all IBM P/S2 Models 50, 50Z, 60, 55SX, 65SX, 16 Bit, 4.0 LIM Compat.
0K – 119.00 2Meg – 207.00 4Meg – 295.00 8Meg – 471.00

USES 1 X 9 SIMMS BOCA BM-MC-80

IBM PS/2 SIMM MODULES

IBM PART NO.	WORKS WITH MODEL NO.	PRICE
30F5348 (512K)	30-286	37.00
30F5360 (2Meg)	30-286, 25-286, 50 MTHR BD.	129.00
33G9288 (2Meg)	Thinkpad 300.	129.00
33G9288 (8Meg)	Thinkpad300.	419.00
6450375 (1Meg	80-041	79.00
6450379 (2Meg	80-111, 311-121, 321,081,161	69.00
6451060 (4Meg	80-A21, A-61, 80-A31, 80-111, 80-311	189.00
6450603 (1Meg	35SX, 40SX, 55SX, Model-70's, P-70	59.00
6450604 (2Meg)	70-061, E61, 121, 50Z, 55SX, 65SX, P-70, 55LS,65LS,X-Station 120 & 130, 35SX, 35LS, 40SX	89.00
6450608 (2Meg)	70-A21, A-61, B-21, B-61, 35SX, 35LS, 40SX Value Point325T	90.00
78X8955 (128K)	25	35.00
34F2933 (4Meg)	35SX, 40SX, 55SX. 65SX, 55LS,65LS	199.00
87F9977 (4Meg)	55SX,55LS, 65SX, 40SX, 35SX, 35LS	199.00
1057035 (512K)	P/S1-286	49.00
92F9935 (2Meg)	P/S1 & P/S1/386SX-2121	109.00
92F9694 (4Meg)	P/S1 & P/S1/386SX, Model-2121	209.00
6450902 (2Meg)	56,57, 57SX,90, 95, P-75, 57SLC Value Point77 486DX2, 486SX, SVR 85	95.00
6450128 (4Meg)	57SX, 90, 95, P-75, 57SLC, 56, 56SLC, P/S1, 386SX, Models-2123, 2133,2155, Value Point 77 486DX2, 486SX, SVR 85	219.00
6450129 (8Meg)	35SX, 40SX	429.00
6450130 (8Meg)	56, 57, 57SX, 90, 95, P-75, 57SLC Value Point 77 486DX2, 486SX, SVR 85	459.00
79F0999 (2Meg)	LX40, N33SX, PS Note	114.00
79F1000 (4Meg)	LX40, N33SX, PS Note	219.00
79F1001 (8Meg)	LX40, N33SX,PS Note	399.00
07G1826 (2Meg	N51 (all)	109.00
07G1827 (4Meg	N51 (all)	219.00
07G1828 (8Meg	N51 (all)	449.00
07G1420 (4Meg)	CL57,SX LpTp, Thinkpad 700, 700C, 720, 720C	249.00
07G1421 (8Meg)	CL57LSX LpTp, Thinkpad 700, 700C, 720, 720C	479.00
92F8804 (2Meg)	N45SL	109.00

COMPAQ MEMORY MODULES

MODEL	AMT. UPGRADED	CMPQ PART#	PRICE
DeskPro 386/33, 386/33L, 486/25, 486/33L, 486/50L, System Pro	2Meg Module	115144-001	109.00
	8Meg Module	116561-001	459.00
	32Meg Module	116568-001	1599.00
DeskPro386/33L,486/33L	(ExpBd)	116569-001	279.00
DeskPro386/25, 386/20	1Meg Module	113131-001	79.00
	4Meg Module	113132-001	229.00
DeskPro386S-16MHz	1Meg Exp Bd	113633-001	149.00
	4Meg Exp Bd	113634-001	309.00
	1MegModule	113646-001	79.00
	4MegModule	112534-001	229.00
DeskPro 386/20E	1Meg Exp Bd	113644-001	149.00
DeskPro 386/25E	4Meg Exp Bd	113645-001	299.00
	1Meg Module	113131-001	79.00
	4Meg Module	113132-001	229.00
DeskPro 286N, 386N, 386SX/20,386/25M,486/33M, 486S/25M, 486S/16M	1Meg Module	118688-001	59.00
	2Meg Module	118689-001	89.00
	4Meg Module	118690-001	195.00
Port. 486C	8Meg Module	128877-001	429.00
M Series Exp Bd	0-64Meg	129160-001	279.00
DeskPro 386/16	1Meg Kit	108071-001	99.00
	4Meg Kit	108072-001	299.00
	1-2Meg Exp Bd	108080-001	239.00
	4-8Meg Exp Bd	108070-001	399.00
DeskPro286	512K Kit	113012-001	49.00
Prolinea386 3/25S, 3/252S	2Meg	141738-001	109.00
	8Meg	141742-001	320.00
Prolinea 486 4/25S, 4/33, 4/50, 4/66, CDS	2Meg	141683-001	95.00
	4Meg	141684-001	219.00
	8Meg	141685-001	459.00
Prosignia PC Server, 486/33, 486 DSX/66	8Meg	141685-001	459.00
	16Meg	149320-001	786.00
	32Meg	149147-001	1749.00

COMPAQ LAPTOPS & NOTEBOOKS

LTE/286	2Meg Bd	117081-002	99.00
LTE/286	4Meg Bd	117081-003	204.00
LTE/386S/20	4Meg Module	121725-002	249.00
LTE LITE/20, 25, 25C	4Meg Module	129769-002	249.00
LTE LITE/20, 25, 25C	8Meg Module	129769-003	419.00
LTE LITE/20, 25, 25C	16Meg Module	129769-004	829.00
LTE LITE 4/25C	4Meg Module	142337-002	229.00
LTE LITE 4/25C	8Meg Module	142337-003	499.00
LTE LITE 4/25C	16Meg Module	142337-004	789.00
SLT/286	1Meg Module	110235-001	75.00
SLT/286	4Meg Module	110237-001	315.00
SLT/386	1Meg Module	118303-001	79.00
SLT/386	2Meg Module	118304-001	109.00
SLT/386	4Meg Module	118305-001	229.00
Contura 320, 325	2Meg	139497-001	109.00
	4Meg	139498-001	209.00
	8Meg	139499-001	419.00
Contura 4/25, 4/25C,4/25CX	4Meg	146520-001	95.00
	8Meg	146521-001	419.00
	16Meg	146531-001	849.00

PCMCIA VERSION 2.0 (for Palmtop & Subnotebooks)

MODEL	PRICE
S-RAM Cards 1MEG	179.00
S-RAM Cards 2MEG	209.00
Card Pro (madeby Data I/O) Transfers datafrom PCMCIA card to desktop PC. connects to a parallel port	319.00

MODEL	PRICE
14,400/14,400 Data/Fax Modems	349.00
9600/9600 Data/Fax Modems	319.00
2400/9600 Data/Fax Modems	199.00
Lan Ethernet (10 Base T)	229.00
Visual Media (CD Rom, Tape Drive)	279.00

NO SURCHARGE FOR MASTERCARD, AMEX, VISA OR DISCOVER. PURCHASE ORDERS ACCEPTED FROM FORTUNE 2000, GOVERNMENT & INSTITUTIONS. California orders add 8.25%sales tax. Returned orders or ordered wrong parts are subject to a 20% restocking fee. (Memory chips not installed in boards.) We accept International orders shipped via UPS Air, APO, FPO orders welcome. Customers are expected to pay customs and "other" charges if shipped Int'l. All credit card charges verified for fraudulent use. SORRY, NO REFUNDS AFTER 30 DAYS – EXCHANGES ONLY. We accept MC, VISA, Discover, AE, prepaid orders, purchase orders, wire transfer, COD (cashiers check) orders, cash & cashiers checks. Orders shipped by UPS, FEDX must be signed for.
• ALL MANUFACTURER PART #'S ARE FOR REFERENCE ONLY • MINIMUM ORDER $40.00
Price and availability subject to change without notice.

All products Brand new & guaranteed • We buy excess inventory
Trademarks are registered with their respective companies.

L.A. TRADE

22825 Lockness Avenue • Torrance, CA 90501

TOSHIBA LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
T1000SE/XE/LE	2Meg	PC14-PA8312U	85.00
T2000/T2000SX	2Meg	PC18-PA8317U	85.00
T2000SX/T1000LE	4Meg	PC-PA8314U	229.00
T2000SX/T1000LE	8Meg	PC14-PA8315U	429.00
T2000SXE/2200SX/T1800, 1850, C	2Meg	PC-PA2000U	85.00
T2000SXE/2200SX/T1800, 1850, C	4Meg	PC-PA2001U	229.00
T2000SXE/2200SX/T1800, 1850, C	8Meg	PC-PA2002U	429.00
T4400SX, SXC T6400	4Meg	PC-PA2004U	231.00
T4400SX, SXC T6400	8Meg	PC-PA2005U	463.00
T4400SX, SXC T6400	16Meg	PC-PA2010U	729.00
T4400SX, SXC,T6400	32Meg	N/A	2999.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	4Meg	PC-PA2012U	259.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	8Meg	PC-PA2013U	494.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	16Meg	PC-PA2014U	1349.00
T4500, T4500C, T4600, T1900, T1900C (3.3 v)	32Meg	N/A	3299.00
T3300SL	4Meg	PC-PA2007U	234.00
T3300SL	6Meg	PC-PA2008U	349.00
T3300SL	8Meg	N/A	489.00
T3300SL	16Meg	PC-PA2009U	719.00
T1200XE	2Meg	PC13-PA8306	104.00
T1600	2Meg	PC8-PA8302U	104.00
T3100	2Meg	PC3-PA7135E	179.00
T3100e	2Meg	PC9-PA8340U	129.00
T3100SX	2Meg	PC15-PA8308U	104.00
T3100SX	4Meg	PC15-PA8310U	209.00
T3200	3Meg	PC6-PA7137U	185.00
T3200SX	2Meg	PC12-PA8307U	129.00
T3200SX	4Meg	PC12-PA8909	224.00
T3200SXC	2Meg	PC19-PA8318U	99.00
T3200SXC	4Meg	PC19-PA8319U	234.00
T5100	2Meg	PC7-PA8301U	95.00
T5200/T8500	2Meg	PC10-PA8304U	114.00
T5200/T8500	8Meg	PC10-PA8313U	459.00

NOTEBOOK, LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
ALR Venture	4Meg	12407980	279.00
AST Notebook Prem Exec 386SX/20/25/25L	4Meg	500814-003	209.00
AST Power Exec 3/25C, 425EL	4Meg		229.00
AST Power Exec 3/25C, 425EL	16Meg		1049.00
AST Power Exec 425SL	4Meg		239.00
AST Power Exec 425SL	16Meg		1099.00
AT&T Safari NSX/20	4Meg	PEC 37651	299.00
Bondwell B310, Plus	1Meg	23050-09100	109.00
Bondwell B310V, SX	1Meg		189.00
Bondwell B310V, SX	4Meg		229.00
Epson NB3	4Meg	A808511	219.00
Epson NB/SL 20,25,25C	2Meg	A808771	119.00
	4Meg	A808781	219.00
	8Meg		479.00
Everex Tempo LX, LX20	2Meg	PCA 00053-0001	109.00
Everex Tempo Carrier	2Meg	PWA 0884-A-J000	119.00
Goldstar GS520 386SX/16	4Meg	S386-4M	299.00
Leading Edge D/LT 386SX	1Meg		94.00
Magnavox Metalis	1Meg, 4Meg	286, 386SX	119.00,219.00
NEC Prospeed 286, 386SX-16	1Meg	PC21-21	79.00
NEC Prospeed 286, 386SX-16	4Meg	PC21-22	219.00
NEC Prospeed 386	2Meg	PC31-21	119.00
NEC Prospeed 386	8Meg	PC31-22	439.00
NEC Prospeed 386SX-20	1Meg	PC43-21	79.00
NEC Prospeed 386SX-20	4Meg	PC43-22	219.00
NEC Ultralite III/20, 20P, 25C	2Meg	PC47-21	119.00
NEC Ultralite III/SL/25C	4Meg	PC47-22	219.00
NEC Ultralite SL/20, 20P	6Meg	PC49-21	319.00
NEC Ultralite III/25C	8Meg	PC47-23	439.00
NEC Ultralite Versa	4 Meg/8Meg/16Meg		299/499/1799
Packard Bell 386SX, 286	1Meg, 4Meg	286, 386SX	119.00,219.00
Panasonic CF170, CF270, CF370	1Meg	CF-BA165	49.00
Sanyo 17/18 NB	2Meg	MBC-NBMEM2	109.00
Sharp 6781, 6881, 6785	2Meg/4Meg		119.00/229.00
Sharp PC-6220	1Meg	CE 621B	79.00
Tandon, PC Brand, Dataworld	2Meg, 8Meg	NB386SX-20	129.00, 449.00
TI Travelmate 2000	1Meg	2568034-0001	79.00
TI Travelmate 3000	2Meg	2566996-1	84.00
TI 4000	4Meg, 16Meg		219.00, CALL
Twinhead, Altima, Compudyne Tandy 4860, 486SX, DX	4Meg/16Meg		219.00/999.00
Zeos 386SX Notebook	2Meg		109.00
Zenith Master Sport 386SX	2Meg	ZA-300-1	109.00
Zenith Master Sport SL, SLE	2Meg	ZA-4-4	109.00
Zenith Super Sport 286, 286E	1Meg	ZA-180-66	99.00
286E, SX	2Meg	ZA-180-64	179.00
SX Alpha	2Meg	ZA-180-86	179.00
SX Beta	2Meg	ZA-180-87	179.00
Zenith Z-Note 325L, LC	2Meg/8Meg	ZA3250-4/-5	129.00/419.00

LASER PRINTER MEMORY UPGRADES

AMOUNT UPGRADED	OK Bd	256k	1	2	3	3.5	4	5	6	8	16	32
Canon LBP4, 4Lite, 4plus	–	–	159	219	–	–	–	–	–	–	–	–
Canon LBP-4SX	–	–	call	call	–	–	–	–	–	–	–	–
Compaq Pagemarq	–	–	–	99	–	–	195	–	–	389	–	–
Epson 6000, Action Laser	–	–	–	125	–	–	209	–	–	–	–	–
Epson Action Laser II	–	–	89	–	199	–	–	305	–	–	–	–
Epson 8000	–	–	89	–	199	–	–	305	–	–	–	–
Epson 1000	–	–	–	108	–	–	216	–	324	–	–	–
HP 2, 2D	–	–	–	119	–	–	199	–	–	–	–	–
HP 3, 3D, 3P, 2P 2P+	–	–	–	109	–	–	189	–	–	–	–	–
HP 4, 4M, 4SI, 4SIMX	–	–	–	89	–	–	195	–	–	399	–	–
HP 4L	–	–	59	–	–	–	–	–	–	–	–	–
HP 3SI	–	–	69	–	–	–	199	–	–	399	–	–
HP 4SI	–	–	–	69	–	–	199	–	–	399	–	–
HPDeskjet 500, 500C, 550	–	59	–	–	–	–	–	–	–	–	–	–
HPDeskjet 1200C, 1200C/P	–	–	–	89	–	–	199	–	–	399	–	–
HP Paintjet XL300	109	–	–	–	–	–	304	–	–	499	907	–
IBM Laser 4019, 4019E	–	–	–	–	–	169	–	–	–	–	–	–
IBM Laser 4029	–	–	–	–	–	–	199	–	–	–	–	–
IBM Laser 4039	–	–	–	99	–	–	199	–	–	389	–	–
NEC 90, 290	–	–	–	139	–	–	–	–	–	–	–	–
NEC95	–	–	–	99	–	–	–	–	–	–	–	–
Oki 400	–	–	–	95	–	–	–	–	–	–	–	–
Oki 400 8	–	–	135	189	–	–	–	–	–	–	–	–
Oki830, 840	–	–	–	109	–	–	–	–	–	–	–	–
Packard Bell PB 9500	–	–	–	124	–	–	209	–	–	–	–	–
Panasonic4420/4450I	–	–	–	129	–	–	209	–	–	–	–	–
Panasonic 4410/4430	–	–	–	126	–	–	195	–	–	–	–	–
Panasonic4450	–	–	99	–	–	–	–	–	–	–	–	–
TI XL/PS17/PS35	–	–	55	–	–	–	–	–	–	–	–	–

H.P. COMPATIBLE FONT CARTRIDGE

BAR CODES Bar Code Reader Fonts 99.00
DESKJET SOLUTION for DkJt 500 & Plus, 92 Fonts, 4.5 pt-30 pt 99.00
IBM 4019, 4019E, FONT CARTRIDGE 209 Fonts, Turbo Card 105.00
TURBO 25 Comparable to Pacific Data's 25 CARTRIDGES IN ONE!™, 143 Fonts *(compat. with Epson Action Laser II and all HP Printers except HP4)* 79.00
TURBOSCRIPT™ 47 Scalable Fonts in Any Point Size (HP 2, 2D – 159) 149.00
TURBOSCRIPT™ 109, 109 Scalable Fonts to Any Point Size (HP 2, 2D – 199) .. 179.00
TAX & FINANCE FOR IBM 4019, 4019E, 4029 ..... 139.00
TAX & FINANCE CARTRIDGE 84.00
OKI 400, 800 41 fonts, 11 typestyles 169.00

310-539-0019
FAX: 310-539-5844

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

CALL TOLL FREE **1-800-433-3726** (US and Canada)

ESTAB. 1985

Mon-Fri, 8:00 a.m. to 5:00 p.m. PST
Sat. 10:00 a.m. to 12:00 noon

PRICES MAY FLUCTUATE. CALL FOR LATEST PRICING!!

Circle 207 on Inquiry Card (RESELLERS: 208).



NOW THEY'LL RUN ON YOUR DESKTOP.



Californians can now take full control of their finances with Wells Fargo ON-LINE. With direct access to the bank from your Macintosh® or IBM® compatible PC, it's like opening a 24-hour Wells Fargo office right in your house.

Tap Directly Into Your Accounts

Review the last forty days of activity for each of your Wells Fargo accounts. Confirm that a check has cleared. Verify your deposits.

With Wells Fargo ON-LINE, you can access your accounts around the clock—and download information to spreadsheet or money management programs.

Pay Your Bills Online

Wells Fargo ON-LINE saves you time and postage with virtually unlimited bill paying. You can schedule recurring payments like a car loan or mortgage up to a year in advance —and let us worry about the details.

Call For A Demo Diskette Today



Give the stagecoach a test drive for just $3.95. Call **1-800-PC-WELLS, ext. 333** and we'll send you a demo diskette that takes you through all the features of Wells Fargo ON-LINE.

Sign up for Wells Fargo home banking and we'll apply the cost of the diskette to your ON-LINE start-up kit. We'll also waive the fee for your first month of ON-LINE service.

Call for a diskette today. And discover the control you get when you boot up your bank.

WELLS FARGO BANK

©1992, WFB, N.A. Member FDIC

Start-up kit: $8.95. Service fee: $12.95/Month (First month free with offer). IBM is a registered trademark of IBM Corporation. Macintosh is a registered trademark of Apple Computer, Inc.

Circle 558 on Inquiry Card.

FREE VIP PASS

DECUS '93/SAN FRANCISCO
Moscone Center • December 7-9, 1993

Be our guest at the new power event of corporate desktop computing.

Register today for your FREE VIP Trade Show Pass (a $15 value)
Supply is limited to qualified computer professionals

DAZZLING EXHIBITS FROM OVER 125 VENDORS
Experience three days of discovery as industry leaders introduce a new level of intelligence and power to corporate desktop computing. Over 50,000 square feet of multiplatform and client/server solutions, featuring many new applications for Windows NT and Alpha AXP.
VIP Trade Show Pass admits one for all three days!

OVER 1,100 CUTTING-EDGE SYMPOSIUM SESSIONS
This renowned global technology exchange has helped countless professionals stay on top of advanced computing solutions.The topics you want to see addressed, by the people best qualified to address them. No event offers more Digital and multiplatform integration strategies.
VIP Trade Show Pass good for one symposium session of your choice!

THE WORLD'S LARGEST SEMI-ANNUAL DISPLAY OF DIGITAL TECHNOLOGY
$100 million of computing power. More than 16,000 square feet of hands-on exhibits. Over 500 Digital engineers. All waiting for you.
VIP Trade Show Pass admits one for all three days!

KEYNOTE ADDRESS, DECEMBER 7, 8 A.M.
Hear Edward Lucente, Vice President, Worldwide Sales and Marketing, Digital Equipment Corporation, speak on the computing issues facing you today. Space is limited; don't miss this standing-room-only session.
VIP Trade Show Pass admits one!

Fax to (609)845-7258, or mail to DECUS '93/San Francisco
c/o Talley Management Group, 875 Kings Highway, Suite 200, Woodbury, NJ 08096-3172

All information must be completed to process your registration. Please print.

Name _____ Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone (____) _____ Fax (____) _____

1. Title/job function (select only one):
Corporate Management/Administrative
11 ( ) **Corporate Management:** CEO, President, Owner, Director, Vice President, Partner, General Manager
12 ( ) **Financial:** CFO, Treasurer, Controller, Accountant, Financial Analyst, CPA
13 ( ) **Administrative:** Office Services, Secretary, Clerk, Word Processing Specialist, Librarian, Personnel Services
14 ( ) **Sales/Service/Marketing:** Sales Manager/Representative, Account Representative, Advertising/PR, Customer Service, Training
15 ( ) **Purchasing:** Agent, Buyer, Procurement Officer

Computer Systems/Operations Management/Staff
20 ( ) Computer Systems/Operations Management
22 ( ) Computer Systems/Operations Staff

Technical Management/Staff
30 ( ) Technical Management
31 ( ) Technical Staff
41 ( ) **Research**
50 ( ) **Consultant/Professional**
51 ( ) **Education**
52 ( ) **Other (specify)** _____

2. Is your organization primarily (select only one):
Computer Products and Services for Sale
29 ( ) Consultant
24 ( ) Dealer, Distributor, Retailer
25 ( ) Hardware Manufacturer
26 ( ) Software Developer
27 ( ) Value-Added Reseller
30 ( ) Other Computer Services

Non-Computer Related Services
32 ( ) Agriculture/ Construction
41 ( ) Education & Training
33 ( ) Energy, Mining, Oil
34 ( ) Engineering/Architecture
39 ( ) Finance, Banking, Insurance
36 ( ) Government- Local, State
37 ( ) Government- Non-Military
38 ( ) Government- Military
44 ( ) Leisure
31 ( ) Manufacturing (other)
45 ( ) Media
43 ( ) Research & Development
47 ( ) Travel, Transportation
42 ( ) Trade (Wholesale, Retail)
35 ( ) Utilities (Gas, Electric, etc.)
48 ( ) Healthcare
46 ( ) Other

3. Please indicate which operating systems are currently in use at your locations:
40 ( ) OpenVMS/VAX
41 ( ) OpenVMS/AXP
42 ( ) UNIX
43 ( ) ULTRIX
44 ( ) MS-DOS
45 ( ) OS/2
46 ( ) HP-UX
47 ( ) SUN/OS/SOLARIS
48 ( ) Windows NT
49 ( ) UNIX/XENIX
50 ( ) SCO
51 ( ) A/UX
52 ( ) Other
53 ( ) VM
54 ( ) OS/400
55 ( ) MVS

4. Total employees in entire company/institution/government department (select only one):
2 ( ) 10,000 or more
3 ( ) 5,000 to 9,999
4 ( ) 1,000 to 4,999
5 ( ) 500 to 999
6 ( ) 250 to 499
7 ( ) 100 to 249
8 ( ) 6 to 99
9 ( ) Fewer than 6

5. Amount of all computer-related expenditures to be made by my organization annually (or by my client's organization if I am a reseller or consultant):
70 ( ) Over $5,000,000
71 ( ) $1,000,001-$5,000,000
72 ( ) $500,001-$1,000,000
73 ( ) $100,001-$500,000
74 ( ) $50,001-$100,000
75 ( ) $25,001-$50,000
76 ( ) Up to $25,000
77 ( ) None of the above

DECUS™
We're so much more...

B

DECUS and the DECUS logo are trademarks of Digital Equipment Corporation. Company and product names are trademarks or registered trademarks of their respective owners.


Circle 560 on Inquiry Card.

Your Source For Industrial PC Systems

New Rackmount Computers with Built-In Monitors!



Systems w/9",10" or 14" Built-In Monitor




COMPLETE RACKMOUNT SYSTEM

Complete 286, 386 and 486 Systems

408-732-6091

For Industrial PC circle 555 on Inquiry Card.

Single Board Computers



• 286,386 & 486 ISA/EISA • Backplane Board Up to 20 slot

19" Rackmount Enclosures



• 20 Models • Up to 20 Slots • Up to 8 Drive Bays

Rackmount Keyboard



• Keyboard Drawer for Mini or Full Size 101 KB Available

Monitors




• 9", 10", 14", 17", or 20" Mono or Color Monitors

Do You Need More Slots In Your Computer ??

Now you can expand your PC-AT system without timing or noise problems and without time-consuming system reconfiguration with the new ETRC-AT active Expansion Kit from APPRO International.

For Expansion Kit circle 556 on Inquiry Card.



- **Hardware and Software**
  No need to add drivers or modify software
- **No Address Restrictions**
  Put disk drive, video controllers and other computer resources into open slots in your expansion chassis
- **No Initializing Software**
  Just plug in the cards and you're all set to go

ETRC-AT KIT W/4FT. CABLE
8 SLOT BACKPLANE
EXPANSION CHASSIS W/200W PS
ONLY $490.00

APPRO International, Inc. 3687 Enochs St., Santa Clara, CA 95051 FAX: 408-732-6095

Fuzzy Logic and Neural Networks On Video

The new technology of Desk Top Video, DTV, is used to bring an expert explanation to your VCR.

The power of DTV brings an expert explanation of Fuzzy Logic or Neural Networks right into your own home. This is not just another book or series of articles. Each video is a complete introduction to some of the most exciting technology in the world today. Just stop-rewind-repeat the tape as many times as you like and then use it in conjunction with the enclosed software. With your own computer and a C compiler, your experimentation can bring Fuzzy Logic and Neural Networks alive for you. Parts of the video are simple enough for your family to understand too. These videos are great for classroom use.

☐ Your Fuzzy Logic MSDOS Package Includes:
- Video Tape
- Source Code in C, BASIC, even Fuzzy on a spreadsheet
- Freeware Fuzzy Logic Development Software

☐ Your Neural Networks MSDOS Package Includes:
- Video Tape
- Source Code for two operating neural nets

NAME

ADDRESS

CITY STATE ZIP

PHONE

VISA/MC NUMBER EXPIRES

Return to: **Soft-Wear Productions, 103 Westward Cove, Austin, TX 78733. 1-800-783-8161 Code 5884**

$29.95 ea. plus $5.00 S&H per order. Check, MO, VISA/MC OK.

SEKISUI

New

RS-232C MULTI-PROTOCOL ANALYZER New LINE EYE



■ LE-3000 MAJOR FUNCTIONS
- Statistical analysis • Idle time measurement
- Automatic configuration • Off-line analysis
- Data extend with 128KB/256KB S-RAM cards
- Protocol translation display capability
- Powerful trigger function • BERT function
- Timer/counter capability • 192Kbyte buffer memory

MULTI-PROTOCOL ANALYZER **LE-2000** Multi-function analyzer that supports high-speed communications network of 64Kbps.

COMPACT PROTOCOL ANALYZER **LE-1000** High-performance RS-232C line monitor capable of monitoring high-speed asynchronous communication of 38.4Kbps.

COMPACT LOGIC ANALYZER

CA-1000
- Simultaneous sampling of 16 channels at a rate of 100MHz.
- Large capacity memory: 32Kbits/CH

CA-500
- Simultaneous sampling of 16 channels at a rate of 50MHz.
- Large capacity memory: 32Kbits/CH

SCSI ANALYZER SC/2

SC/2 has the SCSI simulation capability. A high-performance analyzer for professional use that is capable of simulating both the initiator and the target.

MULTI-PROTOCOL ANALYZER **LE-3000** Monitors high-speed communication of 72Kbps. A high-end analyzer capable of program simulation

LE 3000/2000: Restricted by COCOM

SEKISUI CHEMICAL CO., LTD.
Computer Applied Equipment Division

4-4 Nishitemma, 2-chome, Kita-ku, Osaka, 530 Japan
PHONE: OSAKA (06) 365-4504 FAX: OSAKA (06) 365-4375
TELEX: 5236943 SEKIOS J

NEW!!

The Green Monitor From KFC®

"Let's Work Together,
Save energy for the planet and the next generation"



NEW FEATURE!!

External Adjustment

1) Power Saving
2) Full Screen
3) Rotation(Tilt)
4) Pincushion
5) Trapezoid
6) Degaussing

energy
EPA POLLUTION PREVENTER

Mode/ Status	Power Consumption Proposed by EPA	KFC's Green Monitor	
		Power Recovery	Power consumption
ON (Max.)	N/A	N/A	17"(100W), 15"(70W)
*Stand-By (Suspend)	N/A	Auto / < 1 sec.	< 20W
OFF	< 30W	Auto / < 15 sec.	< 1.5W (in AC120V) < 3.0W (in AC260V)

* Initial power Consumption in Stand-By mode is 20W.
It can drop below 3W after 5-90 minutes user selectable.

KFC®

See Us At
COMDEX/Fall'93
Sands Expo & Convention Center
Booth #S2537 (CALIFORNIA, USA)
Booth #S2656 (TEXAS, USA, OEM)

SMILE

Circle 552 on Inquiry Card.

HEADQUARTER
TEL: 886-2-7548353
FAX: 886-2-7548498

CALIFORNIA USA
TEL: 714-5460336
FAX: 714-5460315

TEXAS, USA (OEM)
TEL: 512-8356776
FAX: 512-8356779

SMILE GERMANY
TEL: 49-2154-9280-0
FAX: 49-2154-1032

HOLLAND
TEL: 31-10-4460316
FAX: 31-10-4625271

YOUR PARTNER TO SUCCESS









An expert in computer peripherals, BTC provides the vital parts for data processing solutions that perfectly fit the demands of PC makers and distributors in more than 100 countries. Thanks to our reputation for superior quality and large production capacities, BTC's keyboards, scanners, mice, power supplies and add-on cards are used by an increasing number of leading computers companies. Without our service network, they simply wouldn't feel complete.







Distributor/OEM/ODM Welcome!

COMDEX/Fall'93
Nov. 15-19
Booth No. S2570

BTC® *BEHAVIOR TECH COMPUTER CORP.*

Headquarter:	Korea Office:	U.S.A Offices:			Europe Offices:		
Taiwan office:	Incheon:	California:	New Jersey:	BTC Latin:	The Netherlands:	France:	Germany:
TEL: (886)-2-523-6266	TEL: (82)-32-579-0143	TEL: (1)-510-657-3956	TEL: (1)-609-273-8500	TEL: (1)-305-477-4596	TEL: (31)-10-404-9400	TEL: (33) 74 95 56 56	TEL: (49)-(0)6652-73813
FAX: (886)-2-523-3114	FAX: (82)-32-579-3605	FAX: (1)-510-657-3965	FAX: (1)-609-273-9399	FAX: (1)-305-477-9689	FAX: (31)-10-433-2535	FAX: (33) 74 95 50 39	FAX: (49)-(0)6652-74312

Circle 561 on Inquiry Card.



SAVE 50 – 70% ON PROGRAMMING COSTS

With American Management and Russian Technical Expertise

Typhoon Software offers high level programming services at a fraction of the cost most companies are used to paying. We're an American company based in Santa Barbara, California with brilliant programmers in Saint Petersburg, a major center of elite academic, industrial, and scientific research. If your problem is complex, our programming staff can be augmented with some of Russia's finest mathematicians and statisticians.

Typhoon Software can help you extend your product's life by making your existing programs available in other platforms. We specialize in porting services, including migration to Windows™ or Macintosh.™

Our capabilities include programming for major operating systems in most computer languages; object oriented programming; fault-tolerant programming; graphics, conversion of hard copy drawings to auto CAD; multi-user applications; new product development; real time simulation programs; adaptive control systems; and much, much more.

Working closely with your management and technical staff, we'll become an extension of your in-house programming team with extensive testing, debugging, and maintenance. All of our services are provided under the most stringent security guidelines – confidentiality assured!

To start saving money on your programming costs or for a free brochure, call (805) 966-7633 today!

TYPHOON SOFTWARE

6 East Arrellaga Street • Santa Barbara, CA 93101-2502

(805) 966-7633 • FAX (805) 962-6811

TELEX 9102500945 Montecito Trad

EASYLINK ID: 62018522 • APPLELINK ID: TYPHOON.OPS

Circle 562 on Inquiry Card.

Now Is The

A Capital Opportunity To

On Israel's Investment





IT can be called the dawn of a new era.

A new government in Israel is making the encouragement of foreign investments a national priority. Now is the time to look into a growth-oriented investment in industry - a source for profits and expansion.

Any way you look at it, Israel has more to offer. That's why Intel, Motorola, IBM

For further information on business opportunities with the State of Israel, please contact:

Jerusalem:
MINISTRY OF INDUSTRY AND TRADE
CENTER FOR BUSINESS PROMOTION
Tel: 972-2-698 547/6
Fax: 972-2-669 388

New York:
ISRAEL ECONOMIC MISSION
Tel: (212) 560 0600
Fax: (212) 564 8964

Los Angeles:
GOVERNMENT OF ISRAEL
INVESTMENT & EXPORT AUTHORITY
Tel: (213) 658 7924
Fax: (213) 651 0572

Boston:
GOVERNMENT OF ISRAEL
ECONOMIC OFFICE
Tel: (617) 451 1810
Fax: (617) 451 2677


San Francisco:
GOVERNMENT OF ISRAEL
ECONOMIC MISSION
Tel: (415) 434 2450
Fax: (415) 434 8034

Chicago:
GOVERNMENT OF ISRAEL
INVESTMENT & EXPORT AUTHORITY
Tel: (312) 332 2160
Fax: (312) 332 2163

Toronto:
ISRAEL ECONOMIC MISSION OF CANAL
Tel: (416) 961 1242
Fax: (416) 961 3962

Time.

Capitalize Potential



DEC, KLA Instruments, KNS, the Limited, Octel and many others have established firm roots in Israel.

Here are just some of the benefits Israel extends to you:

The Highest Calibre of Human Resources

Israel has 2-3 times more scientists and engineers engaged in R&D per capita than any other country in the world. In addition, over 50% of the wave of immigrants arriving from the former Soviet bloc are scientists, professionals, engineers and technicians.

Israel's stable, highly skilled, motivated workers are available at salaries that are 20 to 30% lower than in the United States.

The Perfect Environment for R&D

Israel's talent for innovation and creativity is a magnet for overseas investors. Numerous Israeli high tech companies are pioneers in their field, and have translated their inventions into profitable businesses that are now listed on U.S. stock exchanges.

Israel has world-renowned R&D centers which cooperate closely with industry, scaling up research into commercial applications.

And Israel has a track record for getting products to market faster - giving you a competitive edge.

Israel's government supports R&D with generous funding.

Binational endowment funds serve as additional sources for R&D funding.

A Bridge to Major Markets

Israel has free trade agreements with the United States, the European Community and EFTA. This is the source of profitable trade in industrial and consumer goods.

Israel is also an excellent launching point for trade with emerging markets in Eastern Europe and what was formerly the Soviet Union. Israeli experts speak the languages prevalent in these growing economies, and know how to structure profitable business deals in their particular environment.

A Developed Infrastructure

You'll find that Israel meets the standards you're accustomed to. It has advanced international financial, accounting, insurance and legal systems. modern roads, sea and airports, and modern communications and telecommunications networks.

Throughout the country, Israel offers competitively priced industrial facilities and parks supporting every type of industrial venture.

Government Incentives and Benefits

Several programs of incentives are available for investors and venture capitalists. They include generous investment grants, government loan guarantees, tax exemptions, a venture capital fund for high risk enterprises and numerous other substantial benefits.

Let's Get Together

It all adds up to unique human resources, R&D, government incentives and trade agreements. Start making plans today to become a partner in a country geared for profitable growth.


Circle 557 on Inquiry Card.

Israel - A powerhouse of opportunities

Circle 551 on Inquiry Card.

WINSPORT II HIGH PERFORMANCE SERIAL CARD. . .

The WinSport II is a two port Serial Interface Adapter using the 16550A ACE Chip with FIFO Buffers on both transmit and receive. The card is highly flexible for both address and IRQ selections, and can solve problems when addresses or IRQs are in short supply. It is compatible with all PC, XT, AT, 386 and 486 ISA BUS personal computers. The board has 8 address settings and 9 interrupt vector settings to allow it to fit smoothly into a heavily loaded system. It can also provide very high speed performance for software which can take advantage of its x10 clock feature.



Features:

- 16550 UARTS allows windows background modem operation without loss of data.
- Eight (8) I/O address selections: COM1, 2, 3, 4, LPT1, 2, 268H, 368H.
- Nine (9) IRQ settings: IRQ2 (9), 3, 4, 5, 7, 10, 11, 12.
- Baud rates to 576K for support of high speed serial communications and serial networks.
- Accelerates Lap-Link transfers at higher baud rate between similarly equipped computers.
- Supports Turbocom* enhanced windows drivers.
- Allows serial mouse on a different IRQ (with proper mouse driver).

Mechanical Data:

- Half card size.
- Requires 16 Bit slot.
- Two (2) DB9 male connectors.

*REGISTERED TRADEMARK OF BIO-ENGINEERING RESEARCH LABS.

$99.00

BOFFIN LIMITED

SMALL BUSINESS Woman Owned

612-894-0595 FAX: 612-894-6175

2500 West County Rd. 42 • Suite #5 • Burnsville, MN 55337-6967

❖ ADVERTISERS ❖

Run a full- or half-page 4-color ad reaching a portion of BYTE's U.S. readers at unbelievably low rates — right here in this section!

Call today to learn more about BYTE's unique *Regional Advertising Section,* located in our prominent *Buyer's Guide.*

❖

(603) 924-2651 or (603) 924-2637

Decisions, decisions, decisions.



Decider, decider, decider.

Down-sizing, upgrading, multi-platform environments. Today's computer hardware issues are more numerous, more difficult, more critical than ever. So how do companies make decisions?

According to a new IntelliQuest study, they turn to the only person qualified to decide. Someone like Bob Barrett. A person with 18 years in computers. Who oversees a technical staff of 75. And whose buying decisions and approvals affect nearly 3,000 users worldwide.

In other words, they turn to the BYTE reader. A full 92% of whom control the products and brands their companies buy.

If you want to reach an audience as influential as this, then yours is an easy decision—advertise in BYTE.

BYTE reader Robert N. Barrett, Vice President Management Information Systems, M/A-COM, Inc.

It doesn't get bought without

© 1992 BYTE, a McGraw-Hill publication. For a presentation of the March 1992 IntelliQuest study, call (603) 924-2635.

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- *How long has the company been in business?*
- *Does the company offer technical assistance?*
- *Is there a service facility?*
- *Are manufacturer's warranties handled through the company?*
- *Does the seller have formal return and refund policies?*
- *Is there an additional charge for use of credit cards?*
- *Are credit card charges held until time of shipment?*
- *What are shipping costs for items ordered?*

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines


- *State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.*
- *Establish that the item is in stock and confirm shipping date.*
- *Confirm that the price is as advertised.*
- *Obtain an order number and identification of the sales representative.*
- *Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.*

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMC
MICROCOMPUTER MARKETING COUNCIL
of the Direct Marketing Association, Inc.



© Direct Marketing Association, Inc. 1988

IF YOU READ THIS AD, THEN YOU'RE ONE OF BYTE'S 500,000 READERS WHO IS:



- **INFLUENTIAL**
- **AUTHORITATIVE**
- **TECHNICALLY-ADVANCED**
- **KNOWLEDGEABLE**
- **INNOVATIVE**

AND MOST OF ALL . . . BUSY!

When you want to buy, turn to the **BYTE Buyer's Guide** in the back for fast access to buying direct from reputable suppliers. From computers to CAD, notebooks to networks, memory to mathematics, you'll find it in the **BYTE Buyer's Guide.**

Tell 'em you saw it in BYTE!

Your Direct Link to Products

BYTE introducesYour Direct Link – An enhanced service for BYTE readers that gives you free information on products – faster and easier!

In the NEW Direct Link section, here's what you'll find:

Alphabetical Index to Advertisers Including Phone Numbers

Now dial companies directly.





Product Category Index to Advertisers

Order information on individual products or complete product categories.


Redesigned Editorial Index

Free information from companies covered in articles, columns, or news stories.

New Enhanced Direct Link Card

Receive free information quickly by filling out and mailing or faxing *Your Direct Link Card* today!






Send for FREE product information by filling out *Your Direct Link Card* found in the back of every issue.

Buy It Through BYTE!

BYTE

Take Note: The World's Best SCSI Adapter Just Got Better

and cheaper! $285*



SmartCache III is the total, growable SCSI solution!

The world's best SCSI adapter is now the world's greatest bargain—priced lower than any major competitor. An unprecedented value, SmartCache III offers top performance and universal connectivity with all major SCSI-1, SCSI-2 and Fast SCSI devices, including hard drives, tape, CD-ROM and WORM.

It also comes with built-in support from all major operating systems, including DOS, Windows, OS/2, NetWare, Windows NT, NextStep and all versions of Unix.

And only SmartCache III gives you a growth path. Optional plug-on modules let you migrate easily to caching (with up to 64Mb cache), as well as full RAID capability. *Storage Manager,* our GUI utility, makes installation quick, easy and automatic. Plus, it gives you on-line and remote control over subsystem management, diagnostics, performance monitoring, and disk array configuration and control.

Distributed Processing Technology, Inc.
140 Candace Dr. Maitland, FL 32751 USA

*List price for ISA model PM2021/90 SCSI Adapter Board

Circle 183 on Inquiry Card (RESELLERS: 184).

DPT

See us at COMDEX in Las Vegas – Booth 1294

Call DPT, today!
800-322-4DPT
FAX 407-260-5366

BRAND NAMES

LOW PRICES LEADER SINCE 1983

We export with International Warranty

IBM

Notebooks

Thinkpad 750C 486SL/33 4/170MB	CALL
Thinkpad 750C 486SL/33 4/340MB	CALL
Thinkpad 750Cs 486SL/33 4/170MB	CALL
Thinkpad 750Cs 486 SL/ 4/340MB	CALL
Thinkpad 750 486SL/33 4/170MB	CALL
Thinkpad 720C 4/160MB	4399
Thinkpad 720 4/160MB	3150
Thinkpad 350 486SL/25 4/125MB	1899
Thinkpad 350 486SL/25 4/250MB	2310
Thinkpad 350C 486SL/25 4/120MB	2565
Thinkpad 350C 486SL/25 4/250MB	2871
Thinkpad 500 486SLC2/50 4/80MB	1915
Thinkpad 500 486SLC/50 4/170MB	2495

PS/ValuePoint Local Bus systems

6381 EV2 486SX/25 4/120MB	1099
6381 EV3 486SX/25 4/212MB	1199
6381 EV8 486DX/33 4/120MB	1349
6381 EV9 486DX/33 4/212MB	1549
6382 F50 486SX/25 4/245MB	1306
6382 K30 486SX/33 4/120MB	1299
6382 K50 486SX/33 4/245MB	1465
6382 M30 486DX/33 4/120MB	1499
6382 M50 486DX/33 4/245MB	1654
6384 F30 486SX/25 4/120MB	1239
6384 F50 486SX/25 4/245MB	1386
6384 M30 486DX/33 4/245MB	1580
6384 M70 486DX/33 4/340MB	1868
6384 W50 486DX2//66 4/245MB	2050
6384 W70 486DX2//66 4/340MB	2199
6387 M70 486DX/33 4/340MB	1945
6387 M90 486DX2//66 4/527MB	2676

Includes DOS + Windows + Mouse + Local Bus with s3 chip + vlb slot.

TOSHIBA

T1900 486SX/A 4/80MB	1611
T1900 486SX/A 4/120MB	1750
T1900 486SX/A 4/200MB	1999
T1900C 486SX/A 4/120MB	2380
T4600 486SL/33 4/120MB	2795
T4600C 486SL/33 4/120MB	3987
T4600C 486SL/33 4/200MB	4236
T4600C 486SL/33 4/340MB	4660
T6600C / T6600CD/T / T6600CDV	CALL

NOVELL SPECIALS

Netware 3.11		Netware 4.01	
5 users	583	5 users	740
10 users	1327	10 users	1698
20 users	1870	25 users	2747
100 users	3678	50 users	CALL

MultiMedia

Creative Lab Edutainment Kit CD (Upgrade kit)	Call
Sound Blaster Deluxe/Pro	79/132
Sound Blaster 16 ASP	230
Video Blaster	335
Video Spigot for Windows	405
Pro Audio MultiMedia System II	899
Fusion Double CD 16 int/ext	Call
Pro Audio Spectrum 16	175
NEC CDR 84-1(Int)/ CDR 74-1(Ext)	452/540
Sony CDU 535/540/31-A	275/345/189
NEC CDR 38 Portable	350
Toshiba TXM 3401 (Int/Ext)	Call

COMPAQ

All ProLinea systems are Local Bus

Prolinea 4/25s, 4/120 M8 Win+	1189
ProLinea 4/25S, 4/240 MB Wind+	1357
Prolinea 4/33, 4/120 MB Win+	1542
ProLinea 4/25CDS, 4/120 MB Win+	1591
Prolinea 4/50, 4/240 MB Win+	1966
Prolinea 4/66, 4/240 MB Win+	2153
DESKPRO 4/33M, 4/340 MB Win	2978
DESKPRO 4/50M, 8/240 M8 Win	2932
DESKPRO 4/66M, 8/240 MB Win	3305
DESKPRO 4/66M, 8/240 MB Win	3157
Concentro 4/25 4/120 MB	2450
Concentro 4/25 4/250 M8	2825
Concentro 4/33 4/250 M8	2910
Contura Notebook 3/25, 4/120 Win+	1599
Contura Notebook 4/25 4/120 Win	1902
Contura Notebook 4/25 color, 4/120 Win	2575
LTE Lite 3/25C, 4/120 MB Win	2341
LTE Lite 4/25E, 4/120 MB	special CALL
LTE Lite 4/25C, 4/120 MB Win	CALL
LTE Lite 4/25C, 4/209 MB Win	CALL
LTE Lite 4/33C, 4/120 MB Win	CALL
LTE Lite 4/33C, 4/209 MB Win	CALL
Portable 486DX2/66C, 4/210 M8 Win	CALL
Portable 486DX2/66, 4/525 MB Win	CALL
Prosignia 486DX2/66 model 1	CALL
Prosignia 5/60 model 1	CALL
Proliant 1000 DX2/66 model 1	Intro CALL
Proliant 1000 5/60 model 1	Offer CALL
Proliant 2000 DX2/66 model 1	CALL
Proliant 2000 5/60 model 1	CALL

W=MS DDS 6, MS-Windows 3.1, Compaq Mouse
W+=Win plus PFS: Works/Windows, 5.25" FDD, Modem

Controller & Graphics Cards

Adaptek 1742 kit EISA	399
Adaptek 1642C kit	255
Adaptek 2842 Local Bus kit	285
Adaptek 16 bit ISA	168
Orchard Idem B Controller	86
Diamond Stealth 24	173
Diamond Viper vlb 2MB	389
ATI Ultra Pro EISA 2MB	878
ATI Ultra Pro 2MB ISA	878
ATI Wonder XL24 1MB/512KB	124/110

Software Specials

MS Office	355	Windows NT	CALL
Lotus 4.0 Win	299	Windows Server NT	CALL
WordPerfect Win	299	Win for Workgroup	CALL
WordPerfect DOS	290	Havard Graphics	385
Word for Win	299	MS Publisher	116
Excel for Win	295	ACT for Windows	245
PageMaker	545	MS Powerpoint	321
Lotus AMI Pro	235	MS Project	385

We carry all software available on PC platforms. Please call for volume discounts

WE STOCK: ADAPTEC, BOCA, CALCOMP, CITIZEN, INTEL, CREATIVE LABS, EPSON, HAYES, MAYNARD, MOUNTAIN, KINGSTON, LOGITECH, HOUSTON INSTRUMENTS, US ROBOTICS, TEXAS INSTRUMENTS, MEGAHERTZ

Hard Disks

Conner

120/212MB	169/215
340/540MB	335/580

Quantum

170/245MB	170/275
340/540MB	345/610

Maxtor

120/245MB	170/235
340/540MB	320/575
1GB	1085

For MAC

540MB	785
1GB	1360

Call for volume discounts

MANAGER SPECIALS

Toshiba 4500C 4/120MB	2830
Toshiba 4500C 4/200MB	3099
Toshiba 1900 4/80MB	1750
Toshiba 4600 200MB	3020
Epson 486SLC/33	CALL
NEC 3FGe/4FGe	620/720
NEC 3FGe/4FGe	620/720

call for Viewsonic

MODEMS

24/9600 FAX Modem	69
US Robotic 24/9600 FAX	89
Best Data 14.4 FAX	175
24/9600 PCMCIA	310
Satisfaxion 400	299
Satisfaxion 200	251

Please call for new discounts

Track Ball Mouse	19.95	Floppy Drive 1.44	59.00
Floppy Drive 1.2MB	59.00	1MB SIMMS	CALL

Tape Back-Up Drives

Colorado

Jumbo 120/250 Int	169/195
Trakker 120/250 Ext	306/359

Syquest

88 meg kit Int/Ext	425/625

Mountain

FS 1200 Plus Int/Ext	1597/1799
Powertape 2GB Int/Ext	934/1076

Wangtek

Wangtek 525MB	676
Wangtek 4GB	1076

PRINTERS

Epson LQ870	460
Epson LQ1170	620
Epson DFX 5000	1360
Epson DFX 8000	2267
Epson 1600	880

Okidata

OKI ML320/321	315/440
OKI ML590/591	440/593
OKI OL4000/810	585/899
Panasonic 44501	850
Panasonic 4430	675

call for volume discounts

Hewlett Packard

Netserver LM 5/60 MDL 1	5399
Netserver LM 4/33 MDL 1	5399
HP 4/4M	1360/1855
HP 4SIMX/4SI	2929/4280
HP 1200C	1260
HP 550C/500C	599/415
Scan Jet IIP/IIC	730/1310
HP 4L/4ML	670/1080

call for all Desktop, Notebook, Printer Models and volume discounts

AST & ALR

ALR Evolution v 5/60 model 1	CALL
ALR Provisa VM DX2/66 model 1	CALL
AST Premium SE P.60 model 33	CALL
AST Powerexec 4/25 mono model 200	CALL
AST Powerexec 4/25 color model 200	CALL

Call for all AST & ALR models, specials

Network Accessories

NE1000 8 bit COAX	89
NE2000 16 bit COAX	115
8 bit/16 bit COAX	Call 49/69
EtherExpress 16C	for 110
4 port/8port HUB	Volume CALL
16 port HUB	Discounts CALL
Arcnet 8 bit/16 bit	59/69
Arcnet 4/8 port HUB	160/215

Computerlane inc.

Corporate Accounts
Volume Discounts
And
Consultant Orders
Welcome

Outside California: 1-800-526-3482

Inside California: 818-884-8644 • FAX: 818-884-8253

7500 Topanga Canyon Boulevard, Canoga Park, CA 91303

Hours: Monday - Friday 9 -6, Saturday 10-5

Compaq is a Registered Trademark of Compaq. IBM is a Registered Trademark of International Business Machines.

ALL QUOTED PRICES REFLECT A 5% CASH DISCOUNT

Visa, MasterCard and American Express also accepted

Prices subject to change without notice.

Circle 180 on Inquiry Card.

CAD or Multimedia



We Have The Solution!

Ultra High Resolution Graphics Display Controllers from the World's first TMS34020 Manufacturer

Our PC/AT boards provide programmable display resolutions up to 1600 x 1280, and provide 72Hz or higher refresh rate for 1280 x 1024 and lower resolutions. 40 MHz TMS34020 Graphics Processor, VGA pass-through and RGB cable set are included. Software drivers are provided for TIGA, MS-Windows, and AutoCAD®. Drivers for the X Window System for Interactive and SCO UNIX are optional.

THE ALAMO **$2,995**
24-BIT TRUE-COLOR at 1600 x 1200
6 MByte VRAM + 1 MByte DRAM

THE TEXAN 1600 **$1,450**
256 Colors at 1600 x 1280, 60 Hz
2 MBytes VRAM + 1 MByte DRAM

THE TEXAN 1280 **$1,250**
256 Colors at 1280 x 1024, 72 Hz
2 MBytes VRAM + 1 MByte DRAM

THE TEXAN 1024 **$995**
256 Colors at 1024 x 768, 72 Hz
1 MByte VRAM + 1 MByte DRAM

Multimedia Graphics: Everything you need to get video into or out of the PC

M&M PRO **$995+**
24-bit TRUE-COLOR NTSC/PAL/SECAM video window frame grabber. Optional 12-bit per channel digital stereo audio, hardware JPEG compression, on-board 1024 x 768 SVGA, composite and S-Video NTSC/PAL output with flicker filters.

M&M Basic (composite video) **$500**
(composite & S-Video) **$600**
NTSC/PAL frame grabber displays live video window on VGA screen.

ViVA HC (NTSC or PAL) **$700**
HI-COLOR ET4000 VGA with composite and S-Video output with flicker filters. Configurable for multi-channel display.

ViVA (NTSC) **$550**
(PAL) **$630**
Video, VGA and Audio mixer outputs VGA to video as an overlay on an input video signal.

ViVA Basic (NTSC or PAL) **$300**
Internal or External VGA to Video converter outputs VGA to composite and S-Video with flicker filters. No TSR required for 640 x 480 modes.

MICROSOFT WINDOWS

Windows drivers provide 1600 x 1200, 24-bit TRUE COLOR on the ALAMO, 1600 x 1280, 256 color on THE TEXAN, and HI-COLOR on the ViVA HC.

Video for Windows compatible MCI/AVI Multimedia Windows drivers for the M&M PRO and M&M Basic.

AUTODESK

DL-Xpress (included) and Soft Engine (optional) from Vibrant Graphics allow 24-bit TRUE-COLOR display on THE ALAMO and 256 color display on THE TEXAN for AutoCAD®, 3D Studio™, etc.

Monitors . . . IDEK 21" flat screen multiscan monitors 30-80 KHz . . . others available.
MF 5421A 1600 x 1280, .26 Dot Pitch **$2,525**
MF 5321A 1280 x 1024, .31 Dot Pitch **$2,125**

Phone 713-464-2990
Fax 713-827-7540
For more information, call or fax our Systems Engineering Department, M-F, 8:30-5:30 CST.

We accept VISA, MASTERCARD and AMERICAN EXPRESS

Direct from Manufacturer 12-Month Warranty F.O.B. Houston

Omnicomp has been providing graphics hardware solutions for Systems Integrators, OEMs, and Resellers in domestic and international markets for over 10 years.

Our products cover a wide range of popular computer platforms and operating systems including PC/AT, VME, Micro Channel®, DOS, Windows, UNIX and others.

Omnicomp, THE TEXAN, THE ALAMO, M&M PRO, M&M Basic, ViVA, ViVA Basic and ViVA HC are trademarks of Omnicomp Graphics Corporation. All other trademarks or registered trademarks are property of their respective owners. Specifications subject to change without notice.

Omnicomp™
Graphics Corporation

. . . The Texas Graphics Company
1734 W. Sam Houston Pkwy, N.
Houston, Texas 77043

Circle 194 on Inquiry Card.

Recognized as the two best PC-diagnostic tools on the market.

NOW AVAILABLE IN ONE GREAT PACKAGE...

ALL NEW **Micro-Scope**™ VER. 5.0
UNIVERSAL DIAGNOSTICS SOFTWARE

Fully operating system independent diagnostic software.

PC UPGRADE UTILITY OF THE MONTH — Recently named as PC Upgrade Magazine's Utility of the Month.

FULLY OPERATING SYSTEM INDEPENDENT, BIOS INDEPENDENT, AND CMOS INDEPENDENT.

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market.

- CACHE MEMORY – "Micro-Scope" Ver. 5.0 now fully tests cache memory and the cache controller subsystem.
- LOW LEVEL FORMAT – Ability to do factory style initialization of all IDE drives, together with the ability to do factory style low level formatting on all drives, including MFM, RLL, ESDI, SCSI, and all IDE drives.
- O/S, BIOS and CMOS INDEPENDENT – Does not rely on O/S for diagnostics. Talks to PC on a hardware level regardless of the O/S, BIOS or CMOS setting.
- TRUE HARDWARE DIAGNOSTICS – Accurate testing of CPU, IRQs, DMA, memory, hard drive, floppy drive, video cards, etc.
- DISPLAY DRIVE TYPE – Reads and displays the actual drive parameters for any drive type automatically.
- CPU DETERMINATION – This capability is necessary for accurate system diagnosis on 386SX, 386DX, 486DX and 387 and 487 chip implementations. Because each of these specific chips has its own unique instruction set, and therefore cannot be accurately diagnosed with any program which cannot recognize these differences!
- MEMORY TEST – "Micro-Scope" 5.0 has no limitations as to the size of memory it can accurately test. Micro-Scope now also tests up to 2 meg of video memory!
- MEMORY EXAMINE – Displays any physical bit of memory. Very useful for determining memory conflicts. Very useful for determining available memory space.
- BATCH CONTROL – All tests, even destructive, may be selected for testing.
- ERROR LOGGING – Automatically inputs errors during testing to an error log.
- AUTOMAPPING – Automatically bad sector maps errors found on hard disks.
- IRQ DISPLAY – Show bits enabled in IRQ chip for finding cards that are software driven. (Network, etc.)
- IRQ CHECK – Talks directly to hardware and shows I/O address and IRQ of devices that respond.
- SECTOR EDITOR – Allows the editing of any sector of floppy or hard disk media (even track 0).
- AND MUCH MORE...We don't have enough space here for everything this software can do!

POST-PROBE™
1ST EVER UNIVERSAL P.O.S.T. CARD FOR ALL PCs!

The only Power-On Self-Test card you need to debug any "dead" PC!

SERVICE NEWS THE BUSINESS NEWSPAPER FOR THE COMPUTER SERVICE INDUSTRY PRODUCT OF THE MONTH — Named as Product of the Month in the July issue of Service News.

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card."
— Scott Mueller from his globally recognized book, *'Upgrading & Repairing PCs, Second Edition'*



- Includes pads for voltmeter to attach for actual voltage testing under load.
- 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- Monitors I/O Write and I/O Read to distinguish between write and read errors.
- Monitors memory write/read to distinguish between address line failures and memory chip failures.
- Monitors ALE for proper CPU/DMA operation.
- Monitors Reset to determine if reset is occurring during POST, indicating short.
- Monitors progress of POST *without* POST codes.
- Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- Compatible with Micro Channel computers.
- Dip switch allows easy selection of I/O ports to read.
- Includes tri-state LOGIC PROBE to determine actual chip failures.
- Manual includes chip layouts and detailed POST procedures for all major BIOS's.

This is the perfect package for all repair technicians and self-maintainers.

Call MICRO 2000, Inc. for volume discounts and after sales service!

800-864-8008
1100 E. Broadway, Suite 301
Glendale, California 91205
818-547-0125 • Fax 818-547-0397

MICRO

Circle 200 on Inquiry Card.

- **AUSTRALIA** – MICRO 2000 Australia, P.O. Box 1777, Wollongong, NSW 2500. Tel: (042) 564446.
- **UK** – MICRO 2000 Europe, P.O. Box 2000, Latchworth, Herts, S661 TG., England. Tel: +44 462 483483, Fax: +44 462 481484.
- **CANADA** – Business Data Systems, 169 Burnside Drive, London, Ontario, Canada N5W 5V5. Tel: (416) 777-2479 or (519) 659-3599.



LEAVE IT TO US TO RACK THINGS UP

RECORTEC's Rack Mount PC compatible computers, monitors, keyboards and printer continue the tradition of manufacturing excellence RECORTEC started in 1969. With our broad product line, fast delivery, excellent pre and post sale service, it's no wonder more and more people *"leave it to us to rack things up"*.





QUALITY
All products 100% tested and verified prior to shipment.

RELIABILITY
Field proven components backed by a comprehensive warranty.

SERVICE
Large stock for fast delivery plus assistance by knowledgeable sales and support personnel.

SOLUTIONS
Choose from many models which offer a wide range of solutions for a variety of rack mount needs. We also offer custom designs when a standard product just won't do.



CALL OR FAX FOR MORE INFORMATION.
1-800-729-7654


RECORTEC, INC.

1290 Lawrence Station Road Sunnyvale, CA 94089 Tel: (408) 734-1290 Fax: (408) 734-2140


Circle 197 on Inquiry Card (RESELLERS: 198).


CONTROL UP TO 96 PC FILE SERVERS WITH 1 KEYBOARD AND MONITOR USING...

COMMANDER™




- Select via Keyboard
- Dual access up to 250 feet away (optional)
- No external power
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot™" Feature boots attached computers without operator intervention
- Able to Broadcast to all attached computers





- PS/2 and Serial Mouse support available
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" and 24" rack installation





CYBEX


4912 Research Drive
Huntsville, AL 35805 U.S.A.
(205) 430-4000
FAX (205) 430-4030

Dealer Program Available

PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.

Circle 181 on Inquiry Card (RESELLERS: 182).

Arnet's SurgeBlock™ Protection Keeps Our I/O Boards From Frying Like the Rest



Tests Prove Our Boards Withstand Surges That Make Other Boards Fail

Direct buyers want the best products. The best performance for the price, and — above all - *reliability*.

That's why Arnet uses a unique feature called SurgeBlock to protect every port on its I/O boards from power surges. They're the leading cause of I/O board failures because they're caused by countless sources — from lightning storms to simply walking across the floor.

SurgeBlock gives our I/O boards unbeatable reliability. It was the first onboard surge protection, and independent tests prove it's still the best. Call us and we'll send you the results that prove it.

The Best I/O Boards to Buy Direct

Not only are our boards the most reliable — with a field failure rate of *less than 1%* — they're also the best direct buy around. Here's why:

Unmatched Price/Performance

Our I/O solutions support from two to 512 users and operate at speeds from 2400 to 115K baud — with prices starting at less than $70 per port!

Compatibility

Our I/O boards are compatible with more than 30 operating systems, including UNIX, Windows, DOS, Multiuser DOS and NetWare.™

30-Day Money-Back Guarantee Plus a Lifetime Warranty

We back our reliability with a 30-day, hassle-free money-back guarantee plus a Lifetime Warranty.


24-Hour Hot Swaps

If your board does fail, you can have a replacement at your site within 24 hours.

Attractive Terms

Qualified customers can buy with our convenient Arnet Gold credit card or other major credit cards. And we offer next day delivery!

Reseller Discounts Available



Buy six boards—now or one at a time—and get the next one *FREE!*

Cost-Effective, Expandable Intelligent Serial I/O



SmartPort and SmartPort *Plus*

Create PC systems that can grow as you do with SmartPort and SmartPort *Plus*. SmartPort is best suited for systems supporting up to 8 users per slot. SmartPort *Plus* is most cost-effective for systems requiring 16 to 32 users per slot. A powerful onboard processor offloads serial I/O from the host PC to dramatically improve data throughput.

- Supports I/O speeds up to 38.4K baud per port
- Up to 64 Kb of dual ported RAM
- Full signal support for modems and other devices
- RS-422 support on SmartPort *Plus* for longer distances
- SimulPort terminal paging software
- SimulPrint transparent printing utility

From **$446**

Intelligent I/O Communications Subsystem for PCs




COMStax

Add a COMStax host card to your PC to support up to 128 users per slot. An onboard high performance 20 MHz RISC processor enables transmission rates up to 115.2K baud per port.

- Desktop stackable modules for asynchronous, synchronous and high-speed parallel printing
- Up to 8 stackable communication modules per host card
- RS-423 support for longer distances

Host Adapter From **$596**
Modules From **$371**

Workgroup Concentrator for Local and Remote Users



ClusterPort

Build large systems that can support remote users with ClusterPort. A host adapter card with two high-speed synchronous links connects to multiple 16-port Cluster Boxes or to modems for remote locations. Remote users can be connected without using costly multiplexers.

- Supports 128 ports per slot, 512 ports per system
- Supports local users thousands of feet from the host without modems (miles with optional Fiber Link Kit)
- 1.2 Mbps RS-422 synchronous link between host adapter and local Cluster Boxes; Up to 64Kbps synchronous for remotely-attached Cluster Boxes.

Host Adapter From **$1721**
Cluster Boxes From **$1121**

Ask for Your FREE Catalog of Arnet PC Connectivity Solutions!

800-377-5515
FAX: 800-377-8848

VISA MasterCard American Express

Arnet and the Arnet logo are registered trademarks of Arnet Corporation. All other trademarks are the property of their respective corporations. Test conducted by Wyle Laboratories, September 1993.

ARNET ROCK SOLID LIFETIME WARRANTY

ARNET
Rock Solid Connections from Digi International
618 Grassmere Park Drive
Nashville, TN 37211
(615) 834-8000, (615) 834-5399 FAX

Circle 211 on Inquiry Card (RESELLERS: 212).

Ada Programming for Windows!™



IntegrAda™ for Windows™

IntegrAda for Windows is a Professional Ada Programming Support Environment

- Develop Windows, DOS or POSIX Applications
- Validated Ada Compiler
- Microsoft C Compatible Interface
- Windows Linker, Resource and Help Compiler
- Complete Set of Windows Ada Libraries
- Easy Ada Libraries for Fast GUI Development
- Powerful Design and Programming Tools
- Applications are True Executables
- SDK Not Required
- No Royalties

IntegrAda is a registered trademark of AETECH, Inc.
Windows is a registered trademark of Microsoft Corporation.



For More Information Call:
(619) 431-7714

AETECH
Ada Software Development & Tools

5841 Edison Place, Suite 110, Carlsbad, California 92008 (619) 431-7714 FAX (619) 431-0860


PLEX™ FAMILY PRODUCTS

DATAVISION
Keyplex Family



Datavision's New and Innovative Products Are Keyboard-Operated With No Buttons To Press or Switches To Turn. IBM XT, AT and PS/2 Compatible.

More *Power* At Lower Cost
Now Operate Multiple PCs With Our *Intelligent* Technology
One Keyboard One Display One Mouse




- No Internal Hardware
- No Internal Software
- No Keyboard Errors
- No Switch Problems

Save Equipment and Space Costs

- *Simple Plug and Play Installation*
- *Uses Existing Keyboard/Video Ports*
- *Mix XT, AT and PS/2 Keyboard Controllers Including The New IBM "Type 2"*
- *Mix CGA/EGA/VGA/XGA/MONO Video*
- *Mix Any Operating System or Application*
- *n-Level Cascading For Unlimited Growth*
- *Automatic Scanning & Broadcast Modes*
- *Optical Isolation For Safety/Reliability*
- *Keyboard Operated — No Buttons/Switches*

Gain Central Control & Greater Productivity Too!

So If You Think This is Your Only Option...



Think Again!
Manage All Your Systems From A Single Display and Keyboard



Reduced Display Costs • Reduced Keyboard Costs • Reduced Space Costs

Keyplex/2	Videoplex/4	Mouseplex/8
Keyplex/4	Videoplex/8	Omniplex/4
Keyplex/8	Mouseplex/4	Omniplex/8

DATAVISION
The HI-IQ Product Company

Datavision Pte Ltd • 27-B Duchess Road • Singapore • 1026 • Tel (065) 467-7784 • Fax (065) 467-7785
370 West Camino Gardens Blvd • Boca Raton • Florida • 33432 • Tel (407) 482-3996 • Fax (407) 482-3997
IBM and PS/2 are registered trademarks of the International Business Machines Corporation

Our products work where ordinary switching devices fail. This is because they are INTELLIGENT and conform to all IBM published keyboard and mouse protocol standards. We not only support the PS/2 model 90/95 but go even further than IBM does by allowing you to hot-plug the keyboard and bus mouse — even under OS/2!! Boot any machine anytime with no 30x errors — even if no keyboard is attached. Individual system "Lock" lamps, typematic rates, etc. are also kept accurate across port switches.

MEMORY

NEW

64MB 72-PIN
16MB X 36 FOR :

ALR EVOLUTION VQ	$ 3999.00
ACER POWER 486E	$ 3999.00
AIR 486 EISA-VL BUS	$ 3999.00

INDUSTRY STANDARD 72-PIN

256K X 36 - 1MB	$ CALL
512K X 36 - 2MB	$ CALL
1MB X 36 - 4MB	$ CALL
2MB X 36 - 8MB	$ CALL
4MB X 36 - 16MB	$ CALL
8MB X 36 - 32MB	$ CALL
16MB X 36 - 64MB	$ CALL

(PLEASE CALL FOR X 32'S)

IC Card

PCMCIA - 2MB
$ 179.00

BEST BARGAIN

OKILASER 400

MEMORY UPGRADE FOR
ONE OF THE MOST POPULAR LASER PRINTERS
THE OKILASER 400 WITH 2MB ONLY $59.00

VOMAX 2000

The Ultimate Combo:

* Voice Mail
* Fax Mail Box
* Data Modem
* Digital Answering Machine
... and more

Feature to feature, this is the Home-office machine of the 90's. Only $ 399.00

(PLEAS CALL FOR YOUR FREE BROCHURE)

INDUSTRY STANDARD 30-PIN

1MB X 9	$ CALL
1MB X 3	$ CALL
4MB X 9	$ CALL
4MB X 8	$ CALL
16MB X 9	$ CALL
16MB X 8	$ CALL

(PLEASE CALL FOR SIPPS)

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

OTHER MEMORIES AVAILABLE FOR:
ACER, ALTIMA, APPLE, AST, CHAPLET, COMPAQ, DELL, EPSON, EVEREX, HP, LEADING EDGE, IBM, NEC, NCR, OKIDATA, PACKARD-BELL, PANASONIC, PHILIP, SAMPO, SHARP, SILICON GRAPHICS, SUN MICROSYSTEMS, TANDON, TI, TOSHIBA, TULIP AND ZENITH.

CALL FOR UPDATED LOW PRICES AND NEW PRODUCTS

Office Hours: Mon.-Fri. 7am to 5:30pm pst, Sat. 9am to 1pm pst

CitiTronics Inc.

TERMS: C.O.D. CASH, VISA OR MASTERCARD. COMPANY AND UNIVERSITY P.O.'S ACCEPTED UPON CREDIT APPROVAL.

VISA MasterCard

TEL. (818)855-5688 FAX (818)855-5687

414 CLOVERLEAF DR., UNIT B, BALDWIN PARK, CA 91706

ALL PRODUCT NAMES, TRADEMARKS AND REGISTERED TRADEMARKS ARE THE PROPERTY OF THEIR REPSECTIVE COMPANIES.


G1334IAD

Circle 199 on Inquiry Card.

Circle 203 on Inquiry Card.

PRINTER SHARING & MEMORY

I/O = input /output
◯ = serial
▢ = parallel



800-238-9415

LCX-1000 (1Mb) $495
8 ports; 4 serial I/O; 57,600 bps
2 parallel in, 2 parallel out

LC-256 (256Kb) $375
LC-512 (512Kb) $425
8 ports; 4 serial I/O; 19,200 bps
2 parallel in, 2 parallel out

LXFR-ETC $49
DOS, Windows & OS/2 File Transfer
4 user license, for LC or LCX

PB-42PP-256Kb $199
PB-42PP-1Mb $279
PB-42PP-4Mb $429
6 parallel ports; 4 in /2 out
Upgradable to 4Mb; 25,000 cps

LC Jr.-256 (256Kb) $199
LC Jr.-512 (512Kb) $249
5 ports; 4 serial in, 1 parallel out
Up to 115,200 bps

LC-41PAS $69
5 parallel ports; 4 in / 1 out
Smart-switch; 25,000 cps

SPPS $49
9600 bps to 115,200 bps
Serial / Parallel Converter

PB-11PP-1Mb $199
2 parallel ports; 1 in / 1 out
Upgradable to 16Mb; 25,000 cps





PC SIMMs
MAC SIMMs
POWERBOOK
PCMCIA
TOSHIBA

NEW SOFTWARE

TicklerFile™ for Windows
Planner that posts notes

MicroPaint™ for OOS
256 color image processing

AmazinGames™ DOS & Windows
Block dropping and mazes

LOGICAL CONNECTION® 4660 Portland Road NE #108 Salem, OR 97305-1658 Tech.: (503) 390-9375 **FAX: (503) 390-9372**

THE COMPLETE HOME/BUSINESS SYSTEM

Voice/Fax/Data V32bis

1st All-in-one Modem That Lets YOU Decide!

This is a true 14.4 Kbps high speed fax/data modem with built-in VOICE capability. The software included allows you to receive fax and voice mail into user configured mail boxes. Personalize your own greetings. Use it as a regular high speed 14.4 kbps fax/modem or combine VOICE to make your own custom voice/fax mail system. YOU CHOOSE!

VOICE MAIL
FAX MAIL
DATA MAIL
PAGER SUPPORT
MAIL FORWARDING
FAX BROADCASTING

VALUE 399

- Works with virtually all fax/modem class II software has upto 57600 Kbps data thruput with compression.
- Supports message forwarding and beeper paging.
- Print your faxes to EPSON compatible or Laser Jet II compatible printers.
- Supports Auto-fallback to slower speeds on data and fax.
- Voice mail software provides remote access of messages.
- Comprehensive display of logs, voice and fax messages together with custom greeting messages and forwarding.
- Internal Plug-in board supports V32bis/V42bis for unsurpassed speed. . .
- Powerful script language lets you customize the voice/fax/data structure to suit your needs.
- Use as answering machine or complex voice/fax/data mail.

UPGRADABLE TO V.FAST WHEN AVAILABLE

FAX SWITCHES DON'T WORK!

Distinctive Ring Detector DOES!

Automatically switches call to destination. Uses Bell's Distinctive Ring feature. Get exclusive number listing for each new party from your phone company (approx. $4/mo.). Share up to 3 parties.



SAVE DOLLARS

And still sound professional!
The caller can't tell whether you have 3 lines or one!

3 PARTY $89.00

SHARE A LINE WITHOUT CONFUSION

The Selective Ring Detector uses the distinctive ring feature from your phone company. It is sometimes called "smart ring" or "custom ring". The detector can discriminate upto 3 different ring types. For a small charge per month ($4 approx./line) you may obtain a new phone number from your phone company. The detector will seperate the calls based on the unique ring type. The device prevents barge-in when a party is engaged in conversation. It also saves you expensive connection charges. It pays for itself in about a month. It is ideal for home office, fax separator or kids' calls. It is PBX compatible and easy to set up: Simply plug it in!

CALLER I.D.

Identify the caller on the first ring. YOU decide to answer.
Display pops caller's number.
Can also connect to computer. Add caller to Database.
TSR program pops caller's number, information and notes added. Maintains caller log.
Unit with LCD display $89



ORION TELECOM 1-800-669-8088 1-214-335-4358

Circle 209 on Inquiry Card.

Turn Your PC into a *Complete* Video Production Studio

D/Vision®

VERSION 2.1

Now there's an easy way to produce edited videotapes and multimedia video: Use your personal computer and a software package called D/Vision. Introducing D/Vision Version 2.1 using Intel's i750/Indeo digital video board...

The Digital Advantages:
Speed, Simplicity, Low Cost

D/Vision uses Intel's i750 ActionMedia board to digitize material from a VCR onto your PC. Then you can "cut and paste" video like words in a word processor. And because D/Vision is truly "non-linear", you instantly see your edited program. No waiting for tapes to cue or a digital video file to be built. D/Vision has a simple user interface. Gone are complicated suites and expensive equipment. Everything is done on your PC.

SuperRTV™:
Digital Video with True Videotape Quality

Unlike other digital video software, D/Vision gives you true videotape picture quality. SupeRTV, an enhancement of Intel's RTV (Real Time Video), lets you "print" high quality, full-screen video directly to videotape.

One Tool, Many Uses

D/Vision also outputs "Video for Windows" and Quicktime digital video files. Or a clean SMPTE time-coded Edit Decision List. So whether you're producing broadcast television, desktop video or multimedia, you only need one easy-to-learn editing tool.


D/Vision is IBM compatible, thoroughly tested and backed by two support hotlines. Call today for the authorized dealer nearest you or a free Demo Disk.

Produce edited videotapes and multimedia digital video on your PC.


True "Non-Linear", Random Access Editing



Special Effects and Audio Mixing




Overlay Targa/ PCX Files on Live Video



D/Vision and Intel's Video Board are All You Need





TOUCHVISION SYSTEMS, INC.

312/989-2160

FAX: 312/989-2144

Circle 383 on Inquiry Card.

See us at Fall COMDEX Booth # A1766

Circle 210 on Inquiry Card.

It's FREE! Absolutely, positively, totally FREE! No strings! No commitment! No shipping! No handling! No nothing! FREE! FREE! FREE! FREE!

It's your FREE introductory issue of

Metatec's NautilusCDsm

The Multimedia Magazine℠ on CD ROM

This is not a misprint. It's an honest-to-gosh offer for a FREE introductory issue of NautilusCD, The Multimedia Magazine on CD ROM.

NautilusCD is the premier showcase of multimedia creativity. Our contributors are multimedia's superstars, wizards who can make your computer screen flash to life with moving pictures...play music or sing for you...dazzle your eyes with 3-D graphics...and even talk to you! It's an experience not to be missed.

Yeah, you'll get a subscription offer with your FREE issue of NautilusCD, but no more will come --and neither will any bills--until you tell us "OK, I've gotta have it!" You've got hours of thrilling multimedia entertainment to gain and nothing to lose. So call the number and ask for your FREE issue now!

To order your absolutely, positively, totally FREE issue, call toll-free 1-800-448-2323.

Available in Macintosh and Windows versions. CD ROM drive required.
Limited Time Offer. Only 1 CD ROM per inquiry. International orders 1 614 766-3165.

NautilusCD The Multimedia Magazine
7001 Discovery Boulevard, Dublin, Ohio 43017

Some people think that by copying their software they'll make out like a bandit. They're right.



Copy software illegally and you're committing a federal crime with fines of up to $100,000. Help your organization comply with the law by ordering the Software Publishers Association's Software Management Guide. For only $80 you'll receive SPAudit for DOS and Macintosh,™ comprehensive auditing software, a video and procedures for keeping your organization's software legal. And your record clean.

Keep your software legal. 13

To order, call the Software Publishers Association at 1-800-388-7478, or include credit card information or a check and send or FAX this coupon to: SPA Management Guide, P.O. Box 79237, Baltimore, MD 21279-0237, FAX (202) 223-8756.

Name _____

Company _____

Title _____

Address _____

y _____

Zip _____

) _____

Please send me ____ copies at $80 each.

Total $_____ (DC residents add 6% sales tax)

☐Check enclosed ☐American Express

☐VISA® ☐MasterCard®

Card Number _____

Exp. Date _____

Signature of Cardholder _____

Name of Cardholder _____

SPA

Don't copy that floppy.

Serving you since 1979

JDR Microdevices®

2233 SAMARITAN DRIVE, SAN JOSE, CA 95124

BUY WITH CONFIDENCE FROM JDR!
30-DAY MONEY BACK GUARANTEE
1 YEAR WARRANTY
TOLL-FREE TECH SUPPORT

INTERFACE CARDS

Fast Multi I/O Card



- Includes two NS16550 serial ports, one parallel port and one game port
- 8-bit 286/386/486 compatible card

MCT-AIO+		$89.95
MCT-AIO	As above with one NS16450	$49.95
MCT-IDEIO+	IDE w/NS16550 compatible serial	$99.95
MCT-IDEIO	IDE w/NS16450 compatible serial	$69.95
MCT-VIO	V L Bus IDE and Multi I/O card	$99.95
MCT-IOEFH	16-bit IDE floppy card	$29.95
MCT-CIDEIO	16-bit cache IDE controller with I/O	$199.95
MCT-VCFH	VESA Local Bus cache IDE controller	$229.95
MCT-VSCSI	VESA Local Bus SCSI-2 controller	$299.95

VIDEO PRODUCTS

VGA Package with Accelerator Card



- 1024 x 768 in 16/256 colors, 800 x 600 in 16/256/64K colors, 640 x 480 in 16/256/64K/16M colors
- 14" diagonal screen; 0.28mm
- 16-bit 286/386/486 PC compatible Windows accelerator card, interlaced and non-interlaced modes

VGA-PKG-1024N		$459.95
VGA-PKG-1024	0.39mm, 1024 x 768 VGA package	$349.95
VGA-MONITOR	0.39mm, 1024 x 768 int. monitor	$269.95
VGA-MON-1024N	0.28mm, 1024 x 768 non-int. mon.	$379.95
VGA-MON-17N	17", 0.26mm 1280 x 1024 non-int. mon.	$799.00

Low Cost Windows Accelerator



- 16-bit 286/386/486 PC compatible; supports interlaced and non-interlaced, analog or multisynch monitors; VESA software compatible
- Up to 1280 x 1024 resolution in 16 colors

MCT-VGA-5000		$99.95
SPEEDSTAR-PRO	16-bit Windows accelerator	$149.95
MCT-VGA-4000	16-bit 1024 x 768/256 color card	$129.95
MCT-VGA-1000	16-bit 640 x 480 VGA card	$49.95

DEVELOPERS TOOLS

POST Code Display Card $79.95



- 286/386/486 compatible
- Displays Power On Self-Test codes
- Works when software won't boot computer
- Includes AMI Diagnostics software

PCODE+		$79.95
PCODE	Above without AMI Diagnostics	$49.95

Wire-Wrap Prototype Cards



JDR-PR2	8-bit with I/O decode layout	$29.95
JDR-PR2-PK	Parts kit for JDR-PR2 decode	$8.95
JDR-PR10	16-bit with I/O decode layout	$34.95
JDR-PR10-PK	Parts kit for JDR-PR10 decode	$12.95
PDS-601	8-bit breadboard with decode	$79.95
PDS-611	16-bit breadboard with decode	$89.95

EPROM Eraser $39.95



- Quickly and simultaneously erase up to 4 standard EPROMs
- Includes wall plug power supply

DATARASE II $39.95

EPROM Programmer



- Programs devices up to 512K bits, plus 27C100, 27C101, 27C301, 27C1000, 27C1001, 27C2001, 27C4001 & more
- With 8-bit 8088 & 286/386/486 PC compatible card
- ZIF socket accepts 0.6" wide DIP IC's to 32 pins

MOD-MEP-1A		$199.95
MOD-MEP-4A	As above with 4 ZIF sockets	$269.95

SYSTEM BASICS

3-Button Mouse $14.95



- Accuracy 290-1450 DPI
- Opto-mechanical design

JDR-MOUSE-3		$14.95
MOUSE-PAD	Keeps mouse ball free of dirt	$4.95
MCT-GAME	Dual port game card	$29.95
JSTK-300	Joystick	$9.95
JSTK-500	Pilot-style joystick	$19.95

MULTIMEDIA

Low Cost Internal CD-ROM Drive



- 5-1/4" half-height internal drive with 1/2 length interface card
- 150Kb-175Kb per second, 350ms average access time
- Includes drive, interface card, cables and manual

CDROM-I		$199.95
CDR-84	NEC internal dual speed CD-ROM drive	$499.95
MCT-SOUND	8-bit sound card	$49.95
SB-DLX	SoundBlaster 8-bit sound card	$89.95
VIDEOBLASTER	16-bit video card with software	$329.95

STORAGE DEVICES

5-1/4" & 3-1/2" Combination Drive

TEAC



- 5-1/4" half-height beige drive
- Supports 1.44Mb, 1.2Mb, 720Kb & 360Kb diskettes

FD-505		$149.95
FDD-2.88A	2.88Mb 3-1/2", Beige	$99.95
FDD-1.44A	1.44Mb, 3-1/2", Beige	$59.95
FDD-1.44X	1.44Mb, 3-1/2", Black	$59.95
FDD-1.2	1.2Mb, 5-1/4", Beige	$59.95
FDD-360	360Kb, 5-1/4", Black	$59.95

Preformatted Bulk Diskettes in Quantities Of 250

MD2D-BULK	5-1/4" 360Kb DS/DD disks w/labels & tabs	$.25 ea
MD2H-BULK	5-1/4" 1.2Mb DS/HD disks w/labels & tabs	$.45 ea
3.5D-BULK	3-1/2" 720Kb DS/DD disks w/labels & tabs	$.39 ea
3.5HD-BULK	3-1/2" 1.44Mb DS/HD disks w/labels & tabs	$.59 ea

250Mb Tape Drive $179.95



- 286/386/486 PC compatible
- QIC-40 read and QIC-80 read/write compatible
- Up to 3.5Mb/minute transfer rate
- 5-1/4" internal half-height drive
- Includes DOS backup software and manual

9250I $179.95

IDE Hard Drives

PART #	BRAND	CAP.	SPEED	TYPE	PRICE
CP-30084	Conner	84Mb	19ms	3-1/2" IDE	$199.95
ST-3096A	Seagate	89Mb	16ms	3-1/2" IDE	$199.95
ST-3144A	Seagate	131Mb	16ms	3-1/2" IDE	$219.95
CP-30174	Conner	170Mb	17ms	3-1/2" IDE	$239.95
CP-30254	Conner	250Mb	14ms	3-1/2" IDE	$319.95

Seagate IDE Drive Kits



- 16-bit 286/386/486 PC compatible card
- Includes hard drive
- 16-bit controller interfaces two hard and two floppy drives

HDKIT-80	Kit with 89Mb ST-3096A drive	$219.95
HDKIT-130	Kit with 131Mb ST-3144A drive	$239.95
HDKIT-210	Kit with 214Mb ST-3243A drive	$299.95

UPGRADE COMPONENTS

Dynamic RAM



PART #	SIZE	SPEED	TYPE	PRICE
41256-80	256K x 1	80ns	DIP	$1.95
1MB-80	1M x 1	80ns	DIP	$4.99
41256A9B-80	256K x 9	80ns	SIMM	$14.95
41256A9B-60	256K x 9	60ns	SIMM	$16.95
421000A9B-80	1M x 9	80ns	SIMM	$49.95
421000A9B-60	1M x 9	60ns	SIMM	$59.95
424000A9B-80	4M x 9	80ns	SIMM	$159.95
424000A9B-60	4M x 9	60ns	SIMM	$179.95

DUE TO CURRENT MARKET CONDITIONS, CALL FOR CURRENT DRAM PRICES

Math Co-Processors

intel

PART #	SPEED	PRICE	PART #	SPEED	PRICE
8087-2	8MHz	129.95	80387-SXP	≤25MHz	74.95
8087	5MHz	89.95	80387-DXP	≤33MHz	79.95
80287-XL	12MHz	74.95	80487-SX	≤25MHz	369.95

OverDrive Processors

ODP486-SX20	For 20MHz 486SX OverDrive socket	$329.95
ODP486-SX25	For 25MHz 486SX OverDrive socket	$449.95
ODP486R-DX25	Replace 25MHz 486DX w/50MHz DX2	$449.95
ODP486R-DX33	Replace 33MHz 486DX w/66MHz DX2	$559.00
ODP486-DX33	66MHz 486DX2 for OverDrive socket	$559.00

MODEMS & FAX

14,400 Baud Internal Fax/Modem



- 14,400,/12,00/9600/4800/2400 baud modem & fax
- Full Hayes command set compatibility
- QuickLink II communications software

MCT-144IF+	14,400 baud internal fax/modem	$179.95
MCT-24I	2400 baud internal modem with s/w	$49.95
FAXM-SWITCH	Connect fax/modem/phone on 1 line	$89.95
FAX-SWITCH	Above without modem connection	$59.95

MOTHERBOARDS

VESA Local Bus 486DX Motherboard $599



- 33MHz Intel 80486DX or 66MHz Intel 80486DX2 CPU
- Uses 256K x 9, 1M & 4M x 9 60ns SIMMs (0K installed)
- ZIF CPU socket for upgrades
- Eight 16-bit expansion slots
- MS-DOS, Windows 3.1, DESQview 386, Novell NetWare and OS/2 compatible

MCT-M486VL-33	33MHz 486DX VESA local bus	$599.00
MCT-M486VL-66	66MHz 486DX VESA local bus	$899.00
MCT-M486-50E	50MHz EISA 486DX processor	$999.00
MCT-M386SX-33	33MHz 386SX	$129.95
MCT-C386-33	33MHz cache 386	$249.95
MCT-C386-40	40MHz cache 386	$299.95
MCT-M486SX-25	25MHz cache 486SX	$399.95
MCT-M486SX-33	33MHz cache 486SX	$449.95
MCT-M486-33	33MHz cache 486DX	$549.00
MCT-M486-50	50MHz cache 486DX	$799.00
MCT-M486-66	66MHz cache 486DX2	$849.00
LITHIUM-6V	6 volt lithium battery	$10.95



FREE JDR CATALOGS!
PC EDITION AND COMPONENTS EDITION AVAILABLE NOW!
800-538-5000

VISA MasterCard 800-538-5000 Toll-Free Fax Ordering 800-538-5005 Local 408-559-1200 BBS 408-559-0253

ORDER 24 HOURS A DAY! KEY CODE 1047

TERMS: For shipping & handling include $5.00 for ground & $7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices, Inc. Modular Circuit Technology is a trademark of JDR Microdevices, Inc. Copyright 1993 JDR MICRODEVICES.

Polaroid



Polaroid's Circular Polarizing Filters for computer monitors combine circular polarizer technology with optical quality materials and coatings to provide the ultimate in glare reduction and contrast enhancement technology. Polaroid CP-Filters suppress up to 99% of reflected light and are more effective than any other filter for improving contrast. Also, most CP-Filter models have a transparent electrically conductive coating which reduces up to 98% of the electromagnetic radiation and eliminates static.

Polaroid produces a full range of optical quality anti-glare filters in glass and triacetate to fit most 9"-21" monitors.

Polaroid Corporation, Polarizer Division,
N2, 1 Upland Road, Norwood, MA 02062
1-800-225-2770 Fax 617-446-4600

Circle 236 on Inquiry Card.

Light-Speed Serial Communications

PCSS-8FX Intelligent Serial Coprocessor

BBS Fossil Drivers Included




- Better than 1Mbyte/second transfer rate.
- No load on Host Processor!
- I/O Mapped - No host memory used.
- NEW - Supports DMA transfer. Faster than Dual Ported Memory!
- Looks like IBM Uart with Huge QUEUE!
- 8 ports per card. RS-232, 422, 485.

ORDER TOLL-FREE 800-282-4835

GTEK INC.

GTEK, INC. • DEVELOPMENT HARDWARE & SOFTWARE • P.O. Box 2310
Bay St. Louis, MS 39521-2310 USA • Mississippi & Technical Support 601-467-8048
Fax: 601-467-0935 • OEM & Dealer Inquiries Welcomed!

Circle 224 on Inquiry Card (RESELLERS: 225).



When speed is vital,

you need a new generation of multiport serial controllers: ***Avanstar.***™

Supporting data speeds up to 115.2K baud on all channels, the ***Avanstar*** family of intelligent controllers delivers optimum serial communications for ISA, EISA and Micro Channel systems.

Added Benefits: New high performance RISC-based communications ◆ Software selectable EIA-232/EIA-422—*an industry first* ◆ 16- or 32-bit communications on 8 or 16 ports ◆ Exclusive ***SureGuard***™ protection supplies unmatched reliability: includes *complete* transient surge suppression.

Find out more. Call 1-800-782-7428.

STAR GATE
People and products you can depend on.

Star Gate Technologies, Inc. • Solon, OH • 216-349-1860 • FAX: 216-349-2056

Circle 258 on Inquiry Card.

FREE CATALOG

Contains 284 pages of quality tools and tool kits, service diagnostics and test equipment for maintenance of computers and communication systems. Also LAN products: cables, taps, connectors, transceivers, repeaters, assemblies, and more. Free shipping, free technical support, 100% guarantee.

JENSEN®



Jensen Tools Inc.
7815 S. 46th St., Phoenix, AZ 85044
(602) 968-6231 • Fax (800) 366-9662

Circle 228 on Inquiry Card.

Voice Response/Caller ID for Windows

Would you like to develope multi-tasking multi-line non-blocking *Interactive Voice Response* applications for Windows?

PIKA offers the developer the high quality, feature rich AVA-B Series 1, 2 & 4 line voice cards with hardware voice compression.

Also, the new PIKA IdFi 1, 2 & 4 line *Caller Id* cards are the answer to many new and exciting Windows server applications.

All PIKA cards are available (at affordable prices) with Windows DLL &-DDE developer toolkits for C & Visual Basic.

Inquire about developer toolkits for NT, DOS, UNIX & QNX.

PIKA TECHNOLOGIES INC.
155 Terence Matthews Cres. Kanata, Ontario K2M 2A8, Canada
Tel: 1-613-591-1555 Fax: 1-613-591-1488

Circle 271 on Inquiry Card.

Communicating with a Higher Intelligence

GMM Sync4/CCP™

- High Performance 16 MHZ 16 bit CPU.
- 80X86 code compatible.
- 4 Sync/Async Ports / RS232, RS422, RS485 (2 Serial Ports with Full Duplex DMA).
- Uses Zilog 85C30, 85230 SCC chip.
- 512K Dual Ported Ram (STD) (1, 2, or 4 MEG Dual Port Ram - optional).
- 8k, 16k, 32k, 64k Window Size (Programmable).
- 8 Software Selectable and Shareable Interrupts.

** Two Port Com. CoProcessor also available (GMM Sync2/CCP™).



Four Port

GMM Products Are All Made in USA.

OEM and Dealer Inquiries Welcome

Other PC/AT & PS/2 8530 based products available.
Extremely competitive pricing.
(714)752-9447 Fax (714)752-7335
18092 Sky Park South - Unit E, Irvine CA 92714

GMM Research Corporation

Circle 223 on Inquiry Card.

Let your "true colors shine through" when you advertise your computer products in BYTE's

HARDWARE/SOFTWARE SHOWCASE

our newest, affordable, 4-color advertising section!

Call for more details:
(603) 924-2695 or (603) 924-2598

Communications/Networking

Rhetorex Voice Processing boards make CTI a reality.



If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.

Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology–from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform–give Rhetorex a call. And start making CTI a reality today.

RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617
Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc.
All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 238 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, TTI and Intel voice and fax hardware. Supports up to 24 voice lines and up to 8 fax lines.

Hardware + Software Kits
2 voice lines kit starts at **$650**
24 hours free info: 818-368-4566 or 818-368-8848

- Auto-Attendant
- Unlimited Audiotex
- Voice Mail
- Call Processing
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Party/Chat lines
- Talking Yellow pages

SigmaTech Software
Tel: (818) 368-6132 Fax: (818) 368-7859
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

Circle 259 on Inquiry Card (RESELLERS: 260).



Circle 242 on Inquiry Card.

Computer Systems • Data Acquisition

AT Systems in ROM

Develop Code on a PC
Run with DOS & Code in ROM
Single Board Computers
Use standard tools such as 'C'
Complete systems **$199** q100

KS6: AT equivalent CPU card uses NEC V53, max 4M RAM, 2M ROM, 512k SRAM, 5 serial & 2 par ports, clock, AT bus, $299, (q1-oem ver).
KS3: V40 CPU card uses NEC V40, 3 serial, 2 par, clock, flop, keyboard, $224 (q1-oem ver).



KILA 303-444-7737 Fax 303-786-9983
Boulder Colorado 80304-2842 U.S.A.

Circle 229 on Inquiry Card.

INDUSTRIAL PRODUCTS AND RESOURCES

- 9" EL, 10"/14" VGA COLOR INDUSTRIAL WORKSTATION
- 19" RACK-MOUNTED/DESK TOP CHASSIS WITH 14/12 SLOTS
- 17" RACK-MOUNTED MONITOR ENCLOSURE WITH TOUCH SCREEN
- 6-SLOT HEAVY-DUTY NODE CHASSIS
- COMPACT EMBEDDED PC/104 MODULES
- 286/386SX-33/486DX-50/486DX2 ALL-IN-ONE SLOT BOARD COMPUTER
- HIGH CAPACITY DUAL DRIVE RAM/ROM/FLASH DISK



MiTAC
MITAC INC.
7 TH FL., 77 Sec. 3, MING SHENG E. RD., TAIPEI, TAIWAN, R.O.C.
TEL:886-2-5012650/886-2-501 5180 . FAX:886-2-5090979/886-2-5035128

Circle 264 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS – QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	$183
Rackmount VGA Monitors	$531
Rackmount Monitor Shelf	$113
Rackmount Keyboard Shelf	$88

RACKMOUNT PLATFORMS – Qty 1 Pricing

RMS486-33EISA	$1799	RMS386-40	$814
RMS486-33	$1443	RMS386SX-25	$693

System Platforms include 7" Rackmount Chassis, 200W Power Supply, Motherboard, 1.0MB Memory, IDE, FOC, 2-Ser, Par, 1.2MB or 1.44MB Floppy Disk Drive, 1 Year Warranty

RACKMOUNT CHASSIS – 15 Models up to 20 Board Slots
SLOT CPU BOARDS – 486, 386, 386SX
RACKMOUNT MONITORS – Super VGA and Monochrome
RACKMOUNT CABINET – Modular from 21" to 96" high




JRV VALLEY TECHNOLOGY INC.
2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559

Circle 253 on Inquiry Card.

PC-based Solutions for Industrial Automation

- Industrial PCs & Workstations
- Enclosures and Card Cages
- 486/386/286 CPU Cards
- RAM/ROM Disks
- Industrial I/O Cards
- RS-232/422/485

1-800-800-6889
1-408-245-6678 in CA
Fax: 408-245-8268



ADVANTECH
750 East Arques Ave.
Sunnyvale, CA 94086

Circle 214 on Inquiry Card.

Data Acquisition • Disk & Optical Drives

FREE, 288 PAGE

1993 DATA ACQUISITION CATALOG AND REFERENCE GUIDE

IBM PC/XT/AT, PS2, MICROCHANNEL COMPUTERS AND COMPATIBLES




- A/D Boards
- Signal Conditioning
- Communication
- PC Instruments
- Scientific Software

KEITHLEY METRABYTE
DATA ACQUISITION

SEND TODAY FOR YOUR FREE CATALOG OR CALL 1-800-348-0033, FAX: 508-880-0179

Circle 231 on Inquiry Card.

The Intelligent Solution For Data Acquisition



DAP 3200e™ Data Acquisition Processor™

Analog I/O to 330K samples per second
Digital I/O to 2M samples per second
Up to 512 analog inputs on one DAP
Up to 128 digital inputs/outputs
12-bit or 16-bit resolution ADCs
FFT and FIR-filtering with on-board DSP
CPU: i186 or i486

Digital Signal Processing up to 16 MIPS
10-24 MHz CPU with up to 4M DRAM
20-32 MHz DSP with up to 96K SRAM
DAPL™ Operating System
- 100+ standard commands
- Custom commands in C

Send for FREE catalog and demo diskette. Or call us at (206) 453-2345.

MICROSTAR LABORATORIES™
2265 116th Avenue NE
Bellevue, WA 98004
FAX (206) 453-3199

Disk & Optical Drives

DISC DRIVE REPAIR • NOTEBOOK REPAIR
DATA RECOVERY • BUY & SELL HARD DRIVES & NOTEBOOKS

NOTEBOOKS • NOTEBOOKS • NOTEBOOKS

Sanyo 386SXII — $895
- 386SX 20MHz
- 2mb RAM
- 60mb Hard Drive
- 2 Serial, 1 Parallel, VGA, PS/2 Ports

Noteable N425-1304 — $1695
- 486 25MHz
- 4mb RAM, 130mb Hard Drive
- 2 Serial, 1 Parallel, VGA Ports
- Built-in Track ball, DOS 5.0, Carrying Case

PS/2 HARD DRIVE KITS

INTERNAL/EXTERNAL KITS FOR MODELS 50-95

	Internal	External
120mb/19ms	$350	$450
213mb/16ms	480	560
340mb/14ms	665	765
510mb/15ms	940	1015
1.03gb/10ms	1395	1495

INTERNAL KITS FOR MODELS 25, 25-286, 30, 30-286

20mb/85ms	$165
30mb/40ms	175
40mb/28ms	195
80mb/19ms	229
120mb/19ms	239
213mb/16ms	380

All Internal Kits include: Drive, Controller, Cables and Mounting Kit.

HARD DRIVES

Seagate ST3144A	130mb/16ms	IDE	$189
Conner CP30170	170mb/17ms	SCSI	205
Maxtor MX7245A	245mb/15ms	IDE	280
Quantum Q240S	245mb/16ms	SCSI	289
Maxtor MX7345A	340mb/15ms	IDE	370
Maxtor MX7345S	340mb/14ms	SCSI	385
Conner CP30544	545mb/10ms	IDE	635
Conner CP30540	545mb/10ms	SCSI	640
Maxtor XT1240S	1.2gb/8.5ms	SCSI	1229

HARD DRIVE CARDS

40mb/28ms	$160
80mb/24ms	180
120mb/19ms	205
210mb/15ms	315

MANY BRANDS AND HARD TO FIND DRIVES IN STOCK

★★★ DISC DRIVE REPAIR PRICES ★★★

180 DAY WARRANTY ON ALL HD REPAIRS
MFM, RLL, SCSI, IDE & ESDI INTERFACES

20-39mb	$55	161-299mb	$135
40-59mb	65	300-399mb	215
60-99mb	89	400 +	295
100-160mb	115	TEST & EVALUATION	10

DATA RECOVERY

$75 Evaluation Charge. Additional Charges for Successful Recovery. Call For Pricing

SYSTEM / NOTEBOOK REPAIR

System Board Repair	From $75
Notebooks	From $99
VGA Monitor Repair	From $75

VISA, MASTERCARD, AMEX, DISCOVER, PO'S WELCOMED

jb TECHNOLGIES, INC.
5105 Maureen Lane
Moorpark, CA 93021

ORDER DESK & TECH SUPPORT **800-688-0908**
FAX: (805) 529-7712
PHONE: (805) 529-0908

Circle 227 on Inquiry Card.

It's ONLY One Inch Thick!

DoveWriter™ Portable Printer for the PC or Macintosh

DOVE

- 360 x 360 dpi thermal transfer laser quality output
- Fits in a briefcase or laptop carrying case (Dimensions: 12 x 8.5 x 1)
- Weighs only 2.9 pounds with A/C adapter
- Print speed is 67 - 81 cps.
- Handles paper, envelopes or transparencies
- 16kB Buffer
- Built-in Fonts: Roman, Letter Gothic, Courier, Prestige Elite
- Emulates Epson LQ850 and IBM X24E



Included: DoveWriter, AC Battery charger, cable, ribbon and battery pack
Optional: 20 page sheet-feeder, A/C adapter, High Capacity Battery, Quick Charger

Call 800-849-3297 or 919-343-5600 for details

Circle 221 on Inquiry Card.

PS/2 Hard Drives

PS/2 50 50z 55sx 60 70 80 P70

INTERNAL DRIVES - *May be used as a high performance replacement or to co-exist with original IBM drive. Compatible with DOS 3.3, 4.01, 5.0, OS/2 2.0 and Novell. Includes IDE or SCSI-2 microchannel controller, hard drive, mounting kit, ribbon & power cable, manual, and hardware.*

106mb, 15ms, Internal Seagate IDE Drive Kit	$383
130mb, 15ms, Internal Maxtor IDE / SCSI Drive Kit	$414/$439
200mb, 15ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit	$453/$513
340mb, 13ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit	$589/$689
540mb, 8.5ms, Internal Maxtor IDE / SCSI Drive Kit	$1,147/$1,157
1.2gb, 12ms, Internal Toshiba SCSI Drive Kit	$,1443

PS/2 Model 25, 30, 30-286

21mb/42mb/106mb Hard Drive Kit	$99/$189/$253
125mb/200mb Hard Drive Kit	$284/$323

External SCSI drives available from 125 mb to 1.75 gb. Includes SCSI-2 controller, external case with drive installed and configured, 6' SCSI cable. Free drivers for CD-Rom drives or Novell 286 & 386

General Technics — 1 Year Warranty - 10 Day Money Back Guarantee

1-800-GT-SALE-8
1-800-487-2538

Tel: (516) 981-9473
Fax: (516) 981-5038
38 Raynor Ave
Ronkonkoma NY 11779
Open 9am to 6pm EST, Mon-Fri

Circle 265 on Inquiry Card.

Multifunction CD player
- Full-featured front panel to play your favorite music CDs.
- Portable CD-ROM drive which connects to parallel port of your Notebook computer. (optional)
- Desktop CD-ROM player thru standard 8-bit interface board

C D ROM drive for IBM PC or 100% compatible computer

$199



Available NOW!

Canada - Supercom
Germany - CD 2000
Hong Kong - CD Solutions
Japan - KCC
Korea - Harsper Trading
Taiwan - Pixoart, BASE microsys
UK - Naga, SamSung
USA - Microrich, Supercom

See us at COMDEX/Fall '93 Sands Expo Convention Center

BYTE Feb/93

CD Research Company Ltd.
725 Denison St. East
Markham, Ont. Canada L3R 1B8
Tel (905) 513-6800
Fax (905) 513-6802

Circle 269 on Inquiry Card.

Disk & Optical Drives • Diskettes/Duplicators

PARALLEL-TO-SCSI CONNECTIONS!

"This product... is darned near perfect." –Jerry Pournelle, Byte Magazine 3/93
"This year, the company outdid itself... The MiniSCSI Plus is even more elegant than its predecessor and almost twice as fast." –Jim Seymour, PC Magazine 12/92



Add up to 7 SCSI devices to your parallel port and still use your printer!

Up to twice as fast as our original **MiniSCSI**™ parallel-to-SCSI adapter, the **MiniSCSI Plus** adapter lets you run a CD-ROM, tape backup, SyQuest®, Bernoulli® or other SCSI device from almost any parallel port. For most notebook users, it's the only way to use SCSI devices. An integrated cable makes it a snap to share SCSI devices with desktops.

KEY FEATURES: 100% Printer Passthrough ▲ Weighs Just 7.2 Ounces ▲ Fully Compatible With Bidirectional and Unidirectional Parallel Ports ▲ Powered By SCSI Bus ▲ Only $219

See your dealer or call:
Trantor Systems Limited
5415 Randall Place • Fremont, CA 94538-3151
FAX: (510) 770-9910
Adaptec Interactive Fax: (408) 957-7150

1-800-TRANTOR
Trantor
An Adaptec Company

© 1993 Trantor Systems Limited. MiniSCSI and Trantor are trademarks of Trantor Systems Limited. All other trademarks used are owned by their respective owners.

Circle 250 on Inquiry Card.

Diskettes/Duplicators • Keyboards • Laptops & Notebooks

Victory Printing Disk Factory

800-727-DISK (3475)



- Automatically loads, formats, copies, verifies and PRINTS THE LABEL on 3.5 & 5.25 diskettes!
- Designed for use with a network or any application for distributing data.
- Perfect for serializing or otherwise identifying specific diskettes.

Victory Enterprises
223 West Anderson Ln. Suite B-300
Austin, Tx. 78752
(512) 450-0801 Fax (512) 450-0869

Circle 246 on Inquiry Card.

Money Back Guarantee & 1 Yr. Warranty

Popular Space-Saver Keyboard $98.00



Saves 60% desk space. Footprint 27.3 x 15.2 cm. 100 full-travel tactilly responsive keys. Standard left-right spacing for easy touch typing. IBM XT/AT PS 2 compatible. Many language versions available.

Call Toll Free To Order: 1-800-DATALUX

DATALUX
– VISA, MC, AmX –

155 Aviation Dr.•Winchester, VA 22602
Tel 1-703-662-1500•FAX 1-703-662-1682
Auto-FAXed Specs FAX 1-703-662-1675

Circle 220 on Inquiry Card.

STAND ALONE DISKETTE DUPLICATOR

OVER 300 DISKS PER HOUR

5.25" and 3.50" Models



SIMPLE AND FAST FROM **$1799** US

TEL: (416) 602-9270
FAX: (416) 602-9279

AXIOMATIC

Circle 215 on Inquiry Card (RESELLERS: 216).

INTRODUCING AMREL'S 486 COLOR WORKSTATION



Total Expandability

Optional PCMCIA 2.0 Slots, Internal 14.4K Data/Fax Modem, and Docking Station delivers unlimited expandability to the SLT486DX notebook. The PCMCIA option adds two industry-standard Type II slots and lets you plug-in expansion cards—Data/Fax Modem, Flash memory, LAN adapter, or even wireless communication. The Docking Stations features four 16-bit ISA expansion slots, two 5.25" drive bays, built-in Ethernet adapter, and an electronic security system to protect both your notebook and your data.

Total Upgradability

Unique tri-speed motherboard design supports CPUs from 486DX/33 to 486DX2/66 and beyond so you will never outgrow your SLT notebook. RAM is upgradable from 4MB to 52MB to satisfy the most memory-demanding applications and a removable hard drive allows for easy storage expansion.

1-800-88 AMREL

AMREL TECHNOLOGY INC.
11801 Goldring Road, Arcadia, CA 91006
Tel:(818) 303-6688 • Fax:(818) 303-8538


Circle 251 on Inquiry Card.

Laptops & Notebooks

Notebook Expansion

The Easy Way

LapStation Expansion Systems and CableMate Port Replicators let you attach any desktop peripheral or PC enhancement card to your notebook in one easy step. Models with one to seven slots and bays support most popular notebooks.



Axonix Corporation

The Portable Peripherals People

1214 Wilmington Avenue / Salt Lake City, Utah 84106
(801) 466-9797 FAX (801) 485-6204 Toll Free (800) 866-9797

Circle 217 on Inquiry Card.

Laptops & Notebooks • Modems/Multiplexors



Notebook computers are great — except when it comes to playing simulation and action games. That's because they don't come equipped with a game port. ▶Introducing the Parallel Game Port™ from Genovation. The PGP turns your notebook into a game-book by converting the computer's printer port into a "virtual game port". With PGP, you also get a gender changer adapter, which lets you connect a joystick, yoke, pedals or even a weapon sytems controller to your notebook or desktop DOS PC. ▶The PGP is an indispensable accessory for today's serious gamer. Whether you race a car, fly combat, maneuver a tank, or wing along at 100 knots, the PGP's software features will enhance your play action. Look for the Parallel Game Port in the software section of your nearest computer dealer. Or call us at (800) 822-4333.

STICK IT TO YOUR NOTEBOOK.



Copyright © 1993 Genovation, Inc.

GENOVATION INC

Genovation, Inc. ▼ 17741 Mitchell North ▼ Irvine, CA 92714
(714) 833-3355 ▼ FAX (714) 833-0322 ▼ Sales: (800) 822-4333

Circle 222 on Inquiry Card.

Most Cost-effective Pen Based Personal Information Processor Meets Your Specific Needs.



Infoman

- **Model J: For project design**
- **Model CFX: Universal Fax computer**

Programmability	•Very easy-to-use 4GL for different information processing •Development System on VGA PC for downloading the applications
Data Compatibility	•DOS file system compatible •dbf, wk1, pcx, bmp, txt, etc. compatible
Communication	RS232, Modem, Fax, Infrared, Radio frequency links available
Cost	Very reasonable

DIALOGUE TECHNOLOGY CORP.

2nd Fl., 38, Ching Shing Rd., Wen Shan District. 117,
Taipei, Taiwan, R.O.C.
TEL: 886-2-9327680
FAX: 886-2-9317814

DIALOGUE TECHNOLOGY

Circle 277 on Inquiry Card.

Our New Contribution, Your New Partner

Main products:
14400bps+V.42bis+FAX(G3)
9600bps+V.42bis
9600bps+MNP5
2400bps+V.42bis+FAX(G3)
2400bps+MNP5
Stand alone
Internal card
Rack mounted



Branch office: U.S.A.
TEL: 818-2811826
FAX: 818-2879825

14400bps+V.42bis+FAX



Rack Mounted
Network Management
System

Atrie ATRIE TECHNOLOGY INC.

5F, 60, FU HO RD., YUNG HO CITY, 23438 TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-9286088 FAX: 886-2-9219057

Circle 276 on Inquiry Card.

STAND-ALONE LCD MONITORS

STN Color or Monochrome



New Dual-Scan!

$1595 | DATALUX introduces its new high quality, high brightness color LCD monitor in the same case as the popular Monochrome version.

- 640 X 480, 256 Colors, VGA compatible, 2 CCFT backlights
- Driven by ISA Bus Controller Card, no external power supply, optional CRT output
- Adjustable desk stand, folds for wall mounting or portability, 1.75Kg weight
- 197 X 147mm display (9.4 inch diag), non-reflective glass face
- Contrast ratio of 15:1, 200ms Rise and 150ms Fall time

$795 | Monochrome version 640 X 480, 64 gray shades. Wide viewing angle.

Also Available

- Mobile/Industrial model sealed against spills and splashes in rugged drawn aluminum housing with optional swivel mount.
- TouchScreen Version. Capacitive technology. Provides high resolution, fast response, all glass scratch proof optically clear sensor. Complete with built-in controller and software.

To Order Call Toll-Free: **1-800-DATALUX**

DATALUX

155 Aviation Drive • Winchester, VA 22602

Tel: 1-703-662-1500
FAX: 1-703-662-1682
AutoFAXed Specs:
1-703-662-1675

Circle 219 on Inquiry Card.

COMPUTER DISPLAY ON TV

VGA TO NTSC/PAL CONVERTERS



POCKET VIDEOVERTER™

Miniature size makes it perfect for **Laptops.** Designed for color video **presentations** on TV/VCR's. **Model 701/$299**



DESKTOP VIDEOVERTER™

Flexible. CONNECT to any video device with S-VHS, AV or RF. **Model 702/$345**



DELUXE VIDEOVERTER™

Image on TV and VGA monitor **simultaneously.** Unique circuitry provides **FLICKER-FREE PERFORMANCE.** **Model 703/$545**



VIDEO RANGER™

The **ULTIMATE.** Superior performance perfect for **presentations or text.** Works with **PC** or **MAC. ALL OPERATING SYSTEMS.** For VGA **Model 711/$1,595**

TELEBYTE TECHNOLOGY, INC.

270 E. Pulaski Road
Greenlawn, NY 11740
TEL: (516) 423-3232
FAX: (516) 385-8184
1-(800) 835-3298

CONNECT • COMMUNICATE • SUPPORT

Circle 244 on Inquiry Card.

Desktop Video



Motion Capture



MR RamGrab/AT

- Capture video to AVI file at 320 x 200, 10~15fps
- 8, 16, 24-bit color
- DOS & Windows support
- S-VHS & Composite input
- Free development kit
- Sound Blaster compatible

USS 270

VGA-TV Converter



MR VV Plus (PAL/NTSC)



MRVP(PAL/NTSC)

- Superior anti-flicker filter
- TV & Monitor display simultaneously
- RGB, S-VHS & Composite output
- Windows support
- MRVP/NTSC also for Mac
- Hor. Over/Under-scan switch

USS 170 (MR VV Plus)
USS 300 (MR VP)

EARCH LABORATORY

VISA

Capital Automation Inc.
Tel.: 1-704-596-6120
Fax: 1-704-596-9595

International inquiry:
Int'l Tel.: (852) 402 1165
Int'l Fax: (852) 415 2739

Circle 267 on Inquiry Card (RESELLERS: 268)

Primax Made it a Snap!

Primax Electronics created and originally manufactured the modular printer sharing concept, and others put their name on it. Now you can get the original ModularLINK™ and its reliable technology directly from the Original Equipment Manufacturer! For truly *hassle-free* printer networking, look to ModularLINK™—the original Simple Printer Network™!



Pictured above is ModularLINK™ and a fully-compatible unit. Existing SNAP™ networks can be expanded using the ModularLINK™.

- Over 500,000 nodes installed worldwide
- Connects 16 computers with a single printer
- Starter Kit for 2 computers and 1 printer only $129.95
- Fully compatible with existing SNAP™ networks
- Power-free for most applications

ModularLINK and Simple Printer Network are trademarks of Primax Electronics USA, Inc. SNAP is a trademark of ASP Computer Products, Inc.

PRIMAX

PRIMAX ELECTRONICS
800-338-3693

Circle 272 on Inquiry Card (RESELLERS: 27



NEW

ChipLab™

Special Introductory Price
32-pin version: $895
48-pin version: $1495

To order, call:
1-800-3-DataIO, Ext. 911
(1-800-332-8246)

Also distributed by:
Promark Technology West
(1-800-227-3345)
JDR Microdevices
(1-800-538-5000)

- Programs PLDs, PROMs, and EPROMs and microcontrollers up to 48 pins
- Algorithm updates available via electronic bulletin board

DATA I/O

Circle 252 on Inquiry Card.

Programmable Hardware

µPLC

"High speed scan rate at a fraction of the cost"

Introducing our DWC Analog Controller only $269

Hardware: 8 isolated 10 bit analog inputs • 4 analog outputs • 2 optically isolated digital inputs • 2 isolated 3 A relay outputs • 2 transistor digital outputs • on board RS485 • 8K external RAM • 64K EPROM program space

Software: Programmable with IBM XT/AT/386/486 compatible and EPROM programmer or the DWC Programmers Development System • easy to use DWC Ladder Logic Compiler or our new DW 'C' english style real time software • Software system includes functions for all of our µPLC products • includes example software • also available remote I/O networkable software

Digital Controller	$154	Real Time 'C'	$99
Network Node	$199	Ladder Logic Compiler	$99
Operator Interface	$259	Programmers Development System	$795

Free with any purchase - remote I/O networkable software for all devices
Programming services available

1-800-668-2707 tel: (519) 850-0637 fax: (519) 660-1602

DAVISON ■ WORTH
CORPORATION

Circle 261 on Inquiry Card (RESELLERS: 262).

IEEE 488.2 for Notebook PCs

- Attaches to the PC's parallel printer port
- Controls up to 14 IEEE instruments
- Transfers data at up to 170 Kbytes/sec
- Includes DOS or Windows software drivers
- Graphics & analysis software available
- Allows parallel & IEEE devices to be connected simultaneously

Call or fax for more information:
Tel (216)-439-4091
Fax (216)-439-4093

IOtech *the smart approach to instrumentation*
IOtech, Inc. • 25971 Cannon Road • Cleveland, Ohio 44146


Circle 226 on Inquiry Card.

UNIVERSAL PROGRAMMERS & EMULATORS

FLEX-700 $995 (connects via printer port)
TUP-400 $745 TUP-300 $575

- Program PLD (PAL, GAL, EPLD, PEEL, MAPL, MAX, MACH...), E(E)PROM, (up to 16Mbit), BPROM, SERIEL PROM, FLASH, MPU (87XX, 68XXX, 68HCXXX, PIC16/17XX, TMS320XXX, Z8, PSD3XX, Hitachi, NEC...). Support over 3,000 ICs.
- 40 pin DIP socket standard. Flexible support for PLCC, (T)SOP, SOIC, QFP, PGA, SIMM/SIP ...with up to 256 pins.
- Tests TTL74, CMOS 40/45, DRAM and SRAM.
- Optional EPROM EMULATION capability.
- Free software updates via BBS or mail.

All products are backed with a 1 year warranty and a 30 day money back guarantee.



Tribal Microsystems Inc.
44388 S. GRIMMER BLVD., FREMONT, CA 94538
TEL (510) 623-8859
FAX (510) 623-9925

Circle 245 on Inquiry Card.

SUPERPRO® $549
SUPERPRO/EM $399



Universal Programmers

- Programs E(E)PROMs, Flash EPROMs to 8 Mbit & Bipolar Proms.
- Microcontrollers from INTEL, MOT, NSC, PIC, SIG, MICROCHIP, etc.
- PLD, GAL, MACH, MAX,.... (not included in SUPERPRO/EM)
- Tests TTL/CMOS and Memory.
- New parts added upon customer request and free updates on BBS. (24 hrs)
- Online technical support and hardware warranty for 1 year.

ROM MASTER $129
- Universal E(E)PROM programmer to 4-Mbit

ROM MASTER/4 $199
- Universal E(E)PROM programmer 4 Gang Version

XELTEK
(408) 524-1929
(408) 245-7084 FAX • (408) 245-7082 BBS
757 N. Pastoria Avenue, Sunnyvale, CA 94086

Circle 248 on Inquiry Card.

Programmable Hardware • Tape Drives

MINIATURE CONTROLLERS

C-Programmable, Low cost, Expandable

A wide range of analog and digital inputs and outputs, relay & solenoid drivers, DACs, clocks and timers. RS232 and RS485 ports and battery backed RAM. LCDs up to 8 x 40, keypads and expansion cards. Our easy-to-use, powerful Dynamic C™ development system is only $195. Prices start at $159, quantity one.



$389 as shown

ZWORLD ENGINEERING
1724 Picasso Avenue
Davis, CA 95616
916.757.3737
916.753.5141 FAX

24-Hour Information Service 916.753.0618. Call from your FAX and request data sheet #24.

Circle 249 on Inquiry Card.

9 Track/3480 Tape Subsystems
1/4" DAT 8mm Optical
Windows Software Now Available

- Tape Backup and Restore
- Make Your Own CD Rom with our CD ROM Maker
- Optical Storage From $995



CALL 1-800-938-TAPE

Get The Very Best For Less



Laguna Data Systems
7340 Smoke Ranch Road, Suite C, Las Vegas, NV 89128
Tel: (702) 254-2648 • Fax: (702) 254-0910

Circle 230 on Inquiry Card.

9-Track for PCs

Mainframe to PC data interchange

Rock solid solutions, rock bottom prices.
Direct from the manufacturer. 1600 & 6250 bpi.
Subsystems include drives and software.



800-729-8725

OVERLAND DATA®
Since 1980

3480 Now with IDRC!

Tel: 619-571-5555 • FAX: 619-571-0982
Europe: Tel: (+49) 6172-35027 • FAX: (+49) 6172-35028

Ask about 3480 tape drives too

Circle 233 on Inquiry Card.

Desktop 9-Track Tape Subsystem
#1-selling 9-track system on desktop.



Qualstar's low cost 1/2-inch 9-track Streaming tape systems bring full ANSI data interchange to IBM AT, PS/2 or Macintosh, giving your micro the freedom to exchange data files with nearly any mainframe or minicomputer in the world.

Systems include DOS or Xenix compatible software, coupler card and cables. High reliability 1600 or 6250 BPI capability may be used for disk backup as well as data interchange.

QUALSTAR®

Call us today! **For details and to order: Fax (818) 882-4081 Phone (818) 882-5822**

9621 Irondale Ave., Chatsworth CA 91311

©1989 Qualstar Corp.
All product and company names and trademarks are the exclusive property of their respective owners.

Circle 237 on Inquiry Card.

PC/Mainframe/Mini Information Exchange



Featuring QUICKTAPE™

- Tape Transfer and Format Conversion
- EBCDIC ⟷ ASCII Data Manipulation
- AS/400, TK50, and ¼" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QUICKCOPY™ Tape Duplication

READ/WRITE 9-TRACK 3480 • 8MM • DAT on YOUR PC NOW!

Call Us ... (317) 842-2077 or 1-800-248-3475


SHAFFSTALL CORPORATION
FAX: (317) 842-8294

Media Conversion Systems Since 1973

Circle 274 on Inquiry Card (RESELLERS: 275).

OrCAD® users turn another page!

Throw away your $ 3,000 PC Board Design Package and buy another one for $ 1,200



EAGLE 2.6™

Schematic Capture, Layout Editor, 100% Autorouter, DRC, ERC: All In One Program

Does this really make sense? Yes it does!

The first thing you should be aware of is, software prices are only a matter of company policy. They are not necessarily related to the quality of a product.

So, why throw away an expensive product that does the job? Because it costs more money again and again than a reasonably priced program. Just think of the fees for Upgrades and Hotline support. For the comparable OrCAD® package, for example, you end up with annual fees that are half the price of a new complete EAGLE package, including drivers and libraries.

Maybe you have already heard, "it's a German import!" That's true: it is German designed, like Mercedes and BMW. However, the company is American, and so are the people who serve you.

Our Hotline support is free, and excellent. Plus the program is fantastic (see EDN review).

So, stop bleeding. Buy EAGLE with 30-day money back guarantee.

When I first installed and ran the EAGLE demo on my 386SX home computer, my first reaction was "this is fantastic!"...

...The things that impressed me most about EAGLE were its simplicity, ease of use, and flexible design. Menus, colors, scroll rates and the like can all be user configured to suit individual preferences. CadSoft provided excellent service, both in sales and support, and there is every reason to believe that they will continue to do so.

EDN Hands On Section, EDN magazine, June 1993.

Thumbs up. Overall, I was impressed... EAGLE 2.6 is easy to learn and easy to use... EAGLE 2.6 has the capabilities and performance that most designers would expect in a higher priced package.

Off the Shelf Review, PRINTED CIRCUIT DESIGN magazine, March, 1993


All product names are trademarks of their respective manufacturers

Call 1-800-858-8355

EAGLE Layout Editor	$ 399
Schematic Module	$ 399
Ripup Autorouter Module	$ 399
30-day money back guarantee	
DEMO with Original Manual	$ 12

CadSoftComputer, Inc.
801 South Federal Highway
Delray Beach, FL 33483
Hotline: (407) 274-8355
Fax: (407)274-8218

Circle 257 on Inquiry Card.



WINTEK

Wintek Corporation
1801 South Street
Lafayette, IN 47904
(800) 742-6809

HiWIRE® II Schematic and PCB Software

With support for expanded and extended memory, HiWIRE II can handle your most demanding schematic and PCB designs. The unique HiWIRE II editor allows you to display and edit schematics and PCBs simultaneously, using the same commands for each. HiWIRE II is $995, and is guaranteed.

Call (800) 742-6809 or (317) 448-1903

Circle 247 on Inquiry Card.


Only One Peer-to-Peer LAN Gives You Four Connectivity Options At One Low Price -- $99 Per Node!



Modem Networking



Ethernet Networking



Parallel Networking



Serial Networking

Only one peer-to-peer local area network offers you a solution that reflects the reality of business automation: a mix of different cabling and connectivity options on one LAN.

LANLink Professional gives you your choice of remote modem, or local ethernet, parallel and/or serial connections *in any combination on the same network.* And you can connect PCs running DOS, Windows or PC-MOS® operating systems seamlessly.

All this flexibility in one product from one company at one price: **$99 per node.** Plus you get rich networking features like print spooling, NetBIOS compatibility and more. Call The Software Link today.

Call (404) 512-0705
Fax (404) 512-7005

LANLINK™ PROFESSIONAL

Dealer Inquiries Welcome

Policies and specifications subject to change without notice. PC-MOS is a registered trademark and LANLink is a trademark of The Software Link.

Circle 241 on Inquiry Card.

1994



IEEE 488 and VXIbus Control, Data Acquisition, and Analysis

NATIONAL INSTRUMENTS

Computer-Based Instrumentation

Free 1994 catalog of hardware and software for computer-based instrumentation. Features instrumentation software for Windows, Windows NT, Macintosh, UNIX, and DOS, including LabVIEW, LabWindows, and the new LabWindows/CVI. Describes IEEE 488.2 interfaces, plug-in data acquisition boards, VXIbus controllers, and signal conditioning accessories. Customer education classes also detailed. Includes tutorials and glossary.

National Instruments
6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 232 on Inquiry Card.

Database • Engineering/Scientific • Graphics

dBASE Data Entry



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39,UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below $300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.


COMPUTERWISE.®

302 N. Winchester • Olathe, KS 66062

913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 218 on Inquiry Card.

HSC Chemistry for Windows



Chemical reaction and equilibrium software, which automatically utilize an extensive thermochemical database equivalent to more than five thick data books. A new faster and inexpensive version is now available with an illustrative manual.


Ask for a color brochure:

In the North America:
ARSoftware
8201 Corporate Drive, Suite 1110
Landover, MD 20785, USA
Fax: (301) 459-3776 Tel: (301) 459-3773

In the other countries:
Outokumpu Research Oy
P.O. Box 60, FIN-28101 Pori, Finland
Fax: +358-39-626-5310
Tel: +358-39-626-6111

Circle 270 on Inquiry Card.

FLOW CHARTING 3



Powerful new features – for greater speed, flexibility, and ease-of-use!

- Single-page, multi-page or canvas charts – portrait or landscape
- Custom fonts support high resolution laser and 24-pin dot matrix printers
- 35 standard shapes, 10 text fonts
- Suggested retail price: only $250

See your dealer today! or, for a "live" interactive demo disk, call: 800-525-0082, ext 1218
International: 408-778-6557, ext 1218
fax: 408-778-9972

PATTON & PATTON
Software Corporation

Circle 234 on Inquiry Card.

Graphics • Mathematical/Statistical

Spend More Time Doing Science and Less Time Programming



IDL® is the only software that allows you to program four to ten times faster* than FORTRAN or C. It seamlessly integrates all of your scientific computing needs in a single package – breathtaking 2D, & 3D graphics, powerful number crunching, flexible data I/O and more. It even includes a complete GUI toolkit for creating point and click applications. And, because IDL runs on PCs, Macs, Unix and VMS workstations you won't have to rewrite your code every time you change machines.

Join the elite group of more than 20,000 scientists around the world who are saving time and money by using IDL. Call us for a free demo.

303-786-9900 FAX 303-786-9909

Research Systems, Inc.

2995 Wilderness Place , Boulder CO 80301



IDL

*based on a survey of IDL users

Circle 266 on Inquiry Card.

PC TEX Typesetting Software

$$\int_{-\infty}^{nZ} \frac{X^{y\cdot z}\,dt}{X - tY} = \sum_{i=1}^{n} \left(\frac{\left(x^4 - i\right)^3}{\sqrt{Z^3 + y^{10}}} \right)$$



This complete typesetting system makes your books, manuals, articles, & math formulas look their best!

For a FREE CATALOG & DEMO DISK, call 415/388-8853

Personal TEX, Inc. 12 Madrona Street Mill Valley, CA 94941 Fax: 415/388-8865

Circle 235 on Inquiry Card.

BYTE


Breaks the 4-Color Price Barrier with the Hardware/Software Showcase

See how affordable it is to advertise to BYTE's 500,000 computer professionals in this section!

Call for more advertising information:
(603) 924-2695 or (603) 924-2598

JMP® Statistical Discovery Software

"JMP, from the SAS Institute, is the most surprising Mac product in years...with the most helpful Mac interface of all the statistics programs and one of the best interfaces ever produced for scientific software. It's nothing less than dazzling."



MACWORLD

Call today for a free demo disk and Points of Interest from the leading name in data analysis software...SAS Institute Inc. 919-677-8000. Fax 919-677-8166.

WINNER MacWEEK 1991 TARGET AWARD

JMP is a registered trademark of SAS Institute Inc.
Copyright © 1992

Circle 239 on Inquiry Card.

Programmers/Developers—Caught in a Brain"storm"?

Ride out the storm with Voice Ranger and Commando!

Voice Ranger Hardware arms you with:
- Variable compressions rates
- Multiple sampling rates
- 2 port/card expandable to 16 ports/system

Commando Toolkit lets you build:
- Voice Messaging
- Telemarketing
- Fax Mail
- Audiotex
- Call/Order Processing
- Call Distribution
- Fax-on-Demand

Plus full tech support to shelter you from routine hail!

Voice Ranger Hardware $599
Commando Toolkit $169

Special price for first-time buyers!
Compete Package $525
Save over 30% on Voice Ranger and Commando

Call 800-955-4884 for sales and information
FAX 510-522-5556 • For a demonstration call 510-522-3800

TALKING TECHNOLOGY, INC.
1125 Atlantic Avenue, Alameda, California, 94501

Circle 243 on Inquiry Card.

LOST FOR THE WRITE WORD?
Get it *right* with COLLINS ON-LINE

French, German, Spanish & Italian bilingual dictionaries for your PC.

FEATURES INCLUDE:
- ☐ **DOS & Windows** - two new versions in one box allows use with more word processors.
- ☐ **40,000 references** - over 70,000 translations.
- ☐ **Look-up** - enables you to find words in the dictionary, choose the appropriate translations and paste them into your document quickly and easily.
- ☐ **Annotate** - allows you to create your own specialized glossaries for use with Collins' world renowned bilingual dictionaries.
- ☐ **Screen-read** - reads words in your document automatically for quick and accurate translation (DOS version only).

PRICE £59 (Additional dictionaries £29)



HarperCollins*Publishers*
14 Steep Lane, Findon, Worthing, West Sussex BN14 OUF United Kingdom
Tel +44 (0)903 873 555 • Fax +44 (0)903 873 633

Circle 263 on Inquiry Card.

TCP/IP
Windows Developer's Kit
- Binary TCP/IP Transport
- PDS for DOS
- Windows Sockets API

Pacific Softworks

Development Components

winsock.dll is a dynamic link library (DLL) which allows windows applications to dynamically bind for TCP/IP services. The winsock.h, .lib, .def files are also provided for the C/C++ developer.

/build contains the source and executables for Windows Sockets finger client. This is useful for testing winsock, configuring the build environment, and as an example of both message-based and synchronous Windows Sockets programming.

winsock.HLP provides on line help for Windows Sockets version 1.1.

For More Information Call
1 (800) 541-9508
(805) 484-2128 • Fax (805) 484-3929

Circle 254 on Inquiry Card.

POWER & PRECISION
Scientific Graphs and Statistics

Advanced Capabilities in a next generation product. Used and tested by over 35,000 scientists and engineers worldwide.

Error-free performance, total control and flexibility, hundreds of templates and samples, full support for all types of data files, ease of use, and free tech support make Plot-IT 3.0 your best scientific graphing software choice.

We are so confident you will find Plot-IT 3.0 for WINDOWS to be an indispensible research tool, we offer a 60-day money back guarantee.


Call Now: 517-339-9859



SPE SCIENTIFIC PROGRAMMING ENTERPRISES **Plot-IT®**
P.O. Box 669 • Haslett, MI 48840

Circle 255 on Inquiry Card (RESELLERS: 256).

STOP
Losing Out On Multimedia!



LOWEST COST SOUND.
NO BATTERIES.
USE ON LAPTOPS

Silence

LOW-COST DIGITAL AUDIO DONGLES
$19 to $39 SoundJr Player Modules, Self-Powered, USA Made
by SiliconSoft, Inc. Ph: 408-446-4521 Fax: 408-446-5196
(Formerly Silicon Shack) 4760 Castlewood Drive, San Jose, CA 95129
Hot Line: 800-969-4411 Ask for FREE Product Info
OEM DEVELOPERS: ADD QUALITY AUDIO TO YOUR PROJECT AT LOWEST COST!
™ SuperSound, SoundJr, SiliconSoft are trademarks of SiliconSoft, Inc. Other product name are trademarks of their manufacturers.

Circle 240 on Inquiry Card.

International Marketers:

Sell your computer products in one of the fastest growing markets today!

REACH 78,000 LATIN AMERICAN BYTE READERS

Now you can advertise in 1,2, or all 3 Latin editions of BYTE:

BYTE Mexico
BYTE Brazil
BYTE Argentina

Give Liz at Global Media a call today for more info: 603-876-4311.

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.
AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. **2"x1⅛"** ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, telephone and fax number. **2"x2⅜"** ad has more space for descriptive text (850 characters is the maximum recommended).
DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: Margot Gnade at 603-924-2656. FAX: 603-924-2683.

RATES (Jan. 1993)

	3-5 issues	6-11 issues	12 issues	13 issues
2"x1⅛"				
1 ad	$663	$636	$557	$530
2 ads/issue	–	–	530	504
3 ads/issue	–	–	504	477
2"x2⅜"				
1 ad	$1,326	$1,272	$1,114	$1,060
2 ads/issue	–	–	1,060	1,008
3 ads/issue	–	–	1,008	954

ACCESSORIES

RADIOACTIVE?

Plot it on your PC with The RM-60 RADIATION MONITOR Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY. MicroR, 1000 times the resolution of standard geiger counters. Excellent for tracking RADON GAS. Find sources. New: Version 3.1 + WINDOWS, Plot: • Background • Cosmic Rays • Clouds • Foods Call/Write for PC MAGAZINE review. • TSR • GM Tube VISA/MC/EURO Phone orders. Not satisfied? Full refund.

800-729-5397 or Tel/Fax: (302) 655-3800
Aware Electronics Corp.
P.O.Box 4299, Wilmington, DE 19807 **$149.50**

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**

Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION
4912 Research Dr., Huntsville, AL 35805
Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

VGA Splitters

- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - **Guaranteed**
- Works with all VGA, SVGA, and RGB monitors
- Small durable metal case. **MADE IN USA**
- Extension cables available

H&R TECHNOLOGY **800-959-6439**
Santa Ana, CA (714) 641-6607

Inquiry 652.

ARTIFICIAL INTELLIGENCE

PRIZE-WINNING PC SOFTWARE

1. EASY NEURAL NETWORKS
Easiest way to quickly learn about this fascinating new technology...includes a working Neural Network you can train! **$59**

2. PC THERAPIST IV
Hi-rez animated talking head talks thru the PC Speaker! First software to pass a limited Turing Test of conversational ability at the Boston Computer Museum! **$69** Soundblaster version available **Add $18.95**

BOTH for $99 - Includes 3 Big Catalogs & FREE Talking Expert System Demo! Please specify disk size or we ship 3.5" Check, American Express, or P.O. to:

THINKING SOFTWARE, INC.
46-16 65th Place, Dept. byt-3000, Woodside, N.Y. 11377
3 Catalogs & Demo Disk Only $5. Please Phone:
718-803-3638

Inquiry 653.

BAR CODE

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ **Option to prompt Operator with your pre-recorded voice prompts** and **error messages.**
- ★ 4x20 Supertwist LCD Display, 36 Rubber Keys
- ★ Real-time Clock Built-In for Date/Time Stamps
- ★ 2 Built-In Inventory Programs
- ★ 3 User Defined Programs, & 3 User Data Files
- ★ Wand, CCD, or Laser Scanner Input
- ★ Doubles as Non-Portable Reader
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ Uploads with furnished Programs or Xmodem
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand – $799
- ★ **New Smaller Size – weighs only 12.5 oz**

Worthington Data Solutions
3004 Mission Street, Santa Cruz, CA 95060
408-458-9938 FAX 408-458-9964 **800-345-4220**

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard or to any ADB port
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Two Scanners per Reader
- ★ 100+ Configurable Options
- ★ 2 Year Warranty, 30 Day $ Back Guarantee
- ★ Direct From Manufacturer
- ★ Top Rated by Independent Review
- ★ Complete with Laser Scanner – $1295
- ★ Complete with Stainless Steel Wand – $399

Worthington Data Solutions

Swiss Office
Rütistrasse 6
CH 9050, Appenzell Switzerland
071 87 51 17 FAX
071 87 51 15 Phone

3004 Mission Street
Santa Cruz, CA 95060
408-458-9938
800-345-4220

Labeling Software

On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" –readable at 100', AIAG, KMart, Sears, MIL-STD, Penneys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics – **$279.** Other programs from $129.

Worthington Data Solutions
(408) 458-9938 **800-345-4220**

BAR CODE

Bar Code Printer & Software

Allegro Thermal Transfer Printer–2" per sec speed. Up to 4" label width–Only 20 lbs. weight–Prints UPC/EAN, 2of5, UCC-128, Code 39, 128 – Prints scalable text and PCX graphics with bar codes – Packaged with LabelRIGHT Software, serial cable, ribbon and labels–Complete–**$1895**

Worthington Data Solutions
(408) 458-9938 **(800) 345-4220**

Portable Bar Code Reader

- ➤ Use as a PORTABLE, WEDGE, or SERIAL
- ➤ 9V Battery Operation with Lithium Backup
- ➤ 2x16 Supertwist LCD Display
- ➤ 54 Key Keyboard with Separate Numeric Keys
- ➤ Real-time Clock Supports Date & Time Stamps
- ➤ Reads all Popular Bar Codes (16 types)
- ➤ Wand, CCD, Laser, or Serial Input Devices
- ➤ Built-In Program Generator
- ➤ Create Your Own Custom Programs
- ➤ 6 Built-In Inventory Programs
- ➤ Up to 250 Programs Can Reside in Memory
- ➤ Create up to 250 Data Files per Program
- ➤ Up to 250 Look-Up Files in Memory
- ➤ Built-In Calculator
- ➤ Supports HAYES Compatible Modems
- ➤ 64K Memory with Data Compression
- ➤ 30-day $$ Back Guarantee – 1 Year Warranty
- ➤ Complete Unit with WAND Scanner – $795

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- ➤ Emulates Keyboard: Works With Any Software
- ➤ Data Appears as Keyboard Input
- ➤ Uses Enhanced Decoding Algorithms
- ➤ Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- ➤ Reads All Popular Bar Codes (16 types)
- ➤ Reads HIGH, MEDIUM, & LOW density codes
- ➤ Auto-Discriminates Between Bar Code Types
- ➤ Easily Programmed with a Bar Code Menu
- ➤ Over 140 User Configurable Options
- ➤ Daisy Chain Up to 96 Readers
- ➤ Supports NOVELL Networks
- ➤ Supports US & INTERNATIONAL Keyboards
- ➤ Direct From Manufacturer
- ➤ 30-day $$ Back Guarantee, 1 Year Warranty
- ➤ Complete Unit with LASER Scanner – $1095
- ➤ Complete Unit with WAND Scanner – $395

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE

Bar Code Printing Software
LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, $295

CALL FOR FREE DEMO SOFTWARE

AMERICAN MICROSYSTEMS
2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

CREATE BAR CODE SYSTEMS

Data Harvester Developer's Version can put hand-held portable bar code data collection in your application. Generate system to scan, validate entries (lengths, types, etc.) and communicate data to PC. Format data for your software. Easy to use. No programming. Supports many portable terminals. DOS & UNIX.

AccuScan, Inc.
PO Box 80037, Conyers, GA 30208
(404) 922-1220

Inquiry 654.

BAR CODE DISCOUNT WAREHOUSE

will not be undersold! Your source for all your bar code needs. Laser and CCD scanners, mag stripe and wedge readers, bar code printers and software. We offer major brands at the best prices. See us Booth B1532 Fall COMDEX.

1-800-888-BCDW
Bar Code Discount Warehouse
14761 Pearl Rd #257, Strongsville, OH 44136
Tel: (216) 273-4746 Fax (216) 273-4623

Inquiry 655.

SCANNER SALE

- Stainless Steel Wand w/decoder $249
- 3" CCD w/decoder $599
- LS2000 Laser w/decoder $999
- Badge Slot w/decoder $374
- Mag Stripe Encoder/Reader (1,2 or 3 tracks) $999+
- Windows Print or Read Software w/HP $249+
- POS Products • 1-5 YR WARRANTY • USA Made
- Dist/Dealer Discounts • SPANISH Dept. avail.

BARCODE INTERNATIONAL SYSTEMS (BIS)
12140 Severn Way, Riverside, CA 92503
(909) 270-0016 • (800) 653-4252 • FAX (909) 270-0920

Inquiry 656.

NEED A ONE STOP SOURCE FOR YOUR BAR CODE SOLUTIONS?

NO PROBLEM! WE OFFER Quality • Performance • Value

A full line of READERS • PRINTERS • PORTABLES • BAR CODE READERS FOR NOTEBOOKS • HEWLETT-PACKARD SCANNERS • MAGNETIC STRIPE READERS. Our readers plug and play with your existing system without additional software. CALL ABOUT OUR 30 DAY GUARANTEE • TECHNICAL SUPPORT • OEM/VAR DISCOUNTS.

INTERNATIONAL TECHNOLOGIES & SYSTEMS
Eastern USA (800) 826-1688 804-272-0138 Intl.
Western USA (800) 228-9487 804-272-0357 Fax

Inquiry 657.

BAR CODE

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so data looks just like it was typed in! Choose from stainless steel wand, laser gun, CCD, and magnetic stripe scanners. Also, powerful label printing software. Great warranty. Generous reseller discounts. 30-DAY MONEY-BACK GUARANTEE.

Seagull Scientific Systems
15127 N.E. 24th, Suite 333, Redmond, WA 98052
1-800-758-2001 206-451-8966

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics
4047 Transport, Palo Alto, CA 94303
415-856-6833 AppleLink: BARCODE
1-800-526-5920 FAX: 415-856-3843

Inquiry 658.

VARIANT MICROSYSTEMS

BAR CODE READERS DELIVER

WAND/LASER/MAGNETIC CARD CONNECTIVITY

- Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2, and portables
- RS232 wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two-year warranty
- **30-Day Money-Back Guarantee**
- **Extensive VAR/Dealer Discounts**

46560 Fremont Blvd., Suite 105/Fremont, CA 94538/(510) 440-2870
800-666-4BAR FAX: (510) 440-2873

Inquiry 659.

BUSINESS SOFTWARE

RESURRECT AGENDA!!

"The first d o what I mean time and information planner"

President's Planner is a Newton-like, AI-based expert system that uses Agenda's resources to finally deliver on the original promise. "If you do use Agenda, you'll want President Planner...a big Chaos Manor Orchid", J. Pournelle, BYTE April 1993

Phase III Computing Inc.
88 Bloor St., E., Ste. 3009, Toronto, Ont. M4W 3G9
Tel: 800-388-9728/416-925-8760/Fax: 920-9242

Inquiry 660.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!
Indexer LPT™ software
NEW VERSION 3 $249 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems Corporation, 1422 Arnold Ave. Roslyn, PA 19001 (215) 657-4338 FAX: (215) 657-7815

Inquiry 661.

3-D CAD-CAM - $495 Special

Power packed 3D CAD-CAM loaded with time saving features is the preferred choice among machinists. Automatic fillets, nesting, 1000x zoom, verify data, machinable fonts, Autocad™ interface, calculator, tool path simulation, cutter compensation, macros, editing functions are just a few of the features available. Used on all types of G-code machines it also posts to the Indexer-LPT directly.

CNC Bench Top Mill - only $2,500 9 x 6 x 6.5
The BOBCAD 3D M-1000 is perfect for small parts manufacturing, prototyping, jewelry making and learning CNC. Runs from a PC!

BOBCAD - CONTROLS
800 501-2886 310 397-6262 310 397-6676 (FAX)

Inquiry 662.

CD-ROM

✻ TOSHIBA ✻ TEXEL ✻ TEAC ✻
✻ SCSI INTERFACE: TRANTOR ✻
✻ MEDIA VISION ✻

- *WIDE SELECTION OF CD-ROM TITLES*
- *CD-ROM CADDIES AND ACCESSORIES*

Computers at Large
Saratoga, CA
Dedicated to CD-ROM technology.
PLEASE CALL FOR OUR PRICE LIST
800-642-4194 • 408-255-1081
Fax 408-255-2388 VISA & MasterCard accepted

Inquiry 663.

CD ROM PARADISE

- **Collection 529 Megs, Win/Dos/Os2/Linux, Aug'93**
- **Win-Paradise 540 Megs, Win, Nov '93**

Best shareware & PD on CD ROM, BBS ready, with search & retrieval program, support for English & Italian language. MC/VISA/EURO. Please state birthdate in credit card orders.

US$29.95 each (Italy Lit58000+ 12%Iva) + S&H
Shareware software requires separate payment to the authors if found useful

CD ROM PARADISE SRL
P.O. Box 10177, 20100 Milano, Italy
Phone/FAX +39-2-70603189

Inquiry 664.

FREE CADDY or $5 DISCOUNT*

CD-ROM Titles at Direct Mail Prices!
Call, Write or Fax for free product listing.
Mail or mention this advertisement along with your first order to receive a free caddy or a $5 discount*.

EZ Systems
6492 South Street, Suite 252 Lakewood, CA 90713
1-800-685-7763 Order Toll Free! 24 Hours a day
Fax Anytime: 1-310-866-1473 Visa/MC/Checks Accepted

Inquiry 665.

MULTI-PLATFORM CD-ROMs

GRAPHICS-1: PD & Shareware w/source & data.....$24.95
AUDIO-1: PD & Shareware w/source & data.....$24.95
MULTIMEDIA-1: PD & Shareware w/source & media.....$49.95
LANGUAGE/DS: PD & Shareware w/source & docs.....$39.95
MEGAMEDIA-1: 24bit JPEG Images & Textures.....$34.95

KNOWLEDGE MEDIA
436 Nunneley Rd., Ste B, Paradise, CA 95969
(800) 78-CD-ROM : (916) 872-3826 Voice & FAX

Inquiry 666.

OPTI-CD*cache*™

Improve CD-ROM workstation performance!
Only $89!

●OPTI-CD*cache*™ takes advantage of Extended Memory (XMS) to cache CD-ROM data. Retrieve data from a high speed cache instead of directly from the CD-ROM drive and significantly improve your CD-ROM workstation performance!
Ask for our free catalog of exciting CD-ROM products including the market-leading OPTI-NET® CD-ROM networking software!

ONLINE COMPUTER SYSTEMS, INC.
A member of the Reed Elsevier group.
FlashFAX Info Hotline 301-601-2120
301-428-3700 or FAX us at 301-428-3700.

Inquiry 667.

CD-ROM CONVERSIONS

Create your own CD-ROM by converting archival or back-up data to CD-ROM. Customized CD-ROM production available from virtually any archival data, disk or tape format. Search/Retrieval Engine development offered. Call for info.

Pivar Computing Services, Inc.
165 Arlington Hts. Rd. #BC, Buffalo Grove, IL 60089
(800) CONVERT (708) 459-6010

THE BUYER'S MART

CD-ROM

CD ROMS - Your Gateway to the Data Highway

CICA MS Windows Shareware, 640 Meg, thousands of new programs, BBS ready, made April 93.....$24.95
Simtel MSDOS Shareware CDROM, 640 Meg, BBS ready, huge selection of software, made April 93.....$24.95
Hobbes OS/2 Shareware CDROM, 560 Meg, June 93 .....$24.95
Source Code CDROM. Full source, mostly C, over 15,000 programs. Over 600 Meg $39.95
X11/GNU CDROM. Full source to X11 and all the GNU programs. ANSI C/C++ compiler, ghostscript, etc. $39.95
C Users Group Library CD-ROM. Up through vol. 364. .....$49.95
CDROM Caddies $4.95

Full Money-Back Guarantee

WALNUT CREEK CDROM
4041 Pike Lane, Ste D-219, Concord, CA 94520
orders@cdrom.com (800) 786 9907
+1-510-674-0783 Fax: +1-510-674-0821

Inquiry 668.

COMMUNICATIONS

PC VOICE MAIL KIT $1795

• Voice Processing on your PC • Software and 4 line board included • Order Taking • AUDIOTEX • Voice Messaging • Never miss another call! • HUNDREDS OF USES • Don't pay $1,000s CALL TODAY FOR Free DETAILS • 2 yr warranty

Amerifax Services Corp.
572 W. Market St. #5, Akron, OH 44303
(216) 253-8787 • (216) 762-6050 Demo

Inquiry 669.

EASY EDI!

EDI to FAX, E-Mail
X.400 & Hardcopy

Send or receive EDI transactions translated into human readable documents & delivered as Fax, E-Mail and X.400 messages.

Complete EDI services

EMS 800 521-1129

Inquiry 670.

X.25, HDLC, SDLC, BSC

SDLA card and software provides 'plug-in' synchronous link support for PCs which is inexpensive, easy to use and robust.
- Up to 180kbps under any PC operating system
- Extensive utilities plus third party support under DOS, Unix, OS/2, Windows
- CCITT 1988 X.25, many variations of SDLC and HDLC and V.25 bis. dial supported
- Full function SNA emulation packages also available

Sangoma Technologies Inc.
Tel. (416) 474-1990 1-800-388-2475
FAX (416) 474-9223

Inquiry 671.

COMPUTER BOOKS

COMPUTER BOOKS at a discount

Our free catalog lists books from over 100 publishers.15% discount. Personal, technical service. Networks, Windows, C++, CDROM, UNIX, CICS, OOP, Internet, Macintosh, hw architecture, TCP/IP, Novell, Pentium.CompuServe 70007.1333 from Internet, Nifty-Serve.MC, VISA, AMEX, DISC, JCB cards. Worldwide shipping.

CompuBooks
Rt. 1, Box 271-D 512-321-9652
Cedar Creek, TX 78612 Fax 512-321-4525
800-880-6818

Inquiry 672.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as $49 a year covers accidents, theft, power surges and more. One call does it all.

1-800-800-1492
SAFEWARE, The Insurance Agency Inc.
PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario!!!

Inquiry 673.

COMPUTER JEWELRY

14 KT GOLD COMPUTERS.

Affordable 14 kt gold computer jewelry with microchip diamond inlay. Four exciting designs to choose from. Perfect for the computer junkie in you, or as a gift for one that you know. It's hardware with a flare. Call 1•800•FUN•JEWL for our free brochure.

COMjewel™ Inc
Call 1•800•386•5395 or 1•800•FUN•JEWL

Inquiry 674.

COMPUTER SYSTEMS

LOW-LOW-LOW

Computer Systems/Notebooks/Network Solutions
IBM-Apple-Compaq-AST-ALR-Everex-&others
SURAH 386/486 ISA/EISA–AMI/Mylex Motherboards • CD ROMS • Tape Backup • Pocket FAX Modem LAN Cards • Hard Drives/Floppy Drives • Memory/upgrades • DRAMS, SIMM Modules • Laser Printers/Scanners • Plotters & Digitizers • Software

SURAH inc. 44912 Osgood Road, Fremont CA 94539 *USA* Phone: (510) 651-5101 Fax: (510) 651-5241
1-800-543-1001 Nationwide Orders

Inquiry 675.

CROSS ASSEMBLERS

PC BASED DEVELOPMENT TOOLS

We offer low-cost efficient **CROSS ASSEMBLERS** and a superb line of **SIMULATOR-DEBUGGERS** with full built-in **DISASSEMBLERS** for Intel's **MCS-48, 51, 85** and **96**, and for the **Z80** families of embedded controllers. Our new simulators for the **80C196KB** and **80C196KC** are unique in the market, and have been received with rave reviews. The price of our software includes unlimited free upgrade privileges!

Lear Com Company
2440 Kipling St., Ste. 206, Lakewood, CO 80215
(303) 232-2226 FAX (303) 232-8721

Inquiry 676.

Cross Assemblers
Simulators
Disassemblers

New Advanced Release!

PseudoCorp
716 Thimble Shoals Blvd. Newport News, VA 23606
(804) 873-1947 Fax (804) 873-2154
BBS (804) 873-4838

Inquiry 677.

DATA RECOVERY

Data Recovery & Repair

- High Success Rate/Fast Turnaround
- 24 Hour Service Available
- Lowest Prices on Disk Drive Repair
- Clean Room

We Repair MFM/RLL/SCSI/ESDI/IDE

AA Computech, Inc.
28210 Avenue Crocker #306, Valencia, CA 91355
(800) 360-6801 (805) 257-6801

Inquiry 678.

DATA RECOVERY

Ontrack DATA RECOVERY

•Professional service recommended by major hard drive manufacturers • Expertise in virtually every operating system & media storage device • 24-hour support with weekend, priority, & on-site service available • For fast, successful results, call:

MN:1-800-872-2599 • CA: 1-800-752-7557
UK: 44-81-974-5522 • GERMANY: 0130-815-198
Corp. Headquarters: 6321 Bury Drive, Eden Prairie MN 55346

Inquiry 679.

DATA/DISK CONVERSION

THE #1 CHOICE
in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry–world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.
3000 Second St. North, Minneapolis, MN 55411
(612) 588-7571 FAX: (612) 588-8783
1-800-745-7571

Inquiry 680.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 5000 formats including 3½", 5¼", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.
165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 (800) Convert

Inquiry 681.

DISK DUPLICATION

FULL SERVICE DISKETTE DUPLICATION

- All disk formats, 100% virus checked
- Available in a variety of colors
- Custom silkscreening
- Bulk diskettes also available

Manufacturing diskettes in the U.S. since 1978

Syncom Technologies, Inc.
1000 Syncom Drive, Mitchell, SD 57301
1-800-843-9862

Inquiry 682.

EDUCATION

B.S. & M.S. In COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth home study program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, File Processing, Data Structures & Operating systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. for COMPUTER SCIENCES
2101-BY Magnolia Ave. South, Ste. 200, Birmingham, AL 35205
800-767-2427 205-323-6191

Inquiry 683.

ETHERNET TEST EQUIPMENT

ETHERNET TEST EQUIPMENT

If you are interested in the 38 manufacturers of 75 network monitors, protocol analyzers and cable testers, call Quick Source now.
You will receive by fax, at no charge, all 38 suppliers' product names, locations, 800, fax and other access numbers and who to ask for in their sales, marketing and technical support departments. Most product brochures are available as well.

(702) 747-0219, ext. 75
Quick Source
Impartial, Current, Quick, Complete

Inquiry 684.

EXPERT SYSTEMS

FREE Expert System Info

Learn how you can capture the knowledge of an expert in a software program and access it 24 hours a day. You build them yourself, don't have to be a programmer! 1000s of application areas.

Windows, MAC and DOS. Portable across all platforms.

TEL 800-676-8356 FAX 800-256-8356

EXSYS, Inc., 1720 Louisiana Blvd., NE, Ste. 312
Albuquerque, NM 57110
Int'l. TEL 1 (505) 256-8356

Inquiry 685.

FINANCIAL SOFTWARE

BrainMaker:

"The most fascinating computer software I've ever seen. . .learn about this stuff." *John Dvorak, PC Mag.* Predicts stocks, bonds, sales, inventories. Comprehensive manual. Menus. 16,000 sold. PC or Mac.

Still only $195!

Free Flyer: 800/284-8112, 916/478-9040

California Scientific Software

Inquiry 686.

FLOPPY DISKETTE

3.5" FLOPPY DISK
RELIABLE & DURABLE

- We manufacture under licence of the Sony Corporation
- Our disks are all 100% Tested & Certified Error Free with guaranteed Clipping Level.
- Available products: 2HD, 2DD, Clam Shell.
- Our own brand MEGA and OEM or bulk are also available.
- Duplicator & wholesaler are welcome.

INMARK IND. LTD.
(HK)
1A Man Foong Industrial Bldg.
Chai Wan, Hong Kong
Tel: (852) 558-2203 Fax: (852) 897-3700

YHC CASSETTE IND. LTD.
(TORONTO)
75 Saintsbury Square, Scarborough
Ont. Canada M1V 3K1
Tel: (416) 321-1179 Fax: (416) 321-8451

Inquiry 687.

FLOW CHARTS

WINDOWS FLOWCHARTER $129

RFFlow 2.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS
1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

HARDWARE

Pre-Owned Electronics, Inc™
THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE II® & MACINTOSH®
SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**
INT'L: 617-275-4600 • FAX: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 688.

HARDWARE

HEWLETT-PACKARD
Buy – Sell – Trade

LaserJet	ColorPro
DeskJet	DraftPro
RuggedWriter	DraftMaster
Electrostatic Plotters	DesignJet

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates
4117 Second Ave., S. Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 689.

HARDWARE/COMPUTERS

NEW! 20MHz 16-bit FORTH Single Board Controller with 8ch 10-bit A/D, 3ch 8-bit D/A

TDS2020 FORTH CONTROLLER AND DATA-LOGGER--4"x3" board uses Hitachi 16-bit H8/532 CMOS µP. Screams along at 3 MIPS, but runs on only 30ma. On-board high-level easy FORTH language and assembler--no need for in-circuit emulation! Up to 512K NVRAM, 45K PROM. Attach keyboard, lcd, I²C peripherals. Interrupts, multi-tasking, watchdog timer, editor. 33 I/O, 2xRS-232, 6-16v 300µA data-logging! Free ready-made software solutions. Program with PC. Use for machine control, data-logging, inspection, robotics, remote monitoring, etc. **$299** (25s). STARTER PACK **$499.**

CALL NOW FOR DETAILS! *Sale-or-return*
Saelig Company tel: (716) 425-3753
European Technology fax: (716) 425-3835

Inquiry 690.

HARDWARE/EMBEDDED

SC/FOX™ EMBEDDED COMPUTERS

PC Parallel Coprocessor Plug-In Boards: 15 MIPS avg 50 MIPS burst, using the SC32 32-bit CPU or the 16-bit Harris RTX 2000™.

VME Master/Slave System Controller SBC: 18 MIPS avg 70 MIPS burst, uses RTX 2000cpu, SCSI, 2 ser, 1 ptr ports, to 640K bytes.

Stand-Alone Single Board Computers: 18 MIPS avg 60 MIPS burst, 3U or 100x100mm Eurocard-size using either SC32 or RTX 2000.

Ideal for embedded real-time control, data acquisition, robotics, and signal processing. OEM software development system included.

SILICON COMPOSERS INC (415) 961-8778
655 West Evelyn Ave. #7, Mt. View, CA 94041

Inquiry 691.

LANS

The $25 Network
Try the 1st truly low-cost LAN

- Connect 2 or 3 XTs, ATs, 386s, 486s
- Uses serial ports and null modem cable
- Runs at 115K baud - approx 8500 bytes/sec
- Runs in background, totally transparent
- Share disks and printers, etc.
- Needs only 15K of RAM

Little Big LAN
The most flexible network

- Peer to Peer LAN to 250 nodes
- $75 total software cost, not per node!
- Link via serial, parallel, or Arcnet
- Link via Ethernet or Modems soon
- Mixed mode routing
- Typically only 35K of RAM

Skeptical? We make believers!

Information Modes
P.O. Drawer F, Denton, TX 76202
Tech 817-387-3339 Orders 800-628-7992
Hours 1-5 Mon/Wed, 9-5 Tue/Thu/Fri CST

Inquiry 692.

LAPTOP PERIPHERALS

Auto Power Adapters

Car adapters available for most portable computers and printers. Proprietary designs from Empire Engineering, through distribution, or OEMs.

- Small package with high efficiency
- Plugs between computer and lighter receptacle
- $99 to $129
- Designed and made in USA!!

Custom adapters designed for OEMs • Serial interface cards for Texas Instruments, Toshiba, and Everex/Sanyo.

Empire Engineering
California USA
tel 805/543-2816 fax 805/543-2820

Inquiry 693.

LAW

KNOW YOUR COMPUTER RIGHTS!

Network of clear and simple recorded information on legal issues from government interference to copyright to contracts that every computer user, employee and entrepreneur must know.

CALL 1-900-PRO-BONO
(1-900-776-2666)
$2/min. Average message 5 mins. Touch-Tone Phone.

Essential Information, Inc.
2 Horatio Street, New York, NY 10014
(212) 255-5473

Inquiry 694.

NEURAL NETWORKS

NEURAL NETWORK TOOLKIT

Create serious neural network applications.
Excellent learning tool! C SOURCE CODE included
Backpropagation/Self Organizing/Recurrent nets
Graphical/ Batch shells with Ready to run sample files
Data preprocessing tools.

Toolkit $40 InfiNet $89 plus S&H

Software Frontiers Systems Inc.
P.O.Box 8524, Mesa , AZ 85214
800-475-9082

Inquiry 695.

PROGRAMMERS TOOLS

DON'T DEVELOP NETWORK APPLICATIONS

without **NPPC**, a powerful library subroutine package that handles all the details of IPX or NetBIOS programming! Available for Windows and DOS. **NPPC** supports high-level program communication at the message level. 30 day money back guarantee. Download the free demo from our BBS. **NPPC** for Windows or DOS - $195 w/source $395.

SOFTWAREHOUSE CORPORATION
326 State Street, Los Altos, CA 94022
(415) 949 0203 FAX (415) 949 0208 BBS (415) 949 0207

Inquiry 696.

SCIENTIFIC SOFTWARE

SciTech
SOFTWARE FOR SCIENCE

Free Catalog!

SciTech is your *only* source for the best values in engineering, scientific and technical software. More than 750 products.

1.800.622.3345

1.312.472.0444 2231 N. Clybourn Ave.
1.312.472.0472 fax Chicago, IL 60614-3011

Inquiry 697.

SECURITY

FIGHT PIRACY!
★ EVERLOCK 3.0 ★
SOFTWARE COPY PROTECTION
New Option Board Safe-New Remote Registration
New CPU LOCK-CD ROM LOCK and more
★ EVERKEY HARDWARE LOCKS ★

Az-Tech Software, Inc.
Call for a FREE Demo **(800) 227-0644**
201 East Franklin, Richmond, MO 64085
(816) 776-2700
FAX (816) 776-8398

Inquiry 698.

THE BUYER'S MART

SECURITY

THE ULTIMATE SOFTWARE SECURITY
- STOPCOPY family – UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.
14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 699.

Cop's CopyLock II
The professional software protection with TRUE Machine Install. Option Board safe. **OS/2, Networks, Windows,** and **Trace 3020.**

LINK Computer
Int'l: + 45 31232350 Fax: + 45 31238448
US/CAN: 408-729-8162 FAX: 408-923-7061

Inquiry 700.

KEY-LOK™ SECURITY
Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/UNIX. Also, access control system and diskette drive locks.

MICROCOMPUTER APPLICATIONS
3167 E. Otero Circle, Littleton, CO 80122
(303) 770-1917 FAX: (303) 770-1863

Inquiry 701.

SERVER MIRRORING

No★Stop Network
The software solution to provide full Level 3 Fault Tolerance for PC LANs.
- Server Mirroring
- Uninterrupted Processing
- Continuous Backup
- Any Network Operating System or Server environment.

Nonstop Networks Limited, NY, NY
212-481-8488, Fax 779-2956

Inquiry 702.

SOFTWARE

SOFTWARE EN ESPAÑOL!!!
The ONLY International Guide to software in Spanish for all computers. 274 pages, 331 companies, 15 countries, 1,000+ programs for banking, **translation,** educational, accounting, hospitals, and more... with description, price, requirements.
Price: $28.50/USA, $31/ALL OTHERS.
Visa/MC/AmEx/Checks
AUTOMATION INTERNATIONAL
2785 P.C. Hwy. E-185, Torrance, CA 90505
Tel (310) 832-3631 – Fax (310) 833-0235

Inquiry 703.

SOFTWARE/ACCOUNTING

dBASE BUSINESS TOOLS
- GENERAL LEDGER
- ORDER ENTRY
- JOB COSTING
- BILL OF MATLS
- PAYROLL
- PURCH ORD/INVNTORY
- ACCOUNTS RECVABLE
- JOB ESTIMATING
- SALES ANALYSIS
- ACCOUNTS PAYABLE

$99/$198 ea. + S&H
dATAMAR SYSTEMS Cred. Card-Check-COD
6969-D Corte Santa Fe, San Diego, CA 92121
(619) 452-0044 (800) 223-9963

Inquiry 703.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE
Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.
PCs from $395 LAN version available
FREE 30 day trial
Computer Keyes Tel: 206/776/6443
21929 Makah Rd., Fax: 206/776-7210
Woodway, WA 98020 USA: 800/356-0203

SOFTWARE/EDUCATION

Learn fast and forget about forgetting
Sensational, award-winning, speed-learning software
SuperMemo
for Windows, DOS and Amiga.
Use it to learn languages, computer science, business, medicine or any other domain of your choice. Once you try it, you will change your learning habits for ever. This originally Polish method of learning is based on 10 years of breakthrough research on memory and learning.

SuperMemo World, Poland
tel: (48) 61 203157, fax: (48) 61 793435

Australia	tel: (61) 2 964 9618,	fax: (61) 2 964 9617
Benelux	tel: (32) 9 371 9888,	fax: (32) 9 371 8561
Germany	tel: (49) 2304 81854,	fax: (49) 2304 83271
Sweden	tel: (46) 8 60001 47,	fax: (46) 8 6000146
UK	tel: (44) 438 745300,	fax: (44) 438 740730
USA	tel: (1) 302 738 8248,	fax: (1) 302 738 8248

R&D contact by e-mail: (America) jam@brahms.udel.edu, (rest of world) jam@uamplp11.bitnet.
DISTRIBUTORS WANTED!

Inquiry 704.

SOFTWARE/ENGINEERING

Circuit Simulation
Electrical Engineers!
Now you can run Analog/Mixed Signal Simulations on your PC or Mac with the **Affordable** and **Powerful**
ICAP/4 Simulation System
includes:
- **New IsSpice3; SPICE 3F.2 Simulator**
- **Integrated Schematic Entry**
- **Model Libraries, more than 3000 Parts**
- **Waveform Graphics and Analysis**

Full SPICE programs starting at $95. Complete systems with schematic, IsSpice3 simulation, models and waveform graphics only $1725.

Call or Fax for your Free Demo and information kit.
P.O. Box 710, San Pedro, CA 90733-0710
Tel (310) 833-0710
FAX (310) 833-9658 ***intusoft***

Inquiry 705.

SpiceAge*4W
Windows Analog Circuit Simulator
The following and **MORE** are included:
•AC, DC, Transient, Fourier, Temperature analysis • Fully expandable library • Analog & digital components • Transmission line primitive • Real signal node name • Graphical real time • Group delay • Component sweeping • Concurrent analysis • Plot X-Y loci

Tatum Labs, Inc.
1287 N. Silo Ridge, Ann Arbor, MI 48108
313-663-8810

Inquiry 706.

SOFTWARE/GRAPHICS

TIFF, PCX, TARGA, GIF, DIB, BMP, DCX, EPS, WMF, WPG, PICT, JPEG
AccuSoft Image Format Library 4.0
(new version)
"The most comprehensive raster support library on the market"
Import, export, convert, display, and print all above formats! Includes several sample programs with source code. Supports all languages. **Format compatibility guaranteed!** G3, G4, TIFF-F, multi-page images etc. Rotate, zoom, scale, color reduction, sharpen, special-effects etc. Versions for DOS, Windows, NT, Watcom, OS/2, and others.

AccuSoft Corporation
160 E. Main St., P.O. Box 1261, Westboro, MA 01581
(800) 525-3577 (508) 898-2770 FAX (508) 898-9662

Inquiry 707.

"The Ultimate CAD/CAM/CAE Programming Engine"
Slash your development time, with your CAD programming companion, **TG-Professional v.4.0,** the most complete C/C++ toolbox of 2D & 3D geometric routines available today! Over 800 routines including NURBS, DXF, Graphics, Surfacing, Hidden Line, Transforms, Perspectives, Polygon (Int/Union/Diff), Clipping, Tangents and more. Routines for drawing using BGI or MSC Graphics. Full source & 30 day guarantee. USA $500.00. Use MSC, Borland C/C++, WATCOM C/386 or Metaware High C/C++. Call 1-800-635-7760 or Fax/Phone 214-423-7288 for free 30 page technical paper.

Disk Software Inc.
109 S. Murphy Rd., Plano, TX USA 75094

Inquiry 708.

Sirlin's CAD ++ ENGINE
- Read and Write AutoCAD DWG and DXF files.
- Object oriented, modular, database-like access to CAD data.
- View, Print (rasterize), Plot (vectorize), and Pick (interact) modules.
- Available for C/C++ for DOS, Extended DOS, Windows, Sun and other Unix systems.

Sirlin Computer Corporation
25 Orchard View Dr., Ste 14, Londonderry, NH 03053
Phone: (603) 437-0727 • Fax: (603) 437-0737

Inquiry 709.

SOFTWARE/GUI

GUI TOOLKIT ONLY $249
Full source code included
TEGL Windows Toolkit lets you create DOS based GUI apps that are completely standalone. Over 500 functions. Menus, mouse & keyboard support, dialogues, and more. Includes TEGL graphics interface which has drivers for most popular video modes. Supports most C and Pascal compilers. Protected mode version is only $499. No royalties.

TEGL Systems Corporation
P.O. Box 580, Stn. A, Vancouver B.C. V6C 2N2
(604) 669-2577 FAX (604) 688-9530

Inquiry 710.

SOFTWARE/MATHEMATICS

OPERATIONS RESEARCH for your Personal Computer
ORSYS is a general-purpose operations research system for all DOS-based personal computers • Linear programs up to 3000 rows and 15000 columns • Mixed-integer and discrete linear programs • Nonlinear objective and quadratic programs • Transportation and Transshipment models
ORSYS real-mode or protected-mode – **$299** • Student version with license to copy – **$149** • Turbo Pascal object units for developers – **$149** • Updates from LP88, BLP88, MILP 88, TSA88 – **$149**

Eastern Software Products, Inc.
P.O. Box 15328, Alexandria, VA 22309
(703) 360-7600 Fax (703) 360-7654

Inquiry 711.

SYMBOLIC MATH PROGRAMMING
Nth is a full featured symbolic algebra programming language, **only $129.** Multiple precision numbers, multivariate polynomials, rational polynomial expressions, vectors, matrices, list processing, user defined procedures. A must for math/C.S. students, teachers, researchers. Also specialized programs for algebra and analytic geometry students.

Nth Power Software Inc.
Rt. 1 Box 314-9, Adair, OK 74330
(918) 789-2734

Inquiry 712.

SOFTWARE/MODELING

New from Probots, Inc.: Introducing GMS-
Easiest & most powerful modeling & simulation tool avail.
- systems specified by natural mathematical relationships (algebra, matrix, logic, differential, empirical, & heuristic)
- ideal for business, engineering, biological, & social applications
- integrated editor, compiler, & graphical analysis
- support for automated design, optimization, & causal analysis

Full System $495, Intro System $195 ($99 if ordered by 10/31)
Probots, Inc. 413-586-8929
80 Damon Road, Ste. 3307, Northampton, MA 01060

Inquiry 713.

SOFTWARE/SCIENTIFIC

Weather Monitor & Weatherlink!
The ultimate in weather monitoring systems! A state-of-the-art weather station and a PC link allow you to view, record, summarize, and graph weather information. The perfect marriage of computer and weather technology.
DAVIS INSTRUMENTS
3465 Diablo Avenue, Hayward, CA 94545
1-800-678-3669 FAX 1-510-670-0589 BY35

Inquiry 714.

VTEX Scientific Desktop Publishing
• Equations • Tables • Graphics • Scalable Fonts • Supports most printers • WYSIWYG previewer • Foreign Languages • Special Symbols • Font Effects • Indices • Only $299
"TEX of Tomorrow"–Notices of AMS, March 1991.
Call now for a ***FREE DEMO DISK***
MicroPress, Inc.
68-30 Harrow Street, Forest Hills, NY
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 715.

FREE CATALOG!
AFFORDABLE EARTH SCIENCE SOFTWARE
Over 350 programs for Windows, DOS, Mac, Amiga, UNIX
800-775-6745
RockWare 4251 Kipling St., Suite595
Scientific Software Wheat Ridge, CO 80033
(303) 423-5645 • FAX (303) 423-6171

SOFTWARE/VOICE/FAX

MULTI-VOICE® TOOLS
Multi-Voice Tools is a complete development Toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-LINE VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code.
Dialogic, Rhetorex, Pika, VBX: $599. Watson (Single Line): $99. ALSO AVAILABLE: Fax Programmer's Toolkit ($199). Based on CAS specifications. Visa/MC accepted.
ITI Logiciel
4263 Cristophe-Colomb, Montreal, Quebec, Can. H2J 3G2
TEL (514) 597-1692 FAX (514) 526-2362

Write your own Voice Mail software
Create advanced, multi-line voice/fax mail systems with VOS™, the Editors' Choice. Complete language for computer/telephone integration. Call for free booklet "Get Into Interactive Voice".
Parity Software
870 Market St. Ste 800, San Francisco, CA 94102
415-989-0330 (fax 415-989-0441)

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG
Everything you will need to Package, Distribute, and Ship Your Software!! From manuals and binders to mailers and shippers
LABELS • LABELS • LABELS
For your diskettes, plain or custom printed dot matrix or laser printer... free samples
•••FREE CATALOG•••
Hice & Associates
8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-777-8586

Inquiry 716.

STOCK PACKAGING
to help you
market your software
ask for catalog 93QS1
Call 708 390-7744
or fax 708 390-9886
PolyQuick Co.
1243 Rand Road, Des Plaines, IL 60016

Inquiry 717.

STATISTICS

NCSS 5.x Series 969**$125**
Easy-to-use menus & spread sheet. Multiple regression. T-tests. ANOVA (up to 10 factors, rep. measures, covariance). Forecasting. Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.
NCSS
329 North 1000 East, Kaysville, UT 84037
Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 718.

UTILITIES

PEN PLOTTER EMULATOR
FPLOT turns your printer into an HP pen plotter. Fast hi-res, no jagged lines. Vary line width, color. Screen preview – zoom, pan. Works with most CAD programs. Supports most printers. Requires DOS 2.1 or higher. $119+$3 S&H. VISA/MC/Chk/MO.
FPLOT Corporation
24-16 Steinway St., Suite 605, Astoria, NY 11103
718-545-3505

Inquiry 719.

YOUR SALES MESSAGE
about the special computer product or service that you provide belongs in print
THE BUYER'S MART
can help you reach computer professionals
&
produce valuable inquiries for your company!
Call **Margot Gnade**
for more information
603-924-2656
or
Fax: 603-924-2683

Inquiry 720.

UTILITIES

BACKFLIP™
...a unique and easy-to-use system for labelling, organizing and keeping track of back-up data
All for **$79** MC/VISA To order call
(619) 431-5120 FAX (619) 931-6516
INTERNATIONAL FINANCIAL SYSTEMS (IFS) INC.
Suite 300, 2131 Palomar Airport Road, Carlsbad, CA 92009

Inquiry 721.

VOICE MAIL/FAX/MODEM

★ Have a NICETALK™ to you ★
MODEM + FAX + VOICE MAIL Series from 2400 bps modem to data compression 57600bps fax/modem and voicemail...over 30 models...more than meets the eye - Amagic Technologies, Inc.
17742-B Mitchell ★ Irvine, CA 92714 ★ USA
Tel: 714-474-3978 Fax: 714-474-3979
Also welcome to request 3D Hologram Information...from mfg to end products

Inquiry 722.

WINDOWS

FOREIGN LANGUAGES
Arabic, Hebrew, Russian, Chinese, Japanese, Indian, S.E. Asian – all the world's languages in Windows. Full support for mixing Arabic, Persian, Urdu, Hebrew + English. Chinese and Japanese type vertically /horizontally. Easy to use! *From $149.95. Call or write the WinLanguage™ experts!*
Gamma Productions, Inc.
Tel 310-394-8622 Fax 310-395-4214
710 Wilshire Blvd, #609, Santa Monica, CA 90401

Inquiry 723.

International Marketers:
Sell your computer products in one of the fastest growing markets today!
Reach 78,000 LATIN AMERICAN BYTE READERS
Now you can advertise in
1, 2, or all 3 Latin editions of BYTE
BYTE Mexico
BYTE Brasil
BYTE Argentina
Give Liz at Global Media a call today for more info:
603-876-4311

Circle 724 on Inquiry Card.

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the Direct Link Card by mail or fax. ***Let them know you saw it in BYTE.***

Inquiry No.		Page No.	Phone No.
	A		
61-62	ABACUS SOFTWARE	51	800-451-4319
278-279	ABACUS SOFTWARE	108	800-451-4319
63	ACMA COMPUTERS INC (U.S.)	77	800-786-6888
384	ADD NET COMP & S/W	368	800-951-1113
64	ADOBE SYSTEMS INC (U.S.)	281	800-833-6687
280-281	ADVANCED LOGIC RESEARCH	109	714-581-6770
214	ADVANTECH	383	800-800-6889
178	AETECH	376	619-431-7714
348-349	AGE LOGIC	121	619-455-8600
66	AITECH INT'L	273	800-882-8184
65	ALADDIN KNOWLEDGE SYS	219	800-223-4277
*	AMBRA COMP CORP (N.A.)	32B-D, 33	800-25-AMBRA ext. 295
*	AMBRA COMP CORP (N.A.)	40-41	800-25-AMBRA ext. 313
214	AMERICAN ADVANTECH	383	800-800-6889
282	AMERICAN POWER CONVERSION	126	800-800-4APC Dept. A2
283	AMERICAN SMALL BUSI COMP	159	918-825-4844
251	AMREL TECHNOLOGY, INC	385	800-88AMREL
350	ANDYNE	143	800-267-0665
530	ANTEX ELECTRONICS	48IS 24	310-532-3092
*	APPLE COMPUTER INC	11-13	
171-172	APPLIED BUSI TELECOMM	230	800-829-3400
555-556	APPRO INT'L INC	366PC 3	408-732-6091
165-166	ARISTO GRAPHIC SYS (EUROPE)	211	+49-40-8500425**
165-166	ARISTO GRAPHIC SYS (U.S.)	211	800-631-7646
211-212	ARNET CORPORATION	375	800-377-5515
363	ASK ME INFORMATION CTR	182	612-531-0603
157-158	AT & T PARADYNE	70	800-554-4996 ext. 96011
353-354	AT & T PARADYNE	172	800-554-4996 ext. 96911
67	ATI TECHNOLOGIES INC	214	416-882-2600
276	ATRIE TECHNOLOGY INC	386	
284-285	AUSTIN COMPUTER SYS (N.A.)	134	800-331-1701
215-216	AXIOMATIC	385	416-602-9270
217	AXONIX CORP	386	801-466-9797
	B		
68	BEST POWER TECHNOLOGY	231	800-356-5794 ext. 4721
450	BIX	403	800-695-4775
381-382	BLINK INC	337	804-747-6700
551	BOFFIN LTD	366PC 10	612-894-0595
69-70	BORLAND INT'L	15	800-336-6464 ext. 7506
286-287	BORLAND INT'L	171	800-336-6464 ext. 6153
71	BRITISH AIRWAYS	341	
561	BTC	366PC 6	510-657-3956
*	BYTE EURODECK	48IS 31	
*	BYTE SUB MESSAGE	244	
*	BYTE SUB MESSAGE	259	
*	BYTE / BUYER'S GUIDE	340	
72	BYTE / LAN REPORTER	339	800-257-9402
385	BYTE / ADVERTISING MESSAGE	248	
*	BYTE / BACK ISSUES	281	
	C		
501	C.E.T.R.A. (INT'L)	227	886-2-725-1111**
257	CADSOFT COMPUTER, INC	389	800-858-8355
269	CD RESEARCH COMPANY LTD	384	905-513-6800
288	CENTRAL POINT SOFTWARE	113	800-695-0679
502	CHERRY MIKROSCHALTER GMBH (INT'L)	330-331	+49-964-3180
532	CHICONY	48IS 2	+886-3-323-5743**
546	CHRISTIE ELECTRONICS LTD	48IS 5	+44-0453-825768**
199	CITITRONICS	377	818-855-5688
73-74	COLORADO MEMORY SYSTEMS	56	800-451-4523
76	COMPAQ PRINTERS (N.A.)	8-9	800-345-1518
289	COMPAQ SYSTEMS (N.A.)	130A-D	800-345-1518
503-504	COMPEX INC (INT'L)	CIII	714-630-7302
387	COMPUMEDIA	168	+972-3-6952557**
*	COMPUSERVE	162A-B	800-848-8199
290	COMPUSERVE	163	800-848-8199
77	COMPUTER ASSOCIATES	35	800-225-5224 Dept. 20500
78	COMPUTER ASSOCIATES	47	800 CALL CAI ext. 190
291	COMPUTER ASSOCIATES	82-83	800 CALL CAI ext. 240
179	COMPUTER DISC WAREHSE	356-357	800-959-4CDW
79	COMPUTER FRIENDS	62	800-547-3303
505	COMPUTER QUICK	48IS 14	415-861-8330
180	COMPUTERLANE UNLTD	370	818-884-8644
218	COMPUTERWISE	390	800-255-3739
388-389	CONNER	165	800-4NT-BKUP
*	COPIA INT'L LTD	186	708-682-8898
*	COPIA INT'L LTD	244	708-682-8898
80	COREL SOFTWARE	22	800-772-6735 ext. 100
292	COREL SOFTWARE	84	800-421-8006
153	CREATIVE LABS INC	39	800-998-LABS
343	CREATIVE LABS INC	174-175	800-998-LABS
293-294	CTX INTERNATIONAL INC	169	714-595-6146
81-82	CURTIS INC	236	612-631-9512
506-507	CYBEX CORP (INT'L)	CIV	205-430-4030**
181-182	CYBEX CORP (N.A.)	374	205-430-4030**
83	CYRIX	30-31	800-462-9749
	D		
159	DALLAS SEMICONDUCTOR	50	800-258-5061
252	DATA I/O	387	800-332-8246
220	DATALUX CORP (N.A.)	385	800-DATALUX
220	DATALUX CORP (INT'L)	385	+44-306-876718
219	DATALUX CORP (N.A.)	387	800-DATALUX
219	DATALUX CORP (INT'L)	387	+44-306-876718
*	DATAPRO INFO SVCS GRP (INT'L)	20-21	609-764-0100 ext. 2777
386	DATAPRO INFO SVCS GRP	220-221	609-764-0100 ext. 2777
206	DATAVISION	376	
261-262	DAVISON-WORTH CORP	388	800-668-2707
560	DECUS	366PC 2	609-845-7258**
*	DELL COMPUTER CORP (N.A.)	CIII	800-626-8260
*	DELL COMPUTER CORP (N.A.)	CIV	800-626-8260
*	DELL COMPUTER CORP (N.A.)	98B-D, 99, 101	800-626-8260
*	DIAGSOFT INC	327	800-342-4763
277	DIALOGUE TECHNOLOGY (INT'L)	386	+886-2-9317814**
149	DIGICOM INC	321	886-2-917-9099**
150	DIGICOM INC	323	886-2-917-9099**
379	DIGITAL EQUIPMENT CORP	204	800-210-8322 Code BLD
84	DIGITAL VISION	260	800-346-0090
267-268	DISPLAY RESEARCH LAB	387	+852-877-8810**
183-184	DISTRIBUTED PROCESSING TECH	369	800-322-4DPT
366	DIVERSIFIED COMPUTER	201	303-447-9251
221	DOVE COMPUTER	384	800-849-3297
508	DR HUGGLE & PARTNER GMBH	48IS 10	+49-241-403117**
359-360	DSP SOLUTIONS / DIGISPEECH	183	916-621-1787
	E		
537-538	ELEX INFO SYSTEMS INC (INT'L)	225	415-325-8071
87	ELIASHIM MICROCOMPUTERS	52	+972-4-528613**
204-205	EMBARC / MOTOROLA	358	800-EMBARC4 ext. 725
88-89	EXABYTE CORP	288	800-825-4727
	F		
295	FALCO DATA PRODUCTS	93	
380	FARGO ELECTRONICS INC	292	800-258-2974
509	FAST ELECTRONIC GMBH	48IS 13	+49-89-539800-20
345	FIFTH GENERATION	173	800-759-2815
526	FIRST INT'L COMPUTER (INT'L)	77	+886-2-717-4500**
185-186	FIRST SOURCE INT'L	360	714-588-9866
90	FRAME TECHNOLOGY (N.A.)	32A	800-U4FRAME ext. 926
361	FRANKLIN QUEST CO	179	800-877-1814
296-297	FUTURESOFT ENGINEERING	112	713-496-9400
	G		
*	GATEWAY 2000	CII, 1	800-846-2058
*	GATEWAY 2000	160-161	800-846-2058
*	GATEWAY 2000	261-266	800-846-2058
55	GENERAL TECHNICS	384	800-487-2538
22	GENOVATION, INC	386	800-822-4333
54	GFK HAMBURG (INT'L)	245	+49-40-231-789**
1-92	GLENCO ENGINEERING	253	800-562-2543
23	GMM RESEARCH CORP	382	714-752-9447
10	GREY MATTER LTD	48IS 29	+44-0364-53071**
24-225	GTEK INC	382	800-282-4835
	H		
53	HARPER COLLINS	391	+44-0903-873633**
*	HEWLETT PACKARD	43	800-443-1254 ext. 785
64-365	HOCKWARE (INT'L)	99	919-380-0757
98-299	HORIZONS TECHNOLOGY	111	619-292-8331
	I		
*	IBM - DIRECT (N.A.)	228A-D	800-IBM 2 YOU
11	IBM - GRAPHICS INTERFACE (INT'L)	33	+43-1-21145-4490
72	IBM - PERSONAL S/W PROD	69	800 6 DEVCON
73	IBM - PERSONAL S/W PROD	71	800-3-IBM-0S2
74	IBM - PERSONAL S/W PROD	73	800-3-IBM-0S2
75	IBM - PERSONAL S/W PROD	75	800-3-IBM-0S2
00	IBM - PERSONAL S/W PROD	128-129	800-3-IBM-0S2
539-540	IGC INC (INT'L)	48IS 7	408-441-0366
162-163	INFORMATION FOUNDATION	275	800-438-8649
95	INTEGRAND RESEARCH	338	209-651-1203
98	INTEL CORP	16A-B	800-538-3373
6	INTEL CORP	16-17	800-538-3373
7	INTEL CORP (N.A.)	48A-D	800-538-3373
01-303	INTERACTIVE INC	133	800-292-2112
26	IO TECH	388	216-439-4091
04	IOMEGA	202	800-777-4045
51-152	ITERATED SYSTEMS	186	800-4FRACTL
	J		
27	J B TECHNOLOGIES	384	800-688-0908
9	JAMECO ELECTRONICS	255	800-831-4242
*	JDR MICRODEVICES	381	800-538-5000
28	JENSEN TOOLS	382	602-968-6231
*	JOURNAL OF OBJ ORIENT PROGRAMMING	48IDRC 1-2	212-274-0646**
	K		
05	KEA SYSTEMS LTD	164	800-663-8702
*	KEDWELL SOFTWARE	48IS 27	603-433-4777
31	KEITHLEY METRABYTE	384	800-348-0033
29	KILA	383	303-444-7737
06-307	KINGSTON TECHNOLOGY	123	714-435-2600
12	KUO FENG CORP	48IS 17	+886-2-754-8498**
52	KUO FENG CORP	366PC 5	+886-2-754-8498**
55	KYOCERA ELECTRONICS, INC	286-287	800 2 ECOSYS
	L		
207-208	L A TRADE	366	800-433-3726
230	LAGUNA DATA SYSTEMS	388	800-938-TAPE
100	LAHEY COMPUTER SYSTEMS	76	800-548-4778
328-329	LANDMARK RES INT'L CORP	153	800-683-6696
241	LANLINK PROFESSIONAL	389	404-512-0705
160-161	LEAD TECHNOLOGIES	232	800-637-4699
513	LIGATURE LTD	48IS 30	+972-2-513395**
514	LOGIC PROGRAMMING ASSOC	48IS 12	+44-81-874-0449**
203	LOGICAL CONNECTION	378	800-238-9415
170	LOGICIELS ET SERV DUHEM (INT'L)	52	+33149700455
103-104	LOGITECH INC	19	800-732-3180 ext. 67
	M		
355	MACSYMA	178	617-646-4550
346-347	MAG INNOVISION	157	714-827-3998
515	MAGIC / MSE	48IS 15	+972-3-751-1901**
563	MANCHESTER EQUIP CO (N.E.)	367	516-435-1199
106	MATROX VIDEO PRODUCTS GRP	256	514-685-2630
*	MCGRAW HILL BOOKSTORE	336	212-512-4100
344	MEDIA VISION (N.A.)	98A	800-845-5870
210	METATEC SYSTEMS	380	800-637-3472
200	MICRO 2000	372	800-864-8008
516	MICRO DESIGN INT'L (INT'L)	139	407-677-8333
190-191	MICRO SOLUTIONS COMP PROD	363	800-295-1214
192-193	MICRO SOLUTIONS COMP PROD	365	800-295-1214
201-202	MICRO-INTERNATIONAL, INC	362	800-967-5667
370	MICROCAL INC	201	800-969-7720
565	MICRODATA SYSTEM SRI	281	+39 1 87 988 460
308-309	MICROGRAFX	124	800-578-1981
*	MICROGRAFX	205	800-697-3540
107-108	MICROGRAFX	329	800-697-3540
310	MICROPOLIS CORP	181	800-395-3748
188-189	MICROPROSE SOFTWARE	359	800-879-PLAY
*	MICROSOFT CORP	64A-B	
*	MICROSOFT CORP	64-65	800-894-6636 ext. KS7
*	MICROSOFT CORP	95	
*	MICROSOFT CORP	119	
*	MICROSOFT CORP	137	
*	MICROSTAR LABORATORIES	384	206-453-2345
*	MICROSTAR LABORATORIES	201	206-453-2345
*	MICROWAY	182	508-746-7341
*	MICROWAY	324	508-746-4678**
525	MINICOM LTD	48IS 22	+972-2-637576**
557	MINISTRY OF INDUSTRY AND TRADE	366PC 8-9	+972-2-669-388**
517	MINOLTA GMBH (INT'L)	269	+49-511-77000
115	MINUTEMAN	59	800-238-7272
264	MITAC	383	+886-2-509-0979**
544	MITAC INT'L CORP	48IS 23	+886-2-5018231
545	MITAC INT'L CORP	48IS 25	+886-2-5018231
311	MKS / MORTICE KERN SYS	141	519-884-8861**
109	MKS / MORTICE KERN SYS	243	519-884-2251
177	MOTOROLA RISC DIVISION	36-37	
523-524	MOTOROLA UDS (INT'L)	48IS 21	+33-1-4117-4130**
531	MOXA (INT'L)	134	+886-2-910-1231**
541-542	MULTIPORT COMPUTER-SYS	48IS 16	+49-991-29017-20**
	N		
529	NAG	48IS 32	+44-865-310139**
312-313	NANAO USA CORP	148-149	310-325-5202
232	NATIONAL INSTRUMENTS	389	800-433-3488
*	NATIONAL INSTRUMENTS	48IDRC 1-2	512-794-0100
110	NEC - SYSTEMS	296-297	800-NEC-INFO
*	NETWORK COMP DEVICES (N.A.)	227	800-800-9599
111	NEURON DATA	247	800-876-4900 ext. 637
187	NEVADA COMPUTER	364	800-654-7762
112	NORTON-LAMBERT	45	805-964-6767
113	NSTL	330	215-941-9600
	O		
*	OBJECT MAGAZINE	48IDRC 1-2	212-274-0646**
314	OKIDATA	106	800-OKI-TEAM ext. 264
175-176	OLIVETTI (N.A.)	225	800-633-9909
173-174	OLIVETTI (N.A.)	259	800-633-9909
194	OMNICOMP GRAPHICS CORP	371	713-464-2990
527	ON TIME MKT / KARSTEN PETERSEN	48IS 32	+49-40-437472
209	ORION RESEARCH LABS	378	800-669-8088
114	OSBORNE MCGRAW-HILL	300	
270	OUTOKUMPU RESEARCH OY	390	+358 396 265310**
233	OVERLAND DATA INC	388	800-729-8725
	P		
*	PACIFIC DATA PRODUCTS	294	619-625-3643
369	PACIFIC SOFTWORKS	201	800-541-9508
254	PACIFIC SOFTWORKS	391	800-541-9508
315	PASSPORT DESIGNS INC	191	415-726-0280
234	PATTON & PATTON	390	800-525-0082 ext. 1218
116-117	PC POWER & COOLING	63	800-722-6555
316	PERSOFT INC	145	800-368-5283
235	PERSONAL TEX	390	415-388-8853
118	PHAR LAP SOFTWARE INC	195	617-661-1510
518	PHILIPS MONITORS (INT'L)	8-9	+31-40-73-39-83**
271	PIKA TECHNOLOGIES	382	613-591-1555
119-120	PINNACLE MICRO	7	714-727-3300
121	PIONEER NEW MEDIA TECH	251	800-LASER-ON
122	PKWARE INC	72	414-354-8699
169	POET SOFTWARE (N.A.)	269	408-748-3403

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



Fill out this coupon carefully. ***Please Print.***

City State Zip

Phone Fax

A. What is your primary job function/principal area of responsibility? (Check one)
1 ❑ MIS/DP
2 ❑ Programmer/Systems Analyst
3 ❑ Administration/Management
4 ❑ Sales/Marketing
5 ❑ Engineer/Scientist
6 ❑ Other

B. What is your level of management responsibility?
7 ❑ Senior-level 9 ❑ Professional
8 ❑ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?
10 ❑ Yes 11 ❑ No

D. What operating systems are you currently using? (Check all that apply)
12 ❑ PC/MS-DOS 15 ❑ Unix
13 ❑ DOS+ Windows 16 ❑ MacOS
14 ❑ OS/2 17 ❑ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?
18 ❑ 1-25 20 ❑ 51-99
19 ❑ 26-50 21 ❑ 100 or more

November 1993 *Valid until January 31, 1994* 91 99

Inquiry Numbers 52–238

52	53	54	55	56	57	56	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	156	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	226	229	230	231	232	233	234	235	236	237	238

Inquiry Numbers 239–425

239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	298	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	376	379	380	381	382	383	384	385	388	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425

Inquiry Numbers 426–612

426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	560	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612

Inquiry Numbers 613–799

613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	756	759	760	761	762	763	764	765
768	767	768	769	770	771	772	773	774	775	776	777	778	779	760	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799

Inquiry Numbers 800–986

800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952
953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986

Inquiry Numbers 987–1151

987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001		
1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016		
1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031		
1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046		
1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061		
1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076		
1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091		
1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106		
1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121		
1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136		
1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151		

Inquiry Numbers 1152–1316

1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166
1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181
1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211
1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226
1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256
1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271
1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286
1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301
1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316

Inquiry Numbers 1317–1481

1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331
1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346
1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361
1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376
1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391
1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406
1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421
1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436
1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451
1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466
1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481

Product Category Information
Circle the numbers below for additional information on the products you're interested in.

Hardware
Accessories/Supplies 1
Add-in Boards 2
Bar Coding 3
Communications/Networking 4
Computer Systems 5
Data Acquisition 6
Disks & Optical Drives 7
Diskettes/Duplicators 8
Fax Boards/Machines 9
Graphics Tablets/Mice/Pen Input 10
Keyboards 11
LAN Hardware 12
Laptops & Notebooks 13
Mail Order 14
Memory/Chips/Upgrades 15
Miscellaneous Hardware 16
Modems/Multiplexors 17
Monitors & Terminals 18
Multimedia 19
Printers/Plotters 20
Programmable Hardware 21
Scanners/OCR/Digitizers 22
Tape Drives 23
UPS 24

Software
Business 25
CAD/CAM 26
Communications/Networking 27
Data Acquisition 28
Database 29
Educational 30
Engineering/Scientific 31
Entertainment 32
Graphics 33
Macintosh 34
Mail Order 35
Mathematical/Statistical 36
Miscellaneous Software 37
On-Line Services 38
Operating Systems 39
Programming Languages/Tools 40
Security 41
Shareware 42
Software Duplication 43
Spreadsheets 44
Unix 45
Utilities 46
Windows 47
Word Processing 48

General
Books/Publications 49
Recruitment 50
Miscellaneous 51

BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



BYTE

BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE

BYTE
READER SERVICE
P.O. BOX 5110
Pittsfield, MA 01203-9460
USA

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



BYTE

Fill out this coupon carefully. *Please Print.*

Name

Title

Company

Address

City State Zip

Phone Fax

A. What is your primary job function/principal area of responsibility? (Check one)
1 ❑ MIS/DP
2 ❑ Programmer/Systems Analyst
3 ❑ Administration/Management
4 ❑ Sales/Marketing
5 ❑ Engineer/Scientist
6 ❑ Other

B. What is your level of management responsibility?
7 ❑ Senior-level 9 ❑ Professional
8 ❑ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?
10 ❑ Yes 11 ❑ No

D. What operating systems are you currently using? (Check all that apply)
12 ❑ PC/MS-DOS 15 ❑ UNIX
13 ❑ Windows 16 ❑ MacOS
14 ❑ OS/2 17 ❑ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?
18 ❑ 1-25 20 ❑ 51-99
19 ❑ 26-50 21 ❑ 100 or more

November 1993 *Valid until January 31, 1994* 91 96 99

Inquiry Numbers 52–238

52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	226	229	230	231	232	233	234	235	238	237	238

Inquiry Numbers 239–425

239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	388	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425

Inquiry Numbers 426–612

426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493
494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612

Inquiry Numbers 613–799

613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799

Inquiry Numbers 800–986

800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952
953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986

Inquiry Numbers 987–1151

987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001		
1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016		
1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031		
1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046		
1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061		
1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076		
1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091		
1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106		
1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121		
1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136		
1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151		

Inquiry Numbers 1152–1316

1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166		
1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181		
1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196		
1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211		
1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226		
1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241		
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256		
1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271		
1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286		
1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301		
1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316		

Inquiry Numbers 1317–1481

1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331		
1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346		
1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361		
1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376		
1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391		
1392	1393	1394	1395	1398	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406		
1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421		
1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436		
1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451		
1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466		
1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481		

Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware

Accessories/Supplies	1
Add-in Boards	2
Bar Coding	3
Communications/Networking	4
Computer Systems	5
Data Acquisition	6
Disks & Optical Drives	7
Diskettes/Duplicators	8
Fax Boards/Machines	9
Graphics Tablets/Mice/ Pen Input	10
Keyboards	11
LAN Hardware	12
Laptops & Notebooks	13
Mail Order	14
Memory/Chips/Upgrades	15
Miscellaneous Hardware	16
Modems/Multiplexors	17
Monitors & Terminals	18
Multimedia	19
Printers/Plotters	20
Programmable Hardware	21
Scanners/OCR/Digitizers	22
Tape Drives	23
UPS	24

Software

Business	25
CAD/CAM	26
Communications/Networking	27
Data Acquisition	28
Database	29
Educational	30
Engineering/Scientific	31
Entertainment	32
Graphics	33
Macintosh	34
Mail Order	35
Mathematical/Statistical	36
Miscellaneous Software	37
On-Line Services	38
Operating Systems	39
Programming Languages/ Tools	40
Security	41
Shareware	42
Software Duplication	43
Spreadsheets	44
Unix	45
Utilities	46
Windows	47
Word Processing	48

General

Books/Publications	49
Recruitment	50
Miscellaneous	51

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

See reverse side for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!



BYTE

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE

BYTE

READER SERVICE
P.O. BOX 5110
Pittsfield, MA 01203-9460
USA

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

Inquiry No.		Page No.	Phone No.
236	POLAROID CORP	382	800-225-2770
317	POPKIN S/W & SYSTEMS INC	147	212-571-3434
272-273	PRIMAX ELECTRONICS	387	800-338-3693
*	PRODEA SOFTWARE CORP	353	800-PRODEA 1
105	PROGRAMMER'S PARADISE	78-79	800-445-7899
123	PSION	235	800-54-PSION
	Q		
101-102	QMS	303	800-841-0760
124	QNX SOFTWARE SYSTEMS LTD	333	800-363-9001 ext. 101
318	QUA TECH INC	155	800-553-1170
126	QUA TECH INC	354	800-553-1170
237	QUALSTAR CORP	388	818-882-5822
125	QUARTERDECK OFFICE SYS	26-27	310-392-9851
	R		
*	RADIO SHACK (N.A.)	20-21	817-390-3011
*	RAIMACORP	29	800-327-2462
127-128	RAINBOW TECHNOLOGIES	66	800-852-8569
319-320	RAINBOW TECHNOLOGIES	115	800-852-8569
321	RECOGNITA	116	+36-1-2018925
197-198	RECORTEC INC	373	800-729-7654
266	RESEARCH SYSTEMS, INC	390	303-786-9900
322-323	RGB COMPUTER & VIDEO INC	96	800-535-7876
238	RHETOREX, INC	383	408-370-0881
324	ROSE ELECTRONICS	132	800-333-9343
550	ROTRON SOFTWARE AG	48IS 28	+44-64-409252
	S		
130	S'N'W COMPUTERS & ELEC	62	212-463-8335**
533	SAMTRON (INT'L)	40	+82-2-774-6659**
239	SAS INSTITUTE INC	391	919-677-8000
357-358	SCEPTRE TECHNOLOGIES	177	800-788-2878
367	SCIENTIFIC ENDEAVORS	201	800-998-1571
255-256	SCIENTIFIC PROGRAMMING	391	517-339-9859
368	SEALEVEL SYSTEMS INC	201	803-843-4343
519-520	SEKISUI CHEMICAL CO LTD (INT'L)	134	+81-6-365-4375**
553-554	SEKISUI CHEMICAL CO LTD	366PC 4	+81-6-365-4375**
129	SEQUITER SOFTWARE INC	308	403-437-2410
274-275	SHAFFSTALL CORP	389	800-248-3475
356	SHAPEWARE	87	800-446-3335 ext. EN9
259-260	SIGMA TECH SOFTWARE	383	818-368-6132
*	SILICON GRAPHICS (N.A.)	212A-B	800-431-4331 ext. B22
*	SILICON GRAPHICS	212-213	800-431-4331 ext. B22
240	SILICONSOFT, INC	391	800-969-4411
85-86	SMART PRINT / DRESSELHAUS	332	800-368-7737
362	SOFTARC	190	416-754-1856**
167-168	SOFTLANDING SOFTWARE	332	604-360-0188
521	SOFTLINE CORP	48IS 11	718-438-2315**
241	SOFTWARE LINK, THE	389	404-512-0705
559	SOFTWARE PRODUCTIONS	366PC 4	800-783-8161 ext. 5884
131	SOFTWARE SECURITY	270	203-329-7428**
534-535	SPEA SOFTWARE AG (INT'L)	101	+49-8151-21258**
326	SPSS INC	203	800-543-5835
258	STARGATE TECHNOLOGIES	382	800-782-7428
195-196	STARTECH INT'L	361	619-278-2600
327	STATSOFT	185	918-583-4149
536	SUNRACE (INT'L)	41	+886-2-2181562**
154	SUNSOFT	2-3	800-227-9227
*	SUPRA CORP (N.A.)	245	800-727-8647
148	SYMANTEC	80	800-453-1077 ext. AP80
330-331	SYSTAT INC	167	708-864-5670
134-135	SYSTAT INC	237	708-864-5670
	T		
242	TALKING TECHNOLOGY INC	383	800-955-4884
243	TALKING TECHNOLOGY INC	391	800-955-4884
522	TECHPOWER CO LTD (INT'L)	281	+886-2-753-1940**
136	TEKTRONIX	283	800-835-6100 ext. 28J
244	TELEBYTE TECHNOLOGY, INC	387	800-835-3298
332	TEXAS INSTRUMENTS	150	800-527-3500
137	TOSHIBA AMERICA INC	53	800-457-7777
138-139	TOUCHSTONE SOFTWARE	274	714-969-7746
383	TOUCHVISION SYSTEMS	379	312-989-2160
250	TRANTOR SYSTEMS LTD	385	800-872-6867
333-334	TRAVELING SOFTWARE	187	800-472-4735
543	TRAVELING SOFTWARE	48IS 9	+44(0)753-81-82-81
253	TRI VALLEY TECHNOLOGY INC	383	510-447-2030
245	TRIBAL MICROSYSTEMS	388	510-623-8859
562	TYPHOON SOFTWARE	366PC 7	805-966-7633
	U		
*	UNIXWORLD	349-350	800-257-9402 ext. 29
*	UNIXWORLD	351	800-257-9402 ext. 29
	V		
140-141	VERBATIM CORP	223	
142	VERMONT CREATIVE S/W	334	802-848-3502**
246	VICTORY ENTERPRISES TECH	385	800-727-3475
156	VIDEO MAKER / VITEC	335	+33-146-29-03-04**
143	VIDEX, INC	328	503-758-0521
144-145	VIEWSONIC	61	909-869-7976
335-336	VIEWSONIC	189	909-869-7976
377-378	VISIONWARE	233	415-325-2113
547	VOCALTEC LTD (INT'L)	259	+972-3-696-4065
	W		
146	WATCOM	25	519-886-3700
337	WATCOM	91	519-747-4971**
558	WELLS FARGO BANK	366PC 1	800-PC-WELLS
548-549	WIBU	48IS 12	+49-721-377455
247	WINTEK CORP	389	800-742-6809
340-342	WOLFRAM RESEARCH	127	800-441-6284
*	WORDPERFECT CORP	103-105	800-526-2615
	X		
248	XELTEK	388	408-524-1929
338-339	XVT SOFTWARE INC	193	800-678-7988
	Z		
249	Z-WORLD ENGINEERING	388	916-757-3737
528	ZECKS	48IS 26	+886-2-280-1351**
147	ZEOS INT'L	54-55	800-554-5226
351-352	ZYXEL USA	139	714-693-0808

* *Correspond directly with company.* ** *Indicates FAX Number*

BYTE ADVERTISING SALES STAFF

David Egan, Associate Publisher, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2678, Fax: (603) 924-7620

NEW ENGLAND
ME, NH, VT, MA, RI, CT, ONTARIO CANADA & EASTERN CANADA
David Richardson (617) 860-6344
Patricia Payne (603) 924-2654
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST
NY, NYC, NJ, DE, PA
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST
NC, SC, GA, FL, AL, TN, MS, AR, LA, KY, DC, MD, VA, WV
MaryAnn Goulding (404) 843-4782
Barry Echavarria (603) 924-2574
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST
IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, OH
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664
McGraw-Hill Publications
Two Prudential Plaza
180 North Stetson Ave.
Chicago, IL 60601
FAX: (312) 616-3370

SOUTHWEST, ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Brian Higgins (603) 924-2651
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

SOUTH PACIFIC: Los Angeles, CA
LOS ANGELES COUNTY, AZ, NM, NV
Alan El Faye (213) 480-5243
Brian Higgins (603) 924-2651
McGraw-Hill Publications
3333 Wilshire Boulevard #500
Los Angeles, CA 90010
FAX: (213) 480-5249

NORTH PACIFIC
NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
SILICON VALLEY, HI, WA, AK, W. CANADA
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1900 O'Farrell Street, #200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC: Irvine, CA
ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: **603-924-2683** Advertising FAX: **603-924-7507**

Hardware/Software Showcase
Mark Stone (603) 924-2695
Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds
Margot Gnade (603) 924-2656
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck
Brad Dixon (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK
James Bail (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE International Direct Response Postcards
Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

INTERNATIONAL ADVERTISING SALES STAFF

UNITED KINGDOM, FRANCE, BENELUX
Gary Lucas (+44 71 495 6780)
Jonathan McGowan
(+44 71 495 6781)
McGraw-Hill Publishing Co.
34 Dover St.
London W1X 4BR
England
FAX: +44 71 4956734
TELEX: 892191

GERMANY, SWITZERLAND, AUSTRIA
Jürgen Heise
McGraw-Hill Publishing Co.
Lieblgstrasse 19
D-6000 Frankfurt
Germany
Tel: +49 69 71407 140
FAX: +49 69 71407 147

ITALY, SCANDINAVIAN COUNTRIES
Zena Coupé, Amanda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

ISRAEL
Dan Ehrlich
Ehrlich Communication Int'l.
P.O. Box 99
Herzliya 46101, Israel
Tel: +972 9 586245
Tel: +972 9 586246
FAX: +972 9 585685

TAIWAN
Sheing Shiun Gou
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7189467

HONG KONG
Candice Lo
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA
Young-Seoh Chinn
JES MEDIA INT'L.
Rm. 704, Nonhyun Bldg.
37-12, Chamwon-Dong,
Seocho-Gu
Seoul, Korea
Tel: +82 2 5458001
Tel: +82 2 5458002
FAX: +82 2 5498861

JAPAN
Masaki Mori
Transworld Media Inc.
Sky View 502
2-37-12 Ikejiri
Setagayaku
Tokyo 154, Japan
Tel: +81 3 37954777
FAX: +91 3 37953391

SINGAPORE
Derek Ng
Stephen Tay
Third Wave Publishing Corp.
1123 Serangoon Road, #03-01
Singapore 1232
Tel: +65 296 6166
FAX: +65 298 7551

AUSTRALIA
Phil Bush
7-13 Parraween Street,
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

INDIA, INDONESIA, PAKISTAN, PHILIPPINES, OTHER ASIAN AND PACIFIC COUNTRIES
K.T. Wu
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

MALAYSIA
Servex (Malaysia) Sdn. Bhd.
H.K. Lin
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur, Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

THAILAND
Pisuth D. Ratanachai
A.R. Information & Publication Co., Ltd.
27 Charoen Nakorn 14 Rd.,
Klongsan, Bangkok 10600,
Thailand
Tel: +66 2 4394600
FAX: +66 2 4394616

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

Category No. / Inquiry No. — Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

530 ANTEX ELECTRONICS 48IS 24
236 POLAROID CORP 382
528 ZECKS 48IS 26

2 ADD-IN BOARDS

211-212 ARNET CORP 375
67 ATI TECHNOLOGIES INC 214
81-82 CURTIS INC 236
149 DIGICOM INC 321
150 DIGICOM INC 323
183-184 DISTRIBUTED PROCESSING TECH 369
564 GFK HAMBURG (INT'L) 245
99 JAMECO ELECTRONICS 255
106 MATROX VIDEO PRODUCTS GROUP 256
344 MEDIA VISION (N.A.) 98A
531 MOXA (INT'L) 134
318 QUA TECH INC 155
126 QUA TECH INC 354
322-323 RGB COMPUTER & VIDEO INC 96
368 SEALEVEL SYSTEMS INC 201
534-535 SPEA SOFTWARE AG (INT'L) 101
258 STARGATE TECHNOLOGIES 382
242 TALKING TECHNOLOGY INC 383
548-549 WIBU 48IS 12

3 BAR CODING

550 ROTRON SOFTWARE AG 48IS 28
143 VIDEX, INC 328

4 COMMUNICATIONS/NETWORKING

204-205 EMBARC / MOTOROLA 358
223 GMM RESEARCH CORP 382
224-225 GTEK INC 382
228 JENSEN TOOLS 382
103-104 LOGITECH INC 19
525 MINICOM LTD 48IS 22
523-524 MOTOROLA UDS (INT'L) 48IS 21
271 PIKA TECHNOLOGIES 382
238 RHETOREX, INC 383
324 ROSE ELECTRONICS 132
550 ROTRON SOFTWARE AG 48IS 28
259-260 SIGMA TECH SOFTWARE 383
85-86 SMART PRINT / DRESSELHAUS 332
258 STARGATE TECHNOLOGIES 382
242 TALKING TECHNOLOGY INC 383

5 COMPUTER SYSTEMS

63 ACMA COMPUTERS INC (N.A.) 77
280-281 ADVANCED LOGIC RESEARCH 109
* AMBRA COMPUTER CORP (N.A.) 40-41
* AMBRA COMPUTER CORP (N.A.) 32B-D, 33
* APPLE COMPUTER INC 11-13
555-556 APPRO INTERNATIONAL INC 366PC 3
289 COMPAQ SYSTEMS (N.A.) 130A-D
83 CYRIX 30-31
* DELL COMPUTER CORP (N.A.) 98B-D,99,101
* DELL COMPUTER CORP (N.A.) CIII
* DELL COMPUTER CORP (N.A.) CIV
79 DIGITAL EQUIPMENT CORP 204
* GATEWAY 2000 CII,1
* GATEWAY 2000 160-161
* GATEWAY 2000 261-266
* IBM - DIRECT (N.A.) 228A-D
539-540 IGC INC (INT'L) 48IS 7
97 INTEL CORP (N.A.) 48A-D
229 KILA 383
563 MANCHESTER EQUIP CO (N.E.) 367
264 MITAC 383
544 MITAC INT'L CORP 48IS 23
545 MITAC INT'L CORP 48IS 25
113 NSTL 330
116-117 PC POWER & COOLING 63
123 PSION 235
197-198 RECORTEC INC 373
* SILICON GRAPHICS (N.A.) 212A-B
* SILICON GRAPHICS 212-213
522 TECHPOWER COMPANY LTD (INT'L) 281
253 TRI VALLEY TECHNOLOGY INC 383
147 ZEOS INTERNATIONAL 54-55

6 DATA ACQUISITION

214 AMERICAN ADVANTECH 383
350 ANDYNE 143
231 KEITHLEY METRABYTE 384
* MICROSTAR LABORATORIES 384
* NATIONAL INSTRUMENTS 48IDRC 1-2
232 NATIONAL INSTRUMENTS 389
318 QUA TECH INC 155
126 QUA TECH INC 354
240 SILICONSOFT, INC 391

7 DISK & OPTICAL DRIVES

551 BOFFIN LIMITED 366PC 10
269 CD RESEARCH COMPANY LTD 384
546 CHRISTIE ELECTRONICS LTD 48IS 5
81-82 CURTIS INC 236
221 DOVE COMPUTER 384
265 GENERAL TECHNICS 384
304 IOMEGA 202
227 J B TECHNOLOGIES 384
516 MICRO DESIGN INT'L (INT'L) 139
190-191 MICRO SOLUTIONS COMP PROD 363
192-193 MICRO SOLUTIONS COMP PROD 365
310 MICROPOLIS CORP 181
541-542 MULTIPORT COMPUTER-SYSTEME 48IS 16
119-120 PINNACLE MICRO 7
121 PIONEER NEW MEDIA TECHNOLOGIES 251
195-196 STARTECH INTERNATIONAL 361
250 TRANTOR SYSTEMS LTD 385
140-141 VERBATIM CORP 223

8 DISKETTES/DUPLICATORS

215-216 AXIOMATIC 385
246 VICTORY ENTERPRISES TECHNOLOGY 385

9 FAX BOARDS/MACHINES

523-524 MOTOROLA UDS (INT'L) 48IS 21
* SUPRA CORP (N.A.) 245

10 GRAPHICS TABLETS/MICE/PEN INPUT

165-166 ARISTO GRAPHIC SYSTEMS (EUROPE) 211
165-166 ARISTO GRAPHIC SYSTEMS (N.A.) 211
84 DIGITAL VISION 260
* MICROSOFT CORP 119

11 KEYBOARDS

561 BTC 366PC 6
502 CHERRY MIKROSCHALTER GMBH (INT'L) 330-331
220 DATALUX CORP (INT'L) 385
220 DATALUX CORP (N.A.) 385

12 LAN HARDWARE

503-504 COMPEX INC (INT'L) CIII
506-507 CYBEX CORP (INT'L) CIV
181-182 CYBEX CORP (N.A.) 374
203 LOGICAL CONNECTION 378
525 MINICOM LTD 48IS 22
541-542 MULTIPORT COMPUTER-SYSTEME 48IS 16
116-117 PC POWER & COOLING 63
85-86 SMART PRINT / DRESSELHAUS 332

13 LAPTOPS & NOTEBOOKS

384 ADD NET COMPUTERS & SOFTWARE 368
* AMBRA COMPUTER CORP (N.A.) 32B-D, 33
* AMBRA COMPUTER CORP (N.A.) 40-41
251 AMREL TECHNOLOGY, INC 385
284-285 AUSTIN COMPUTER SYSTEMS (N.A.) 134
217 AXONIX CORP 386
532 CHICONY 48IS 2
277 DIALOGUE TECHNOLOGY (INT'L) 386
526 FIRST INT'L COMPUTER (INT'L) 77
222 GENOVATION, INC 386
* HEWLETT PACKARD 43
* IBM - DIRECT (N.A.) 228A-D
27 J B TECHNOLOGIES 384
* JDR MICRODEVICES 381
201-202 MICRO-INTERNATIONAL, INC 362
544 MITAC INT'L CORP 48IS 23
545 MITAC INT'L CORP 48IS 25
175-176 OLIVETTI (N.A.) 225
173-174 OLIVETTI (N.A.) 259
130 S'N'W COMPUTERS & ELECTRONICS 62
536 SUNRACE (INT'L) 41
332 TEXAS INSTRUMENTS 150
137 TOSHIBA AMERICA INC 53
147 ZEOS INTERNATIONAL 54-55

14 MAIL ORDER

* AMBRA COMPUTER CORP (N.A.) 40-41
85 BYTE / ADVERTISER MESSAGE 248
* BYTE / BUYER'S GUIDE 340
72 BYTE / LAN REPORTER 339
199 CITITRONICS 377
179 COMPUTER DISCOUNT WAREHOUSE 356-357
180 COMPUTERLANE 370
537-538 ELEX INFO SYSTEMS INC (INT'L) 225
* IBM - DIRECT (N.A.) 228A-D
99 JAMECO ELECTRONICS 255
201-202 MICRO-INTERNATIONAL, INC 362
187 NEVADA COMPUTER 364
105 PROGRAMMER'S PARADISE 78-79
130 S'N'W COMPUTERS & ELECTRONICS 62
* SOFTWARE PUBLISHER'S ASSOC 281
195-196 STARTECH INTERNATIONAL 361

15 MEMORY/CHIPS/UPGRADES

199 CITITRONICS 377
83 CYRIX 30-31
185-186 FIRST SOURCE INT'L 360
564 GFK HAMBURG (INT'L) 321
98 INTEL CORP 16A-B
96 INTEL CORP 16-17
97 INTEL CORP (N.A.) 48A-D
99 JAMECO ELECTRONICS 255
306-307 KINGSTON TECHNOLOGY 123
207-208 L A TRADE 366
177 MOTOROLA RISC DIVISION 36-37

16 MISCELLANEOUS HARDWARE

206 DATAVISION 376
95 INTEGRAND RESEARCH 338
553-554 SEKISUI CHEMICAL CO LTD 366PC 4
519-520 SEKISUI CHEMICAL CO LTD (INT'L) 134
195-196 STARTECH INTERNATIONAL 361

17 MODEMS/MULTIPLEXORS

157-158 AT & T PARADYNE 70
353-354 AT & T PARADYNE 172
276 ATRIE TECHNOLOGY INC 386
79 COMPUTER FRIENDS 62
* JDR MICRODEVICES 381
523-524 MOTOROLA UDS (INT'L) 48IS 21
209 ORION RESEARCH LABS 378
* SUPRA CORP (N.A.) 245
351-352 ZYXEL USA 139

18 MONITORS & TERMINALS

293-294 CTX INTERNATIONAL INC 169
219 DATALUX CORP (INT'L) 387
219 DATALUX CORP (N.A.) 387
512 KUO FENG CORP 48IS 17
552 KUO FENG CORP 366PC 5
346-347 MAG INNOVISION 157
312-313 NANAO USA CORP 148-149
518 PHILIPS MONITORS (INT'L) 8-9
533 SAMTRON (INT'L) 40
357-358 SCEPTRE TECHNOLOGIES 177
144-145 VIEWSONIC 61
335-336 VIEWSONIC 189

19 MULTIMEDIA

384 ADD NET COMPUTERS & SOFTWARE 368
387 COMPUMEDIA 168
153 CREATIVE LABS INC 39
343 CREATIVE LABS INC 174-175
267-268 DISPLAY RESEARCH LAB 387
359-360 DSP SOLUTIONS / DIGISPEECH 183
301-303 INTERACTIVE INC 133
344 MEDIA VISION (N.A.) 98A
* MICROSOFT CORP 95
194 OMNICOMP GRAPHICS CORP 371
315 PASSPORT DESIGNS INC 191
* RADIO SHACK (N.A.) 20-21
* SILICON GRAPHICS 212-213
* SILICON GRAPHICS (N.A.) 212A-B
240 SILICONSOFT, INC 391
244 TELEBYTE TECHNOLOGY, INC 387
156 VIDEO MAKER / VITEC 335
547 VOCALTEC LTD (INT'L) 259

20 PRINTERS/PLOTTERS

384 ADD NET COMPUTERS & SOFTWARE 368
64 ADOBE SYSTEMS INC (N.A.) 281
76 COMPAQ PRINTERS (N.A.) 8-9
380 FARGO ELECTRONICS INC 292
155 KYOCERA ELECTRONICS, INC 286-287
203 LOGICAL CONNECTION 378
563 MANCHESTER EQUIP CO (N.A.) 367
517 MINOLTA GMBH (INT'L) 269
110 NEC - SYSTEMS 296-297
314 OKIDATA 106
* PACIFIC DATA PRODUCTS 294
272-273 PRIMAX ELECTRONICS 387
101-102 QMS 303
85-86 SMART PRINT / DRESSELHAUS 332
130 S'N'W COMPUTERS & ELECTRONICS 62
136 TEKTRONIX 283

21 PROGRAMMABLE HARDWARE

252 DATA I/O 387
261-262 DAVISON-WORTH CORP 388
87 ELIASHIM MICROCOMPUTERS 52
509 FAST ELECTRONIC GMBH 48IS 13
226 IO TECH 388
* JDR MICRODEVICES 381
314 OKIDATA 106
245 TRIBAL MICROSYSTEMS 388
548-549 WIBU 48IS 12
248 XELTEK 388
249 Z-WORLD ENGINEERING 388

22 SCANNERS/OCR/DIGITIZERS

561 BTC 366PC 6
537-538 ELEX INFO SYSTEMS INC (INT'L) 225
87 ELIASHIM MICROCOMPUTERS 52
513 LIGATURE LTD 48IS 30
314 OKIDATA 106
321 RECOGNITA 116

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on your Direct Link Card!

Category No. / Inquiry No. — Page No.

23 TAPE DRIVES
546 CHRISTIE ELECTRONICS LTD 48IS 5
73-74 COLORADO MEMORY SYSTEMS 56
88-89 EXABYTE CORP 288
304 IOMEGA 202
230 LAGUNA DATA SYSTEMS 388
190-191 MICRO SOLUTIONS COMP PROD 363
192-193 MICRO SOLUTIONS COMP PROD 365
541-542 MULTIPORT COMPUTER-SYSTEME 48IS 16
233 OVERLAND DATA INC 388
237 QUALSTAR CORP 388
274-275 SHAFFSTALL CORP 389

24 UPS
282 AMERICAN POWER CONVERSION 126
68 BEST POWER TECHNOLOGY 231
546 CHRISTIE ELECTRONICS LTD 48IS 5
115 MINUTEMAN 59
116-117 PC POWER & COOLING 63

SOFTWARE

25 BUSINESS
263 HARPER COLLINS 391
298-299 HORIZONS TECHNOLOGY 111
* PRODEA SOFTWARE CORP 353

26 CAD/CAM
283 AMERICAN SMALL BUSINESS COMP 159
165-166 ARISTO GRAPHIC SYSTEMS (EUROPE) 211
165-166 ARISTO GRAPHIC SYSTEMS (N.A.) 211
257 CADSOFT COMPUTER, INC 389
565 MICRODATA SYSTEM SRI 281
194 OMNICOMP GRAPHICS CORP 371
356 SHAPEWARE 87
247 WINTEK CORP 389

27 COMMUNICATIONS/NETWORKING
348-349 AGE LOGIC 121
171-172 APPLIED BUSINESS TELECOMMUNICA 230
366 DIVERSIFIED COMPUTER 201
296-297 FUTURESOFT ENGINEERING 112
539-540 IGC INC (INT'L) 48IS 7
525 MINICOM LTD 48IS 22
112 NORTON-LAMBERT 45
209 ORION RESEARCH LABS 378
316 PERSOFT INC 145
362 SOFTARC 190
241 SOFTWARE LINK, THE 389
333-334 TRAVELING SOFTWARE 187
543 TRAVELING SOFTWARE 48IS 9
377-378 VISIONWARE 233
558 WELLS FARGO BANK 366PC 1

28 DATA ACQUISITION
* MICROSTAR LABORATORIES 201
232 NATIONAL INSTRUMENTS 389

29 DATABASE
69-70 BORLAND INTERNATIONAL 15
77 COMPUTER ASSOCIATES 35
78 COMPUTER ASSOCIATES 47
291 COMPUTER ASSOCIATES 82-83
218 COMPUTERWISE 390
508 DR HUGGLE & PARTNER GMBH 48IS 10
298-299 HORIZONS TECHNOLOGY 111
515 MAGIC / MSE 48IS 15
* MICROSOFT CORP 64A-B
* MICROSOFT CORP 64-65
* RAIMA CORP 29

30 EDUCATIONAL
61-62 ABACUS SOFTWARE 51
278-279 ABACUS SOFTWARE 108
178 AETECH 376
383 TOUCHVISION SYSTEMS 379

31 ENGINEERING/SCIENTIFIC
508 DR HUGGLE & PARTNER GMBH 48IS 10
298-299 HORIZONS TECHNOLOGY 111
151-152 ITERATED SYSTEMS 186
328-329 LANDMARK RESEARCH INT'L CORP 153
270 OUTOKUMPU RESEARCH OY 390
235 PERSONAL TEX 390
255-256 SCIENTIFIC PROGRAMMING 391
356 SHAPEWARE 87
559 SOFTWARE PRODUCTIONS 366PC 4
340-342 WOLFRAM RESEARCH 127

32 ENTERTAINMENT
210 METATEC SYSTEMS 380
188-189 MICROPROSE SOFTWARE 359

Category No. / Inquiry No. — Page No.

33 GRAPHICS
66 AITECH INTERNATIONAL 273
165-166 ARISTO GRAPHIC SYSTEMS (EUROPE) 211
165-166 ARISTO GRAPHIC SYSTEMS (N.A.) 211
80 COREL SOFTWARE 22
292 COREL SOFTWARE 84
160-161 LEAD TECHNOLOGIES 232
308-309 MICROGRAFX 124
107-108 MICROGRAFX 329
312-313 NANAO USA CORP 148-149
315 PASSPORT DESIGNS INC 191
234 PATTON & PATTON 390
266 RESEARCH SYSTEMS, INC 390
367 SCIENTIFIC ENDEAVORS 201
356 SHAPEWARE 87
534-535 SPEA SOFTWARE AG (INT'L) 101

35 MAIL ORDER
179 COMPUTER DISCOUNT WAREHOUSE 356-357
505 COMPUTER QUICK 48IS 14
105 PROGRAMMER'S PARADISE 78-79
521 SOFTLINE CORP 48IS 11

36 MATHEMATICAL/STATISTICAL
355 MACSYMA 178
529 NAG 48IS 32
235 PERSONAL TEX 390
239 SAS INSTITUTE INC 391
326 SPSS INC 203
327 STATSOFT 185
330-331 SYSTAT INC 167
134-135 SYSTAT INC 237
340-342 WOLFRAM RESEARCH 127

37 MISCELLANEOUS SOFTWARE
* DIAGSOFT INC 327
527 ON TIME MKT / KARSTEN PETERSEN 48IS 32
562 TYPHOON SOFTWARE 366PC 7

38 ON-LINE SERVICES
450 BIX 403
* COMPUSERVE 162A-B
290 COMPUSERVE 163

39 OPERATING SYSTEMS
64 ADOBE SYSTEMS INC (N.A.) 281
372 IBM - PERSONAL S/W PROD 69
373 IBM - PERSONAL S/W PROD 71
374 IBM - PERSONAL S/W PROD 73
375 IBM - PERSONAL S/W PROD 75
300 IBM - PERSONAL S/W PROD 128-129
* NETWORK COMPUTING DEVICES (N.A.) 227
124 QNX SOFTWARE SYSTEMS LTD 333
125 QUARTERDECK OFFICE SYSTEMS 26-27

40 PROGRAMMING LANGUAGES/TOOLS
178 AETECH 376
381-382 BLINK INC 337
* COPIA INTERNATIONAL LTD 186
* COPIA INTERNATIONAL LTD 244
508 DR HUGGLE & PARTNER GMBH 48IS 10
510 GREY MATTER LTD 48IS 29
364-365 HOCKWARE (INT'L) 99
511 IBM - GRAPHICS INTERFACE (INT'L) 33
* KEDWELL SOFTWARE 48IS 27
100 LAHEY COMPUTER SYSTEMS 76
160-161 LEAD TECHNOLOGIES 232
514 LOGIC PROGRAMMING ASSOCIATES 48IS 12
515 MAGIC / MSE 48IS 15
* MICROSOFT CORP 137
* MICROWAY 182
* MICROWAY 324
311 MKS / MORTICE KERN SYSTEMS 141
109 MKS / MORTICE KERN SYSTEMS 243
527 ON TIME MKT / KARSTEN PETERSEN 48IS 32
118 PHAR LAP SOFTWARE INC 195
169 POET SOFTWARE (N.A.) 269
317 POPKINS/W & SYSTEMS INC 147
105 PROGRAMMER'S PARADISE 78-79
129 SEQUITER SOFTWARE INC 308
559 SOFTWARE PRODUCTIONS 366PC 4
148 SYMANTEC 80
243 TALKING TECHNOLOGY INC 391
562 TYPHOON SOFTWARE 366PC 7
146 WATCOM 25
337 WATCOM 91
338-339 XVT SOFTWARE INC 193

41 SECURITY
65 ALADDIN KNOWLEDGE SYSTEMS 219
502 CHERRY MIKROSCHALTER GMBH (INT'L) 330-331
159 DALLAS SEMICONDUCTOR 50
87 ELIASHIM MICROCOMPUTERS 52
509 FAST ELECTRONIC GMBH 48IS 13
91-92 GLENCO ENGINEERING 253
127-128 RAINBOW TECHNOLOGIES 66

Category No. / Inquiry No. — Page No.

319-320 RAINBOW TECHNOLOGIES 115
131 SOFTWARE SECURITY 270
548-549 WIBU 48IS 12

43 SOFTWARE DUPLICATION
215-216 AXIOMATIC 385

44 SPREADSHEETS
286-287 BORLAND INTERNATIONAL 171

45 UNIX
* COPIA INTERNATIONAL LTD 186
* COPIA INTERNATIONAL LTD 244
295 FALCO DATA PRODUCTS 93
90 FRAME TECHNOLOGY (N.A.) 32A
162-163 INFORMATION FOUNDATION 275
311 MKS / MORTICE KERN SYSTEMS 141
109 MKS / MORTICE KERN SYSTEMS 243
* NETWORK COMPUTING DEVICES (N.A.) 227
167-168 SOFTLANDING SOFTWARE 332
154 SUNSOFT 2-3
377-378 VISIONWARE 233
340-342 WOLFRAM RESEARCH 127

46 UTILITIES
288 CENTRAL POINT SOFTWARE 113
388-389 CONNER 165
345 FIFTH GENERATION 173
263 HARPER COLLINS 391
328-329 LANDMARK RESEARCH INT'L CORP 153
170 LOGICIELS ET SERVICES DUHEM (INT'L) 52
200 MICRO 2000 372
122 PKWARE INC 72
138-139 TOUCHSTONE SOFTWARE 274
142 VERMONT CREATIVE SOFTWARE 334

47 WINDOWS
61-62 ABACUS SOFTWARE 51
278-279 ABACUS SOFTWARE 108
363 ASK ME INFORMATION CENTER 182
288 CENTRAL POINT SOFTWARE 113
* COPIA INTERNATIONAL LTD 186
* COPIA INTERNATIONAL LTD 244
295 FALCO DATA PRODUCTS 93
361 FRANKLIN QUEST COMPANY 179
510 GREY MATTER LTD 48IS 29
301-303 INTERACTIVE INC 133
305 KEA SYSTEMS LTD 164
328-329 LANDMARK RESEARCH INT'L CORP 153
370 MICROCAL INC 201
188-189 MICROPROSE SOFTWARE 359
* MICROSTAR LABORATORIES 202
312-313 NANAO USA CORP 148-149
111 NEURON DATA 247
369 PACIFIC SOFTWORKS 201
254 PACIFIC SOFTWORKS 391
316 PERSOFT INC 145
255-256 SCIENTIFIC PROGRAMMING 391
240 SILICONSOFT, INC 391
534-535 SPEA SOFTWARE AG (INT'L) 101
383 TOUCHVISION SYSTEMS 379
562 TYPHOON SOFTWARE 366PC 7
377-378 VISIONWARE 233
* WORDPERFECT CORP 103-105

48 WORD PROCESSING/DTP
90 FRAME TECHNOLOGY (N.A.) 32A
263 HARPER COLLINS 391
* WORDPERFECT CORP 103-105

GENERAL

49 BOOKS/PUBLICATIONS
61-62 ABACUS SOFTWARE 51
278-279 ABACUS SOFTWARE 108
* JOURNAL OF OBJ ORIENT PROGRAMMING 48IDRC 1-2
* MCGRAW HILL BOOKSTORE 336
* OBJECT MAGAZINE 48IDRC 1-2
14 OSBORNE MCGRAW-HILL 300
* UNIXWORLD 349-350
* UNIXWORLD 351

51 MISCELLANEOUS
71 BRITISH AIRWAYS 341
* BYTE EURODECK 48IS 31
* BYTE SUB MESSAGE 244
* BYTE SUB MESSAGE 259
101 C.E.T.R.A. (INT'L) 227
186 DATAPRO INFO SVCS GRP 220-221
* DATAPRO INFO SVCS GRP (INT'L) 20-21
160 DECUS 366PC 2
* MICROGRAFX 205
557 MINISTRY OF INDUSTRY AND TRADE 366PC 8-9

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on Your Direct Link Card. Each page number refers to the first page of the article or section in which the company name appears. IS pages appear only in the International edition.

Inquiry No.		Page No.
	A	
1213	Aapex Software	151
1215	Above Software	151
1062	Acer America	344
	Adaptec	97
1456	Adept Scientific Micro Systems	48IS-20
1056	Adobe Systems	23, 107, 151, 995
1105, 1106, 1107, 1108, 1110, 1111, 1371	Advanced Matrix Technologies	276
	Agfa Compugraphic	46
1288	Aladdin Systems	346
	Alcatel	107
1059, 1187	Aldus	23, 151
996, 1372	Alps America	276
1060	Ambra Computer	342
1135	American Megatrends	343
	Ameritech	107
	Analog Devices	107
	Anitec	46
981, 997, 1357, 1373, 1374, 1375, 1376, 1377	Apple Computer	23, 48, 107, 130, 206, 276
1146	Arabesque Software	325
1191	Arcadia Technologies	151
1427, 1449	Arcom Control Systems	48IS-3, 48IS-14
1217	Aristosoft	151
1211	Ashlar	151
1329	askSam	151
1165, 1179	Asymetrix	151
	AT&T	23, 107
1141	ATI Technologies	23, 97, 345
1302	AT Software	352
1203, 1204	Autodesk	151
	Autotype International	46
1044	Avalan Technology	151
982	Axonix	276
	B	
	Banyan Systems	131
	Bellcore	48
1033	Beyond	151
	Bitstream	23
1286	Blueridge Technologies	346
1308	Blue Sky Software	348
1077, 1171, 1172, 1173, 1174, 1333, 1343	Borland International	151, 238
	BPR Publications	23
1477	Brain Computer Systems Group	48IS-30
1292	Broderbund	347
	Brooktree	23
983, 998, 1112, 1358, 1378, 1379, 1380	Brother International	276
1460	BühlerMVS	48IS-19
1311	BusLogic	348
1336	ButtonWare	151
	C	
1318	California Scientific Software	352
1195	Campbell Services	151
984, 1221, 1360, 1361	Canon Computer Systems	276
1142	Cardinal Technologies	345
	C-Cube Microelectronics	206
1193	CE Software	151
	Cellular Data	23
1218	Central Point Software	151
1476	CGI Informatique	48IS-22
	Chips & Technologies	229
	Cigna Insurance	67
	Cirrus Logic	97, 229
985, 1222, 1223, 1224	Citizen America	276
1285, 1330	Claris	151, 346
1070	CMS Enhancements	342
1138	Commax Technologies	343
	Communications Network Associates	107
383, 1384	Compaq Computer	23, 206, 276
1050, 1051, 1063, 1161, 1169, 1170, 1197, 1198, 1321, 1339	Computer Associates International	151
1459	Computers Unlimited	48IS-26
	Contact Software	107
1052	Corel	151
1137	CoStar	343
1443	CPV Datensysteme	48IS-10
1431	Cristie Electronics	48IS-4
1282	CrossWind Technologies	348
1113, 1114, 1359, 1381, 1382	C-Tech Electronics	276
1303	CyberCorp	352
	Cyrix	249
	D	
	Dainippon Screen	46
1140	Datagraf	344
1131	Data I/O	343
1225, 1226, 1385, 1386	DataProducts	276
	Dataquest	112
1115	DataSouth Computer	276
1043	Datastorm Technologies	151
1061	Data Translation	343
1038	DaVinci Systems	151
1457	DBS	48IS-22
1465	DDTEC	48IS-24
1117, 1118, 1227, 1251, 1252, 1362	DEC	85, 117, 131, 135, 142, 144, 206, 215, 276
1116, 1387	Decision Data	276
	Dell Computer	206
1049, 1312	Delrina Technology	107, 151, 348
1462	Delta Software International	48IS-18
1322	DeScribe	151
1275	DeskStation Technology	344
1037	Digital Communications Distributed Processing Technology	151 97
1310	DMC Design	348
1474	Dr. Rudolf Keil	48IS-18
1441	Dynatech Communications	48IS-10
	E	
986, 1228	Eastman Kodak	276
	ElseWare	23
1316	Emeritus Technologies	352
1081, 1119, 1120, 1121, 1122, 1123, 1143, 1363, 1388, 1389	Epson America	249, 276, 344
1472	Eurostat Data Shop	48IS-20
	F	
1455	F&H Logistics and Automation	48IS-18
1315	Fifth Generation Systems	347
1206	Foresight Resources	151
1023	Forward Distribution	48IS-20
1026	FOS-CD	48IS-18
1048	Fourth Wave	151
1186	Frame Technology	151
1192	Franklin Quest	151
1124, 1229, 1390	Fujitsu Computer Products of America	276
	Future Domain	97
1047	FutureSoft Engineering	151
	G	
1125, 1364, 1391, 1392, 1393	GCC Technologies	276
1230, 1231	General Parametrics	276
1126, 1127, 1273, 1394, 1395, 1440	Genicom	276, 343, 48IS-14
	Genix Imaging	46
	Gradient Technologies	131
1475	Groupe Arm	48IS-26
1078	Gupta	238
	H	
1046	Hayes Microcomputer Products	151
	Headland Logic	97
987, 1064, 1232, 1233, 1234, 1235, 1253, 1254, 1365, 1396, 1397, 1398, 1399, 1400	Hewlett-Packard	125, 131, 142, 144, 215, 271, 276, 342
1040	Hilgraeve	151
1307	Horizons Technology	347
1290	Hummingbird Communications	346
	I	
1082, 1088	IBM	23, 48, 49, 85, 97, 110, 112, 114, 117, 125, 130, 131, 144, 146, 206, 215, 249, 271, 313, 317, 325
1024	Image Computer Systems	48IS-18
1057	ImageWare Software	151
1177	Informix Software	151
1445	Instrumentation Test & Measurement	48IS-4
	Intel	23, 85, 107, 135, 206, 249, 271
1299	IntelligenceWare	352
	Intergraph	144
1210	International Microcomputer Software	151
1202	Intuit	151
1276	Iomega	344
1278	I/O Software	345
1295	IQ Software	347
1205	Isicad	151
1479	ISL Tognazza, Leu & Co.	48IS-30
	J	
1194	Jensen-Jones	151
1087	JetForm	67
1022	JSB Computer Systems	48IS-28
	K	
1309	KansasBay Systems	347
1337	Kenan Technologies	151
1429, 1437	Kerridge Network Systems	48IS-6
1291	Keyboard Publishing	347
1300	Knowledge Integration Center	352
1079	Knowledge Ware	238
1075	Knozall Systems	271
1133	Krolman	343
1401, 1402	Kyocera Electronics	276
	L	
1428	LANart International	48IS-12
1403, 1404	LaserMaster	276
1473	Layout	48IS-26
1296	Leprechaun Software	348
988, 989, 1128, 1236, 1366, 1405, 1406, 1407, 1408	Lexmark International	276
	Logitech	257
1035, 1166, 1320, 1328, 1341, 1342	Lotus Development	23, 49, 107, 151, 257
	M	
990, 991, 1129, 1237, 1409, 1452	Mannesmann Tally	276, 48IS-16
1446	Mase	48IS-6
1207	MathSoft	151
	Matrox Electronic Systems	23
1293	Media Cybernetics	352
	Meta Group	107
1020	M-Group	48IS-19
1304	Microcode Engineering	348
1034	Microcom	151
1053, 1054, 1058, 1164, 1178	Micrografx	151
1214, 1219	MicroHelp	151
1334	Microrim	151
1041, 1167, 1175, 1180, 1181, 1189, 1199, 1324, 1327, 1332, 1340	Microsoft	23, 49, 85, 107, 117, 130, 131, 142, 144, 146, 151, 206, 229, 257, 271, 313, 317, 325
1084	Microtek Lab	267
1433	Microvitec	48IS-4
1430	Minolta	48IS-3
1068	Mirror Technologies	342
1447	Mitac	48IS-6
	Mitsubishi	46
	Motorola	23, 107
1272	MountainGate Data Systems	345
1454	Moxa Technologies	48IS-16
	N	
1073	Nanao	342
	National Institute of Standards and Technology	309
1434, 1458	National Instruments	48IS-4, 48IS-19
	National Semiconductor	107
	NEC	144
1130, 1410, 1411	NEC Technologies	276
1412, 1413, 1414	NewGen Systems	46, 276
1436	Nighthawk Electronics	48IS-6
	Northern Telecom	107
1283	Notable Technologies	352
	Novell	107, 117, 131, 271
	O	
	Oak Technology	229
1426	Océ Graphics	48IS-3
1451	OKI Systems	48IS-6
1238, 1346, 1347, 1348, 1349, 1415, 1416, 1417, 1418	Okidata	276
1083, 1367, 1425	Olivetti	249, 276, 48IS-10
1338	Ontos	151
1063	Ora Electronics	345
1145	Orchid Technology	344
1450	Oros	48IS-12
	P	
	Pacific Bell	57
	Pacific Communications Sciences	23
1279, 1368	Pacific Data Products	276, 344
1305	Palindrome	347
1239, 1240, 1241, 1350, 1419, 1420	Panasonic Communications & Systems	276
1319	PaperLess	352
1200	Parsons Technology	151
1464	Pathfinder	48IS-22
1274	Patton Electronics	345
1132	PC-Build Computer Kits	343
1144	PC Green Technologies	345
1297	PC Guardian	348
1066	PC InterConnect	344
1201	Peachtree Software	151
1471	Pegasus Software	48IS-22
1136	Pinnacle Micro	343
	Plazer	46
1196	Polaris Software	151
1080	PowerSoft	238
1134	Presentation Electronics	343
1480	Productivity Through Software	48IS-24
1277	Proton	345
	Q	
1090, 1091, 1092, 1242, 1243, 1255	QMS	276
1190	Quark	151
1306	Quicksoft	347
	R	
1067	Racal-Datacom	342
1072	Radius	342
	Rockwell International	23
1424	Roland Digital Group	48IS-6
	Rolm	107
	S	
1093, 1351	Samsung Electronics America	276
1280	Scitor	346
1244, 1301	Seiko Instruments USA	276,347
992, 1352, 1353	Seikosha America	276
1188	Serif	151
1076	Shany	271
1162	Shapeware	151
1467	Shareware	48IS-20
1094	Sharp Electronics	276
1421	Siemens Nixdorf	48IS-3
	Sierra	229
	Silicon Graphics	144, 206, 215, 229
1369	Smith-Corona	276
1039	SofNet	151
1314	SoftSource	352
1055, 1085, 1335	Software Publishing	151, 257
1461	Softwright	48IS-19
	Sony	23
1422	Special Access Systems	48IS-4
1281	Specular	347
1442	Spider Systems	48IS-12
1448	Standard Microsystems	48IS-16
993, 1095, 1245, 1246, 1354, 1355	Star Micronics America	276
1313	Streetwise Software	348
1435	Summagraphics	48IS-6
	SunConnect	271
	Sun Microsystems	142, 144, 215
1423	Suntec	48IS-3
1042, 1216, 1323	Symantec	151
1209	Systat	151
	T	
994, 1096, 1356	Tandy	276
1326	The Technology Group	151
1247, 1248, 1249, 1250	Tektronix	276
	Telescript	107
1097, 1098, 1099, 1100, 1101, 1102, 1103, 1370	Texas Instruments	206, 276
1071	Texel	342
	Toshiba	249
976, 1104	Toshiba America Information Systems	276
1468	Total Control	48IS-18
	Traveling Software	23
	Trident	97
1331	Trinzic	151
1036	Triton Technologies	151
	Tseng Labs	23, 97, 229
	U	
1481	Unify	48IS-19
1069	USRobotics	23,342
	US West	107
	V	
1074	ViewSonic	342
1287	Visual Software	346
	W	
1139	Wacom Technology	345
1045	Wall Data	151
1182, 1183, 1184, 1185	Watcom	151
1212	Wavetek	151
	Weitek	229
	Western Digital	23, 97, 229
1432	Wiesmann & Theis	48IS-4
1028	Windmill Software	48IS-28
1208	Wolfram Research	151
1086, 1168, 1317, 1325	WordPerfect	151, 257,352
	X	
977, 978, 979	Xante	276
980	Xerox	276
1271, 1289	Xing Technology	344,346

BIX: Your Coach to the Internet!




Photo by Dana Simmons

The Internet connects you with more than 10 million people , at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free! Take the rest of the calendar month to explore BIX, and then continue for our standard $13 monthly membership fee. Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix. Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642. Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

BIX


If you can hack it

Under the 5 for Free plan, daytime rates ($9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

Electronic Books

Quick, someone please tell all those CD-ROM publishers that most books are better left on paper



MARY ANNE KENNER © 1993

The custodians of any new medium are subject to panic attacks. *Here it is. Now what do we (shudder!) do with it?* The typical answer is, recycle the offerings of a previous medium.

So the early-1930's talkies offered remakes of *Tom Sawyer* and *A Midsummer Night's Dream*, the latter hyped as the longest talkie ever made. The most popular available comedian, Joe E. Brown, was featured as Bottom the weaver; and do I misremember, or wasn't the young Mickey Rooney also featured? Anyway, you see the idea: The medium had to be made respectable, by having its best talents hype the content of a medium that was earlier, hence prestigious. Decades later, TV would likewise be legitimizing itself, by showing movies, which with its aid became "cinema."

And in the 1990s here's, ugh, the CD-ROM medium, and what the flacks are doing with that is promoting it as a neat repackager of books. Books! Books!! Jane Austen: The Complete Illustrated Novels on CD-ROM. How can I contain my excitement?

Easily. First of all, if I'm planning to browse the 60,000-odd words of her *Emma*, which will take a few hours, it's a lot more comfortable to sit this way and that way, holding a small book in one hand, than to prop myself erect while the clock ticks, in front of an immobile screen. Next, I've really no immediate use for the software that can tell me *Emma* uses the word *the* 1479 times, *marriage* 33 times, *drawing-room* 15 times, *Christian* a mere twice.

Granted, that diminuendo is amusing; granted also, word-frequency studies came in the 1930s and quickly went because hand-counting was simply unthinkable. But now that we control the data, isn't there reason for a revival? Miles Hanley and some students at the University of Minnesota used mere cards late in the 1930s to gather statistics on James Joyce's *Ulysses* that greatly aided Harvard's George Kingsley Zipf with Zipf's Law....

Sorry, am I getting ahead of you? Zipf's Law, one of the intellectual curiosities of this century: From the principle that you'd tend to place nearby the tools you'd use most often, Zipf derived a linear connection between frequency-of-use and usefulness. The commonest word in *Ulysses* (*the*) occurs 15,000 times; there are 15,000 words that occur once. You glimpse the principle; the third commonest word occurs about as often as the words that occur three times. The subject was never followed up, for two reasons: (1) Before computers, data such as what the Hanley team had turned up simply wasn't accessible; (2) Zipf absolved all skeptics from any need to respond by dying just after his big book was published. (Five decades later, you can still hear the collective sigh of relief.)


So there's work still to be done on Zipf's Law, but that's not what the Great Literature CD-ROM has in mind. It offers "The Full Text of Over 500 Literary Classics," including an abominable translation, some 150 years old, of Dante's *Commedia*, the rights to which, of course, cost the publishers absolutely nothing, which is the main reason such dreary junk shows up in collections. There's also "full search and browse ability," but, Lord, how'd you begin to guess what to search for? Or use what you've found.

Let's face it, the one CD-ROM I've met that has a need for its search utilities is The Oxford English Dictionary, Second Edition, the whole 20 volumes. Dictionaries, by definition, are for searching. Alas, the printed versions will search on only one alphabet (word). But how often does OED-2 cite T. S. Eliot? The CD-ROM is quick to tell us: exactly 555 times. It will also display the citations, though more creakily than you'd like. And how many quotations, pray tell, from *Finnegans Wake*? Glad you asked: 185. Something meant to be consulted in-and-out is perfect for CD-ROM access; a dozen search indexes supplant the sole one permitted by print.

If you want to resume work on Zipf's Law, then welcome all those CD-ROM texts (which include *Jurassic Park*). Otherwise, just settle for the OED-2, which I find I use every day. The computerization is primitive—you can't, for instance, easily print your findings—but Oxford did understand what computers do best with books, which is not display them for reading. ■

Hugh Kenner is Franklin and Callaway Professor of English at the University of Georgia. He writes for publications ranging from the New York Times *to* Art & Antiques. *You can contact him on BIX as "hkenner."*


FINALLY, PCs AS DEDICATED TO YOUR BUSINESS AS YOU ARE.



THEY WORK H
SHORTER
AND ACTUALL


INTRODUCING DELL OPTIPLEX. PCs DESIGNED FOR BUSINESS-CRITICAL APPLICATIONS.

(For systems and configurations, see back cover.)



DESIGNED AND CONFIGURED TO WORK HARDER AND FASTER.

This is much more than just another new line of PCs. These are role models for everyone in your office.



Good-looking, hard-working, dedicated, flexible. See back page for resume and financial requirements.

Dell's new OptiPlex PCs are serious, hard-working, hard-core business machines, designed to perform in the workplace.

Our accelerated local bus video kicks all your standard workday applications into high gear. Our systems are up to 16% faster than our major competitors' PCs.† As anyone who's ever worked on a spreadsheet will tell you, that adds up fast.

Every OptiPlex system also features advanced Dell optimized Windows display drivers. We also give you the ever popular burst mode memory transfer and block mode IDE transfer. (Translation: things go faster.)



We give you up to 16% faster overall application performance than our leading competitors.†

And to spare you the usual set-up hassles, we'll have your PCs ready to run, right out of the box. You can have your choice of six network interface cards factory-installed. We'll also be more than happy to install your choice from over 100 of the most popular business software applications. All you pay is a flat $15 installation fee.



†Guarantees available in USA only for registered owners of Dell Performance Series systems purch performed by National Software Testing Labs on 8/10/93. Independent performance measurement by NST recommendation or endorsement of any products. BAPCo-prepared tests executed by NSTL in accordance proprietary interest in the marks and names of others. ©1993 Dell Computer Corporation. All rights reserved

FASTER, TAKE
BREAKS,
PLAN AHEAD.






EASIER TO MAINTAIN, SO YOU GET BACK TO WORK FASTER.

Nothing's more important in business than the ability to quickly bounce back from adversity. So we've made our OptiPlex PCs extraordinarily easy to service. Our unique OptiFrame chassis can essentially be snapped apart after turning a couple of thumbscrews. Most of the important component assemblies can then be removed simply by loosening one screw per assembly. And the card cage lifts out in one piece for easy access to the system board. No cards to remove or cables to disconnect.

In fact, you'll find our whole company is easy to use. Dell offers a unique service plan — our SelectCare℠ program. You can pick and choose from a comprehensive menu of service options that includes everything from an optional five-year parts and labor warranty to a highly economical plan for those who would prefer to maintain their PCs themselves. The bottom line is, you pay only for services you want or need. And not a cent for those you don't.

It's this kind of service and support that has made Dell the winner of virtually every major customer satisfaction survey in the past five years. It's also earned us a place in over two-thirds of the companies in the FORTUNE 500®.

And having picked up over $2 billion in worldwide sales, we think we'll keep it up for a little while longer.



If you want them to work even harder, no problem. All systems are upgradeable to Pentium Overdrive.



With our embedded diagnostics you don't have to push hard to get at the root of a problem.

READY TO GROW AS YOUR BUSINESS GROWS.

There's one more thing we built into these PCs that is indispensable to any successful business. Foresight. With an OptiPlex L system you can easily upgrade from three to five slots, and from three to five drive bays. The chassis upgrade usually takes but a few painless minutes.

OptiPlex systems also feature an easy BIOS upgrade — by way of flash RAM so there are no chips to remove. With the system's embedded diagnostics located in the BIOS as well, that too is an easy upgrade. What's more, you can add up to 128KB of cache for memory-intensive applications. All systems can also be upgraded to Intel's mighty Pentium Overdrive processor.

We suggest you call us soon. With hard-working business machines like these out there, if you don't bring them on board, you can be sure your competitors will.

GUARANTEED

We offer guaranteed five-minute response to calls, 24 hours a day. See, someone does work longer hours than you.*

DELL™

TO ORDER, CALL

800-232-8542

HOURS: MON-FRI 7AM-9PM CT SAT 10AM-6PM CT SUN 12PM-5PM CT

IN CANADA,* CALL 800-668-3021. IN MEXICO CITY,* 228-7811. #11EAN

sed after 7/1/92. For a complete copy, please call our TechFax℠ line at 1-800-950-1329 orwrite Dell USA L.P., 9505 Arboretum Blvd., Austin TX 78759-7299. Attention Guarantees. †Benchmarking running BAPCo SYSmark92 on comparable ISA systems configured substantially identical to the Dell OptiPlex, each with equivalent or maximum allowable external cache. NSTL is not affiliated with Dell and makes no with Dell parameters. Results from other tests may vary. The Intel Inside logo is a registered trademark of Intel Corporation. FORTUNE 500 is a registered trademark of The Time Inc. Magazine Company. Dell disclaims

SYSTEMS DESIGNED TO MAKE YOUR BUSINESS WORK HARDER. NOT YOUR BUDGET.

INTRODUCING DELL OPTIPLEX. PCs DESIGNED FOR BUSINESS-CRITICAL APPLICATIONS.







FEATURES COMMON TO ALL OPTIPLEX SYSTEMS

- i486™ PROCESSOR UPGRADEABLE TO PENTIUM™ OVERDRIVE™
- UNIQUE OPTIFRAME™ CHASSIS - EASY SERVICE AND MAINTENANCE
- UPGRADEABLE OPTIFRAME L CHASSIS HAS 3 16-BIT ISA SLOTS AND 3 STORAGE BAYS (EASILY FIELD UPGRADEABLE TO THE OPTIFRAME MX CHASSIS)
- MIDSIZE OPTIFRAME MX CHASSIS HAS 5 16-BIT ISA SLOTS AND 5 STORAGE BAYS
- ACCELERATED LOCAL BUS VIDEO WITH DELL OPTIMIZED WINDOWS DRIVERS
- 512KB VIDEO RAM EXPANDABLE TO 1MB
- OPTIONAL VESA® LOCAL BUS SLOT(S)
- OPTIONAL 128KB CACHE
- 4MB RAM EXPANDABLE TO 64MB
- BURST MODE MEMORY TRANSFER
- BLOCK MODE IDE DISK TRANSFER
- FLASH RAM BIOS
- EMBEDDED DIAGNOSTICS
- ONE DISKETTE DRIVE (3.5" OR 5.25")
- QUIETKEY™ 101 KEYBOARD
- MS-DOS® 6.0/MICROSOFT® WINDOWS™ 3.1/MOUSE
- GUARANTEED* NEXT-BUSINESS-DAY ON-SITE SERVICE[A]
- GUARANTEED* 5-MIN. RESPONSE TIME SUPPORT – 24 HOURS/DAY

DELL® OPTIPLEX™ 425s/L

$1,499 | BUSINESS LEASE[B] $55/MO.

- i486 SX 25MHz
- OPTIFRAME L CHASSIS
- 120MB IDE HARD DRIVE
- SVGA 1024I MONITOR (14", 1024 x 768, .28mm)

DELL OPTIPLEX 433s/L

$1,799 | BUSINESS LEASE $67/MO.

- i486 SX 33MHz
- OPTIFRAME L CHASSIS
- 170MB IDE HARD DRIVE
- ULTRASCAN™ 14C MONITOR (14", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 433/L

$1,999 | BUSINESS LEASE $74/MO.

- i486 DX 33MHz
- OPTIFRAME L CHASSIS
- 170MB IDE HARD DRIVE
- ULTRASCAN 14C MONITOR (14", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 433/L

$2,249 | BUSINESS LEASE $83/MO.

- i486 DX 33MHz
- OPTIFRAME L CHASSIS
- 230MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 450/L

$2,449 | BUSINESS LEASE $91/MO.

- i486 DX2 50MHz
- OPTIFRAME L CHASSIS
- 230MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 466/L

$2,999 | BUSINESS LEASE $111/MO.

- i486 DX2 66MHz
- OPTIFRAME L CHASSIS
- UPGRADED TO 8MB RAM
- 340MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 433/MX

$2,749 | BUSINESS LEASE $102/MO.

- i486 DX 33MHz
- OPTIFRAME MX CHASSIS
- UPGRADED TO 8MB RAM
- 340MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)

DELL OPTIPLEX 466/MX

$3,249 | BUSINESS LEASE $120/MO.

- i486 DX2 66MHz
- OPTIFRAME MX CHASSIS
- UPGRADED TO 8MB RAM
- 450MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)

intel inside®

ALSO AVAILABLE: **DELL 466/ME**

$3,649 | BUSINESS LEASE $131/MO.

NOT PICTURED ABOVE)

- i486 DX2 66MHz
- 4 EISA AND 2 ISA EXPANSION SLOTS AVAILABLE
- 5 STORAGE BAYS
- BURST MODE MEMORY TRANSFER
- BLOCK MODE IDE TRANSFER
- FLASH RAM BIOS
- 8MB RAM EXPANDABLE TO 64MB
- 450MB IDE HARD DRIVE
- 1MB VIDEO RAM
- ACCELERATED LOCAL BUS VIDEO WITH DELL OPTIMIZED WINDOWS DRIVERS
- ULTRASCAN 15FS MONITOR (15", 1024 x 768, .28mm, NI)
- ONE DISKETTE DRIVE (3.5" OR 5.25")
- QUIETKEY 101 KEYBOARD
- MS-DOS 6.0/MICROSOFT WINDOWS 3.1/MOUSE
- EMBEDDED DIAGNOSTICS
- GUARANTEED NEXT-BUSINESS-DAY ON-SITE SERVICE
- GUARANTEED 5-MINUTE RESPONSE TIME SUPPORT - 24 HOURS/DAY

*Guarantees available in USA only for registered owners of Dell Performance Series systems purchased after 7/1/92. For a complete copy, please call our TechFax℠ line at 1-800-950-1329 or write Dell USA L.P., 9505 Arboretum Blvd., Austin TX 78759-7299. Attention Guarantees. *Prices valid in the U.S. only. Some products and promotions not available in Canada or Mexico. [B]Leasing arranged by Leasing Group, Inc. For business use only. Prices based on 36-month, open-end lease, 10% purchase option. [A]On-site service provided by BancTec Service Corporation. On-site service may not be available in certain remote locations. MS-DOS and Microsoft are registered trademarks and Windows is a trademark of Microsoft Corporation. The Intel Inside logo is a registered trademark and i486, Pentium and Overdrive are trademarks of Intel Corporation. VESA is a registered trademark of Video Electronics Standards Association. Dell disclaims proprietary interest in the marks and names of others. ©1993 Dell Computer Corporation. All rights reserved.*

DELL™

TO ORDER, CALL

800-232-5618

HOURS: MON-FRI 7AM-9PM CT SAT 10AM-6PM CT SUN 12PM-5PM CT

IN CANADA, CALL 800-668-3021. IN MEXICO CITY, 228-7811. #11EL3